

**HA8000V シリーズ**

**Service Pack for HA8000V (SPH)**

**Version 6.92 8**

**Readme**

**2026年3月**

## 1. はじめに

このたびは、日立アドバンスサーバ HA8000V シリーズをご利用いただき誠にありがとうございます。  
ご使用になる前に、必ず本内容をご確認ください。

### 1.1 他社所有名称に対する表示

HITACHI は、株式会社 日立製作所の商標または登録商標です。

Microsoft, Windows, Windows Server は、米国 Microsoft Corporation の米国およびその他の国における商標または登録商標です。

Intel、インテル、Xeon は、アメリカ合衆国およびその他の国における Intel Corporation の商標です。

Linux は、Linus Torvalds 氏の日本およびその他の国における登録商標または商標です。

Red Hat は、米国およびその他の国で Red Hat, Inc. の登録商標もしくは商標です。

iLO は、Hewlett Packard Enterprise Development LP の商標です。

VMware は、米国およびその他の地域における Broadcom Inc. の登録商標または商標です。

Broadcom は、Broadcom Inc. およびその関連会社の米国およびその他の国における登録商標または商標です。

QLogic は、Marvell Technology Group Ltd. およびその関連会社の米国およびその他の国における登録商標または商標です。

### 1.2 注意事項

- (1) 本書は改良のため、予告なしに変更することがあります。
- (2) Service Pack for HA8000V のご使用に当たっては、<CD ドライブ>¥EULA に格納された「エンドユーザー使用許諾契約書」をお読みください。
- (3) Service Pack for HA8000V に瑕疵が無いことを保証するものではありません。
- (4) Service Pack for HA8000V は、「3 適用機種及びOS」記載のプラットフォームでご使用いただけます。
- (5) 天災、人災、事故等で Service Pack for HA8000V 使用中に電源が切れますとシステム装置が正常に動作しなくなることがありますので十分に気を付けてください。
- (6) お客様は、Service Pack for HA8000V 並びに本書の全部又は一部を単独で又は他の情報等と組み合わせ、直接又は間接に以下に該当する取扱いをする場合、「外国為替及び外交貿易」の規制及び米国輸出管理規制等外国の輸出関連法規を確認し、適正な手続きを行う必要があります。
  - 輸出するとき。
  - 海外へ持ち出すとき。
  - 非居住者へ提供し、又は使用させるとき。
  - 上記に定めるほか、「外国為替及び外国貿易法」又は外国の輸出関連法規に定めがあるとき。
- (7) マニュアル『HA8000V シリーズ 重要事項および読替ガイド』には、各種マニュアルをご覧いただく際、事前にご理解いただくべき内容を記載しています。こちらも含わせてご参照ください。マニュアルは『[ドキュメントポータル](#)』の「マニュアル > サーバ」-「HA8000V シリーズ」より参照いただけます。

---

本ファイルに含まれている、いかなるファイルの内容の全部またはその一部を、無断で掲載またはコピーすることを固く禁じます。

---

### 1.3 変更履歴

| 発行日      | 変更内容                    |
|----------|-------------------------|
| 2024年11月 | 初版                      |
| 2025年2月  | Windows Server® 2025 対応 |
| 2026年3月  | 誤記訂正                    |

## 2. Service Pack for HA8000V (SPH)について

Service Pack for HA8000V(以降 SPH と呼びます)は、1 台または複数台の HA8000V サーバのファームウェア/システムソフトウェアの更新を簡素化するソリューションです。

SPH には、サーバ/コントローラ/ストレージのファームウェア/ドライバ/ユーティリティパッケージが含まれます。また、SPH に収録されている Smart Update Manager(以降 SUM と呼びます)は、更新されたファームウェアおよびシステムソフトウェアをデプロイする推奨ツールです。

SPH/SUM を使うことで、ファームウェアおよびシステムソフトウェアのオンラインアップデートが可能となります。アップデート操作を SUM に統合することにより、個々の HA8000V サーバのアップデートが迅速になり、システム全体のアップデート時間を短縮することができます。

SPH は定期的にリリースされます。最新版の SPH を使用して更新することを推奨します。

## 3. 適用機種及びOS

SPH のバージョン及び適用機種/適用 OS の組み合わせについては、「[Service Pack for HA8000V 補足資料 \(Readme\)](#)」の『サポートモデル/OS 一覧』を参照ください。

### 3.1 適用機種

- HA8000V/DL20 Gen10 (U43)
- HA8000V/DL20 Gen10 Plus (U60)
- HA8000V/DL360 Gen10 (U32)
- HA8000V/DL360 Gen10 Plus (U46)
- HA8000V/DL380 Gen10 (U30)
- HA8000V/DL380 Gen10 Plus (U46)
- HA8000V/DL580 Gen10 (U34)
- HA8000V/ML30 Gen10 (U44)
- HA8000V/ML30 Gen10 Plus (U61)
- HA8000V/ML350 Gen10 (U41)

### 3.2 適用 OS

- Microsoft® Windows Server® 2025
- Microsoft® Windows Server® 2022
- Microsoft® Windows Server® 2019
- Red Hat® Enterprise Linux® Server 8.9
- VMware ESXi™ 8.0
- VMware ESXi™ 7.0

## 4. 変更内容

本章では、今回のリリースの変更内容を記載しています。

### 4.1 新規サポート内容

#### (1) 追加サポート機種及びOS

- 追加サポート機種

なし

- 追加サポートOS

- Microsoft® Windows Server® 2025
- Red Hat® Enterprise Linux® Server 8.9

#### (2) 追加サポートデバイス

なし

#### (3) サポート除外機種及びOS

- サポート除外機種

なし

- サポート除外OS

- Red Hat® Enterprise Linux® Server 9.2
- Red Hat® Enterprise Linux® Server 8.8

### 4.2 更新内容

『6.3 パッケージの変更内容』を参照ください。

## 5. 注意事項

本章では、SPH をご使用になる上で、注意頂く内容を記載しています。

### 5.1 ドライバ・ユーティリティなどの適用について

最新のドライバ・ファームウェア・ユーティリティなどを、「[日立アドバンスドサーバ HA8000V シリーズ ホームページ](#)」で提供しております。

各アップデートプログラムの適用についてはお客様責任にて実施していただきますが、システム装置を安定してご使用いただくためにも、ホームページの[ サポート ]ー[ ダウンロード ] に定期的にアクセスして、最新のドライバ・ファームウェア・ユーティリティへ更新していただくことをお勧めします。

### 5.2 OS の新規・再セットアップの場合の注意事項

OS の新規・再セットアップの際、OS セットアップ前にオフライン展開モードを使用してファームウェアを更新してください。OS セットアップ後のオンライン展開モードでの SPH 初回適用では、SUM インベントリ結果の「推奨されたコンポーネント」にファームウェアが選択されていないことを確認してから、適用してください。

「推奨されたコンポーネント」にファームウェアが選択された場合は、ファームウェアコンポーネントを除外し、ドライバ/ユーティリティコンポーネントのインストールを先に実施してください。これによ

り、デバイスの検出及びファームウェアの書き込みに適切なドライバ/ユーティリティがインストールされます。ドライバ/ユーティリティのインストール後は、OS を再起動し、再度 SUM を実行してファームウェアの更新を行ってください。

SUM でファームウェアコンポーネントを除外し、ドライバ/ユーティリティコンポーネントのみのインストールを指定するには、次の手順により行います。

GUI の場合：

SUM を起動し、「展開サマリー(Deployment summary)」画面右上の[ アクション(Actions) ]-[ アドバンストオプション(Advanced Options) ]から「アドバンストオプション(Advanced Options)」画面を開き、「インストールオプション(Installation Options) “の項目で“ソフトウェアのアップグレード(Upgrade Software) “を選択し、“OK”ボタンを押してください。

CLI の場合：

"--softwareonly"パラメータを使用してください。

例) # ./smartupdate --s --softwareonly

### 5.3 SUM によるアップデート時の注意事項

(1) ファームウェア/ドライバの依存関係について

アップデート対象のファームウェア/ドライバには依存関係を持つ場合があります、一度の SUM の実行では全て更新できない場合があります。このため、SUM アップデート後、全ての更新対象がアップデートされているかを確認してください。もし、アップデートされていないパッケージがある場合、再度 SUM を実行してください。全てアップデートされたかは、次の手順により確認できます。

GUI の場合：

SUM を起動し、「展開サマリー(Deployment summary)」画面にて、「推奨されたコンポーネント」数表示が、“0”となっていることを確認してください。

CLI の場合：

"--report"パラメータを使用してレポート作成し、作成されたレポートを参照してください。レポート出力先は画面に表示されます。レポートを参照し、“Install Needed”の項目が、“0”となっていることを確認してください。

例) # ./smartupdate --report

(2) 適用バージョンについて

SUM を使用して更新作業を行う場合、適用対象として自動選択されるものは、新規にインストールされるもの、および SPH 収録バージョンが適用済みバージョンより新しいものとなります。

ネットワークアダプタ及びファイバーチャネルホストバスアダプタは、SPH 収録のドライバ/ファームウェアの組み合わせでご使用いただくことを推奨しています。適用済みバージョンが SPH 収録済みバージョンより新しい場合、該当コンポーネントが適用対象として自動選択されません。その場合、以下の手順で対象コンポーネントを手動で選択し、適用してください。

#### 【手動適用方法】

SUM を起動し、「展開サマリー(Deployment summary)」画面で、「コンポーネントの選択状態」が「選択」表示(※)となっているコンポーネントを確認し、ネットワークアダプタファームウェアまたは、ファイバーチャネルホストバスアダプタのファームウェアの場合は、当該コンポーネントを選択(※)して、「展開(Deploy)」ボタンを押してください。

※：コンポーネントが選択されると、「コンポーネントの選択状態」が、「選択済み」もしくは「強制」と表示されます。

#### 【注意】

デバイスによっては、適用バージョンに関して、個別にアドバイザリが発行されている場合があります。本ファームウェアの適用に当たっては、アドバイザリを参照してください。

#### (3) SUM の展開モードに関する補足説明

SUM にはいくつかのアップデート方法(展開モード)があります。展開モードにより、対象 OS/更新対象および利用形態が異なりますので、以下の表を参照の上、展開モードを決定してください。

| SUM 展開モード |                                | 展開対象 OS(※ 1) |      |        | 更新対象    |                           | iso イメージの利用形態 |             |
|-----------|--------------------------------|--------------|------|--------|---------|---------------------------|---------------|-------------|
|           |                                | Windows      | RHEL | VMware | ファームウェア | ソフトウェア<br>(ドライバ、ユーティリティ等) | ファイル(※ 4)     | 媒体書き込み(※ 5) |
| オンライン     | ローカル                           | ○            | ○    | —      | ○       | ○                         | ○             | ○           |
|           | リモート(※ 2)<br>(OS を介したアップデート)   | ○            | ○    | —      | ○       | ○                         | ○             | ○           |
|           | リモート(※ 3)<br>(iLO レポジトリアップデート) | ○            | ○    | ○      | ○       | ○                         | ○             | ○           |
| オフライン     |                                | ○            | ○    | ○      | ○       | —                         | —             | ○           |

※ 1：ゲスト OS は対象外。

※ 2：対象ノードにホスト OS の IP アドレスを指定した場合。

※ 3：対象ノードに iLO アドレスを指定した場合。対象ノードのホスト OS に iSUT 及び AMS のインストール・設定が必要

※ 4：ダウンロードまたはコピーした、ストレージデバイス上の iso イメージファイル。

※ 5：iso イメージを書き込んだ、DVD/USB 等のブータブルメディア。

#### (4) SUM GUI での適用パッケージの選択について

SUM GUI を使用している場合、インベントリが完了すると展開(Deploy)するパッケージの確認画面が表示されます。

確認画面では、選択した SPH/ベースラインに含まれる更新パッケージのうち、対象装置に適用可能なパッケージが表示され、適用が推奨される(現在のバージョンより新しい)パッケージが展開対象として自動的に選択されます。(選択されたパッケージは、行背景が反転し「選択済み」()または「Selected」()ボタン表示となります。ボタンをクリックすると、選択が解除され「選択」()「Select」()ボタン表示となります。)

自動選択されなかったパッケージは、「強制」()または「Force」()ボタンをクリックすることで強制的に適用対象とすることができます。(強制適用を選択した場合、行背景が反転し「強制」()「Forced」()ボタンで表示されます。)

### 【注意】

ファームウェア/ドライバ/ユーティリティは、別途ご案内のない限り、最新のものをご使用いただくことを推奨しています。特に、強制適用を選択した場合、選択したバージョンが古いとダウングレードとなりますので、意図せずダウングレードしてしまうことが無いよう、操作には注意してください。

### (5) Linux 環境における適用パッケージのOSライブラリ依存について

Linux 環境で利用するパッケージには、特定の os ライブラリを前提とするものがあります。そのパッケージを適用する際、前提とする os ライブラリが事前にインストールされていない場合、インベントリ完了後、または展開(Deploy)完了後に依存関係エラーとなります。

エラーが発生する場合、以降記述の各エラー表示例をご参照頂き、依存ファイルとして表示されるファイル/ライブラリをインストール後、再度 SPH を適用して下さい。

なお、依存する os ライブラリは、依存関係解消後に新たな依存関係が発生する場合があります、その場合は依存関係エラーが解消するまで、SPH 適用を繰り返す必要があります。


### 【インベントリ完了後のエラー表示】

エラーが発生したパッケージは、赤丸(赤枠内)で表示されます。

|                                                                                     |                                                                                                                 |                                                                                     |          |             |               |    |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------|-------------|---------------|----|
|  | HPE NFS host agent for RedHat Enterprise Linux(RHEL) Server -7/8 (HPE-NFC-host-agent-RHEL-1.0-1.rhel8u3.x86_64) |  | Software | Recommended | 1.0-1.rhel8u3 | No |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------|-------------|---------------|----|

上記赤枠内の赤丸をダブルクリックすると次のダイアログが表示され、“Failed dependency details”として、インストールが必要となるファイル/ライブラリが表示されます。(赤枠内)







上記の例では、インストールが必要となるファイル/ライブラリとして、“libhugetlbfs.so”を示しています。

#### 【展開(Deploy)完了後のエラー表示】

エラーが発生したパッケージは、赤丸(赤枠内)で表示されます。



上記赤枠内の“View log”をクリックすると次のダイアログが表示され、“error: Failed dependencies:”として、インストールが必要となるファイル/ライブラリが表示されます。(赤枠内)



上記の例では、インストールが必要となるファイル/ライブラリとして、“libuuid.so”を示しています。

#### (6) iLO レポジトリを利用したアップデートについて

コンポーネントの形式によって、iLO レポジトリを使用した iLO 経由でコンポーネントが展開(Deploy)されます。iLO レポジトリにアップロードされたコンポーネントは、インストールキューに追加され順次展開されていきます。

この時、キューに追加された途中のコンポーネントで展開エラーが発生した場合、以降のコンポーネントは展開保留状態となります。その状態のコンポーネントがキューに存在すると、以降 iLO レポジトリを利用したアップデートができません。

次に示すエラー状態を参照の上、上記状態と判断できる場合は、インストールキューに残っているコンポーネントをすべて削除し、再度 SPH を適用してください。

#### 【エラーが発生した場合のインストールキューの状態】

iLO WEB インタフェースの[ファームウェア & OS ソフトウェア]>[インストールキュー]ページを参照しま

す。

✖

ファームウェアアップデート

直近のファームウェアのアップデートまたはアップロードする試みは成功しませんでした。有効な署名付きフラッシュファイルを使用していることを確認して、もう一度試してください。コンポーネントをインストールする場合は、まずそれをiLOレポジトリにアップロードしてから、それをインストールキューに追加してください。

✕

🗑

ファームウェア & OSソフト... - インストールキ...

● ● ● ● ● ● ?

ファームウェア   ソフトウェア   メンテナンスウィンドウ   iLOレポジトリ   インストールセット

インストールキュー

iLO日付/時刻(UTC): 2021-12-01 13:09

| 状態   | 名前                                                              | 開始        | 失効 |   |   |
|------|-----------------------------------------------------------------|-----------|----|---|---|
| ● 完了 | Broadcom NetXtreme-E adapters 218.0.166.0                       | N/A       | なし | ✎ | 🗑 |
| ● 完了 | HPE SR932i-p and SR416i-a Gen10 Plus Controllers 03.01.04.072   | N/A       | なし | ✎ | 🗑 |
| ● 完了 | Intel Firmware Package For E810-XXVDA2 Ethernet 10/25Gb 2-po... | N/A       | なし | ✎ | 🗑 |
| ✖ 例外 | Mellanox Firmware Package(FWPKG) for HPE Ethernet 10/25Gb 2-... | N/A       | なし | ✎ | 🗑 |
| ⊙ 保留 | Mellanox Firmware Package(FWPKG) for HPE Ethernet 100Gb 1-po... | 前のタスクの実行後 | なし | ✎ | 🗑 |

🗑 すべて削除

⚡ ファームウェアのアップデート

📶 iLOレポジトリにアップロード

📋 キューに追加

「例外」及び「保留」状態となっているパッケージが表示されている場合、「全て削除」ボタンをクリックして、キューに登録されたコンポーネントを削除してください。

#### (7) SUM 実行でのインベントリ失敗時の対応について

SUM は、アップデートに必要なデバイスならびにソフトウェア等の情報を iLO 経由で取得します。iLO の状態により、まれに情報取得できないことがあり、以下に示すようにインベントリに失敗します。

#### 【インベントリ失敗時の表示例】

手順 1  
インベントリ

手順 2  
レビュー

手順 3  
展開

ベースラインおよびノードのインベントリ

▼ ベースラインのインベントリ

■ Service Pack for HA8000V

ベースラインが正常に追加されました

コンポーネント合計 332

▼ ローカルホストのインベントリ

● localhost

ノードインベントリが失敗

現在操作を実行できません。理由: iLOからRISデータをフェッチ中

次へ

中止

最初からやり直す

再起動

SUM を再実行しても本エラーが解消されない場合は、下記のいずれかの手順を実施してください。

- (1) iLO の再起動（リセット）を実施してください。詳細は『iLO 5 x.xx ユーザーガイド』（※）の「iLO の再起動（リセット）」を参照してください。『iLO 5 x.xx ユーザーガイド』は、「[日立アドバンストサーバ HA8000V シリーズ ホームページ](#)」に掲載されている「製品マニュアル」よりダウンロードしてください。
- (2) オンラインアップデート(OS 稼働中のアップデート)の場合、装置の再起動を実施してください。
- (3) 装置の給電を停止(電源ケーブルの抜去や UPS の出力停止等)後、10 秒待った後に給電を再開してください。

※x.xx の部分にはバージョンが入ります。

#### (8) DVD 容量を超えた SPH 媒体の作成について

ファイルサイズが 7.9GB を超える SPH iso イメージは、DVD Dual-Layer(2 層)メディアに入りきらず、SUM オフライン展開モードで必要となるブータブルメディアを作成することができません。

この対処として、SPH に収録している USB Key Utility(Windows アプリ)を使用して、ブート可能な USB フラッシュドライブ(USB キー)を作成することができます。以下、USB キーの作成方法を示します。

#### 【USB Key Utility 使用上の注意】

- 32 ビットオペレーティングシステムではご利用になれません。
- 最大 32GB の USB フラッシュドライブが利用可能です。
- iso イメージサイズより大きいストレージ容量を備える USB フラッシュドライブが必要です。
- ターゲット USB フラッシュドライブ上のすべてのデータが削除されます。データを事前にバックアップしてください。

#### 【USB キー作成手順】

- (1) Windows PC で SPH iso イメージをマウントし、"<マウントドライブ>:\usb\usbkey"フォルダに格納された"usbkey.exe"をダブルクリックします。
- (2) USB Key Utility のスプラッシュ画面(起動画面)が表示されたら、「次へ」をクリックします。
- (3) 「エンドユーザー使用許諾契約書」を確認したら、『同意する』をチェックし「次へ」をクリックします。
- (4) 『CD/DVD から起動可能な USB キーを作成』をチェックし、「次へ」をクリックします。
- (5) 画面表示に従って、ご利用 PC の空いている USB ポートに、USB キー作成用の USB フラッシュドライブを挿入して、「次へ」をクリックします。
- (6) 下記の通りメディアを選択し、「次へ」をクリックします。
  - 「ソース CD/DVD の選択」で、『iso ファイルのブラウズ』をチェックし、USB フラッシュドライブへ書き込む SPH iso イメージファイルを指定します。
  - 「ターゲット USB キーのドライブ文字の選択」で、挿入した USB フラッシュドライブを選択します。(対象のドライブが見つからない場合は、「ターゲット再スキャン」をクリックしてください。再スキャンしても表示されない場合は、別の USB フラッシュドライブを挿入してください。)

- (7) 警告メッセージを確認し「次へ」をクリックします。(USB フラッシュドライブがフォーマットされ、ソースの内容が USB フラッシュドライブにコピーされます。)
- (8) 正常に作成されたメッセージが表示されたら、「完了」をクリックします。

## 5.4 SUMでのランゲージパックバージョン表示と適用について

SUM(Smart Update Manager)で表示される、適用中のランゲージパックのバージョンが正しく表示されない場合があります。正しいバージョンを確認するためには、iLO WEB インタフェースの[管理]>[言語]ページより現在適用中の言語パックのバージョンをご確認下さい。

また、この結果、SUM でランゲージパックが適用対象として正しく選択されない可能性があります。目的のバージョンのランゲージパックが適用されていないのに、SUM 実行後の「展開サマリー」画面で、ランゲージパックが適用対象として選択されない場合があります。この場合は、ランゲージパックを手動で選択し展開を実施してください。

目的のバージョンのランゲージパックが適用済みであっても、SUM 実行後の「展開サマリー」画面で、ランゲージパックが適用対象として自動的に選択されている場合があります。この場合は、ランゲージパックの適用は不要ですので、選択を解除してから展開を実施してください。

## 5.5 SUMでのiLOを使用したランゲージパック適用に関する制限事項

SUMで対象ノードとして、システム装置のiLOを追加(ノードのIPアドレスにiLOのIPアドレスを指定、ノードタイプにiLOを選択)した場合、ランゲージパックが対象に含まれず更新されません。ランゲージパックは別途下記方法にて更新ください。

- SUMをローカルホスト上で実行(※)
- SUMで対象ノードとしてシステム装置のOSのIPアドレスを指定して実行(※)
- iLO WEB インタフェースを使用して実行

※：対象ノードがVMwareの場合は使用不可

### 【iLO WEB インタフェースからの更新手順】

- (1) 以下の手順で、事前にSPH package ファイルからランゲージパックファイルを取り出してください。  
Windows上で、SPHのpackagesディレクトリ下にある、『6.2.9 Firmware - Lights-Out Management』の「Language Pack - Japanese」に掲載されている“cp\*\*\*\*\*.exe”を実行してください。パッケージセットアップが起動するので「解凍」を選択し、任意のディレクトリにパッケージを展開してください。展開したディレクトリから、“lang\_ja\_\*\*\*.lpk”を取り出してください。
- (2) 装置のシャットダウンを行ってください。
- (3) iLO WEB インタフェースの「ファームウェア & OS ソフトウェア」タブを開いてください。
- (4) 「ファームウェアアップデート」をクリックし、「ローカルバイナリファイル」に先ほど取り出したランゲージパックファイルを指定し、「フラッシュ」を選択してください。
- (5) 2〜3分後に完了のメッセージが表示されます。その後iLOが自動的に再起動します。

## 5.6 ASR(Automatic Server Recovery)について

ASR(Automatic Server Recovery)はブルースクリーン等の致命的なOSのエラーが発生したときに自動的にシステムの復旧をするべくサーバの再起動をおこなう機能です。IP(version 3.10以降)を使ったOSのインストール

ール又は SPH(version 3.00 以降)の適用、その他の方法による ASR ドライバのインストールにより ASR が自動的に有効になります。ASR が不要な場合や Alive Monitor、IPMI WDT 等の他の OS 死活監視を使う場合は ASR を無効化してください。

#### 5.6.1 ASR 操作の PowerShell スクリプトの入手について

ASR の有効/無効の確認並びに切り替えは ASR ドライバのパッケージに同梱されている PowerShell スクリプトを使って行います。以下を参照して PowerShell スクリプトを入手してください。

##### (1) ASR ドライバのパッケージを展開します

SPH の packages ディレクトリ下にあるファイル群の中から、下表の各 OS バージョンに対応した『6.2.7 Driver - System Management』の「Package filename」欄記載のファイルを実行してください。パッケージセットアップが起動するので解凍を選択し、任意のディレクトリにパッケージを展開してください。

| No. | Windows バージョン       | Description                                                                       |
|-----|---------------------|-----------------------------------------------------------------------------------|
| 1   | Windows Server 2019 | iLO 5 Automatic Server Recovery Driver for Microsoft Windows Server 2016 and 2019 |
| 2   | Windows Server 2022 | iLO 5 Automatic Server Recovery Driver for Microsoft Windows Server 2022          |
| 3   | Windows Server 2025 | iLO 5 Automatic Server Recovery Driver for Microsoft Windows Server 2025          |

##### (2) PowerShell スクリプトを確認してください

展開したパッケージの中の scripts ディレクトリ下に下記の 3 つの PowerShell スクリプトが含まれている事を確認してください。必要に応じて任意のディレクトリにコピーしてください。

Get-AsrSettings.ps1

Set-AsrPreTimeoutNMI.ps1

Set-AsrTimeout.ps1

#### 5.6.2 ASR の確認方法

Windows の PowerShell より Get-AsrSettings.ps1 を実行してください。TimeoutInMinutes が 0 又は、コマンドの実行がエラーとなった場合 ASR は無効になっています。

#### 実行例その 1(TimeoutInMinutes が 0 の場合)

```
PS C:\Users\Administrator\Desktop> .\Get-AsrSettings.ps1

Active                : True

EnablePreTimeoutNMI : True

InstanceName         : PCI\VEN_103C&DEV_3306&SUBSYS_00E41590&REV_074&154b2d14&0&00E4_0

TimeoutInMinutes     : 0

PSComputerName       :
```

#### 実行例その 2(コマンドの実行がエラーとなる場合)

```
PS C:\Users\Administrator\Desktop> .\Get-AsrSettings.ps1

Get-CimInstance : 無効なクラスです

発生場所 C:\Users\Administrator\Desktop\Get-AsrTimeout.ps1:25 文字:1
+ Get-CimInstance -Namespace "root\wmi" -ClassName "HP_iLO_ASR_Settings ...
+ ~~~~~
+ CategoryInfo          : MetadataError: (root\wmi:HP_iLO_ASR_Settings:String) [Get-CimInstance], CimException
+ FullyQualifiedErrorId : HRESULT 0x80041010,Microsoft.Management.Infrastructure.CimCmdlets.GetCimInstanceCommand
```

### 5.6.3 ASR の無効化方法

Windows の PowerShell より以下のオプションで Set-AsrTimeout.ps1 を実行してください。

```
Set-AsrTimeout.ps1 -Disable
```

#### 実行例

```
PS C:\Users\Administrator\Desktop> .\Set-AsrTimeout.ps1 -Disable
```

### 5.6.4 ASR の有効化方法

Windows の PowerShell より以下のオプションで Set-AsrTimeout.ps1 を実行してください。

```
Set-AsrTimeout.ps1 -Default
```

#### 実行例

```
PS C:\Users\Administrator\Desktop> .\Set-AsrTimeout.ps1 -Default
```

## 5.7 VMware をご使用にあたっての注意事項

### 5.7.1 ファームウェアの適用について

システム装置を安定してご使用いただくためには、ご使用の VMware バージョンに合わせたファームウェアを適用頂く必要があります。

VMware 環境でのファームウェアの適用にあたっては、SUM のリモートオンライン 展開モード及びオフライン 展開モードが利用できます。(VMware バージョンと利用可能な SPH 及び展開モードについては、「[Service Pack for HA8000V 補足資料\(Readme\)](#)」の『サポートモデル/OS 一覧』を参照ください。)



#### 【リモートオンライン 展開モードを使用する場合】

本モードでは、ファームウェアに加えてドライバのアップデートも可能です。

事前に「iSUT」のインストール及び ESXi ホストに対する設定が必要です。

「iSUT」が未インストールの場合、『5.7.2 iSUT のインストール』記載の手順に従ってインストールしてください。ESXi ホストに対しては、以下の設定をアップデート作業前に実施して下さい。

- (1) ファームウェア/ドライバのアップデート作業を行う間は、ESXi ホストをメンテナンスモードに設定してください。
- (2) ESXi ホストをノードとして追加する場合、対象ノードとしてシステム装置の iLO を追加(ノードの IP アドレスに iLO の IP アドレスを指定、ノードタイプに iLO を選択)してください。
- (3) ファームウェア/ドライバのアップデートを有効化するためには VMware ESXi の再起動が必要です。アップデート後自動的に再起動させる場合は、再起動オプションを使用してください。

#### 【オフライン 展開モードを使用する場合】

SPH の iso イメージを格納した媒体をサーバに取り付け、媒体よりサーバをブートします。

なお、各 VMware バージョンと SPH サポート情報の詳細は、「[日立アドバンスドサーバ HA8000V シリーズ ホームページ](#)」の[製品]ー[OS、ISV 情報]にある『VMware』に掲載している注意事項をご参照の上、推奨ドライババージョンをご確認ください。

#### 5.7.2 iSUT のインストール

VMware システムに対して、SPH/SUM を使用しファームウェア/ドライバのアップデートを行うには、ESXi ホストに iSUT をインストールする必要があります。iSUT インストール後は、リモート PC から SUM の『リモートオンライン』展開モードを使用して ESXi ホストのファームウェア/ドライバのアップデートを行うことができます。

ESXi ホストに iSUT をインストールする手順を次に示します。次のインストール手順では、データストア名を「datastore1」としています。使用環境にあわせて読み換えてください。

- (1) iSUT は SPH の packages ディレクトリに収録されています。下表に示す zip ファイルを展開し、iSUT のオフラインバンドル(zip ファイル)を取り出してください。

| No. | VMware バージョン     | SPH package ファイル名 | オフラインバンドルファイル名                 |
|-----|------------------|-------------------|--------------------------------|
| 1   | VMware ESXi™ 7.0 | cp062093.zip      | sutComponent_701.5.2.0.6-*.zip |
| 2   | VMware ESXi™ 8.0 | cp062092.zip      | sutComponent_800.5.2.0.5-*.zip |

- (2) 取り出した iSUT のオフラインバンドルを VMware ESXi の「datastore1」直下へに転送してください。
- (3) VMware ESXi のコンソール画面で「F2」キーを押すと Login 画面が表示されるので、root ユーザーでログインします。
- (4) 「System Customization」画面が表示されるので、「Troubleshooting Options」を選択し、「Enter」キーを押下します。



- (5) 「Enable ESXi Shell」を選択し、「Enter」キーを押下して ESXi Shell を "Enable" に変更します。
- (6) 「Alt」 + 「F1」 キーを押下し、VMware ESXi の Shell 画面を開き、root ユーザーでログインします。
- (7) 次のコマンドを実行しインストールします。

```
esxcli software vib install -d /vmfs/volumes/datastore1/<転送したバンドルファイル名>
```

- (8) VMware ESXi を再起動してください。
- (9) 再起動後、再度 VMware ESXi の Shell 画面を開き、root ユーザーでログインします。
- (10) 次のコマンドを実行し、iSUT を AutoDeployReboot モードに設定します。
- (11) 作業終了後、OnDemand モードに変更します。iSUT を AutoDeployReboot モードに設定すると、iSUT が常駐し常時稼働し続けます。アップデート作業時以外は iSUT の稼働は不要ですので、常駐解除することを推奨します。iSUT を OnDemand モードに設定するには、次のコマンドを実行してください。

```
sut -set mode=ondemand
```

### 5.7.3 iLO セキュリティ設定を“高セキュリティ”にした装置で iSUT を使用する場合について

#### (1) iLO の認証情報設定

iLO を“高セキュリティ”設定にした状態で iSUT を使うためには、以下のいずれかの設定が必要です。

- ① iSUT への認証情報設定
- ② iLO のセキュリティ条件の変更(iLO FW v1.4.0 以降のみ設定可能)

#### ① iSUT への認証情報設定

iSUT に iLO の認証情報を設定します。設定方法は、VM ホスト上で以下を実行します。

```
sut -set ilouusername=<username>  
Please provide the iLO password: <*****>
```

#### 【注意】

認証情報の設定は、iSUT が OnDemand モードの状態で行ってください。AutoDeployReboot モードで設定した場合、認証情報が有効にならない場合があります。

#### ② iLO のセキュリティ条件の変更

iLO で“ホスト認証が必要”を「無効」に設定します。

iLO の Web 画面で[セキュリティ]-[アクセス設定]と画面遷移し、iLO の項目にある「ホスト認証が必要」の設定を「無効」に設定してください。

#### (2) iSUT の設定確認・変更

VM ホスト上で “sut -status” を実行し、iSUT の設定が “EnableiLOQueuedUpdates=true”となっていることを

確認してください。"false"の場合は、VM ホスト上で以下を実行してください。

```
sut -set enableiloqueuedupdates=true
```

#### 5.7.4 ドライバパラメータ再設定について

本 SPH を使用して VMware ドライバをアップデートした場合、ネイティブ ドライバが適用されます。ご使用の VMware 環境で VMKLinux ドライバをご使用の場合、ドライバが変更され、設定されているドライバパラメータが初期化されます。この問題を回避するために、ドライバアップデート後、ドライバパラメータを再設定してください。

##### 【対象製品及びドライバ種】

下表に記載している対象製品並びにアップデート前のドライバ種をご使用の場合が対象となります。

| 対象製品                                                                |                                                                                                                                                                                                                                                                   | ドライバ種                 |                    |
|---------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 形名(*1)                                                              | 製品名(旧品名)                                                                                                                                                                                                                                                          | アップデート前<br>(VMKLinux) | アップデート後<br>(ネイティブ) |
| TQ-N□□-817745-B21<br><br>TQ-N□□-817738-B21                          | Ethernet 10Gb 2-port FLR-T X550-AT2 Adapter(Ethernet 10Gb 2 ポート 562FLR-T ネットワークアダプタ)<br><br>Ethernet 10Gb 2-port BASE-T X550-AT2 Adapter(Ethernet 10Gb 2 ポート 562T ネットワークアダプタ)                                                                                     | net-ixgbe             | ixgben             |
| TQ-N□□-665240-B21<br><br>TQ-N□□-652497-B21<br><br>TQ-N□□-811546-B21 | Ethernet 1Gb 4-port FLR-T I350-T4V2 Adapter(Ethernet 1Gb 4 ポート 366FLR ネットワークアダプタ)<br><br>Ethernet 1Gb 2-port BASE-T I350-T2V2 Adapter(Ethernet 1Gb 2 ポート 361T ネットワークアダプタ)<br><br>Ethernet 1Gb 4-port BASE-T I350-T4V2 Adapter(Ethernet 1Gb 4 ポート 366T ネットワークアダプタ) | igb                   | igbn               |
| TQ-N□□-727054-B21<br><br>TQ-N□□-727055-B21                          | Ethernet 10Gb 2-port FLR-SFP+ X710-DA2 Adapter(Ethernet 10Gb 2 ポート 562FLR-SFP+ネットワークアダプタ)<br><br>Ethernet 10Gb 2-port SFP+ X710-DA2 Adapter(Ethernet 10Gb 2 ポート 562SFP+ネットワークアダプタ)                                                                                | i40e                  | i40en              |

(\*1)：□には製品構成などにより異なった英数字が入ります。

## 【再設定手順】

### (1) ドライバパラメータの確認及び記録

ドライバのアップデート前に、以下コマンドを実行し、ドライバパラメータ値を控えてください。

```
esxcfg-module -g <driver name>
```

<driver name>：アップデート前ドライバ種

以下実行例の「option = 'yyyy'」の「yyyy」に設定値が表示されますので、値を控えてください。値が表示されない場合は、ドライバパラメータは未設定ですので、以降の作業は不要です。

(実行例) net-ixgbe の場合

```
# esxcfg-module -g net-ixgbe
```

```
net-ixgbe enabled = 1 options = 'yyyy'
```

また、以下の表示となる場合、net-ixgbe ドライバは未使用ですので、以降の作業は不要です。

(実行例) net-ixgbe の場合

```
# esxcfg-module -g net-ixgbe
```

```
Unknown module name net-ixgbe
```

### (2) ドライバパラメータの再設定

以下コマンドを実行し、『(1)ドライバパラメータの確認及び記録』で控えたドライバパラメータを再設定して下さい。

```
esxcfg-module -s "yyyy" <driver name>
```

yyyy：控えたドライバパラメータ

<driver name>：アップデート前ドライバ種

以下実行例の「option = 'yyyy'」に控えたドライバパラメータを指定します。

(実行例) ixgben の場合

```
# esxcfg-module -s "yyyy" ixgben
```

### (3) VMware ESXi の再起動

変更を有効にするため、VMware ESXi を再起動してください。

## 5.7.5 QLogic 製ファイバーチャネルホストバスアダプタご使用にあたっての注意事項

VMware 環境において、QLogic 製ファイバーチャネルホストバスアダプタの特定のドライバパラメータを設定している状態で SPH に収録されているドライバにアップデートすると、アダプタが認識できなくなります。

特に、SAN ブートパスに使用しているアダプタで本現象が発生した場合、OS が起動できなくなり、回復にはバックアップからのリストアが必要となります。本 SPH を用いたドライバのアップデート前に、予めパラメータ変更を行ってからドライバをアップデートしてください。

なお、デフォルトではパラメータは設定されておらず、本現象は発生しません。

パラメータ変更方法等、詳細は「日立アドバンストサーバ HA8000V シリーズ」の「製品に関する重要なお知らせ」掲載の「VMware 環境において QLogic 製ファイバーチャネルホストバスアダプタのドライバをアップデート後アダプタが認識できなくなる現象について(管理番号：CRI-2020-0005)」を参照してください。

#### 5.7.6 リモートオンライン 展開モードをご使用時の注意事項

本モードをご使用の際は、iLO が Agentless Management Service(AMS)に接続している必要があります。iLO が AMS に接続していない場合、適用可能なコンポーネントにソフトウェア/ドライバパッケージが追加されません。

iLO と AMS の接続状態を確認するには、iLO WEB インタフェースの[システム情報]>[概要]ページを開き、サブシステムおよびデバイスの Agentless Management Service のステータスを確認して下さい。

【iLO が AMS に接続している場合】

| ↑サブシステムおよびデバイス               | ステータス |
|------------------------------|-------|
| Agentless Management Service | ✔ OK  |

【iLO が AMS に接続していない場合】

| ↑サブシステムおよびデバイス               | ステータス   |
|------------------------------|---------|
| Agentless Management Service | ① 利用不可能 |

iLO が AMS に接続していない場合、以下の手順を実施し、再度 iLO と AMS の接続状態を確認して下さい。

- 装置電源 OFF(ESXi ホストシャットダウン)
- 装置電源ケーブルの抜き差し
- 装置電源 ON(ESXi ホスト起動)

## 5.8 SUM オフライン展開モードご使用時の注意事項

SUM オフライン展開モードでは Secure Boot をサポートしておりません。Secure Boot 設定は Disabled に設定の上ご使用ください。

SPH の ISO イメージを、iLO 仮想メディアデバイスにマウントして SUM のオフライン展開モードご使用の場合、iLO の『ネットワークインターフェイス設定』が『共有ネットワークポート』構成となっていると、SUM の起動途中でエラーになることがあります。

iLO の『ネットワークインターフェイス設定』を『共有ネットワークポート』構成でご使用の場合、ISO イメージを書き込んだ媒体をご用意いただき、内蔵もしくは USB 接続の DVD ドライブを使用して SUM のオフライン展開モードを起動してください。

【注意】

DL20/ML30 では、iLO の『ネットワークインターフェイス設定』のデフォルト設定が『共有ネットワークポート』となっています。SUM オフライン展開モードご使用時は、SPH ISO イメージを書き込んだ媒体が

ら起動してください。

## 5.9 Intel 製ネットワークアダプタご使用について

Intel 製ネットワークアダプタをご使用になる場合、下記の制限事項があります。

### 5.9.1 Intel 製ネットワークアダプタのファームウェアアップデートについて

Intel 製ネットワークアダプタのファームウェアアップデートを行う場合、ファームウェアアップデート後に再起動を行っても、サブ電源で動作する機能は動作し続けているため、アップデートが完全には反映されません。

アップデート後に電源ケーブルを抜いて電源を 5 秒以上切断してから、電源ケーブルを差しなおし電源を入れなおしてください。電源ケーブルを抜き差しする必要があるため、リモートでは実施できません。

本制限事項の最新の状況並びに具体的な対象アダプタの情報については、アドバイザリ：「特定のネットワークアダプタについてファームウェアアップデート後に電源ケーブルの抜き差しが必要になる」(ADV-2019-0019)を参照してください。

### 5.9.2 Intel 製ネットワークアダプタのファームウェアダウングレードについて

Intel 製ネットワークアダプタをご使用になる場合、下表記載の SPH に収録されているファームウェアバージョンは、ダウングレードには対応しておりません。

| 形名(*1) or 搭載システム装置                 | 製品名(旧品名)                                                                                  | Device                                       |
|------------------------------------|-------------------------------------------------------------------------------------------|----------------------------------------------|
| TQ-N□□-817745-B21                  | Ethernet 10Gb 2-port FLR-T X550-AT2 Adapter(Ethernet 10Gb 2 ポート 562FLR-T ネットワークアダプタ)      | HPE Ethernet 10Gb 2-port 562FLR-T Adapte     |
| TQ-N□□-817738-B21                  | Ethernet 10Gb 2-port BASE-T X550-AT2 Adapter(Ethernet 10Gb 2 ポート 562T ネットワークアダプタ)         | HPE Ethernet 10Gb 2-port 562T Adapter        |
| TQ-N□□-727054-B21                  | Ethernet 10Gb 2-port FLR-SFP+ X710-DA2 Adapter(Ethernet 10Gb 2 ポート 562FLR-SFP+ネットワークアダプタ) | HPE Ethernet 10Gb 2-port 562FLR-SFP+ Adapter |
| TQ-N□□-727055-B21                  | Ethernet 10Gb 2-port SFP+ X710-DA2 Adapter(Ethernet 10Gb 2 ポート 562SFP+ネットワークアダプタ)         | HPE Ethernet 10Gb 2-port 562SFP+ Adapter     |
| HA8000V / ML350 Gen10<br>オンボード NIC | Ethernet 1Gb 4-port 369i ネットワークアダプタ                                                       | HPE Ethernet 1Gb 4-port 369i Adapter         |
| TQ-N□□-P28778-B21                  | INT X710 10GbE 2p SFP+ OCP3 Adptr                                                         | HPE Ethernet 10Gb 2-port SFP+ OCP3 X710-DA2  |
| TQ-N□□-P28787-B21                  | X710 10Gb 2p SFP+ Adptr                                                                   | Adapter<br>2-port SFP+ X710-DA2<br>Adapter   |

(\*1)：□には製品構成などにより異なった英数字が入ります。

## 5.10 Gen10 Plus RAID コントローラ環境での OS セットアップの注意事項

### 5.10.1 ドライバの適用について

下表記載の Gen10 Plus RAID コントローラご利用環境で、Windows または RHEL の新規・再セットアップの際には、SPH を適用する前に SPH に収録された「6.2.5 Driver - Storage Controller」記載の各 OS に対応した Gen10 Plus RAID コントローラドライバを適用してください。

ドライバの適用方法は、「HA8000V Gen10 Plus 重要事項および読替ガイド」の[システム装置のセットアップ]-[OS のインストール]を参照して下さい。

| 形名(*1)            | 製品名                        | device                                  |
|-------------------|----------------------------|-----------------------------------------|
| TQ-R□□-P04220-B21 | SR932i-p Gen10 Plus コントローラ | Microchip SR932i-p Cntrl for HPE Gen10+ |
| TQ-R□□-P12688-B21 | SR416-a Gen10 Plus コントローラ  | Microchip SR416i-a Cntrl for HPE Gen10+ |
| TQ-R□□-P26279-B21 | MR416i-a Gen10 Plus コントローラ | Broadcom MR416i-a Cntrl for HPE Gen10+  |
| TQ-R□□-P06367-B21 | MR416-p Gen10 Plus コントローラ  | Broadcom MR416i-p Cntrl for HPE Gen10+  |
| TQ-R□□-P26325-B21 | MR216i-a Gen10 Plus コントローラ | Broadcom MR216i-a Cntrl for HPE Gen10+  |
| TQ-R□□-P26324-B21 | MR216-p Gen10 Plus コントローラ  | Broadcom MR216i-p Cntrl for HPE Gen10+  |

(\*1)：□には製品構成などにより異なった英数字が入ります。

## 5.11 Integrated Lights-Out 5 Firmware バージョンアップについて

本 SPH に収録している Integrated Lights-Out 5 Firmware(iLO)のオンライン適用において、ご利用環境の iLO バージョンが 1.40 未満の場合、バージョン 1.48 にアップデートした後、SPH を適用する必要があります。

iLO バージョン 1.48 へのアップデートについては、ダウンロードサイトよりご使用環境の OS に対応したユーティリティをダウンロードいただき、案内されている手順に従ってアップデートしてください。

## 5.12 MegaRAID コントローラファームウェアのアップデートについて

本 SPH 収録の MegaRAID コントローラ用ファームウェアアップデートコンポーネントは、SUM による更新が失敗することがあります。更新を正常に行うため、SPH 適用前に SPH に収録された「6.2.15 Firmware - Storage Controller」記載の各コントローラに対応したファームウェアを個別に適用してください。

### 【対象製品】

| 形名(*1)            | 製品名                        | device                                 |
|-------------------|----------------------------|----------------------------------------|
| TQ-R□□-P26279-B21 | MR416i-a Gen10 Plus コントローラ | Broadcom MR416i-a Cntrl for HPE Gen10+ |
| TQ-R□□-P06367-B21 | MR416-p Gen10 Plus コントローラ  | Broadcom MR416i-p Cntrl for HPE Gen10+ |
| TQ-R□□-P26325-B21 | MR216i-a Gen10 Plus コントローラ | Broadcom MR216i-a Cntrl for HPE Gen10+ |
| TQ-R□□-P26324-B21 | MR216-p Gen10 Plus コントローラ  | Broadcom MR216i-p Cntrl for HPE Gen10+ |

※「\*\*\*」はお客さまのご購入製品により相違します。

### 【適用手順】


- (1) iLO Web コンソールの「ファームウェア & OS ソフトウェア」－「ファームウェア」画面内の、[ファームウェア名]一覧から『HPE MR』から始まる対象製品を探し、現在適用されているバージョンを確認してください。ファームウェアバージョンが本 SPH 収録バージョン以降の場合は、適用する必要はありません。



| ↑ファームウェア名                                | ファームウェアバージョン     | 位置                        |
|------------------------------------------|------------------|---------------------------|
| 8 SFF 24G x1NVMe/SAS UBM3 BC BP          | 1.24             | Slot=2:Port=1:Box=1       |
| 8 SFF 24G x1NVMe/SAS UBM3 BC BP          | 1.24             | Slot=2:Port=1:Box=1       |
| Embedded Video Controller                | 2.5              | Embedded Device           |
| HGST 400GB 12G SAS SSD                   | C172             | Slot=2:Port=1:Box=1:Bay=1 |
| HITACHI Profile                          | 2021.06.11       | System Board              |
| HPE MR416i-p Gen10+                      | 52.22.3-4650     | PCI-E Slot 2              |
| HPE Smart Storage Energy Pack 1 Firmware | 0.70             | Embedded Device           |
| iLO 5                                    | 2.96 Aug 17 2023 | System Board              |
| Innovation Engine (IE) Firmware          | 1.0.0.22         | System Board              |
| Intel Eth Adptr I350T4 OCPv3             | 1.3353.0         | OCP 3.0 Slot 10           |

上記表示例の場合はファームウェアバージョンが “52.24.3-4650” になります。

- (2) 上記表記載のご使用の製品に対応したコンポーネントファイル[fwpkg 形式]を SPH から取り出します。(表記載のコンポーネントファイルは、SPH 「packages」 フォルダに格納されています。)
- (3) iLO Web コンソールの「ファームウェア & OS ソフトウェア」の右ペインにある「ファームウェアのアップデート」をクリックして表示される「ファームウェアのフラッシュ」画面で、「ファイルの選択」をクリックし、対象のコンポーネントファイルを指定して、「フラッシュ」をクリックしてください。



ファームウェアのフラッシュ

ファイル位置

☒ ローカルファイル

☐ リモートファイル

ローカルファイル

ファイルの選択 ファイルが選択されていません

☐ 同様に、iLOレポジトリに保存

フラッシュ

- (4) 画面上部に緑色の帯でファームウェアアップデート完了のメッセージが表示されたら、システムを再起動します。
- (5) 表示されたファームウェア一覧の[ファームウェア名]から「HPE MR」から始まる対象製品の名称を探し、更新後のファームウェアバージョンを確認してください。



## 6. SPH収録コンテンツ一覧

SPH の iso イメージに含まれるドライバ、ファームウェア、ユーティリティ(ソフトウェア)を示します。  
SPH には、適用方法により下記の2種のコンテンツを含んでいます。

- OS セットアップ後、お客様自身で個別に適用頂くもの
- Smart Update Manager(SUM)を使って適用可能なもの

以降、それぞれのコンテンツについて説明します。

### 6.1 お客様により適用が必要なコンテンツ

次表に示すファイルは、SPH に含まれる SUM ツールでの適用対象ではありません。Windows Server OS の新規・再セットアップ(プレインストールセット除く)の場合は、SPH 適用後に各ツールを実行してください。

| No. | ツール                      | 説 明                             | iso 内格納場所                 | 備 考                             |
|-----|--------------------------|---------------------------------|---------------------------|---------------------------------|
| 1   | IT Report Utility (ITRU) | サーバの構成情報、および障害の情報を採取します         | ¥software¥Hitachi¥ITRU    |                                 |
| 2   | 2PRxDur settings         | (レジストリ設定)ネットワークアダプタに関する設定を実施します | ¥software¥Hitachi¥RegTool | Broadcom 製 1Gb LAN アダプタ搭載構成のみ対象 |
| 3   | LargeRxRing settings     | (レジストリ設定)ネットワークアダプタに関する設定を実施します | ¥software¥Hitachi¥RegTool |                                 |

#### 【Broadcom 製 1Gb LAN アダプタ】(旧品名)

- オンボード LAN[Ethernet 1Gb 4-port 331i Adapter]
- オンボード LAN[Broadcom BCM5720 Ethernet 1Gb 2-port BASE-T LOM Adapter for HPE]
- Ethernet 1Gb 4-port FLR-T BCM5719 Adapter(HP Ethernet 1Gb 4-port 331FLR Adapter)
- Ethernet 1Gb 4-port BASE-T BCM5719 Adapter(HP Ethernet 1Gb 4-port 331T Adapter)
- Ethernet 1Gb 2-port BASE-T BCM5720 Adapter(HP Ethernet 1Gb 2-port 332T Adapter)
- BCM 5719 1Gb 4p BASE-T Adptr
- BCM 5719 1Gb 4p BASE-T OCP Adptr

## (1) ITRU のインストール

ITRU をインストールするには、Administrator 権限にて DOS プロンプトより下記のバッチファイルを実行してください。

```
<CD ドライブ>:¥software¥Hitachi¥ITRU¥setup.bat
```

なお、ITRU のインストールに関する詳細情報は次の WEB ページ

[https://www.hitachi.co.jp/cgi-bin/soft/sjst/select\\_open.cgi](https://www.hitachi.co.jp/cgi-bin/soft/sjst/select_open.cgi)

に掲載されている Windows 版 ITRU 取扱説明書の 3 章をご確認願います。

## (2) ネットワークアダプタ レジストリ設定の適用

ネットワークアダプタ レジストリ設定を適用するためには、Administrator 権限にて DOS プロンプトより下記のバッチファイルを実行してください。

```
<CD ドライブ>:¥software¥Hitachi¥RegTool¥2PRxDur.bat
```

```
<CD ドライブ>:¥software¥Hitachi¥RegTool¥LargeRxRing.bat
```

ツール実行後、OS を再起動してください。

## 6.2 SUM ツールで適用可能なファイル

次に示すドライバ/ファームウェア/ユーティリティ(ソフトウェア)は、SUM ツールにより適用可能なファイルです。(表中の"x"表記は、本ドキュメントリリース時点で未サポートであることを示します。)

SUM の GUI モードで使用する場合、OS 別の実行するコマンドを下記に示します。(管理者権限で実行してください。)

Windows 環境：

```
.\%launch_sum.bat
```

Linux 環境：

```
./launch_sum.sh
```

この時、ログイン画面が表示された場合には、SUM 起動時にご使用の(ログインしていた)OS ユーザ名/パスワードを入力してください。

なお、SUM の詳細な操作方法は、「[日立アドバンスドサーバ HA8000V シリーズ ホームページ](#)」に掲載されている『Smart Update Manager ユーザーガイド』を参照ください。

次節以降、カテゴリ別にパッケージの情報を示します。

「Firmware/Driver version」列の情報は、SPH 収録の各パッケージに含まれるファームウェアまたはドライバのバージョン情報を示していますが、VMware システム向けパッケージの場合は、VMware vSphere コンポーネントバージョンを示しています。

## 6.2.1 Application - System Management

| No. | Description                                      | Package filename             | Device | Package Version | Firmware/Driver version |
|-----|--------------------------------------------------|------------------------------|--------|-----------------|-------------------------|
| 1   | Integrated Smart Update Tools 5.2.0 for ESXi 7.0 | cp062093.zip                 | -      | 2024.08.00      | 701.5.2.0.6-0           |
| 2   | Integrated Smart Update Tools 5.2.0 for ESXi 8.0 | cp062092.zip                 | -      | 2024.08.00      | 800.5.2.0.5-0           |
| 3   | Integrated Smart Update Tools for Linux x64      | sut-5.2.0-5.linux.x86_64.rpm | -      | 5.2.0.0         | 5.2.0-5.linux           |
| 4   | Integrated Smart Update Tools for Windows x64    | cp062091.exe                 | -      | 5.2.0.0         | 5.2.0.0                 |

## 6.2.2 BIOS - System ROM

| No. | Description                                                 | Package filename                                       | Device            | Package Version | Firmware/Driver version |
|-----|-------------------------------------------------------------|--------------------------------------------------------|-------------------|-----------------|-------------------------|
| 5   | Online ROM Flash Component for Linux - System ROM U30       | firmware-system-oem-u30-3.30_2024_07_31-1.1.x86_64.rpm | System BIOS - U30 | 3.30_07-31-2024 | U30 v3.30 (07/31/2024)  |
| 6   | Online ROM Flash Component for Linux - System ROM U32       | firmware-system-oem-u32-3.30_2024_07_31-1.1.x86_64.rpm | System BIOS - U32 | 3.30_07-31-2024 | U32 v3.30 (07/31/2024)  |
| 7   | Online ROM Flash Component for Linux - System ROM U34       | firmware-system-oem-u34-3.30_2024_07_31-1.1.x86_64.rpm | System BIOS - U34 | 3.30_07-31-2024 | U34 v3.30 (07/31/2024)  |
| 8   | Online ROM Flash Component for Linux - System ROM U41       | firmware-system-oem-u41-3.30_2024_07_31-1.1.x86_64.rpm | System BIOS - U41 | 3.30_07-31-2024 | U41 v3.30 (07/31/2024)  |
| 9   | Online ROM Flash Component for Linux - System ROM U43       | firmware-system-oem-u43-3.40_2024_08_01-1.1.x86_64.rpm | System BIOS - U43 | 3.40_08-01-2024 | U43 v3.40 (08/01/2024)  |
| 10  | Online ROM Flash Component for Linux - System ROM U44       | firmware-system-oem-u44-3.40_2024_08_01-1.1.x86_64.rpm | System BIOS - U44 | 3.40_08-01-2024 | U44 v3.40 (08/01/2024)  |
| 11  | Online ROM Flash Component for Linux - System ROM U46       | firmware-system-oem-u46-2.20_2024_08_07-1.1.x86_64.rpm | System BIOS - U46 | 2.20_08-07-2024 | U46 v2.20 (08/07/2024)  |
| 12  | Online ROM Flash Component for Linux - System ROM U60       | firmware-system-oem-u60-2.20_2024_08_07-1.1.x86_64.rpm | System BIOS - U60 | 2.20_08-07-2024 | U60 v2.20 (08/07/2024)  |
| 13  | Online ROM Flash Component for Linux - System ROM U61       | firmware-system-oem-u61-2.20_2024_08_07-1.1.x86_64.rpm | System BIOS - U61 | 2.20_08-07-2024 | U61 v2.20 (08/07/2024)  |
| 14  | Online ROM Flash Component for Windows x64 - System ROM U30 | cp062575.exe                                           | System BIOS - U30 | 3.30_07-31-2024 | U30 v3.30 (07/31/2024)  |
| 15  | Online ROM Flash Component for Windows x64 - System ROM U32 | cp062392.exe                                           | System BIOS - U32 | 3.30_07-31-2024 | U32 v3.30 (07/31/2024)  |
| 16  | Online ROM Flash Component for Windows x64 - System ROM U34 | cp062450.exe                                           | System BIOS - U34 | 3.30_07-31-2024 | U34 v3.30 (07/31/2024)  |
| 17  | Online ROM Flash Component for Windows x64 - System ROM U41 | cp062389.exe                                           | System BIOS - U41 | 3.30_07-31-2024 | U41 v3.30 (07/31/2024)  |
| 18  | Online ROM Flash Component for Windows x64 - System ROM U43 | cp062553.exe                                           | System BIOS - U43 | 3.40_08-01-2024 | U43 v3.40 (08/01/2024)  |
| 19  | Online ROM Flash Component for Windows x64 - System ROM U44 | cp062552.exe                                           | System BIOS - U44 | 3.40_08-01-2024 | U44 v3.40 (08/01/2024)  |
| 20  | Online ROM Flash Component for Windows x64 - System ROM U46 | cp062458.exe                                           | System BIOS - U46 | 2.20_08-07-2024 | U46 v2.20 (08/07/2024)  |
| 21  | Online ROM Flash Component for Windows x64 - System ROM U60 | cp062529.exe                                           | System BIOS - U60 | 2.20_08-07-2024 | U60 v2.20 (08/07/2024)  |
| 22  | Online ROM Flash Component for Windows x64 - System ROM U61 | cp062519.exe                                           | System BIOS - U61 | 2.20_08-07-2024 | U61 v2.20 (08/07/2024)  |
| 23  | ROM Flash Firmware Package - System ROM U30                 | OEM.U30_3.30_07_31_2024.fwpkg                          | System BIOS - U30 | 3.30_07-31-2024 | U30 v3.30 (07/31/2024)  |
| 24  | ROM Flash Firmware Package - System ROM U32                 | OEM.U32_3.30_07_31_2024.fwpkg                          | System BIOS - U32 | 3.30_07-31-2024 | U32 v3.30 (07/31/2024)  |

|    |                                             |                               |                   |                 |                        |
|----|---------------------------------------------|-------------------------------|-------------------|-----------------|------------------------|
| 25 | ROM Flash Firmware Package - System ROM U34 | OEM.U34_3.30_07_31_2024.fwpkg | System BIOS - U34 | 3.30_07-31-2024 | U34 v3.30 (07/31/2024) |
| 26 | ROM Flash Firmware Package - System ROM U41 | OEM.U41_3.30_07_31_2024.fwpkg | System BIOS - U41 | 3.30_07-31-2024 | U41 v3.30 (07/31/2024) |
| 27 | ROM Flash Firmware Package - System ROM U43 | OEM.U43_3.40_08_01_2024.fwpkg | System BIOS - U43 | 3.40_08-01-2024 | U43 v3.40 (08/01/2024) |
| 28 | ROM Flash Firmware Package - System ROM U44 | OEM.U44_3.40_08_01_2024.fwpkg | System BIOS - U44 | 3.40_08-01-2024 | U44 v3.40 (08/01/2024) |
| 29 | ROM Flash Firmware Package - System ROM U46 | OEM.U46_2.20_08_07_2024.fwpkg | System BIOS - U46 | 2.20_08-07-2024 | U46 v2.20 (08/07/2024) |
| 30 | ROM Flash Firmware Package - System ROM U60 | OEM.U60_2.20_08_07_2024.fwpkg | System BIOS - U60 | 2.20_08-07-2024 | U60 v2.20 (08/07/2024) |
| 31 | ROM Flash Firmware Package - System ROM U61 | OEM.U61_2.20_08_07_2024.fwpkg | System BIOS - U61 | 2.20_08-07-2024 | U61 v2.20 (08/07/2024) |

### 6.2.3 Driver – Chipset

| No. | Description                                                                                        | Package filename | Device | Package Version     | Firmware/Driver version |
|-----|----------------------------------------------------------------------------------------------------|------------------|--------|---------------------|-------------------------|
| 32  | Identifiers for Intel Xeon E-22xx Processor for Microsoft Windows                                  | cp062267.exe     | -      | 10.1.19928.8615     | 10.1.19928.8615         |
| 33  | Identifiers for Intel Xeon E-23xx Processor for Microsoft Windows                                  | cp062270.exe     | -      | 10.1.19886.8592     | 10.1.19886.8592         |
| 34  | Identifiers for Intel Xeon Scalable Processors (First and Second Generation) for Microsoft Windows | cp062266.exe     | -      | 10.1.19006.8299 (C) | 10.1.19006.8299         |
| 35  | Identifiers for Intel Xeon Scalable Processors (Third Generation) for Microsoft Windows            | cp061928.exe     | -      | 10.1.19879.8585     | 10.1.19879.8585         |

### 6.2.4 Driver – Network

| No. | Description                                                   | Package filename | Device                                                           | Package Version | Firmware/Driver version |
|-----|---------------------------------------------------------------|------------------|------------------------------------------------------------------|-----------------|-------------------------|
| 36  | Broadcom NX1 1Gb Driver for Windows Server x64 Editions       | cp062094.exe     | Broadcom BCM5719 Ethernet 1Gb 4-port Base-T Adapter for HPE      | 221.0.6.0       | 221.0.6.0               |
| 37  | Broadcom NX1 1Gb Driver for Windows Server x64 Editions       | cp062094.exe     | Broadcom BCM5719 Ethernet 1Gb 4-port Base-T OCP3 Adapter for HPE | 221.0.6.0       | 221.0.6.0               |
| 38  | Broadcom NX1 1Gb Driver for Windows Server x64 Editions       | cp062094.exe     | Broadcom BCM5720 Ethernet 1Gb 2-port BASE-T LOM Adapter for HPE  | 221.0.6.0       | 221.0.6.0               |
| 39  | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2019 | cp062102.exe     | BCM 57414 10/25GbE 2p SFP28 Adptr                                | 230.0.162.0     | 230.0.162.0             |
| 40  | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2019 | cp062102.exe     | BCM 57414 10/25GbE 2p SFP28 OCP3 Adptr                           | 230.0.162.0     | 230.0.162.0             |
| 41  | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2019 | cp062102.exe     | BCM 57416 10GbE 2p BASE-T Adptr                                  | 230.0.162.0     | 230.0.162.0             |
| 42  | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2019 | cp062102.exe     | BCM 57416 10GbE 2p BASE-T OCP3 Adptr                             | 230.0.162.0     | 230.0.162.0             |
| 43  | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2019 | cp062102.exe     | BCM 57412 10GbE 2p SFP+ Adptr                                    | 230.0.162.0     | 230.0.162.0             |
| 44  | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2019 | cp062102.exe     | BCM 57412 10GbE 2p SFP+ OCP3 Adptr                               | 230.0.162.0     | 230.0.162.0             |
| 45  | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2019 | cp062102.exe     | BCM 57504 10/25GbE 4p SFP28                                      | 230.0.162.0     | 230.0.162.0             |

|    |                                                               |              |                                                           |             |             |
|----|---------------------------------------------------------------|--------------|-----------------------------------------------------------|-------------|-------------|
|    |                                                               |              | Adptr                                                     |             |             |
| 46 | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2019 | cp062102.exe | BCM 57504<br>10/25GbE 4p SFP28<br>OCP3 Adptr              | 230.0.162.0 | 230.0.162.0 |
| 47 | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2022 | cp062103.exe | BCM 57414<br>10/25GbE 2p SFP28<br>Adptr                   | 230.0.162.0 | 230.0.162.0 |
| 48 | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2022 | cp062103.exe | BCM 57414<br>10/25GbE 2p SFP28<br>OCP3 Adptr              | 230.0.162.0 | 230.0.162.0 |
| 49 | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2022 | cp062103.exe | BCM 57416 10GbE<br>2p BASE-T Adptr                        | 230.0.162.0 | 230.0.162.0 |
| 50 | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2022 | cp062103.exe | BCM 57416 10GbE<br>2p BASE-T OCP3<br>Adptr                | 230.0.162.0 | 230.0.162.0 |
| 51 | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2022 | cp062103.exe | BCM 57412 10GbE<br>2p SFP+ Adptr                          | 230.0.162.0 | 230.0.162.0 |
| 52 | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2022 | cp062103.exe | BCM 57412 10GbE<br>2p SFP+ OCP3 Adptr                     | 230.0.162.0 | 230.0.162.0 |
| 53 | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2022 | cp062103.exe | BCM 57504<br>10/25GbE 4p SFP28<br>Adptr                   | 230.0.162.0 | 230.0.162.0 |
| 54 | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2022 | cp062103.exe | BCM 57504<br>10/25GbE 4p SFP28<br>OCP3 Adptr              | 230.0.162.0 | 230.0.162.0 |
| 55 | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2025 | cp062137.exe | BCM 57414<br>10/25GbE 2p SFP28<br>Adptr                   | 230.0.162.0 | 230.0.162.0 |
| 56 | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2025 | cp062137.exe | BCM 57414<br>10/25GbE 2p SFP28<br>OCP3 Adptr              | 230.0.162.0 | 230.0.162.0 |
| 57 | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2025 | cp062137.exe | BCM 57416 10GbE<br>2p BASE-T Adptr                        | 230.0.162.0 | 230.0.162.0 |
| 58 | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2025 | cp062137.exe | BCM 57416 10GbE<br>2p BASE-T OCP3<br>Adptr                | 230.0.162.0 | 230.0.162.0 |
| 59 | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2025 | cp062137.exe | BCM 57412 10GbE<br>2p SFP+ Adptr                          | 230.0.162.0 | 230.0.162.0 |
| 60 | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2025 | cp062137.exe | BCM 57412 10GbE<br>2p SFP+ OCP3 Adptr                     | 230.0.162.0 | 230.0.162.0 |
| 61 | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2025 | cp062137.exe | BCM 57504<br>10/25GbE 4p SFP28<br>Adptr                   | 230.0.162.0 | 230.0.162.0 |
| 62 | Broadcom NetXtreme-E Driver for Microsoft Windows Server 2025 | cp062137.exe | BCM 57504<br>10/25GbE 4p SFP28<br>OCP3 Adptr              | 230.0.162.0 | 230.0.162.0 |
| 63 | HPE Broadcom NX1 1Gb Driver for Windows Server x64 Editions   | cp062110.exe | HP Ethernet 1Gb 2-<br>port 332i Adapter<br>(22E8)         | 221.0.6.0   | 221.0.6.0   |
| 64 | HPE Broadcom NX1 1Gb Driver for Windows Server x64 Editions   | cp062110.exe | HP Ethernet 1Gb 2-<br>port 332T Adapter                   | 221.0.6.0   | 221.0.6.0   |
| 65 | HPE Broadcom NX1 1Gb Driver for Windows Server x64 Editions   | cp062110.exe | HP Ethernet 1Gb 4-<br>port 331FLR<br>Adapter              | 221.0.6.0   | 221.0.6.0   |
| 66 | HPE Broadcom NX1 1Gb Driver for Windows Server x64 Editions   | cp062110.exe | HP Ethernet 1Gb 4-<br>port 331T Adapter                   | 221.0.6.0   | 221.0.6.0   |
| 67 | HPE Broadcom NX1 1Gb Driver for Windows Server x64 Editions   | cp062110.exe | HP Ethernet 1Gb 4-<br>port 331i Adapter<br>(22BE)         | 221.0.6.0   | 221.0.6.0   |
| 68 | HPE Broadcom NetXtreme-E Driver for Windows Server 2019       | cp062098.exe | HPE Ethernet<br>10/25Gb 2-port<br>631FLR-SFP28<br>Adapter | 230.0.162.0 | 230.0.162.0 |
| 69 | HPE Broadcom NetXtreme-E Driver for Windows Server 2019       | cp062098.exe | HPE Ethernet<br>10/25Gb 2-port<br>631SFP28 Adapter        | 230.0.162.0 | 230.0.162.0 |

|    |                                                                 |                                                    |                                                  |                    |                            |
|----|-----------------------------------------------------------------|----------------------------------------------------|--------------------------------------------------|--------------------|----------------------------|
| 70 | HPE Broadcom NetXtreme-E Driver for Windows Server 2019         | cp062098.exe                                       | HPE Ethernet 10Gb 2-port 535T Adapter            | 230.0.162.0        | 230.0.162.0                |
| 71 | HPE Broadcom NetXtreme-E Driver for Windows Server 2019         | cp062098.exe                                       | HPE Ethernet 10Gb 2-port 537SFP+ Adapter         | 230.0.162.0        | 230.0.162.0                |
| 72 | HPE Broadcom NetXtreme-E Driver for Windows Server 2019         | cp062098.exe                                       | HPE Ethernet 10Gb 2-port 537SFP+ FLR Adapter     | 230.0.162.0        | 230.0.162.0                |
| 73 | HPE Broadcom NetXtreme-E Driver for Windows Server 2019         | cp062098.exe                                       | HPE Ethernet 10Gb 2-port 535FLR-T Adapter        | 230.0.162.0        | 230.0.162.0                |
| 74 | HPE Broadcom NetXtreme-E Driver for Windows Server 2022         | cp062099.exe                                       | HPE Ethernet 10/25Gb 2-port 631FLR-SFP28 Adapter | 230.0.162.0        | 230.0.162.0                |
| 75 | HPE Broadcom NetXtreme-E Driver for Windows Server 2022         | cp062099.exe                                       | HPE Ethernet 10/25Gb 2-port 631SFP28 Adapter     | 230.0.162.0        | 230.0.162.0                |
| 76 | HPE Broadcom NetXtreme-E Driver for Windows Server 2022         | cp062099.exe                                       | HPE Ethernet 10Gb 2-port 535T Adapter            | 230.0.162.0        | 230.0.162.0                |
| 77 | HPE Broadcom NetXtreme-E Driver for Windows Server 2022         | cp062099.exe                                       | HPE Ethernet 10Gb 2-port 537SFP+ Adapter         | 230.0.162.0        | 230.0.162.0                |
| 78 | HPE Broadcom NetXtreme-E Driver for Windows Server 2022         | cp062099.exe                                       | HPE Ethernet 10Gb 2-port 537SFP+ FLR Adapter     | 230.0.162.0        | 230.0.162.0                |
| 79 | HPE Broadcom NetXtreme-E Driver for Windows Server 2022         | cp062099.exe                                       | HPE Ethernet 10Gb 2-port 535FLR-T Adapter        | 230.0.162.0        | 230.0.162.0                |
| 80 | HPE Broadcom NetXtreme-E Drivers for Red Hat Enterprise Linux 8 | kmod-bnxt_en-1.10.3-230.0.132.0.rhel8u9.x86_64.rpm | HPE Ethernet 10/25Gb 2-port 631FLR-SFP28 Adapter | 1.10.3-230.0.132.0 | 1.10.3-230.0.132.0.rhel8u9 |
| 81 | HPE Broadcom NetXtreme-E Drivers for Red Hat Enterprise Linux 8 | kmod-bnxt_en-1.10.3-230.0.132.0.rhel8u9.x86_64.rpm | HPE Ethernet 10/25Gb 2-port 631SFP28 Adapter     | 1.10.3-230.0.132.0 | 1.10.3-230.0.132.0.rhel8u9 |
| 82 | HPE Broadcom NetXtreme-E Drivers for Red Hat Enterprise Linux 8 | kmod-bnxt_en-1.10.3-230.0.132.0.rhel8u9.x86_64.rpm | BCM 57414 10/25GbE 2p SFP28 Adptr                | 1.10.3-230.0.132.0 | 1.10.3-230.0.132.0.rhel8u9 |
| 83 | HPE Broadcom NetXtreme-E Drivers for Red Hat Enterprise Linux 8 | kmod-bnxt_en-1.10.3-230.0.132.0.rhel8u9.x86_64.rpm | BCM 57414 10/25GbE 2p SFP28 OCP3 Adptr           | 1.10.3-230.0.132.0 | 1.10.3-230.0.132.0.rhel8u9 |
| 84 | HPE Broadcom NetXtreme-E Drivers for Red Hat Enterprise Linux 8 | kmod-bnxt_en-1.10.3-230.0.132.0.rhel8u9.x86_64.rpm | HPE Ethernet 10Gb 2-port 535FLR-T Adapter        | 1.10.3-230.0.132.0 | 1.10.3-230.0.132.0.rhel8u9 |
| 85 | HPE Broadcom NetXtreme-E Drivers for Red Hat Enterprise Linux 8 | kmod-bnxt_en-1.10.3-230.0.132.0.rhel8u9.x86_64.rpm | HPE Ethernet 10Gb 2-port 535T Adapter            | 1.10.3-230.0.132.0 | 1.10.3-230.0.132.0.rhel8u9 |
| 86 | HPE Broadcom NetXtreme-E Drivers for Red Hat Enterprise Linux 8 | kmod-bnxt_en-1.10.3-230.0.132.0.rhel8u9.x86_64.rpm | HPE Ethernet 10Gb 2-port 537SFP+ Adapter         | 1.10.3-230.0.132.0 | 1.10.3-230.0.132.0.rhel8u9 |
| 87 | HPE Broadcom NetXtreme-E Drivers for Red Hat Enterprise Linux 8 | kmod-bnxt_en-1.10.3-230.0.132.0.rhel8u9.x86_64.rpm | HPE Ethernet 10Gb 2-port 537SFP+ FLR Adapter     | 1.10.3-230.0.132.0 | 1.10.3-230.0.132.0.rhel8u9 |
| 88 | HPE Broadcom NetXtreme-E Drivers for Red Hat Enterprise Linux 8 | kmod-bnxt_en-1.10.3-230.0.132.0.rhel8u9.x86_64.rpm | BCM 57416 10GbE 2p BASE-T Adptr                  | 1.10.3-230.0.132.0 | 1.10.3-230.0.132.0.rhel8u9 |
| 89 | HPE Broadcom NetXtreme-E Drivers for Red Hat Enterprise Linux 8 | kmod-bnxt_en-1.10.3-230.0.132.0.rhel8u9.x86_64.rpm | BCM 57416 10GbE 2p BASE-T OCP3 Adptr             | 1.10.3-230.0.132.0 | 1.10.3-230.0.132.0.rhel8u9 |
| 90 | HPE Broadcom NetXtreme-E Drivers for Red Hat Enterprise Linux 8 | kmod-bnxt_en-1.10.3-230.0.132.0.rhel8u9.x86_64.rpm | BCM 57412 10GbE 2p SFP+ Adptr                    | 1.10.3-230.0.132.0 | 1.10.3-230.0.132.0.rhel8u9 |
| 91 | HPE Broadcom NetXtreme-E Drivers                                | kmod-bnxt_en-1.10.3-                               | BCM 57412 10GbE                                  | 1.10.3-            | 1.10.3-                    |

|     |                                                                 |                                                    |                                                  |                    |                                   |
|-----|-----------------------------------------------------------------|----------------------------------------------------|--------------------------------------------------|--------------------|-----------------------------------|
|     | for Red Hat Enterprise Linux 8                                  | 230.0.132.0.rhel8u9.x86_64.rpm                     | 2p SFP+ OCP3 Adptr                               | 230.0.132.0        | 230.0.132.0.rhel8u9               |
| 92  | HPE Broadcom NetXtreme-E Drivers for Red Hat Enterprise Linux 8 | kmod-bnxt_en-1.10.3-230.0.132.0.rhel8u9.x86_64.rpm | BCM 57504 10/25GbE 4p SFP28 Adptr                | 1.10.3-230.0.132.0 | 1.10.3-230.0.132.0.rhel8u9        |
| 93  | HPE Broadcom NetXtreme-E Drivers for Red Hat Enterprise Linux 8 | kmod-bnxt_en-1.10.3-230.0.132.0.rhel8u9.x86_64.rpm | BCM 57504 10/25GbE 4p SFP28 OCP3 Adptr           | 1.10.3-230.0.132.0 | 1.10.3-230.0.132.0.rhel8u9        |
| 94  | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 7.0         | cp062100.zip                                       | HPE Ethernet 10/25Gb 2-port 631FLR-SFP28 Adapter | 2024.09.00         | 230.0.236.0-10EM.700.1.0.15843807 |
| 95  | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 7.0         | cp062100.zip                                       | HPE Ethernet 10/25Gb 2-port 631SFP28 Adapter     | 2024.09.00         | 230.0.236.0-10EM.700.1.0.15843807 |
| 96  | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 7.0         | cp062100.zip                                       | BCM 57414 10/25GbE 2p SFP28 Adptr                | 2024.09.00         | 230.0.236.0-10EM.700.1.0.15843807 |
| 97  | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 7.0         | cp062100.zip                                       | BCM 57414 10/25GbE 2p SFP28 OCP3 Adptr           | 2024.09.00         | 230.0.236.0-10EM.700.1.0.15843807 |
| 98  | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 7.0         | cp062100.zip                                       | HPE Ethernet 10Gb 2-port 535FLR-T Adapter        | 2024.09.00         | 230.0.236.0-10EM.700.1.0.15843807 |
| 99  | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 7.0         | cp062100.zip                                       | HPE Ethernet 10Gb 2-port 535T Adapter            | 2024.09.00         | 230.0.236.0-10EM.700.1.0.15843807 |
| 100 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 7.0         | cp062100.zip                                       | HPE Ethernet 10Gb 2-port 537SFP+ Adapter         | 2024.09.00         | 230.0.236.0-10EM.700.1.0.15843807 |
| 101 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 7.0         | cp062100.zip                                       | HPE Ethernet 10Gb 2-port 537SFP+ FLR Adapter     | 2024.09.00         | 230.0.236.0-10EM.700.1.0.15843807 |
| 102 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 7.0         | cp062100.zip                                       | BCM 57416 10GbE 2p BASE-T Adptr                  | 2024.09.00         | 230.0.236.0-10EM.700.1.0.15843807 |
| 103 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 7.0         | cp062100.zip                                       | BCM 57416 10GbE 2p BASE-T OCP3 Adptr             | 2024.09.00         | 230.0.236.0-10EM.700.1.0.15843807 |
| 104 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 7.0         | cp062100.zip                                       | BCM 57412 10GbE 2p SFP+ Adptr                    | 2024.09.00         | 230.0.236.0-10EM.700.1.0.15843807 |
| 105 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 7.0         | cp062100.zip                                       | BCM 57412 10GbE 2p SFP+ OCP3 Adptr               | 2024.09.00         | 230.0.236.0-10EM.700.1.0.15843807 |
| 106 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 7.0         | cp062100.zip                                       | BCM 57504 10/25GbE 4p SFP28 Adptr                | 2024.09.00         | 230.0.236.0-10EM.700.1.0.15843807 |
| 107 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 7.0         | cp062100.zip                                       | BCM 57504 10/25GbE 4p SFP28 OCP3 Adptr           | 2024.09.00         | 230.0.236.0-10EM.700.1.0.15843807 |
| 108 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 8.0         | cp062101.zip                                       | HPE Ethernet 10/25Gb 2-port 631FLR-SFP28 Adapter | 2024.09.00         | 230.0.236.0-10EM.800.1.0.20613240 |
| 109 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 8.0         | cp062101.zip                                       | HPE Ethernet 10/25Gb 2-port 631SFP28 Adapter     | 2024.09.00         | 230.0.236.0-10EM.800.1.0.20613240 |
| 110 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 8.0         | cp062101.zip                                       | BCM 57414 10/25GbE 2p SFP28 Adptr                | 2024.09.00         | 230.0.236.0-10EM.800.1.0.20613240 |
| 111 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 8.0         | cp062101.zip                                       | BCM 57414 10/25GbE 2p SFP28 OCP3 Adptr           | 2024.09.00         | 230.0.236.0-10EM.800.1.0.20613240 |
| 112 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 8.0         | cp062101.zip                                       | HPE Ethernet 10Gb 2-port 535FLR-T                | 2024.09.00         | 230.0.236.0-10EM.800.1.0          |



|     |                                                                                |                                           |                                                  |             |                                   |
|-----|--------------------------------------------------------------------------------|-------------------------------------------|--------------------------------------------------|-------------|-----------------------------------|
|     |                                                                                |                                           | Adapter                                          |             | .20613240                         |
| 113 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 8.0                        | cp062101.zip                              | HPE Ethernet 10Gb 2-port 535T Adapter            | 2024.09.00  | 230.0.236.0-10EM.800.1.0.20613240 |
| 114 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 8.0                        | cp062101.zip                              | HPE Ethernet 10Gb 2-port 537SFP+ Adapter         | 2024.09.00  | 230.0.236.0-10EM.800.1.0.20613240 |
| 115 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 8.0                        | cp062101.zip                              | HPE Ethernet 10Gb 2-port 537SFP+ FLR Adapter     | 2024.09.00  | 230.0.236.0-10EM.800.1.0.20613240 |
| 116 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 8.0                        | cp062101.zip                              | BCM 57416 10GbE 2p BASE-T Adptr                  | 2024.09.00  | 230.0.236.0-10EM.800.1.0.20613240 |
| 117 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 8.0                        | cp062101.zip                              | BCM 57416 10GbE 2p BASE-T OCP3 Adptr             | 2024.09.00  | 230.0.236.0-10EM.800.1.0.20613240 |
| 118 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 8.0                        | cp062101.zip                              | BCM 57412 10GbE 2p SFP+ Adptr                    | 2024.09.00  | 230.0.236.0-10EM.800.1.0.20613240 |
| 119 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 8.0                        | cp062101.zip                              | BCM 57412 10GbE 2p SFP+ OCP3 Adptr               | 2024.09.00  | 230.0.236.0-10EM.800.1.0.20613240 |
| 120 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 8.0                        | cp062101.zip                              | BCM 57504 10/25GbE 4p SFP28 Adptr                | 2024.09.00  | 230.0.236.0-10EM.800.1.0.20613240 |
| 121 | HPE Broadcom NetXtreme-E Drivers for VMware vSphere 8.0                        | cp062101.zip                              | BCM 57504 10/25GbE 4p SFP28 OCP3 Adptr           | 2024.09.00  | 230.0.236.0-10EM.800.1.0.20613240 |
| 122 | HPE Broadcom NetXtreme-E RoCE Library for Red Hat Enterprise Linux 8 Update 9. | libbnxt_re-230.0.132.0-rhel8u9.x86_64.rpm | HPE Ethernet 10/25Gb 2-port 631FLR-SFP28 Adapter | 230.0.132.0 | 230.0.132.0-rhel8u9               |
| 123 | HPE Broadcom NetXtreme-E RoCE Library for Red Hat Enterprise Linux 8 Update 9. | libbnxt_re-230.0.132.0-rhel8u9.x86_64.rpm | HPE Ethernet 10/25Gb 2-port 631SFP28 Adapter     | 230.0.132.0 | 230.0.132.0-rhel8u9               |
| 124 | HPE Broadcom NetXtreme-E RoCE Library for Red Hat Enterprise Linux 8 Update 9. | libbnxt_re-230.0.132.0-rhel8u9.x86_64.rpm | BCM 57414 10/25GbE 2p SFP28 Adptr                | 230.0.132.0 | 230.0.132.0-rhel8u9               |
| 125 | HPE Broadcom NetXtreme-E RoCE Library for Red Hat Enterprise Linux 8 Update 9. | libbnxt_re-230.0.132.0-rhel8u9.x86_64.rpm | BCM 57414 10/25GbE 2p SFP28 OCP3 Adptr           | 230.0.132.0 | 230.0.132.0-rhel8u9               |
| 126 | HPE Broadcom NetXtreme-E RoCE Library for Red Hat Enterprise Linux 8 Update 9. | libbnxt_re-230.0.132.0-rhel8u9.x86_64.rpm | HPE Ethernet 10Gb 2-port 535FLR-T Adapter        | 230.0.132.0 | 230.0.132.0-rhel8u9               |
| 127 | HPE Broadcom NetXtreme-E RoCE Library for Red Hat Enterprise Linux 8 Update 9. | libbnxt_re-230.0.132.0-rhel8u9.x86_64.rpm | HPE Ethernet 10Gb 2-port 535T Adapter            | 230.0.132.0 | 230.0.132.0-rhel8u9               |
| 128 | HPE Broadcom NetXtreme-E RoCE Library for Red Hat Enterprise Linux 8 Update 9. | libbnxt_re-230.0.132.0-rhel8u9.x86_64.rpm | HPE Ethernet 10Gb 2-port 537SFP+ Adapter         | 230.0.132.0 | 230.0.132.0-rhel8u9               |
| 129 | HPE Broadcom NetXtreme-E RoCE Library for Red Hat Enterprise Linux 8 Update 9. | libbnxt_re-230.0.132.0-rhel8u9.x86_64.rpm | HPE Ethernet 10Gb 2-port 537SFP+ FLR Adapter     | 230.0.132.0 | 230.0.132.0-rhel8u9               |
| 130 | HPE Broadcom NetXtreme-E RoCE Library for Red Hat Enterprise Linux 8 Update 9. | libbnxt_re-230.0.132.0-rhel8u9.x86_64.rpm | BCM 57416 10GbE 2p BASE-T Adptr                  | 230.0.132.0 | 230.0.132.0-rhel8u9               |
| 131 | HPE Broadcom NetXtreme-E RoCE Library for Red Hat Enterprise Linux 8 Update 9. | libbnxt_re-230.0.132.0-rhel8u9.x86_64.rpm | BCM 57416 10GbE 2p BASE-T OCP3 Adptr             | 230.0.132.0 | 230.0.132.0-rhel8u9               |
| 132 | HPE Broadcom NetXtreme-E RoCE Library for Red Hat Enterprise Linux 8 Update 9. | libbnxt_re-230.0.132.0-rhel8u9.x86_64.rpm | BCM 57412 10GbE 2p SFP+ Adptr                    | 230.0.132.0 | 230.0.132.0-rhel8u9               |
| 133 | HPE Broadcom NetXtreme-E RoCE Library for Red Hat Enterprise Linux 8 Update 9. | libbnxt_re-230.0.132.0-rhel8u9.x86_64.rpm | BCM 57412 10GbE 2p SFP+ OCP3 Adptr               | 230.0.132.0 | 230.0.132.0-rhel8u9               |
| 134 | HPE Broadcom NetXtreme-E RoCE                                                  | libbnxt_re-230.0.132.0-                   | BCM 57504                                        | 230.0.132.0 | 230.0.132.0-                      |

|     |                                                                                |                                           |                                                                  |             |                     |
|-----|--------------------------------------------------------------------------------|-------------------------------------------|------------------------------------------------------------------|-------------|---------------------|
|     | Library for Red Hat Enterprise Linux 8 Update 9.                               | rhel8u9.x86_64.rpm                        | 10/25GbE 4p SFP28 Adptr                                          |             | rhel8u9             |
| 135 | HPE Broadcom NetXtreme-E RoCE Library for Red Hat Enterprise Linux 8 Update 9. | libbnxt_re-230.0.132.0-rhel8u9.x86_64.rpm | BCM 57504 10/25GbE 4p SFP28 OCP3 Adptr                           | 230.0.132.0 | 230.0.132.0-rhel8u9 |
| 136 | HPE Broadcom tg3 Ethernet Drivers for Red Hat Enterprise Linux 8               | kmod-tg3-3.139m-1.rhel8u9.x86_64.rpm      | Broadcom BCM5719 Ethernet 1Gb 4-port Base-T Adapter for HPE      | 3.139m-1    | 3.139m-1.rhel8u9    |
| 137 | HPE Broadcom tg3 Ethernet Drivers for Red Hat Enterprise Linux 8               | kmod-tg3-3.139m-1.rhel8u9.x86_64.rpm      | Broadcom BCM5719 Ethernet 1Gb 4-port Base-T OCP3 Adapter for HPE | 3.139m-1    | 3.139m-1.rhel8u9    |
| 138 | HPE Broadcom tg3 Ethernet Drivers for Red Hat Enterprise Linux 8               | kmod-tg3-3.139m-1.rhel8u9.x86_64.rpm      | HP Ethernet 1Gb 2-port 332i Adapter (22E8)                       | 3.139m-1    | 3.139m-1.rhel8u9    |
| 139 | HPE Broadcom tg3 Ethernet Drivers for Red Hat Enterprise Linux 8               | kmod-tg3-3.139m-1.rhel8u9.x86_64.rpm      | HP Ethernet 1Gb 2-port 332T Adapter                              | 3.139m-1    | 3.139m-1.rhel8u9    |
| 140 | HPE Broadcom tg3 Ethernet Drivers for Red Hat Enterprise Linux 8               | kmod-tg3-3.139m-1.rhel8u9.x86_64.rpm      | HP Ethernet 1Gb 4-port 331FLR Adapter                            | 3.139m-1    | 3.139m-1.rhel8u9    |
| 141 | HPE Broadcom tg3 Ethernet Drivers for Red Hat Enterprise Linux 8               | kmod-tg3-3.139m-1.rhel8u9.x86_64.rpm      | HP Ethernet 1Gb 4-port 331i Adapter (22BE)                       | 3.139m-1    | 3.139m-1.rhel8u9    |
| 142 | HPE Broadcom tg3 Ethernet Drivers for Red Hat Enterprise Linux 8               | kmod-tg3-3.139m-1.rhel8u9.x86_64.rpm      | HP Ethernet 1Gb 4-port 331T Adapter                              | 3.139m-1    | 3.139m-1.rhel8u9    |
| 143 | HPE Broadcom tg3 Ethernet Drivers for Red Hat Enterprise Linux 8               | kmod-tg3-3.139m-1.rhel8u9.x86_64.rpm      | Broadcom BCM5720 Ethernet 1Gb 2-port BASE-T LOM Adapter for HPE  | 3.139m-1    | 3.139m-1.rhel8u9    |
| 144 | HPE Intel E1R Driver for Windows Server 2019                                   | cp061657.exe                              | HPE Ethernet 1Gb 2-port 361i Adapter                             | 14.0.5.0    | 14.0.5.0            |
| 145 | HPE Intel E1R Driver for Windows Server 2019                                   | cp061657.exe                              | HPE Ethernet 1Gb 2-port 361T Adapter                             | 14.0.5.0    | 14.0.5.0            |
| 146 | HPE Intel E1R Driver for Windows Server 2019                                   | cp061657.exe                              | HPE Ethernet 1Gb 4-port 366FLR Adapter                           | 14.0.5.0    | 14.0.5.0            |
| 147 | HPE Intel E1R Driver for Windows Server 2019                                   | cp061657.exe                              | HPE Ethernet 1Gb 4-port 366T Adapter                             | 14.0.5.0    | 14.0.5.0            |
| 148 | HPE Intel E1R Driver for Windows Server 2022                                   | cp061658.exe                              | HPE Ethernet 1Gb 2-port 361i Adapter                             | 14.0.5.0    | 14.0.5.0            |
| 149 | HPE Intel E1R Driver for Windows Server 2022                                   | cp061658.exe                              | HPE Ethernet 1Gb 2-port 361T Adapter                             | 14.0.5.0    | 14.0.5.0            |
| 150 | HPE Intel E1R Driver for Windows Server 2022                                   | cp061658.exe                              | HPE Ethernet 1Gb 4-port 366FLR Adapter                           | 14.0.5.0    | 14.0.5.0            |
| 151 | HPE Intel E1R Driver for Windows Server 2022                                   | cp061658.exe                              | HPE Ethernet 1Gb 4-port 366T Adapter                             | 14.0.5.0    | 14.0.5.0            |
| 152 | HPE Intel i40e Drivers for Red Hat Enterprise Linux 8                          | kmod-hp-i40e-2.25.9-1.rhel8u9.x86_64.rpm  | HPE Ethernet 1Gb 4-port 369i Adapter                             | 2.25.9-1    | 2.25.9-1.rhel8u9    |
| 153 | HPE Intel i40e Drivers for Red Hat Enterprise Linux 8                          | kmod-hp-i40e-2.25.9-1.rhel8u9.x86_64.rpm  | HPE Ethernet 10Gb 2-port 562FLR-SFP+ Adapter                     | 2.25.9-1    | 2.25.9-1.rhel8u9    |
| 154 | HPE Intel i40e Drivers for Red Hat Enterprise Linux 8                          | kmod-hp-i40e-2.25.9-1.rhel8u9.x86_64.rpm  | HPE Ethernet 10Gb 2-port 562SFP+ Adapter                         | 2.25.9-1    | 2.25.9-1.rhel8u9    |
| 155 | HPE Intel i40e Drivers for Red Hat Enterprise Linux 8                          | kmod-hp-i40e-2.25.9-1.rhel8u9.x86_64.rpm  | HPE Ethernet 10Gb 2-port SFP+ OCP3 X710-DA2 Adapter              | 2.25.9-1    | 2.25.9-1.rhel8u9    |
| 156 | HPE Intel i40e Drivers for Red Hat                                             | kmod-hp-i40e-2.25.9-                      | HPE Ethernet 10Gb                                                | 2.25.9-1    | 2.25.9-             |

|     |                                                       |                                          |                                                                    |            |                               |
|-----|-------------------------------------------------------|------------------------------------------|--------------------------------------------------------------------|------------|-------------------------------|
|     | Enterprise Linux 8                                    | 1.rhel8u9.x86_64.rpm                     | 2-port SFP+ X710-DA2 Adapter                                       |            | 1.rhel8u9                     |
| 157 | HPE Intel i40ea Driver for Windows Server 2019        | cp061659.exe                             | HPE Ethernet 10Gb 2-port 562FLR-SFP+ Adapter                       | 1.19.164.0 | 1.19.164.0                    |
| 158 | HPE Intel i40ea Driver for Windows Server 2019        | cp061659.exe                             | HPE Ethernet 10Gb 2-port 562SFP+ Adapter                           | 1.19.164.0 | 1.19.164.0                    |
| 159 | HPE Intel i40ea Driver for Windows Server 2022        | cp061660.exe                             | HPE Ethernet 10Gb 2-port 562FLR-SFP+ Adapter                       | 1.19.165.0 | 1.19.165.0                    |
| 160 | HPE Intel i40ea Driver for Windows Server 2022        | cp061660.exe                             | HPE Ethernet 10Gb 2-port 562SFP+ Adapter                           | 1.19.165.0 | 1.19.165.0                    |
| 161 | HPE Intel i40eb Driver for Windows Server 2019        | cp061661.exe                             | HPE Ethernet 1Gb 4-port 369i Adapter                               | 1.19.164.0 | 1.19.164.0                    |
| 162 | HPE Intel i40eb Driver for Windows Server 2022        | cp061662.exe                             | HPE Ethernet 1Gb 4-port 369i Adapter                               | 1.19.164.0 | 1.19.164.0                    |
| 163 | HPE Intel i40en Driver for VMware vSphere 7.0         | cp061663.zip                             | HPE Ethernet 1Gb 4-port 369i Adapter                               | 2024.09.00 | 2.8.4.0-10EM.700.1.0.15843807 |
| 164 | HPE Intel i40en Driver for VMware vSphere 7.0         | cp061663.zip                             | HPE Ethernet 10Gb 2-port 562FLR-SFP+ Adapter                       | 2024.09.00 | 2.8.4.0-10EM.700.1.0.15843807 |
| 165 | HPE Intel i40en Driver for VMware vSphere 7.0         | cp061663.zip                             | HPE Ethernet 10Gb 2-port 562SFP+ Adapter                           | 2024.09.00 | 2.8.4.0-10EM.700.1.0.15843807 |
| 166 | HPE Intel i40en Driver for VMware vSphere 7.0         | cp061663.zip                             | HPE Ethernet 10Gb 2-port SFP+ OCP3 X710-DA2 Adapter                | 2024.09.00 | 2.8.4.0-10EM.700.1.0.15843807 |
| 167 | HPE Intel i40en Driver for VMware vSphere 7.0         | cp061663.zip                             | HPE Ethernet 10Gb 2-port SFP+ X710-DA2 Adapter                     | 2024.09.00 | 2.8.4.0-10EM.700.1.0.15843807 |
| 168 | HPE Intel i40en Driver for VMware vSphere 8.0         | cp061664.zip                             | HPE Ethernet 1Gb 4-port 369i Adapter                               | 2024.09.00 | 2.8.4.0-10EM.800.1.0.20613240 |
| 169 | HPE Intel i40en Driver for VMware vSphere 8.0         | cp061664.zip                             | HPE Ethernet 10Gb 2-port 562FLR-SFP+ Adapter                       | 2024.09.00 | 2.8.4.0-10EM.800.1.0.20613240 |
| 170 | HPE Intel i40en Driver for VMware vSphere 8.0         | cp061664.zip                             | HPE Ethernet 10Gb 2-port 562SFP+ Adapter                           | 2024.09.00 | 2.8.4.0-10EM.800.1.0.20613240 |
| 171 | HPE Intel i40en Driver for VMware vSphere 8.0         | cp061664.zip                             | HPE Ethernet 10Gb 2-port SFP+ OCP3 X710-DA2 Adapter                | 2024.09.00 | 2.8.4.0-10EM.800.1.0.20613240 |
| 172 | HPE Intel i40en Driver for VMware vSphere 8.0         | cp061664.zip                             | HPE Ethernet 10Gb 2-port SFP+ X710-DA2 Adapter                     | 2024.09.00 | 2.8.4.0-10EM.800.1.0.20613240 |
| 173 | HPE Intel iavf Drivers for Red Hat Enterprise Linux 8 | kmod-hp-iavf-4.11.2-1.rhel8u9.x86_64.rpm | Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE      | 4.11.2-1   | 4.11.2-1.rhel8u9              |
| 174 | HPE Intel iavf Drivers for Red Hat Enterprise Linux 8 | kmod-hp-iavf-4.11.2-1.rhel8u9.x86_64.rpm | Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 OCP3 Adapter for HPE | 4.11.2-1   | 4.11.2-1.rhel8u9              |
| 175 | HPE Intel iavf Drivers for Red Hat Enterprise Linux 8 | kmod-hp-iavf-4.11.2-1.rhel8u9.x86_64.rpm | Intel E810-XXVDA2 adapter                                          | 4.11.2-1   | 4.11.2-1.rhel8u9              |
| 176 | HPE Intel iavf Drivers for Red Hat Enterprise Linux 8 | kmod-hp-iavf-4.11.2-1.rhel8u9.x86_64.rpm | Intel E810-XXVDA2 OCP3 adapter                                     | 4.11.2-1   | 4.11.2-1.rhel8u9              |
| 177 | HPE Intel iavf Drivers for Red Hat Enterprise Linux 8 | kmod-hp-iavf-4.11.2-1.rhel8u9.x86_64.rpm | Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE    | 4.11.2-1   | 4.11.2-1.rhel8u9              |
| 178 | HPE Intel iavf Drivers for Red Hat Enterprise Linux 8 | kmod-hp-iavf-4.11.2-1.rhel8u9.x86_64.rpm | HPE Ethernet 10Gb 2-port SFP+ OCP3                                 | 4.11.2-1   | 4.11.2-1.rhel8u9              |

|     |                                                       |                                          |                                                               |            |                                |
|-----|-------------------------------------------------------|------------------------------------------|---------------------------------------------------------------|------------|--------------------------------|
|     |                                                       |                                          | X710-DA2 Adapter                                              |            |                                |
| 179 | HPE Intel iavf Drivers for Red Hat Enterprise Linux 8 | kmod-hp-iavf-4.11.2-1.rhel8u9.x86_64.rpm | HPE Ethernet 10Gb 2-port 562SFP+ Adapter                      | 4.11.2-1   | 4.11.2-1.rhel8u9               |
| 180 | HPE Intel iavf Drivers for Red Hat Enterprise Linux 8 | kmod-hp-iavf-4.11.2-1.rhel8u9.x86_64.rpm | HPE Ethernet 10Gb 2-port 562FLR-SFP+ Adapter                  | 4.11.2-1   | 4.11.2-1.rhel8u9               |
| 181 | HPE Intel iavf Drivers for Red Hat Enterprise Linux 8 | kmod-hp-iavf-4.11.2-1.rhel8u9.x86_64.rpm | HPE Ethernet 1Gb 4-port 369i Adapter                          | 4.11.2-1   | 4.11.2-1.rhel8u9               |
| 182 | HPE Intel iavf Drivers for Red Hat Enterprise Linux 8 | kmod-hp-iavf-4.11.2-1.rhel8u9.x86_64.rpm | HPE Ethernet 10Gb 2-port SFP+ X710-DA2 Adapter                | 4.11.2-1   | 4.11.2-1.rhel8u9               |
| 183 | HPE Intel igb Drivers for Red Hat Enterprise Linux 8  | kmod-hp-igb-6.16.9-1.rhel8u9.x86_64.rpm  | HPE Ethernet 1Gb 2-port 361i Adapter                          | 6.16.9-1   | 6.16.9-1.rhel8u9               |
| 184 | HPE Intel igb Drivers for Red Hat Enterprise Linux 8  | kmod-hp-igb-6.16.9-1.rhel8u9.x86_64.rpm  | HPE Ethernet 1Gb 2-port 361T Adapter                          | 6.16.9-1   | 6.16.9-1.rhel8u9               |
| 185 | HPE Intel igb Drivers for Red Hat Enterprise Linux 8  | kmod-hp-igb-6.16.9-1.rhel8u9.x86_64.rpm  | HPE Ethernet 1Gb 4-port 366FLR Adapter                        | 6.16.9-1   | 6.16.9-1.rhel8u9               |
| 186 | HPE Intel igb Drivers for Red Hat Enterprise Linux 8  | kmod-hp-igb-6.16.9-1.rhel8u9.x86_64.rpm  | HPE Ethernet 1Gb 4-port 366T Adapter                          | 6.16.9-1   | 6.16.9-1.rhel8u9               |
| 187 | HPE Intel igb Drivers for Red Hat Enterprise Linux 8  | kmod-hp-igb-6.16.9-1.rhel8u9.x86_64.rpm  | Intel I350-T4 Ethernet 1Gb 4-port BASE-T Adapter for HPE      | 6.16.9-1   | 6.16.9-1.rhel8u9               |
| 188 | HPE Intel igb Drivers for Red Hat Enterprise Linux 8  | kmod-hp-igb-6.16.9-1.rhel8u9.x86_64.rpm  | Intel I350-T4 Ethernet 1Gb 4-port BASE-T OCP3 Adapter for HPE | 6.16.9-1   | 6.16.9-1.rhel8u9               |
| 189 | HPE Intel igbn Driver for VMware vSphere 7.0          | cp062162.zip                             | HPE Ethernet 1Gb 2-port 361i Adapter                          | 2024.09.00 | 1.12.0.0-10EM.700.1.0.15843807 |
| 190 | HPE Intel igbn Driver for VMware vSphere 7.0          | cp062162.zip                             | HPE Ethernet 1Gb 2-port 361T Adapter                          | 2024.09.00 | 1.12.0.0-10EM.700.1.0.15843807 |
| 191 | HPE Intel igbn Driver for VMware vSphere 7.0          | cp062162.zip                             | HPE Ethernet 1Gb 4-port 366FLR Adapter                        | 2024.09.00 | 1.12.0.0-10EM.700.1.0.15843807 |
| 192 | HPE Intel igbn Driver for VMware vSphere 7.0          | cp062162.zip                             | HPE Ethernet 1Gb 4-port 366T Adapter                          | 2024.09.00 | 1.12.0.0-10EM.700.1.0.15843807 |
| 193 | HPE Intel igbn Driver for VMware vSphere 7.0          | cp062162.zip                             | Intel I350-T4 Ethernet 1Gb 4-port BASE-T Adapter for HPE      | 2024.09.00 | 1.12.0.0-10EM.700.1.0.15843807 |
| 194 | HPE Intel igbn Driver for VMware vSphere 7.0          | cp062162.zip                             | Intel I350-T4 Ethernet 1Gb 4-port BASE-T OCP3 Adapter for HPE | 2024.09.00 | 1.12.0.0-10EM.700.1.0.15843807 |
| 195 | HPE Intel igbn Driver for VMware vSphere 8.0          | cp062161.zip                             | HPE Ethernet 1Gb 2-port 361i Adapter                          | 2024.09.00 | 1.12.0.0-10EM.800.1.0.20613240 |
| 196 | HPE Intel igbn Driver for VMware vSphere 8.0          | cp062161.zip                             | HPE Ethernet 1Gb 2-port 361T Adapter                          | 2024.09.00 | 1.12.0.0-10EM.800.1.0.20613240 |
| 197 | HPE Intel igbn Driver for VMware vSphere 8.0          | cp062161.zip                             | HPE Ethernet 1Gb 4-port 366FLR Adapter                        | 2024.09.00 | 1.12.0.0-10EM.800.1.0.20613240 |
| 198 | HPE Intel igbn Driver for VMware vSphere 8.0          | cp062161.zip                             | HPE Ethernet 1Gb 4-port 366T Adapter                          | 2024.09.00 | 1.12.0.0-10EM.800.1.0.20613240 |
| 199 | HPE Intel igbn Driver for VMware vSphere 8.0          | cp062161.zip                             | Intel I350-T4 Ethernet 1Gb 4-port BASE-T Adapter for          | 2024.09.00 | 1.12.0.0-10EM.800.1.0.20613240 |

|     |                                                                                                                                              |                                                  |                                                               |              |                                |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|---------------------------------------------------------------|--------------|--------------------------------|
|     |                                                                                                                                              |                                                  | HPE                                                           |              |                                |
| 200 | HPE Intel igbn Driver for VMware vSphere 8.0                                                                                                 | cp062161.zip                                     | Intel I350-T4 Ethernet 1Gb 4-port BASE-T OCP3 Adapter for HPE | 2024.09.00   | 1.12.0.0-10EM.800.1.0.20613240 |
| 201 | HPE Intel ixgbe Drivers for Red Hat Enterprise Linux 8                                                                                       | kmod-hp-ixgbe-5.20.9-1.rhel8u9.x86_64.rpm        | HPE Ethernet 10Gb 2-port 562FLR-T Adapter                     | 5.20.9-1     | 5.20.9-1.rhel8u9               |
| 202 | HPE Intel ixgbe Drivers for Red Hat Enterprise Linux 8                                                                                       | kmod-hp-ixgbe-5.20.9-1.rhel8u9.x86_64.rpm        | HPE Ethernet 10Gb 2-port 562T Adapter                         | 5.20.9-1     | 5.20.9-1.rhel8u9               |
| 203 | HPE Intel ixgben Driver for VMware vSphere 7.0                                                                                               | cp059752.zip                                     | HPE Ethernet 10Gb 2-port 562FLR-T Adapter                     | 2024.03.00   | 1.18.2.0-10EM.700.1.0.15843807 |
| 204 | HPE Intel ixgben Driver for VMware vSphere 7.0                                                                                               | cp059752.zip                                     | HPE Ethernet 10Gb 2-port 562T Adapter                         | 2024.03.00   | 1.18.2.0-10EM.700.1.0.15843807 |
| 205 | HPE Intel ixgben Driver for VMware vSphere 8.0                                                                                               | cp058394.zip                                     | HPE Ethernet 10Gb 2-port 562FLR-T Adapter                     | 2024.03.00   | 1.18.2.0-10EM.800.1.0.20613240 |
| 206 | HPE Intel ixgben Driver for VMware vSphere 8.0                                                                                               | cp058394.zip                                     | HPE Ethernet 10Gb 2-port 562T Adapter                         | 2024.03.00   | 1.18.2.0-10EM.800.1.0.20613240 |
| 207 | HPE Intel ixgbev Drivers for Red Hat Enterprise Linux 8                                                                                      | kmod-hp-ixgbev-4.19.9-1.rhel8u9.x86_64.rpm       | HPE Ethernet 10Gb 2-port 562FLR-T Adapter                     | 4.19.9-1     | 4.19.9-1.rhel8u9               |
| 208 | HPE Intel ixgbev Drivers for Red Hat Enterprise Linux 8                                                                                      | kmod-hp-ixgbev-4.19.9-1.rhel8u9.x86_64.rpm       | HPE Ethernet 10Gb 2-port 562T Adapter                         | 4.19.9-1     | 4.19.9-1.rhel8u9               |
| 209 | HPE Intel ixS Driver for Windows Server 2019                                                                                                 | cp061743.exe                                     | HPE Ethernet 10Gb 2-port 562FLR-T Adapter                     | 4.1.254.0    | 4.1.254.0                      |
| 210 | HPE Intel ixS Driver for Windows Server 2019                                                                                                 | cp061743.exe                                     | HPE Ethernet 10Gb 2-port 562T Adapter                         | 4.1.254.0    | 4.1.254.0                      |
| 211 | HPE Intel ixS Driver for Windows Server 2022                                                                                                 | cp061744.exe                                     | HPE Ethernet 10Gb 2-port 562FLR-T Adapter                     | 4.1.254.0    | 4.1.254.0                      |
| 212 | HPE Intel ixS Driver for Windows Server 2022                                                                                                 | cp061744.exe                                     | HPE Ethernet 10Gb 2-port 562T Adapter                         | 4.1.254.0    | 4.1.254.0                      |
| 213 | HPE Mellanox CX4LX and CX5 Driver for Microsoft Windows Server 2019                                                                          | cp061097.exe                                     | HPE Ethernet 25Gb 2-port 640 FLR-SFP28 Adapter                | 24.4.26429.0 | 24.4.26429.0                   |
| 214 | HPE Mellanox CX4LX and CX5 Driver for Microsoft Windows Server 2019                                                                          | cp061097.exe                                     | HPE Ethernet 25Gb 2-port 640SFP28 Adapter                     | 24.4.26429.0 | 24.4.26429.0                   |
| 215 | HPE Mellanox CX4LX and CX5 Driver for Microsoft Windows Server 2022                                                                          | cp061096.exe                                     | HPE Ethernet 25Gb 2-port 640 FLR-SFP28 Adapter                | 24.4.26429.0 | 24.4.26429.0                   |
| 216 | HPE Mellanox CX4LX and CX5 Driver for Microsoft Windows Server 2022                                                                          | cp061096.exe                                     | HPE Ethernet 25Gb 2-port 640SFP28 Adapter                     | 24.4.26429.0 | 24.4.26429.0                   |
| 217 | HPE Mellanox MFT prerequisite RPMs for Mellanox adapter firmware update in Secure Boot mode for Red Hat Enterprise Linux 8 Update 9 (x86_64) | kmod-kernel-mft-mlnx-4.26.1-1.rhel8u9.x86_64.rpm | HPE Ethernet 10/25Gb 2-port SFP28 MCX512F-ACAT Adapter        | 4.26.1-3     | 4.26.1-1.rhel8u9               |
| 218 | HPE Mellanox MFT prerequisite RPMs for Mellanox adapter firmware update in Secure Boot mode for Red Hat Enterprise Linux 8 Update 9 (x86_64) | kmod-kernel-mft-mlnx-4.26.1-1.rhel8u9.x86_64.rpm | HPE Ethernet 10/25Gb 2-port SFP28 MCX562A-ACAI OCP3 Adapter   | 4.26.1-3     | 4.26.1-1.rhel8u9               |
| 219 | HPE Mellanox MFT prerequisite RPMs for Mellanox adapter firmware update in Secure Boot mode for Red                                          | kmod-kernel-mft-mlnx-4.26.1-1.rhel8u9.x86_64.rpm | HPE 100GbE 1p QSFP28 MCX515A-CCAT Adptr                       | 4.26.1-3     | 4.26.1-1.rhel8u9               |

|     |                                                                                                                                                |                                                             |                                                                   |               |                                  |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------|---------------|----------------------------------|
|     | Hat Enterprise Linux 8 Update 9 (x86_64)                                                                                                       |                                                             |                                                                   |               |                                  |
| 220 | HPE Mellanox MFT prerequisite RPMs for Mellanox adapter firmware update in Secure Boot mode for Red Hat Enterprise Linux 8 Update 9 (x86_64)   | kmod-kernel-mft-mlnx-4.26.1-1.rhel8u9.x86_64.rpm            | HPE Ethernet 100Gb 2-port QSFP56 MCX623106AS-CDAT Adapter         | 4.26.1-3      | 4.26.1-1.rhel8u9                 |
| 221 | HPE Mellanox MFT prerequisite RPMs for Mellanox adapter firmware update in Secure Boot mode for Red Hat Enterprise Linux 8 Update 9 (x86_64)   | kmod-kernel-mft-mlnx-4.26.1-1.rhel8u9.x86_64.rpm            | HPE InfiniBand HDR100/Ethernet 100Gb 2-port 940QSFP56 x16 Adapter | 4.26.1-3      | 4.26.1-1.rhel8u9                 |
| 222 | HPE Mellanox MFT prerequisite RPMs for Mellanox adapter firmware update in Secure Boot mode for Red Hat Enterprise Linux 8 Update 9 (x86_64)   | kmod-kernel-mft-mlnx-4.26.1-1.rhel8u9.x86_64.rpm            | HPE IB HDR100/EN 100Gb 2p QSFP56 Adptr                            | 4.26.1-3      | 4.26.1-1.rhel8u9                 |
| 223 | HPE Mellanox MFT prerequisite RPMs for Mellanox adapter firmware update in Secure Boot mode for Red Hat Enterprise Linux 8 Update 9 (x86_64)   | mft-4.26.1-3.rhel8u9.x86_64.rpm                             | HPE Ethernet 10/25Gb 2-port SFP28 MCX512F-ACAT Adapter            | 4.26.1-3      | 4.26.1-3.rhel8u9                 |
| 224 | HPE Mellanox MFT prerequisite RPMs for Mellanox adapter firmware update in Secure Boot mode for Red Hat Enterprise Linux 8 Update 9 (x86_64)   | mft-4.26.1-3.rhel8u9.x86_64.rpm                             | HPE Ethernet 10/25Gb 2-port SFP28 MCX562A-ACAI OCP3 Adapter       | 4.26.1-3      | 4.26.1-3.rhel8u9                 |
| 225 | HPE Mellanox MFT prerequisite RPMs for Mellanox adapter firmware update in Secure Boot mode for Red Hat Enterprise Linux 8 Update 9 (x86_64)   | mft-4.26.1-3.rhel8u9.x86_64.rpm                             | HPE 100GbE 1p QSFP28 MCX515A-CCAT Adptr                           | 4.26.1-3      | 4.26.1-3.rhel8u9                 |
| 226 | HPE Mellanox MFT prerequisite RPMs for Mellanox adapter firmware update in Secure Boot mode for Red Hat Enterprise Linux 8 Update 9 (x86_64)   | mft-4.26.1-3.rhel8u9.x86_64.rpm                             | HPE Ethernet 100Gb 2-port QSFP56 MCX623106AS-CDAT Adapter         | 4.26.1-3      | 4.26.1-3.rhel8u9                 |
| 227 | HPE Mellanox MFT prerequisite RPMs for Mellanox adapter firmware update in Secure Boot mode for Red Hat Enterprise Linux 8 Update 9 (x86_64)   | mft-4.26.1-3.rhel8u9.x86_64.rpm                             | HPE InfiniBand HDR100/Ethernet 100Gb 2-port 940QSFP56 x16 Adapter | 4.26.1-3      | 4.26.1-3.rhel8u9                 |
| 228 | HPE Mellanox MFT prerequisite RPMs for Mellanox adapter firmware update in Secure Boot mode for Red Hat Enterprise Linux 8 Update 9 (x86_64)   | mft-4.26.1-3.rhel8u9.x86_64.rpm                             | HPE IB HDR100/EN 100Gb 2p QSFP56 Adptr                            | 4.26.1-3      | 4.26.1-3.rhel8u9                 |
| 229 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm | MLX MCX631102 10/25GbE 2p SFP28 Adptr                             | 24.04-0.6.6.1 | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |
| 230 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm | MLX MCX6314 10/25GbE 2p SFP28 OCP3 Adptr                          | 24.04-0.6.6.1 | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |
| 231 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm | HPE Ethernet 10/25Gb 2-port SFP28 MCX512F-ACAT Adapter            | 24.04-0.6.6.1 | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |
| 232 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm | HPE Ethernet 10/25Gb 2-port SFP28 MCX562A-ACAI OCP3 Adapter       | 24.04-0.6.6.1 | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |

|     |                                                                                                                                                |                                                                  |                                                                   |               |                                  |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|-------------------------------------------------------------------|---------------|----------------------------------|
|     | (x86_64)                                                                                                                                       |                                                                  |                                                                   |               |                                  |
| 233 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm      | HPE 100GbE 1p QSFP28 MCX515A-CCAT Adptr                           | 24.04-0.6.6.1 | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |
| 234 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm      | HPE Ethernet 100Gb 2-port QSFP56 MCX623106AS-CDAT Adapter         | 24.04-0.6.6.1 | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |
| 235 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm      | HPE Ethernet 25Gb 2-port 640 FLR-SFP28 Adapter                    | 24.04-0.6.6.1 | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |
| 236 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm      | HPE Ethernet 25Gb 2-port 640SFP28 Adapter                         | 24.04-0.6.6.1 | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |
| 237 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm      | HPE InfiniBand EDR/Ethernet 100Gb 2-port 841QSFP28 Adapter        | 24.04-0.6.6.1 | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |
| 238 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm      | HPE InfiniBand HDR100/Ethernet 100Gb 2-port 940QSFP56 x16 Adapter | 24.04-0.6.6.1 | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |
| 239 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm      | HPE IB HDR100/EN 100Gb 2p QSFP56 Adptr                            | 24.04-0.6.6.1 | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |
| 240 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | kmod-mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm | MLX MCX631102 10/25GbE 2p SFP28 Adptr                             | 24.04-0.6.6.1 | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |
| 241 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | kmod-mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm | MLX MCX6314 10/25GbE 2p SFP28 OCP3 Adptr                          | 24.04-0.6.6.1 | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |
| 242 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | kmod-mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm | HPE Ethernet 10/25Gb 2-port SFP28 MCX512F-ACAT Adapter            | 24.04-0.6.6.1 | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |
| 243 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | kmod-mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm | HPE Ethernet 10/25Gb 2-port SFP28 MCX562A-ACAI OCP3 Adapter       | 24.04-0.6.6.1 | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |
| 244 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | kmod-mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm | HPE 100GbE 1p QSFP28 MCX515A-CCAT Adptr                           | 24.04-0.6.6.1 | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |
| 245 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | kmod-mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm | HPE Ethernet 100Gb 2-port QSFP56 MCX623106AS-CDAT Adapter         | 24.04-0.6.6.1 | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |

|     |                                                                                                                                                |                                                                  |                                                                   |                |                                  |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|-------------------------------------------------------------------|----------------|----------------------------------|
| 246 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | kmod-mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm | HPE Ethernet 25Gb 2-port 640 FLR-SFP28 Adapter                    | 24.04-0.6.6.1  | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |
| 247 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | kmod-mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm | HPE Ethernet 25Gb 2-port 640SFP28 Adapter                         | 24.04-0.6.6.1  | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |
| 248 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | kmod-mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm | HPE InfiniBand EDR/Ethernet 100Gb 2-port 841QSFP28 Adapter        | 24.04-0.6.6.1  | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |
| 249 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | kmod-mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm | HPE InfiniBand HDR100/Ethernet 100Gb 2-port 940QSFP56 x16 Adapter | 24.04-0.6.6.1  | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |
| 250 | HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86_64) | kmod-mlnx-ofa_kernel-24.04-OFED.24.04.0.6.6.1.rhel8u9.x86_64.rpm | HPE IB HDR100/EN 100Gb 2p QSFP56 Adptr                            | 24.04-0.6.6.1  | 24.04-OFED.24.04.0.6.6.1.rhel8u9 |
| 251 | HPE QLogic FastLinQ 10/25/50 GbE Drivers for Red Hat Enterprise Linux 8                                                                        | kmod-qlgc-fastlinq-8.74.4.0-1.rhel8u9.x86_64.rpm                 | HPE Ethernet 10Gb 2-port 521T Adapter                             | 8.74.4.0-8     | 8.74.4.0-1.rhel8u9               |
| 252 | HPE QLogic FastLinQ 10/25/50 GbE Drivers for Windows Server x64 Editions                                                                       | cp062361.exe                                                     | HPE Ethernet 10Gb 2-port 521T Adapter                             | 8.72.15.0      | 8.72.15.0                        |
| 253 | HPE QLogic FastLinQ 10/25/50 GbE Multifunction Driver for VMware vSphere 7.0                                                                   | cp061738.zip                                                     | HPE Ethernet 10Gb 2-port 521T Adapter                             | 2024.09.00     | 5.0.393.0-10EM.700.1.0.15843807  |
| 254 | HPE QLogic FastLinQ 10/25/50 GbE Multifunction Driver for VMware vSphere 8.0                                                                   | cp061739.zip                                                     | HPE Ethernet 10Gb 2-port 521T Adapter                             | 2024.09.00     | 6.0.393.0-10EM.800.1.0.20613240  |
| 255 | HPE QLogic NX2 10/20 GbE Multifunction Driver for VMware vSphere 7.0                                                                           | cp061740.zip                                                     | HPE Ethernet 10Gb 2-port 530SFP+ Adapter                          | 2024.09.00     | 3.0.251.0-10EM.700.1.0.15843807  |
| 256 | HPE QLogic NX2 10/20 GbE Multifunction Driver for VMware vSphere 7.0                                                                           | cp061740.zip                                                     | HPE Ethernet 10Gb 2-port 530T Adapter                             | 2024.09.00     | 3.0.251.0-10EM.700.1.0.15843807  |
| 257 | HPE QLogic NX2 10/20 GbE Multifunction Driver for VMware vSphere 7.0                                                                           | cp061740.zip                                                     | HPE FlexFabric 10Gb 2-port 533FLR-T Adapter                       | 2024.09.00     | 3.0.251.0-10EM.700.1.0.15843807  |
| 258 | HPE QLogic NX2 10/20 GbE Multifunction Driver for VMware vSphere 8.0                                                                           | cp061741.zip                                                     | HPE Ethernet 10Gb 2-port 530SFP+ Adapter                          | 2024.09.00     | 3.0.251.0-10EM.700.1.0.15843807  |
| 259 | HPE QLogic NX2 10/20 GbE Multifunction Driver for VMware vSphere 8.0                                                                           | cp061741.zip                                                     | HPE Ethernet 10Gb 2-port 530T Adapter                             | 2024.09.00     | 3.0.251.0-10EM.700.1.0.15843807  |
| 260 | HPE QLogic NX2 10/20 GbE Multifunction Driver for VMware vSphere 8.0                                                                           | cp061741.zip                                                     | HPE FlexFabric 10Gb 2-port 533FLR-T Adapter                       | 2024.09.00     | 3.0.251.0-10EM.700.1.0.15843807  |
| 261 | HPE QLogic NX2 10/20 GbE Multifunction Drivers for Red Hat Enterprise Linux 8                                                                  | kmod-netxtreme2-7.15.23-1.rhel8u9.x86_64.rpm                     | HPE Ethernet 10Gb 2-port 530SFP+ Adapter                          | 7.15.23-2      | 7.15.23-1.rhel8u9                |
| 262 | HPE QLogic NX2 10/20 GbE Multifunction Drivers for Red Hat Enterprise Linux 8                                                                  | kmod-netxtreme2-7.15.23-1.rhel8u9.x86_64.rpm                     | HPE Ethernet 10Gb 2-port 530T Adapter                             | 7.15.23-2      | 7.15.23-1.rhel8u9                |
| 263 | HPE QLogic NX2 10/20 GbE Multifunction Drivers for Red Hat Enterprise Linux 8                                                                  | kmod-netxtreme2-7.15.23-1.rhel8u9.x86_64.rpm                     | HPE FlexFabric 10Gb 2-port 533FLR-T Adapter                       | 7.15.23-2      | 7.15.23-1.rhel8u9                |
| 264 | HPE QLogic NX2 10/20 GbE Multifunction Drivers for Windows                                                                                     | cp058251.exe                                                     | HPE Ethernet 10Gb 2-port 530SFP+                                  | 7.13.206.0 (C) | 7.13.206.0                       |



|     | Server x64 Editions                                                            |                                       | Adapter                                                            |                |                   |
|-----|--------------------------------------------------------------------------------|---------------------------------------|--------------------------------------------------------------------|----------------|-------------------|
| 265 | HPE QLogic NX2 10/20 GbE Multifunction Drivers for Windows Server x64 Editions | cp058251.exe                          | HPE Ethernet 10Gb 2-port 530T Adapter                              | 7.13.206.0 (C) | 7.13.206.0        |
| 266 | HPE QLogic NX2 10/20 GbE Multifunction Drivers for Windows Server x64 Editions | cp058251.exe                          | HPE FlexFabric 10Gb 2-port 533FLR-T Adapter                        | 7.13.206.0 (C) | 7.13.206.0        |
| 267 | Intel i350 Driver for Windows Server 2019                                      | cp061673.exe                          | Intel I350-T4 Ethernet 1Gb 4-port BASE-T Adapter for HPE           | 14.0.5.0       | 14.0.5.0          |
| 268 | Intel i350 Driver for Windows Server 2019                                      | cp061673.exe                          | Intel I350-T4 Ethernet 1Gb 4-port BASE-T OCP3 Adapter for HPE      | 14.0.5.0       | 14.0.5.0          |
| 269 | Intel i350 Driver for Windows Server 2022                                      | cp061674.exe                          | Intel I350-T4 Ethernet 1Gb 4-port BASE-T Adapter for HPE           | 14.0.5.0       | 14.0.5.0          |
| 270 | Intel i350 Driver for Windows Server 2022                                      | cp061674.exe                          | Intel I350-T4 Ethernet 1Gb 4-port BASE-T OCP3 Adapter for HPE      | 14.0.5.0       | 14.0.5.0          |
| 271 | Intel i40ea Driver for Windows Server 2019                                     | cp061671.exe                          | HPE Ethernet 10Gb 2-port SFP+ OCP3 X710-DA2 Adapter                | 1.19.164.0     | 1.19.164.0        |
| 272 | Intel i40ea Driver for Windows Server 2019                                     | cp061671.exe                          | HPE Ethernet 10Gb 2-port SFP+ X710-DA2 Adapter                     | 1.19.164.0     | 1.19.164.0        |
| 273 | Intel i40ea Driver for Windows Server 2022                                     | cp061672.exe                          | HPE Ethernet 10Gb 2-port SFP+ OCP3 X710-DA2 Adapter                | 1.19.165.0     | 1.19.165.0        |
| 274 | Intel i40ea Driver for Windows Server 2022                                     | cp061672.exe                          | HPE Ethernet 10Gb 2-port SFP+ X710-DA2 Adapter                     | 1.19.165.0     | 1.19.165.0        |
| 275 | Intel ice Drivers for Red Hat Enterprise Linux 8                               | kmod-ice-1.14.11-1.rhel8u9.x86_64.rpm | Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE      | 1.14.11-1      | 1.14.11-1.rhel8u9 |
| 276 | Intel ice Drivers for Red Hat Enterprise Linux 8                               | kmod-ice-1.14.11-1.rhel8u9.x86_64.rpm | Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 OCP3 Adapter for HPE | 1.14.11-1      | 1.14.11-1.rhel8u9 |
| 277 | Intel ice Drivers for Red Hat Enterprise Linux 8                               | kmod-ice-1.14.11-1.rhel8u9.x86_64.rpm | Intel E810-XXVDA2 adapter                                          | 1.14.11-1      | 1.14.11-1.rhel8u9 |
| 278 | Intel ice Drivers for Red Hat Enterprise Linux 8                               | kmod-ice-1.14.11-1.rhel8u9.x86_64.rpm | Intel E810-XXVDA2 OCP3 adapter                                     | 1.14.11-1      | 1.14.11-1.rhel8u9 |
| 279 | Intel ice Drivers for Red Hat Enterprise Linux 8                               | kmod-ice-1.14.11-1.rhel8u9.x86_64.rpm | Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE    | 1.14.11-1      | 1.14.11-1.rhel8u9 |
| 280 | Intel icea Driver for Microsoft Windows Server 2022                            | cp061670.exe                          | Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE      | 1.15.121.0     | 1.15.121.0        |
| 281 | Intel icea Driver for Microsoft Windows Server 2022                            | cp061670.exe                          | Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 OCP3 Adapter for HPE | 1.15.121.0     | 1.15.121.0        |
| 282 | Intel icea Driver for Microsoft Windows Server 2022                            | cp061670.exe                          | Intel E810-XXVDA2 adapter                                          | 1.15.121.0     | 1.15.121.0        |
| 283 | Intel icea Driver for Microsoft Windows Server 2022                            | cp061670.exe                          | Intel E810-XXVDA2 OCP3 adapter                                     | 1.15.121.0     | 1.15.121.0        |
| 284 | Intel icea Driver for Microsoft Windows Server 2022                            | cp061670.exe                          | Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28                    | 1.15.121.0     | 1.15.121.0        |

|     |                                                                 |              |                                                                    |              |                                |
|-----|-----------------------------------------------------------------|--------------|--------------------------------------------------------------------|--------------|--------------------------------|
|     |                                                                 |              | Adapter for HPE                                                    |              |                                |
| 285 | Intel ica Driver for Windows Server 2019                        | cp061669.exe | Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE      | 1.15.121.0   | 1.15.121.0                     |
| 286 | Intel ica Driver for Windows Server 2019                        | cp061669.exe | Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 OCP3 Adapter for HPE | 1.15.121.0   | 1.15.121.0                     |
| 287 | Intel ica Driver for Windows Server 2019                        | cp061669.exe | Intel E810-XXVDA2 adapter                                          | 1.15.121.0   | 1.15.121.0                     |
| 288 | Intel ica Driver for Windows Server 2019                        | cp061669.exe | Intel E810-XXVDA2 OCP3 adapter                                     | 1.15.121.0   | 1.15.121.0                     |
| 289 | Intel ica Driver for Windows Server 2019                        | cp061669.exe | Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE    | 1.15.121.0   | 1.15.121.0                     |
| 290 | Intel icen Driver for VMware vSphere 7.0                        | cp061667.zip | Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE      | 2024.09.00   | 1.14.2.0-IOEM.702.0.0.17630552 |
| 291 | Intel icen Driver for VMware vSphere 7.0                        | cp061667.zip | Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 OCP3 Adapter for HPE | 2024.09.00   | 1.14.2.0-IOEM.702.0.0.17630552 |
| 292 | Intel icen Driver for VMware vSphere 7.0                        | cp061667.zip | Intel E810-XXVDA2 adapter                                          | 2024.09.00   | 1.14.2.0-IOEM.702.0.0.17630552 |
| 293 | Intel icen Driver for VMware vSphere 7.0                        | cp061667.zip | Intel E810-XXVDA2 OCP3 adapter                                     | 2024.09.00   | 1.14.2.0-IOEM.702.0.0.17630552 |
| 294 | Intel icen Driver for VMware vSphere 7.0                        | cp061667.zip | Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE    | 2024.09.00   | 1.14.2.0-IOEM.702.0.0.17630552 |
| 295 | Intel icen Driver for VMware vSphere 8.0                        | cp061668.zip | Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE      | 2024.09.00   | 1.14.2.0-IOEM.800.1.0.20613240 |
| 296 | Intel icen Driver for VMware vSphere 8.0                        | cp061668.zip | Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 OCP3 Adapter for HPE | 2024.09.00   | 1.14.2.0-IOEM.800.1.0.20613240 |
| 297 | Intel icen Driver for VMware vSphere 8.0                        | cp061668.zip | Intel E810-XXVDA2 adapter                                          | 2024.09.00   | 1.14.2.0-IOEM.800.1.0.20613240 |
| 298 | Intel icen Driver for VMware vSphere 8.0                        | cp061668.zip | Intel E810-XXVDA2 OCP3 adapter                                     | 2024.09.00   | 1.14.2.0-IOEM.800.1.0.20613240 |
| 299 | Intel icen Driver for VMware vSphere 8.0                        | cp061668.zip | Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE    | 2024.09.00   | 1.14.2.0-IOEM.800.1.0.20613240 |
| 300 | Mellanox CX5 and CX6DX Driver for Microsoft Windows Server 2019 | cp061099.exe | HPE Ethernet 10/25Gb 2-port SFP28 MCX512F-ACAT Adapter             | 24.4.26429.0 | 24.4.26429.0                   |
| 301 | Mellanox CX5 and CX6DX Driver for Microsoft Windows Server 2019 | cp061099.exe | HPE Ethernet 10/25Gb 2-port SFP28 MCX562A-ACAI OCP3 Adapter        | 24.4.26429.0 | 24.4.26429.0                   |
| 302 | Mellanox CX5 and CX6DX Driver for Microsoft Windows Server 2019 | cp061099.exe | HPE Ethernet 100Gb 2-port QSFP56 MCX623106AS-CDAT Adapter          | 24.4.26429.0 | 24.4.26429.0                   |

|     |                                                                                                                            |              |                                                                        |              |                                            |
|-----|----------------------------------------------------------------------------------------------------------------------------|--------------|------------------------------------------------------------------------|--------------|--------------------------------------------|
| 303 | Mellanox CX5 and CX6DX Driver for Microsoft Windows Server 2019                                                            | cp061099.exe | MLX MCX631102<br>10/25GbE 2p SFP28<br>Adptr                            | 24.4.26429.0 | 24.4.26429.0                               |
| 304 | Mellanox CX5 and CX6DX Driver for Microsoft Windows Server 2019                                                            | cp061099.exe | MLX MCX6314<br>10/25GbE 2p SFP28<br>OCP3 Adptr                         | 24.4.26429.0 | 24.4.26429.0                               |
| 305 | Mellanox CX5 and CX6DX Driver for Microsoft Windows Server 2022                                                            | cp061098.exe | HPE Ethernet<br>10/25Gb 2-port<br>SFP28 MCX512F-<br>ACAT Adapter       | 24.4.26429.0 | 24.4.26429.0                               |
| 306 | Mellanox CX5 and CX6DX Driver for Microsoft Windows Server 2022                                                            | cp061098.exe | HPE Ethernet<br>10/25Gb 2-port<br>SFP28 MCX562A-<br>ACAI OCP3 Adapter  | 24.4.26429.0 | 24.4.26429.0                               |
| 307 | Mellanox CX5 and CX6DX Driver for Microsoft Windows Server 2022                                                            | cp061098.exe | HPE Ethernet<br>100Gb 2-port<br>QSFP56<br>MCX623106AS-<br>CDAT Adapter | 24.4.26429.0 | 24.4.26429.0                               |
| 308 | Mellanox CX5 and CX6DX Driver for Microsoft Windows Server 2022                                                            | cp061098.exe | MLX MCX631102<br>10/25GbE 2p SFP28<br>Adptr                            | 24.4.26429.0 | 24.4.26429.0                               |
| 309 | Mellanox CX5 and CX6DX Driver for Microsoft Windows Server 2022                                                            | cp061098.exe | MLX MCX6314<br>10/25GbE 2p SFP28<br>OCP3 Adptr                         | 24.4.26429.0 | 24.4.26429.0                               |
| 310 | Nvidia ConnectX-4, ConnectX-5,<br>ConnectX-6 and ConnectX-7<br>"nmlx5_en" Driver Component for<br>VMware ESXi 7.0 Update 3 | cp061484.zip | MLX MCX631102<br>10/25GbE 2p SFP28<br>Adptr                            | 2024.05.28   | 4.22.73.1006-<br>10EM.703.0.0<br>.18644231 |
| 311 | Nvidia ConnectX-4, ConnectX-5,<br>ConnectX-6 and ConnectX-7<br>"nmlx5_en" Driver Component for<br>VMware ESXi 7.0 Update 3 | cp061484.zip | MLX MCX6314<br>10/25GbE 2p SFP28<br>OCP3 Adptr                         | 2024.05.28   | 4.22.73.1006-<br>10EM.703.0.0<br>.18644231 |
| 312 | Nvidia ConnectX-4, ConnectX-5,<br>ConnectX-6 and ConnectX-7<br>"nmlx5_en" Driver Component for<br>VMware ESXi 7.0 Update 3 | cp061484.zip | HPE Ethernet<br>10/25Gb 2-port<br>SFP28 MCX512F-<br>ACAT Adapter       | 2024.05.28   | 4.22.73.1006-<br>10EM.703.0.0<br>.18644231 |
| 313 | Nvidia ConnectX-4, ConnectX-5,<br>ConnectX-6 and ConnectX-7<br>"nmlx5_en" Driver Component for<br>VMware ESXi 7.0 Update 3 | cp061484.zip | HPE Ethernet<br>10/25Gb 2-port<br>SFP28 MCX562A-<br>ACAI OCP3 Adapter  | 2024.05.28   | 4.22.73.1006-<br>10EM.703.0.0<br>.18644231 |
| 314 | Nvidia ConnectX-4, ConnectX-5,<br>ConnectX-6 and ConnectX-7<br>"nmlx5_en" Driver Component for<br>VMware ESXi 7.0 Update 3 | cp061484.zip | HPE 100GbE 1p<br>QSFP28 MCX515A-<br>CCAT Adptr                         | 2024.05.28   | 4.22.73.1006-<br>10EM.703.0.0<br>.18644231 |
| 315 | Nvidia ConnectX-4, ConnectX-5,<br>ConnectX-6 and ConnectX-7<br>"nmlx5_en" Driver Component for<br>VMware ESXi 7.0 Update 3 | cp061484.zip | HPE Ethernet<br>100Gb 2-port<br>QSFP56<br>MCX623106AS-<br>CDAT Adapter | 2024.05.28   | 4.22.73.1006-<br>10EM.703.0.0<br>.18644231 |
| 316 | Nvidia ConnectX-4, ConnectX-5,<br>ConnectX-6 and ConnectX-7<br>"nmlx5_en" Driver Component for<br>VMware ESXi 7.0 Update 3 | cp061484.zip | HPE Ethernet 25Gb<br>2-port 640 FLR-<br>SFP28 Adapter                  | 2024.05.28   | 4.22.73.1006-<br>10EM.703.0.0<br>.18644231 |
| 317 | Nvidia ConnectX-4, ConnectX-5,<br>ConnectX-6 and ConnectX-7<br>"nmlx5_en" Driver Component for<br>VMware ESXi 7.0 Update 3 | cp061484.zip | HPE Ethernet 25Gb<br>2-port 640SFP28<br>Adapter                        | 2024.05.28   | 4.22.73.1006-<br>10EM.703.0.0<br>.18644231 |
| 318 | Nvidia ConnectX-4, ConnectX-5,<br>ConnectX-6 and ConnectX-7<br>"nmlx5_en" Driver Component for<br>VMware ESXi 7.0 Update 3 | cp061484.zip | HPE InfiniBand<br>EDR/Ethernet<br>100Gb 2-port<br>841QSFP28 Adapter    | 2024.05.28   | 4.22.73.1006-<br>10EM.703.0.0<br>.18644231 |
| 319 | Nvidia ConnectX-4, ConnectX-5,<br>ConnectX-6 and ConnectX-7<br>"nmlx5_en" Driver Component for<br>VMware ESXi 7.0 Update 3 | cp061484.zip | HPE InfiniBand<br>HDR100/Ethernet<br>100Gb 2-port<br>940QSFP56 x16     | 2024.05.28   | 4.22.73.1006-<br>10EM.703.0.0<br>.18644231 |

|     |                                                                                                                   |              |                                                                   |            |                                     |
|-----|-------------------------------------------------------------------------------------------------------------------|--------------|-------------------------------------------------------------------|------------|-------------------------------------|
|     |                                                                                                                   |              | Adapter                                                           |            |                                     |
| 320 | Nvidia ConnectX-4, ConnectX-5, ConnectX-6 and ConnectX-7 "nmlx5_en" Driver Component for VMware ESXi 7.0 Update 3 | cp061484.zip | HPE IB HDR100/EN 100Gb 2p QSFP56 Adptr                            | 2024.05.28 | 4.22.73.1006-10EM.703.0.0 .18644231 |
| 321 | net-mst kernel module driver component for VMware ESXi 7.0 Update 3                                               | cp058585.zip | MLX MCX631102 10/25GbE 2p SFP28 Adptr                             | 2023.09.20 | 4.25.0.703-10EM.703.0.0 .18644231   |
| 322 | net-mst kernel module driver component for VMware ESXi 7.0 Update 3                                               | cp058585.zip | MLX MCX6314 10/25GbE 2p SFP28 OCP3 Adptr                          | 2023.09.20 | 4.25.0.703-10EM.703.0.0 .18644231   |
| 323 | net-mst kernel module driver component for VMware ESXi 7.0 Update 3                                               | cp058585.zip | HPE Ethernet 10/25Gb 2-port SFP28 MCX512F-ACAT Adapter            | 2023.09.20 | 4.25.0.703-10EM.703.0.0 .18644231   |
| 324 | net-mst kernel module driver component for VMware ESXi 7.0 Update 3                                               | cp058585.zip | HPE Ethernet 10/25Gb 2-port SFP28 MCX562A-ACAI OCP3 Adapter       | 2023.09.20 | 4.25.0.703-10EM.703.0.0 .18644231   |
| 325 | net-mst kernel module driver component for VMware ESXi 7.0 Update 3                                               | cp058585.zip | HPE 100GbE 1p QSFP28 MCX515A-CCAT Adptr                           | 2023.09.20 | 4.25.0.703-10EM.703.0.0 .18644231   |
| 326 | net-mst kernel module driver component for VMware ESXi 7.0 Update 3                                               | cp058585.zip | HPE Ethernet 100Gb 2-port QSFP56 MCX623106AS-CDAT Adapter         | 2023.09.20 | 4.25.0.703-10EM.703.0.0 .18644231   |
| 327 | net-mst kernel module driver component for VMware ESXi 7.0 Update 3                                               | cp058585.zip | HPE Ethernet 25Gb 2-port 640 FLR-SFP28 Adapter                    | 2023.09.20 | 4.25.0.703-10EM.703.0.0 .18644231   |
| 328 | net-mst kernel module driver component for VMware ESXi 7.0 Update 3                                               | cp058585.zip | HPE Ethernet 25Gb 2-port 640SFP28 Adapter                         | 2023.09.20 | 4.25.0.703-10EM.703.0.0 .18644231   |
| 329 | net-mst kernel module driver component for VMware ESXi 7.0 Update 3                                               | cp058585.zip | HPE InfiniBand EDR/Ethernet 100Gb 2-port 841QSFP28 Adapter        | 2023.09.20 | 4.25.0.703-10EM.703.0.0 .18644231   |
| 330 | net-mst kernel module driver component for VMware ESXi 7.0 Update 3                                               | cp058585.zip | HPE InfiniBand HDR100/Ethernet 100Gb 2-port 940QSFP56 x16 Adapter | 2023.09.20 | 4.25.0.703-10EM.703.0.0 .18644231   |
| 331 | net-mst kernel module driver component for VMware ESXi 7.0 Update 3                                               | cp058585.zip | HPE IB HDR100/EN 100Gb 2p QSFP56 Adptr                            | 2023.09.20 | 4.25.0.703-10EM.703.0.0 .18644231   |

## 6.2.5 Driver – Storage Controller

| No. | Description                                                                                                                                                              | Package filename                                    | Device                                 | Package Version | Firmware/Driver version |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|----------------------------------------|-----------------|-------------------------|
| 332 | HPE MR416i-p, MR216i-p, MR416i-a, MR216i-a Gen10 plus and MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen11 controller Driver for 64-bit Red Hat Enterprise Linux 8 | kmod-megaraid_sas-07.726.04.00_rhel8u9-1.x86_64.rpm | Broadcom MR416i-p Cntrl for HPE Gen10+ | 07.726.04.00    | 07.726.04.00_rhel8u9-1  |
| 333 | HPE MR416i-p, MR216i-p, MR416i-a, MR216i-a Gen10 plus and MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen11 controller Driver for 64-bit Red Hat Enterprise Linux 8 | kmod-megaraid_sas-07.726.04.00_rhel8u9-1.x86_64.rpm | Broadcom MR216i-p Cntrl for HPE Gen10+ | 07.726.04.00    | 07.726.04.00_rhel8u9-1  |
| 334 | HPE MR416i-p, MR216i-p, MR416i-a, MR216i-a Gen10 plus and MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen11 controller Driver for 64-bit Red Hat Enterprise Linux 8 | kmod-megaraid_sas-07.726.04.00_rhel8u9-1.x86_64.rpm | Broadcom MR416i-a Cntrl for HPE Gen10+ | 07.726.04.00    | 07.726.04.00_rhel8u9-1  |
| 335 | HPE MR416i-p, MR216i-p, MR416i-a,                                                                                                                                        | kmod-megaraid_sas-                                  | Broadcom MR216i-                       | 07.726.04.00    | 07.726.04.00_           |

|     |                                                                                                                                        |                                   |                                        |            |                                   |
|-----|----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|----------------------------------------|------------|-----------------------------------|
|     | MR216i-a Gen10 plus and MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen11 controller Driver for 64-bit Red Hat Enterprise Linux 8 | 07.726.04.00_rhel8u9-1.x86_64.rpm | a Cntrl for HPE Gen10+                 |            | rhel8u9-1                         |
| 336 | HPE MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen10P and Gen11 controller (64-bit) Driver for vSphere 7.0                       | cp057482.zip                      | Broadcom MR416i-p Cntrl for HPE Gen10+ | 2023.12.01 | 7.726.02.00-10EM.700.1.0.15843807 |
| 337 | HPE MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen10P and Gen11 controller (64-bit) Driver for vSphere 7.0                       | cp057482.zip                      | Broadcom MR416i-a Cntrl for HPE Gen10+ | 2023.12.01 | 7.726.02.00-10EM.700.1.0.15843807 |
| 338 | HPE MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen10P and Gen11 controller (64-bit) Driver for vSphere 7.0                       | cp057482.zip                      | Broadcom MR216i-p Cntrl for HPE Gen10+ | 2023.12.01 | 7.726.02.00-10EM.700.1.0.15843807 |
| 339 | HPE MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen10P and Gen11 controller (64-bit) Driver for vSphere 7.0                       | cp057482.zip                      | Broadcom MR216i-a Cntrl for HPE Gen10+ | 2023.12.01 | 7.726.02.00-10EM.700.1.0.15843807 |
| 340 | HPE MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen10P and Gen11 controller (64-bit) Driver for vSphere 8.0                       | cp057484.zip                      | Broadcom MR416i-p Cntrl for HPE Gen10+ | 2023.12.01 | 7.726.02.00-10EM.800.1.0.20613240 |
| 341 | HPE MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen10P and Gen11 controller (64-bit) Driver for vSphere 8.0                       | cp057484.zip                      | Broadcom MR416i-a Cntrl for HPE Gen10+ | 2023.12.01 | 7.726.02.00-10EM.800.1.0.20613240 |
| 342 | HPE MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen10P and Gen11 controller (64-bit) Driver for vSphere 8.0                       | cp057484.zip                      | Broadcom MR216i-p Cntrl for HPE Gen10+ | 2023.12.01 | 7.726.02.00-10EM.800.1.0.20613240 |
| 343 | HPE MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen10P and Gen11 controller (64-bit) Driver for vSphere 8.0                       | cp057484.zip                      | Broadcom MR216i-a Cntrl for HPE Gen10+ | 2023.12.01 | 7.726.02.00-10EM.800.1.0.20613240 |
| 344 | HPE MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen10P and Gen11 controller Driver for Microsoft Windows 2019 edition             | cp057467.exe                      | Broadcom MR416i-p Cntrl for HPE Gen10+ | 7.726.1.0  | 7.726.1.0                         |
| 345 | HPE MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen10P and Gen11 controller Driver for Microsoft Windows 2019 edition             | cp057467.exe                      | Broadcom MR416i-a Cntrl for HPE Gen10+ | 7.726.1.0  | 7.726.1.0                         |
| 346 | HPE MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen10P and Gen11 controller Driver for Microsoft Windows 2019 edition             | cp057467.exe                      | Broadcom MR216i-p Cntrl for HPE Gen10+ | 7.726.1.0  | 7.726.1.0                         |
| 347 | HPE MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen10P and Gen11 controller Driver for Microsoft Windows 2019 edition             | cp057467.exe                      | Broadcom MR216i-a Cntrl for HPE Gen10+ | 7.726.1.0  | 7.726.1.0                         |
| 348 | HPE MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen10P and Gen11 controller driver for Microsoft Windows 2022 edition             | cp057468.exe                      | Broadcom MR416i-p Cntrl for HPE Gen10+ | 7.726.1.0  | 7.726.1.0                         |
| 349 | HPE MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen10P and Gen11 controller driver for Microsoft Windows 2022 edition             | cp057468.exe                      | Broadcom MR416i-a Cntrl for HPE Gen10+ | 7.726.1.0  | 7.726.1.0                         |
| 350 | HPE MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen10P and Gen11 controller driver for Microsoft Windows 2022 edition             | cp057468.exe                      | Broadcom MR216i-p Cntrl for HPE Gen10+ | 7.726.1.0  | 7.726.1.0                         |
| 351 | HPE MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen10P and                                                                        | cp057468.exe                      | Broadcom MR216i-a Cntrl for HPE        | 7.726.1.0  | 7.726.1.0                         |

|     |                                                                                                                                 |              |                                             |            |                                                 |
|-----|---------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------|------------|-------------------------------------------------|
|     | Gen11 controller driver for Microsoft Windows 2022 edition                                                                      |              | Gen10+                                      |            |                                                 |
| 352 | HPE ProLiant Gen10 Smart Array and Gen10 Plus and Gen11 Smart RAID Controller Driver for VMware vSphere 7.0 (Driver Component). | cp059501.zip | HPE Smart Array P408i-a SR Gen10 Controller | 2024.10.01 | 70.4672.0.104<br>-<br>10EM.700.1.0<br>.15843807 |
| 353 | HPE ProLiant Gen10 Smart Array and Gen10 Plus and Gen11 Smart RAID Controller Driver for VMware vSphere 7.0 (Driver Component). | cp059501.zip | HPE Smart Array P408i-p SR Gen10 Controller | 2024.10.01 | 70.4672.0.104<br>-<br>10EM.700.1.0<br>.15843807 |
| 354 | HPE ProLiant Gen10 Smart Array and Gen10 Plus and Gen11 Smart RAID Controller Driver for VMware vSphere 7.0 (Driver Component). | cp059501.zip | HPE Smart Array P816i-a SR Gen10 Controller | 2024.10.01 | 70.4672.0.104<br>-<br>10EM.700.1.0<br>.15843807 |
| 355 | HPE ProLiant Gen10 Smart Array and Gen10 Plus and Gen11 Smart RAID Controller Driver for VMware vSphere 7.0 (Driver Component). | cp059501.zip | HPE Smart Array E208e-p SR Gen10 Controller | 2024.10.01 | 70.4672.0.104<br>-<br>10EM.700.1.0<br>.15843807 |
| 356 | HPE ProLiant Gen10 Smart Array and Gen10 Plus and Gen11 Smart RAID Controller Driver for VMware vSphere 7.0 (Driver Component). | cp059501.zip | HPE Smart Array E208i-a SR Gen10 Controller | 2024.10.01 | 70.4672.0.104<br>-<br>10EM.700.1.0<br>.15843807 |
| 357 | HPE ProLiant Gen10 Smart Array and Gen10 Plus and Gen11 Smart RAID Controller Driver for VMware vSphere 7.0 (Driver Component). | cp059501.zip | HPE Smart Array E208i-p SR Gen10 Controller | 2024.10.01 | 70.4672.0.104<br>-<br>10EM.700.1.0<br>.15843807 |
| 358 | HPE ProLiant Gen10 Smart Array and Gen10 Plus and Gen11 Smart RAID Controller Driver for VMware vSphere 7.0 (Driver Component). | cp059501.zip | Microchip SR932i-p Cntrl for HPE Gen10+     | 2024.10.01 | 70.4672.0.104<br>-<br>10EM.700.1.0<br>.15843807 |
| 359 | HPE ProLiant Gen10 Smart Array and Gen10 Plus and Gen11 Smart RAID Controller Driver for VMware vSphere 7.0 (Driver Component). | cp059501.zip | Microchip SR416i-a Cntrl for HPE Gen10+     | 2024.10.01 | 70.4672.0.104<br>-<br>10EM.700.1.0<br>.15843807 |
| 360 | HPE ProLiant Gen10 Smart Array and Gen10 Plus and Gen11 Smart RAID Controller Driver for VMware vSphere 8.0 (Driver Component). | cp059502.zip | HPE Smart Array E208e-p SR Gen10 Controller | 2024.10.01 | 80.4672.0.104<br>-<br>10EM.800.1.0<br>.20613240 |
| 361 | HPE ProLiant Gen10 Smart Array and Gen10 Plus and Gen11 Smart RAID Controller Driver for VMware vSphere 8.0 (Driver Component). | cp059502.zip | Microchip SR416i-a Cntrl for HPE Gen10+     | 2024.10.01 | 80.4672.0.104<br>-<br>10EM.800.1.0<br>.20613240 |
| 362 | HPE ProLiant Gen10 Smart Array and Gen10 Plus and Gen11 Smart RAID Controller Driver for VMware vSphere 8.0 (Driver Component). | cp059502.zip | Microchip SR932i-p Cntrl for HPE Gen10+     | 2024.10.01 | 80.4672.0.104<br>-<br>10EM.800.1.0<br>.20613240 |
| 363 | HPE ProLiant Gen10 Smart Array and Gen10 Plus and Gen11 Smart RAID Controller Driver for VMware vSphere 8.0 (Driver Component). | cp059502.zip | HPE Smart Array P816i-a SR Gen10 Controller | 2024.10.01 | 80.4672.0.104<br>-<br>10EM.800.1.0<br>.20613240 |
| 364 | HPE ProLiant Gen10 Smart Array and Gen10 Plus and Gen11 Smart RAID Controller Driver for VMware vSphere 8.0 (Driver Component). | cp059502.zip | HPE Smart Array P408i-a SR Gen10 Controller | 2024.10.01 | 80.4672.0.104<br>-<br>10EM.800.1.0<br>.20613240 |
| 365 | HPE ProLiant Gen10 Smart Array and Gen10 Plus and Gen11 Smart RAID Controller Driver for VMware vSphere 8.0 (Driver Component). | cp059502.zip | HPE Smart Array P408i-p SR Gen10 Controller | 2024.10.01 | 80.4672.0.104<br>-<br>10EM.800.1.0<br>.20613240 |
| 366 | HPE ProLiant Gen10 Smart Array and Gen10 Plus and Gen11 Smart RAID Controller Driver for VMware vSphere 8.0 (Driver Component). | cp059502.zip | HPE Smart Array E208i-a SR Gen10 Controller | 2024.10.01 | 80.4672.0.104<br>-<br>10EM.800.1.0<br>.20613240 |
| 367 | HPE ProLiant Gen10 Smart Array and Gen10 Plus and Gen11 Smart RAID Controller Driver for VMware vSphere 8.0 (Driver Component). | cp059502.zip | HPE Smart Array E208i-p SR Gen10 Controller | 2024.10.01 | 80.4672.0.104<br>-<br>10EM.800.1.0<br>.20613240 |

|     |                                                                                                                        |                                             |                                             |                 |                    |
|-----|------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------------------------------------|-----------------|--------------------|
| 368 | HPE ProLiant Gen10, Gen10Plus and Gen11 Smart Array Controller (64-bit) Driver for Red Hat Enterprise Linux 8 (64-bit) | kmod-smartpqi-2.1.30-031.rhel8u9.x86_64.rpm | HPE Smart Array P408i-a SR Gen10 Controller | 2.1.30-031      | 2.1.30-031.rhel8u9 |
| 369 | HPE ProLiant Gen10, Gen10Plus and Gen11 Smart Array Controller (64-bit) Driver for Red Hat Enterprise Linux 8 (64-bit) | kmod-smartpqi-2.1.30-031.rhel8u9.x86_64.rpm | HPE Smart Array P408i-p SR Gen10 Controller | 2.1.30-031      | 2.1.30-031.rhel8u9 |
| 370 | HPE ProLiant Gen10, Gen10Plus and Gen11 Smart Array Controller (64-bit) Driver for Red Hat Enterprise Linux 8 (64-bit) | kmod-smartpqi-2.1.30-031.rhel8u9.x86_64.rpm | HPE Smart Array P816i-a SR Gen10 Controller | 2.1.30-031      | 2.1.30-031.rhel8u9 |
| 371 | HPE ProLiant Gen10, Gen10Plus and Gen11 Smart Array Controller (64-bit) Driver for Red Hat Enterprise Linux 8 (64-bit) | kmod-smartpqi-2.1.30-031.rhel8u9.x86_64.rpm | HPE Smart Array E208e-p SR Gen10 Controller | 2.1.30-031      | 2.1.30-031.rhel8u9 |
| 372 | HPE ProLiant Gen10, Gen10Plus and Gen11 Smart Array Controller (64-bit) Driver for Red Hat Enterprise Linux 8 (64-bit) | kmod-smartpqi-2.1.30-031.rhel8u9.x86_64.rpm | HPE Smart Array E208i-a SR Gen10 Controller | 2.1.30-031      | 2.1.30-031.rhel8u9 |
| 373 | HPE ProLiant Gen10, Gen10Plus and Gen11 Smart Array Controller (64-bit) Driver for Red Hat Enterprise Linux 8 (64-bit) | kmod-smartpqi-2.1.30-031.rhel8u9.x86_64.rpm | HPE Smart Array E208i-p SR Gen10 Controller | 2.1.30-031      | 2.1.30-031.rhel8u9 |
| 374 | HPE ProLiant Gen10, Gen10Plus and Gen11 Smart Array Controller (64-bit) Driver for Red Hat Enterprise Linux 8 (64-bit) | kmod-smartpqi-2.1.30-031.rhel8u9.x86_64.rpm | Microchip SR932i-p Cntrl for HPE Gen10+     | 2.1.30-031      | 2.1.30-031.rhel8u9 |
| 375 | HPE ProLiant Gen10, Gen10Plus and Gen11 Smart Array Controller (64-bit) Driver for Red Hat Enterprise Linux 8 (64-bit) | kmod-smartpqi-2.1.30-031.rhel8u9.x86_64.rpm | Microchip SR416i-a Cntrl for HPE Gen10+     | 2.1.30-031      | 2.1.30-031.rhel8u9 |
| 376 | HPE Smart Array Gen10, Gen10Plus and Gen11 Controller Driver for Windows Server 2019 and Windows Server 2022           | cp059500.exe                                | HPE Smart Array P408i-a SR Gen10 Controller | 1010.108.0.1015 | 1010.108.0.1015    |
| 377 | HPE Smart Array Gen10, Gen10Plus and Gen11 Controller Driver for Windows Server 2019 and Windows Server 2022           | cp059500.exe                                | HPE Smart Array P408i-p SR Gen10 Controller | 1010.108.0.1015 | 1010.108.0.1015    |
| 378 | HPE Smart Array Gen10, Gen10Plus and Gen11 Controller Driver for Windows Server 2019 and Windows Server 2022           | cp059500.exe                                | HPE Smart Array P816i-a SR Gen10 Controller | 1010.108.0.1015 | 1010.108.0.1015    |
| 379 | HPE Smart Array Gen10, Gen10Plus and Gen11 Controller Driver for Windows Server 2019 and Windows Server 2022           | cp059500.exe                                | HPE Smart Array E208e-p SR Gen10 Controller | 1010.108.0.1015 | 1010.108.0.1015    |
| 380 | HPE Smart Array Gen10, Gen10Plus and Gen11 Controller Driver for Windows Server 2019 and Windows Server 2022           | cp059500.exe                                | HPE Smart Array E208i-a SR Gen10 Controller | 1010.108.0.1015 | 1010.108.0.1015    |
| 381 | HPE Smart Array Gen10, Gen10Plus and Gen11 Controller Driver for Windows Server 2019 and Windows Server 2022           | cp059500.exe                                | HPE Smart Array E208i-p SR Gen10 Controller | 1010.108.0.1015 | 1010.108.0.1015    |
| 382 | HPE Smart Array Gen10, Gen10Plus and Gen11 Controller Driver for Windows Server 2019 and Windows Server 2022           | cp059500.exe                                | Microchip SR932i-p Cntrl for HPE Gen10+     | 1010.108.0.1015 | 1010.108.0.1015    |
| 383 | HPE Smart Array Gen10, Gen10Plus and Gen11 Controller Driver for Windows Server 2019 and Windows Server 2022           | cp059500.exe                                | Microchip SR416i-a Cntrl for HPE Gen10+     | 1010.108.0.1015 | 1010.108.0.1015    |

## 6.2.6 Driver – Storage Fibre Channel and Fibre Channel over Ethernet

| No. | Description                                                                                                | Package filename | Device                                                      | Package Version | Firmware/Driver version |
|-----|------------------------------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------|-----------------|-------------------------|
| 384 | HPE Storage Fibre Channel Adapter Kit for the x64 Emulex Storport Driver for Microsoft Windows Server 2019 | cp061881.exe     | HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter   | 14.4.313.0      | 14.4.313.0              |
| 385 | HPE Storage Fibre Channel Adapter Kit for the x64 Emulex Storport Driver for Microsoft Windows Server 2019 | cp061881.exe     | HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter | 14.4.313.0      | 14.4.313.0              |
| 386 | HPE Storage Fibre Channel Adapter Kit for the x64 Emulex Storport Driver for Microsoft Windows Server 2019 | cp061881.exe     | HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter   | 14.4.313.0      | 14.4.313.0              |
| 387 | HPE Storage Fibre Channel Adapter Kit for the x64 Emulex Storport Driver for Microsoft Windows Server 2019 | cp061881.exe     | HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter | 14.4.313.0      | 14.4.313.0              |
| 388 | HPE Storage Fibre Channel Adapter Kit for the x64 Emulex Storport Driver for Microsoft Windows Server 2019 | cp061881.exe     | HPE SN1610E 32Gb 1-port Fibre Channel Host Bus Adapter      | 14.4.313.0      | 14.4.313.0              |
| 389 | HPE Storage Fibre Channel Adapter Kit for the x64 Emulex Storport Driver for Microsoft Windows Server 2019 | cp061881.exe     | HPE SN1610E 32Gb 2-port Fibre Channel Host Bus Adapter      | 14.4.313.0      | 14.4.313.0              |
| 390 | HPE Storage Fibre Channel Adapter Kit for the x64 Emulex Storport Driver for Microsoft Windows Server 2022 | cp061882.exe     | HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter   | 14.4.313.0      | 14.4.313.0              |
| 391 | HPE Storage Fibre Channel Adapter Kit for the x64 Emulex Storport Driver for Microsoft Windows Server 2022 | cp061882.exe     | HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter | 14.4.313.0      | 14.4.313.0              |
| 392 | HPE Storage Fibre Channel Adapter Kit for the x64 Emulex Storport Driver for Microsoft Windows Server 2022 | cp061882.exe     | HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter   | 14.4.313.0      | 14.4.313.0              |
| 393 | HPE Storage Fibre Channel Adapter Kit for the x64 Emulex Storport Driver for Microsoft Windows Server 2022 | cp061882.exe     | HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter | 14.4.313.0      | 14.4.313.0              |
| 394 | HPE Storage Fibre Channel Adapter Kit for the x64 Emulex Storport Driver for Microsoft Windows Server 2022 | cp061882.exe     | HPE SN1610E 32Gb 1-port Fibre Channel Host Bus Adapter      | 14.4.313.0      | 14.4.313.0              |
| 395 | HPE Storage Fibre Channel Adapter Kit for the x64 Emulex Storport Driver for Microsoft Windows Server 2022 | cp061882.exe     | HPE SN1610E 32Gb 2-port Fibre Channel Host Bus Adapter      | 14.4.313.0      | 14.4.313.0              |
| 396 | HPE Storage Fibre Channel Adapter Kit for the x64 Emulex Storport Driver for Microsoft Windows Server 2025 | cp061972.exe     | HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter   | 14.4.313.0      | 14.4.313.0              |
| 397 | HPE Storage Fibre Channel Adapter Kit for the x64 Emulex Storport Driver for Microsoft Windows Server 2025 | cp061972.exe     | HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter | 14.4.313.0      | 14.4.313.0              |
| 398 | HPE Storage Fibre Channel Adapter Kit for the x64 Emulex Storport Driver for Microsoft Windows Server 2025 | cp061972.exe     | HPE SN1610E 32Gb 1-port Fibre Channel Host Bus Adapter      | 14.4.313.0      | 14.4.313.0              |
| 399 | HPE Storage Fibre Channel Adapter Kit for the x64 Emulex Storport Driver                                   | cp061972.exe     | HPE SN1610E 32Gb 2-port Fibre                               | 14.4.313.0      | 14.4.313.0              |



|     |                                                                                                            |              |                                                             |           |           |
|-----|------------------------------------------------------------------------------------------------------------|--------------|-------------------------------------------------------------|-----------|-----------|
|     | for Microsoft Windows Server 2025                                                                          |              | Channel Host Bus Adapter                                    |           |           |
| 400 | HPE Storage Fibre Channel Adapter Kit for the x64 QLogic Storport Driver for Microsoft Windows Server 2019 | cp059850.exe | HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter   | 9.4.10.20 | 9.4.10.20 |
| 401 | HPE Storage Fibre Channel Adapter Kit for the x64 QLogic Storport Driver for Microsoft Windows Server 2019 | cp059850.exe | HPE SN1100Q 16Gb Single Port Fibre Channel Host Bus Adapter | 9.4.10.20 | 9.4.10.20 |
| 402 | HPE Storage Fibre Channel Adapter Kit for the x64 QLogic Storport Driver for Microsoft Windows Server 2019 | cp059850.exe | HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter   | 9.4.10.20 | 9.4.10.20 |
| 403 | HPE Storage Fibre Channel Adapter Kit for the x64 QLogic Storport Driver for Microsoft Windows Server 2019 | cp059850.exe | HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter | 9.4.10.20 | 9.4.10.20 |
| 404 | HPE Storage Fibre Channel Adapter Kit for the x64 QLogic Storport Driver for Microsoft Windows Server 2019 | cp059850.exe | HPE SN1610Q 32Gb 1-port Fibre Channel Host Bus Adapter      | 9.4.10.20 | 9.4.10.20 |
| 405 | HPE Storage Fibre Channel Adapter Kit for the x64 QLogic Storport Driver for Microsoft Windows Server 2019 | cp059850.exe | HPE SN1610Q 32Gb 2-port Fibre Channel Host Bus Adapter      | 9.4.10.20 | 9.4.10.20 |
| 406 | HPE Storage Fibre Channel Adapter Kit for the x64 QLogic Storport Driver for Microsoft Windows Server 2022 | cp059851.exe | HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter   | 9.4.10.20 | 9.4.10.20 |
| 407 | HPE Storage Fibre Channel Adapter Kit for the x64 QLogic Storport Driver for Microsoft Windows Server 2022 | cp059851.exe | HPE SN1100Q 16Gb Single Port Fibre Channel Host Bus Adapter | 9.4.10.20 | 9.4.10.20 |
| 408 | HPE Storage Fibre Channel Adapter Kit for the x64 QLogic Storport Driver for Microsoft Windows Server 2022 | cp059851.exe | HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter   | 9.4.10.20 | 9.4.10.20 |
| 409 | HPE Storage Fibre Channel Adapter Kit for the x64 QLogic Storport Driver for Microsoft Windows Server 2022 | cp059851.exe | HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter | 9.4.10.20 | 9.4.10.20 |
| 410 | HPE Storage Fibre Channel Adapter Kit for the x64 QLogic Storport Driver for Microsoft Windows Server 2022 | cp059851.exe | HPE SN1610Q 32Gb 1-port Fibre Channel Host Bus Adapter      | 9.4.10.20 | 9.4.10.20 |
| 411 | HPE Storage Fibre Channel Adapter Kit for the x64 QLogic Storport Driver for Microsoft Windows Server 2022 | cp059851.exe | HPE SN1610Q 32Gb 2-port Fibre Channel Host Bus Adapter      | 9.4.10.20 | 9.4.10.20 |
| 412 | HPE Storage Fibre Channel Adapter Kit for the x64 QLogic Storport Driver for Microsoft Windows Server 2025 | cp061916.exe | HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter   | 9.4.10.20 | 9.4.10.20 |
| 413 | HPE Storage Fibre Channel Adapter Kit for the x64 QLogic Storport Driver for Microsoft Windows Server 2025 | cp061916.exe | HPE SN1100Q 16Gb Single Port Fibre Channel Host Bus Adapter | 9.4.10.20 | 9.4.10.20 |
| 414 | HPE Storage Fibre Channel Adapter Kit for the x64 QLogic Storport Driver for Microsoft Windows Server 2025 | cp061916.exe | HPE SN1610Q 32Gb 1-port Fibre Channel Host Bus Adapter      | 9.4.10.20 | 9.4.10.20 |
| 415 | HPE Storage Fibre Channel Adapter Kit for the x64 QLogic Storport Driver for Microsoft Windows Server 2025 | cp061916.exe | HPE SN1610Q 32Gb 2-port Fibre Channel Host Bus Adapter      | 9.4.10.20 | 9.4.10.20 |

|     |                                                                                                      |                                                       |                                                             |                |                          |
|-----|------------------------------------------------------------------------------------------------------|-------------------------------------------------------|-------------------------------------------------------------|----------------|--------------------------|
| 416 | Red Hat Enterprise Linux 8 Update 9 Server Fibre Channel Driver Kit for HPE Emulex Host Bus Adapters | kmod-elx-lpfc-14.4.329.9-1.rhel8u9.x86_64.rpm         | HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter   | 14.4.329.9     | 14.4.329.9-1.rhel8u9     |
| 417 | Red Hat Enterprise Linux 8 Update 9 Server Fibre Channel Driver Kit for HPE Emulex Host Bus Adapters | kmod-elx-lpfc-14.4.329.9-1.rhel8u9.x86_64.rpm         | HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter | 14.4.329.9     | 14.4.329.9-1.rhel8u9     |
| 418 | Red Hat Enterprise Linux 8 Update 9 Server Fibre Channel Driver Kit for HPE Emulex Host Bus Adapters | kmod-elx-lpfc-14.4.329.9-1.rhel8u9.x86_64.rpm         | HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter   | 14.4.329.9     | 14.4.329.9-1.rhel8u9     |
| 419 | Red Hat Enterprise Linux 8 Update 9 Server Fibre Channel Driver Kit for HPE Emulex Host Bus Adapters | kmod-elx-lpfc-14.4.329.9-1.rhel8u9.x86_64.rpm         | HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter | 14.4.329.9     | 14.4.329.9-1.rhel8u9     |
| 420 | Red Hat Enterprise Linux 8 Update 9 Server Fibre Channel Driver Kit for HPE Emulex Host Bus Adapters | kmod-elx-lpfc-14.4.329.9-1.rhel8u9.x86_64.rpm         | HPE SN1610E 32Gb 1-port Fibre Channel Host Bus Adapter      | 14.4.329.9     | 14.4.329.9-1.rhel8u9     |
| 421 | Red Hat Enterprise Linux 8 Update 9 Server Fibre Channel Driver Kit for HPE Emulex Host Bus Adapters | kmod-elx-lpfc-14.4.329.9-1.rhel8u9.x86_64.rpm         | HPE SN1610E 32Gb 2-port Fibre Channel Host Bus Adapter      | 14.4.329.9     | 14.4.329.9-1.rhel8u9     |
| 422 | Red Hat Enterprise Linux 8 Update 9 Server Fibre Channel Driver Kit for HPE QLogic Host Bus Adapters | kmod-qlgc-qla2xxx-10.02.12.01_k1-1.rhel8u9.x86_64.rpm | HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter   | 10.02.12.01-k1 | 10.02.12.01_k1-1.rhel8u9 |
| 423 | Red Hat Enterprise Linux 8 Update 9 Server Fibre Channel Driver Kit for HPE QLogic Host Bus Adapters | kmod-qlgc-qla2xxx-10.02.12.01_k1-1.rhel8u9.x86_64.rpm | HPE SN1100Q 16Gb Single Port Fibre Channel Host Bus Adapter | 10.02.12.01-k1 | 10.02.12.01_k1-1.rhel8u9 |
| 424 | Red Hat Enterprise Linux 8 Update 9 Server Fibre Channel Driver Kit for HPE QLogic Host Bus Adapters | kmod-qlgc-qla2xxx-10.02.12.01_k1-1.rhel8u9.x86_64.rpm | HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter   | 10.02.12.01-k1 | 10.02.12.01_k1-1.rhel8u9 |
| 425 | Red Hat Enterprise Linux 8 Update 9 Server Fibre Channel Driver Kit for HPE QLogic Host Bus Adapters | kmod-qlgc-qla2xxx-10.02.12.01_k1-1.rhel8u9.x86_64.rpm | HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter | 10.02.12.01-k1 | 10.02.12.01_k1-1.rhel8u9 |
| 426 | Red Hat Enterprise Linux 8 Update 9 Server Fibre Channel Driver Kit for HPE QLogic Host Bus Adapters | kmod-qlgc-qla2xxx-10.02.12.01_k1-1.rhel8u9.x86_64.rpm | HPE SN1610Q 32Gb 1-port Fibre Channel Host Bus Adapter      | 10.02.12.01-k1 | 10.02.12.01_k1-1.rhel8u9 |
| 427 | Red Hat Enterprise Linux 8 Update 9 Server Fibre Channel Driver Kit for HPE QLogic Host Bus Adapters | kmod-qlgc-qla2xxx-10.02.12.01_k1-1.rhel8u9.x86_64.rpm | HPE SN1610Q 32Gb 2-port Fibre Channel Host Bus Adapter      | 10.02.12.01-k1 | 10.02.12.01_k1-1.rhel8u9 |

## 6.2.7 Driver – System Management

| No. | Description                                                                       | Package filename | Device | Package Version | Firmware/Driver version |
|-----|-----------------------------------------------------------------------------------|------------------|--------|-----------------|-------------------------|
| 428 | iLO 5 Automatic Server Recovery Driver for Microsoft Windows Server 2016 and 2019 | cp060559.exe     | -      | 4.7.1.0 (E)     | 4.7.1.0                 |
| 429 | iLO 5 Automatic Server Recovery Driver for Microsoft Windows Server 2022          | cp062281.exe     | -      | 4.7.1.0 (F)     | 4.7.1.0                 |
| 430 | iLO 5 Automatic Server Recovery Driver for Microsoft Windows Server 2025          | cp061731.exe     | -      | 4.7.2.0         | 4.7.2.0                 |
| 431 | iLO 5 Channel Interface Driver for Microsoft Windows Server 2016 and 2019         | cp060558.exe     | -      | 4.7.1.0 (E)     | 4.7.1.0                 |
| 432 | iLO 5 Channel Interface Driver for                                                | cp062272.exe     | -      | 4.7.1.0 (F)     | 4.7.1.0                 |

|     |                                                                  |              |   |         |         |
|-----|------------------------------------------------------------------|--------------|---|---------|---------|
|     | Microsoft Windows Server 2022                                    |              |   |         |         |
| 433 | iLO 5 Channel Interface Driver for Microsoft Windows Server 2025 | cp061730.exe | - | 4.7.2.0 | 4.7.2.0 |

## 6.2.8 Driver – Video

| No. | Description                                                         | Package filename | Device | Package Version | Firmware/Driver version |
|-----|---------------------------------------------------------------------|------------------|--------|-----------------|-------------------------|
| 434 | Matrox G200eH3 Video Controller Driver for Microsoft Windows 64-bit | cp062504.exe     | -      | 9.15.1.268      | 9.15.1.268              |

## 6.2.9 Firmware – Lights-Out Management

| No. | Description                                        | Package filename                             | Device | Package Version | Firmware/Driver version |
|-----|----------------------------------------------------|----------------------------------------------|--------|-----------------|-------------------------|
| 435 | Language Pack - Japanese                           | cp062936.exe                                 | -      | 3.07            | 3.07.03                 |
| 436 | Language Pack - Japanese                           | firmware-ilo5-lpk-jari11-3.07-1.1.x86_64.rpm | -      | 3.07            | 3.07.03                 |
| 437 | Online ROM Flash Component for Linux - iLO 5       | firmware-ilo5-3.08-1.1.x86_64.rpm            | -      | 3.08            | 3.08 Sep 12 2024        |
| 438 | Online ROM Flash Component for Windows x64 - iLO 5 | cp062786.exe                                 | -      | 3.08            | 3.08 Sep 12 2024        |
| 439 | Online ROM Flash Firmware Package - iLO 5          | ilo5_308.fwpkg                               | -      | 3.08            | 3.08 Sep 12 2024        |

## 6.2.10 Firmware – Network

| No. | Description                                                   | Package filename                            | Device                                                           | Package Version | Firmware/Driver version |
|-----|---------------------------------------------------------------|---------------------------------------------|------------------------------------------------------------------|-----------------|-------------------------|
| 440 | Broadcom Firmware Package for BCM5741x adapters               | bcm230.1.123.0.pup.fw pkg                   | BCM 57414 10/25GbE 2p SFP28 Adptr                                | 230.1.123.0     | 230.1.123.0             |
| 441 | Broadcom Firmware Package for BCM5741x adapters               | bcm230.1.123.0.pup.fw pkg                   | BCM 57414 10/25GbE 2p SFP28 OCP3 Adptr                           | 230.1.123.0     | 230.1.123.0             |
| 442 | Broadcom Firmware Package for BCM5741x adapters               | bcm230.1.123.0.pup.fw pkg                   | BCM 57416 10GbE 2p BASE-T Adptr                                  | 230.1.123.0     | 230.1.123.0             |
| 443 | Broadcom Firmware Package for BCM5741x adapters               | bcm230.1.123.0.pup.fw pkg                   | BCM 57416 10GbE 2p BASE-T OCP3 Adptr                             | 230.1.123.0     | 230.1.123.0             |
| 444 | Broadcom Firmware Package for BCM5741x adapters               | bcm230.1.123.0.pup.fw pkg                   | BCM 57412 10GbE 2p SFP+ Adptr                                    | 230.1.123.0     | 230.1.123.0             |
| 445 | Broadcom Firmware Package for BCM5741x adapters               | bcm230.1.123.0.pup.fw pkg                   | BCM 57412 10GbE 2p SFP+ OCP3 Adptr                               | 230.1.123.0     | 230.1.123.0             |
| 446 | Broadcom Firmware Package for BCM5750x adapters               | bcm230.1.123.0_Thor.pup.fw pkg              | BCM 57504 10/25GbE 4p SFP28 Adptr                                | 230.1.123.0     | 230.1.123.0             |
| 447 | Broadcom Firmware Package for BCM5750x adapters               | bcm230.1.123.0_Thor.pup.fw pkg              | BCM 57504 10/25GbE 4p SFP28 OCP3 Adptr                           | 230.1.123.0     | 230.1.123.0             |
| 448 | Broadcom NX1 Online Firmware Upgrade Utility for Linux x86_64 | firmware-nic-bcm-open-2.38.0-1.1.x86_64.rpm | Broadcom BCM5719 Ethernet 1Gb 4-port Base-T Adapter for HPE      | 2.38.0          | 20.30.41                |
| 449 | Broadcom NX1 Online Firmware Upgrade Utility for Linux x86_64 | firmware-nic-bcm-open-2.38.0-1.1.x86_64.rpm | Broadcom BCM5719 Ethernet 1Gb 4-port Base-T OCP3 Adapter for HPE | 2.38.0          | 20.30.41                |
| 450 | Broadcom NX1 Online Firmware Upgrade Utility for Linux x86_64 | firmware-nic-bcm-open-2.38.0-1.1.x86_64.rpm | Broadcom BCM5720 Ethernet 1Gb 2-port BASE-T LOM Adapter for HPE  | 2.38.0          | 20.30.41                |

|     |                                                                                                                        |                                        |                                                                  |         |          |
|-----|------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------------------------------------------|---------|----------|
| 451 | Broadcom NX1 Online Firmware Upgrade Utility for VMware                                                                | CP062085.zip                           | Broadcom BCM5719 Ethernet 1Gb 4-port Base-T Adapter for HPE      | 1.39.0  | 20.30.41 |
| 452 | Broadcom NX1 Online Firmware Upgrade Utility for VMware                                                                | CP062085.zip                           | Broadcom BCM5719 Ethernet 1Gb 4-port Base-T OCP3 Adapter for HPE | 1.39.0  | 20.30.41 |
| 453 | Broadcom NX1 Online Firmware Upgrade Utility for VMware                                                                | CP062085.zip                           | Broadcom BCM5720 Ethernet 1Gb 2-port BASE-T LOM Adapter for HPE  | 1.39.0  | 20.30.41 |
| 454 | Broadcom NX1 Online Firmware Upgrade Utility for Windows Server x64 Editions                                           | cp062082.exe                           | Broadcom BCM5719 Ethernet 1Gb 4-port Base-T Adapter for HPE      | 5.4.2.0 | 20.30.41 |
| 455 | Broadcom NX1 Online Firmware Upgrade Utility for Windows Server x64 Editions                                           | cp062082.exe                           | Broadcom BCM5719 Ethernet 1Gb 4-port Base-T OCP3 Adapter for HPE | 5.4.2.0 | 20.30.41 |
| 456 | Broadcom NX1 Online Firmware Upgrade Utility for Windows Server x64 Editions                                           | cp062082.exe                           | Broadcom BCM5720 Ethernet 1Gb 2-port BASE-T LOM Adapter for HPE  | 5.4.2.0 | 20.30.41 |
| 457 | HPE Broadcom NX1 Online Firmware Upgrade Utility Linux x86_64 for HPE ProLiant Gen10 server series Only.               | firmware-nic-bcm-2.38.0-1.1.x86_64.rpm | HP Ethernet 1Gb 2-port 332i Adapter (22E8)                       | 2.38.0  | 20.30.41 |
| 458 | HPE Broadcom NX1 Online Firmware Upgrade Utility Linux x86_64 for HPE ProLiant Gen10 server series Only.               | firmware-nic-bcm-2.38.0-1.1.x86_64.rpm | HP Ethernet 1Gb 2-port 332T Adapter                              | 2.38.0  | 20.30.41 |
| 459 | HPE Broadcom NX1 Online Firmware Upgrade Utility Linux x86_64 for HPE ProLiant Gen10 server series Only.               | firmware-nic-bcm-2.38.0-1.1.x86_64.rpm | HP Ethernet 1Gb 4-port 331FLR Adapter                            | 2.38.0  | 20.30.41 |
| 460 | HPE Broadcom NX1 Online Firmware Upgrade Utility Linux x86_64 for HPE ProLiant Gen10 server series Only.               | firmware-nic-bcm-2.38.0-1.1.x86_64.rpm | HP Ethernet 1Gb 4-port 331T Adapter                              | 2.38.0  | 20.30.41 |
| 461 | HPE Broadcom NX1 Online Firmware Upgrade Utility Linux x86_64 for HPE ProLiant Gen10 server series Only.               | firmware-nic-bcm-2.38.0-1.1.x86_64.rpm | HP Ethernet 1Gb 4-port 331i Adapter (22BE)                       | 2.38.0  | 20.30.41 |
| 462 | HPE Broadcom NX1 Online Firmware Upgrade Utility VMware for HPE ProLiant Gen10 server series Only.                     | CP062096.zip                           | HP Ethernet 1Gb 2-port 332i Adapter (22E8)                       | 1.39.0  | 20.30.41 |
| 463 | HPE Broadcom NX1 Online Firmware Upgrade Utility VMware for HPE ProLiant Gen10 server series Only.                     | CP062096.zip                           | HP Ethernet 1Gb 2-port 332T Adapter                              | 1.39.0  | 20.30.41 |
| 464 | HPE Broadcom NX1 Online Firmware Upgrade Utility VMware for HPE ProLiant Gen10 server series Only.                     | CP062096.zip                           | HP Ethernet 1Gb 4-port 331FLR Adapter                            | 1.39.0  | 20.30.41 |
| 465 | HPE Broadcom NX1 Online Firmware Upgrade Utility VMware for HPE ProLiant Gen10 server series Only.                     | CP062096.zip                           | HP Ethernet 1Gb 4-port 331T Adapter                              | 1.39.0  | 20.30.41 |
| 466 | HPE Broadcom NX1 Online Firmware Upgrade Utility VMware for HPE ProLiant Gen10 server series Only.                     | CP062096.zip                           | HP Ethernet 1Gb 4-port 331i Adapter (22BE)                       | 1.39.0  | 20.30.41 |
| 467 | HPE Broadcom NX1 Online Firmware Upgrade Utility Windows Server x64 Editions for HPE ProLiant Gen10 server series Only | cp062097.exe                           | HP Ethernet 1Gb 2-port 332i Adapter (22E8)                       | 5.4.2.0 | 20.30.41 |
| 468 | HPE Broadcom NX1 Online Firmware Upgrade Utility Windows Server x64 Editions for HPE ProLiant Gen10 server series Only | cp062097.exe                           | HP Ethernet 1Gb 2-port 332T Adapter                              | 5.4.2.0 | 20.30.41 |

|     |                                                                                                                        |                                          |                                                  |              |              |
|-----|------------------------------------------------------------------------------------------------------------------------|------------------------------------------|--------------------------------------------------|--------------|--------------|
| 469 | HPE Broadcom NX1 Online Firmware Upgrade Utility Windows Server x64 Editions for HPE ProLiant Gen10 server series Only | cp062097.exe                             | HP Ethernet 1Gb 4-port 331FLR Adapter            | 5.4.2.0      | 20.30.41     |
| 470 | HPE Broadcom NX1 Online Firmware Upgrade Utility Windows Server x64 Editions for HPE ProLiant Gen10 server series Only | cp062097.exe                             | HP Ethernet 1Gb 4-port 331T Adapter              | 5.4.2.0      | 20.30.41     |
| 471 | HPE Broadcom NX1 Online Firmware Upgrade Utility Windows Server x64 Editions for HPE ProLiant Gen10 server series Only | cp062097.exe                             | HP Ethernet 1Gb 4-port 331i Adapter (22BE)       | 5.4.2.0      | 20.30.41     |
| 472 | HPE Broadcom NetXtreme-E Firmware Package for BCM5741x adapters                                                        | bcm230.1.123000.Optimized.pup.fwpkg      | HPE Ethernet 10/25Gb 2-port 631FLR-SFP28 Adapter | 230.1.123000 | 230.1.123000 |
| 473 | HPE Broadcom NetXtreme-E Firmware Package for BCM5741x adapters                                                        | bcm230.1.123000.Optimized.pup.fwpkg      | HPE Ethernet 10/25Gb 2-port 631SFP28 Adapter     | 230.1.123000 | 230.1.123000 |
| 474 | HPE Broadcom NetXtreme-E Firmware Package for BCM5741x adapters                                                        | bcm230.1.123000.Optimized.pup.fwpkg      | HPE Ethernet 10Gb 2-port 535FLR-T Adapter        | 230.1.123000 | 230.1.123000 |
| 475 | HPE Broadcom NetXtreme-E Firmware Package for BCM5741x adapters                                                        | bcm230.1.123000.Optimized.pup.fwpkg      | HPE Ethernet 10Gb 2-port 535T Adapter            | 230.1.123000 | 230.1.123000 |
| 476 | HPE Broadcom NetXtreme-E Firmware Package for BCM5741x adapters                                                        | bcm230.1.123000.Optimized.pup.fwpkg      | HPE Ethernet 10Gb 2-port 537SFP+ Adapter         | 230.1.123000 | 230.1.123000 |
| 477 | HPE Broadcom NetXtreme-E Firmware Package for BCM5741x adapters                                                        | bcm230.1.123000.Optimized.pup.fwpkg      | HPE Ethernet 10Gb 2-port 537SFP+ FLR Adapter     | 230.1.123000 | 230.1.123000 |
| 478 | HPE Intel Online Firmware Upgrade Utility Linux x86_64 for HPE ProLiant Gen9 and Gen10 server series Only.             | firmware-nic-intel-1.31.0-1.1.x86_64.rpm | HPE Ethernet 1Gb 4-port 369i Adapter             | 1.31.0       | 1.3612.0     |
| 479 | HPE Intel Online Firmware Upgrade Utility Linux x86_64 for HPE ProLiant Gen9 and Gen10 server series Only.             | firmware-nic-intel-1.31.0-1.1.x86_64.rpm | HPE Ethernet 1Gb 2-port 361T Adapter             | 1.31.0       | 1.3612.0     |
| 480 | HPE Intel Online Firmware Upgrade Utility Linux x86_64 for HPE ProLiant Gen9 and Gen10 server series Only.             | firmware-nic-intel-1.31.0-1.1.x86_64.rpm | HPE Ethernet 1Gb 4-port 366FLR Adapter           | 1.31.0       | 1.3612.0     |
| 481 | HPE Intel Online Firmware Upgrade Utility Linux x86_64 for HPE ProLiant Gen9 and Gen10 server series Only.             | firmware-nic-intel-1.31.0-1.1.x86_64.rpm | HPE Ethernet 1Gb 4-port 366T Adapter             | 1.31.0       | 1.3612.0     |
| 482 | HPE Intel Online Firmware Upgrade Utility Linux x86_64 for HPE ProLiant Gen9 and Gen10 server series Only.             | firmware-nic-intel-1.31.0-1.1.x86_64.rpm | HPE Ethernet 10Gb 2-port 562FLR-SFP+ Adapter     | 1.31.0       | 11.1.7       |
| 483 | HPE Intel Online Firmware Upgrade Utility Linux x86_64 for HPE ProLiant Gen9 and Gen10 server series Only.             | firmware-nic-intel-1.31.0-1.1.x86_64.rpm | HPE Ethernet 10Gb 2-port 562FLR-T Adapter        | 1.31.0       | 10.55.3      |
| 484 | HPE Intel Online Firmware Upgrade Utility Linux x86_64 for HPE ProLiant Gen9 and Gen10 server series Only.             | firmware-nic-intel-1.31.0-1.1.x86_64.rpm | HPE Ethernet 10Gb 2-port 562SFP+ Adapter         | 1.31.0       | 11.1.7       |
| 485 | HPE Intel Online Firmware Upgrade Utility Linux x86_64 for HPE ProLiant Gen9 and Gen10 server series Only.             | firmware-nic-intel-1.31.0-1.1.x86_64.rpm | HPE Ethernet 10Gb 2-port 562T Adapter            | 1.31.0       | 10.55.3      |
| 486 | HPE Intel Online Firmware Upgrade Utility Linux x86_64 for HPE ProLiant Gen9 and Gen10 server series Only.             | firmware-nic-intel-1.31.0-1.1.x86_64.rpm | HPE Ethernet 1Gb 2-port 361i Adapter             | 1.31.0       | 1.3612.0     |
| 487 | HPE Intel Online Firmware Upgrade Utility VMware for HPE ProLiant Gen9 and Gen10 server series Only.                   | CP061687.zip                             | HPE Ethernet 1Gb 4-port 369i Adapter             | 3.24.0       | 1.3612.0     |
| 488 | HPE Intel Online Firmware Upgrade Utility VMware for HPE ProLiant Gen9 and Gen10 server series Only.                   | CP061687.zip                             | HPE Ethernet 1Gb 2-port 361T Adapter             | 3.24.0       | 1.3612.0     |
| 489 | HPE Intel Online Firmware Upgrade Utility VMware for HPE ProLiant Gen9                                                 | CP061687.zip                             | HPE Ethernet 1Gb 4-port 366FLR                   | 3.24.0       | 1.3612.0     |

|     |                                                                                                                               |                                               |                                              |         |          |
|-----|-------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|----------------------------------------------|---------|----------|
|     | and Gen10 server series Only.                                                                                                 |                                               | Adapter                                      |         |          |
| 490 | HPE Intel Online Firmware Upgrade Utility VMware for HPE ProLiant Gen9 and Gen10 server series Only.                          | CP061687.zip                                  | HPE Ethernet 1Gb 4-port 366T Adapter         | 3.24.0  | 1.3612.0 |
| 491 | HPE Intel Online Firmware Upgrade Utility VMware for HPE ProLiant Gen9 and Gen10 server series Only.                          | CP061687.zip                                  | HPE Ethernet 10Gb 2-port 562FLR-SFP+ Adapter | 3.24.0  | 11.1.7   |
| 492 | HPE Intel Online Firmware Upgrade Utility VMware for HPE ProLiant Gen9 and Gen10 server series Only.                          | CP061687.zip                                  | HPE Ethernet 10Gb 2-port 562FLR-T Adapter    | 3.24.0  | 10.55.3  |
| 493 | HPE Intel Online Firmware Upgrade Utility VMware for HPE ProLiant Gen9 and Gen10 server series Only.                          | CP061687.zip                                  | HPE Ethernet 10Gb 2-port 562SFP+ Adapter     | 3.24.0  | 11.1.7   |
| 494 | HPE Intel Online Firmware Upgrade Utility VMware for HPE ProLiant Gen9 and Gen10 server series Only.                          | CP061687.zip                                  | HPE Ethernet 10Gb 2-port 562T Adapter        | 3.24.0  | 10.55.3  |
| 495 | HPE Intel Online Firmware Upgrade Utility VMware for HPE ProLiant Gen9 and Gen10 server series Only.                          | CP061687.zip                                  | HPE Ethernet 1Gb 2-port 361i Adapter         | 3.24.0  | 1.3612.0 |
| 496 | HPE Intel Online Firmware Upgrade Utility for Windows Server x64 Editions for HPE ProLiant Gen9 and Gen10 server series Only. | cp061689.exe                                  | HPE Ethernet 1Gb 4-port 369i Adapter         | 5.4.2.0 | 1.3612.0 |
| 497 | HPE Intel Online Firmware Upgrade Utility for Windows Server x64 Editions for HPE ProLiant Gen9 and Gen10 server series Only. | cp061689.exe                                  | HPE Ethernet 1Gb 2-port 361T Adapter         | 5.4.2.0 | 1.3612.0 |
| 498 | HPE Intel Online Firmware Upgrade Utility for Windows Server x64 Editions for HPE ProLiant Gen9 and Gen10 server series Only. | cp061689.exe                                  | HPE Ethernet 1Gb 4-port 366FLR Adapter       | 5.4.2.0 | 1.3612.0 |
| 499 | HPE Intel Online Firmware Upgrade Utility for Windows Server x64 Editions for HPE ProLiant Gen9 and Gen10 server series Only. | cp061689.exe                                  | HPE Ethernet 1Gb 4-port 366T Adapter         | 5.4.2.0 | 1.3612.0 |
| 500 | HPE Intel Online Firmware Upgrade Utility for Windows Server x64 Editions for HPE ProLiant Gen9 and Gen10 server series Only. | cp061689.exe                                  | HPE Ethernet 10Gb 2-port 562FLR-SFP+ Adapter | 5.4.2.0 | 11.1.7   |
| 501 | HPE Intel Online Firmware Upgrade Utility for Windows Server x64 Editions for HPE ProLiant Gen9 and Gen10 server series Only. | cp061689.exe                                  | HPE Ethernet 10Gb 2-port 562FLR-T Adapter    | 5.4.2.0 | 10.55.3  |
| 502 | HPE Intel Online Firmware Upgrade Utility for Windows Server x64 Editions for HPE ProLiant Gen9 and Gen10 server series Only. | cp061689.exe                                  | HPE Ethernet 10Gb 2-port 562SFP+ Adapter     | 5.4.2.0 | 11.1.7   |
| 503 | HPE Intel Online Firmware Upgrade Utility for Windows Server x64 Editions for HPE ProLiant Gen9 and Gen10 server series Only. | cp061689.exe                                  | HPE Ethernet 10Gb 2-port 562T Adapter        | 5.4.2.0 | 10.55.3  |
| 504 | HPE Intel Online Firmware Upgrade Utility for Windows Server x64 Editions for HPE ProLiant Gen9 and Gen10 server series Only. | cp061689.exe                                  | HPE Ethernet 1Gb 2-port 361i Adapter         | 5.4.2.0 | 1.3612.0 |
| 505 | HPE QLogic FastLinQ Firmware Package for Arrowhead adapters                                                                   | ql_hp_ah_mbi_8.65.14_pldm.fwpkg               | HPE Ethernet 10Gb 2-port 521T Adapter        | 8.65.14 | 8.65.14  |
| 506 | HPE QLogic NX2 Online Firmware Upgrade Utility for Linux x86_64                                                               | firmware-nic-qlogic-nx2-2.35.0-1.1.x86_64.rpm | HPE Ethernet 10Gb 2-port 530SFP+ Adapter     | 2.35.0  | 7.19.27  |
| 507 | HPE QLogic NX2 Online Firmware Upgrade Utility for Linux x86_64                                                               | firmware-nic-qlogic-nx2-2.35.0-1.1.x86_64.rpm | HPE Ethernet 10Gb 2-port 530T Adapter        | 2.35.0  | 7.19.27  |
| 508 | HPE QLogic NX2 Online Firmware Upgrade Utility for Linux x86_64                                                               | firmware-nic-qlogic-nx2-2.35.0-               | HPE FlexFabric 10Gb 2-port                   | 2.35.0  | 7.19.27  |

|     |                                                                                   |                                                           |                                                                    |         |          |
|-----|-----------------------------------------------------------------------------------|-----------------------------------------------------------|--------------------------------------------------------------------|---------|----------|
|     |                                                                                   | 1.1.x86_64.rpm                                            | 533FLR-T Adapter                                                   |         |          |
| 509 | HPE QLogic NX2 Online Firmware Upgrade Utility for VMware                         | CP061753.zip                                              | HPE Ethernet 10Gb 2-port 530SFP+ Adapter                           | 1.35.0  | 7.19.27  |
| 510 | HPE QLogic NX2 Online Firmware Upgrade Utility for VMware                         | CP061753.zip                                              | HPE Ethernet 10Gb 2-port 530T Adapter                              | 1.35.0  | 7.19.27  |
| 511 | HPE QLogic NX2 Online Firmware Upgrade Utility for VMware                         | CP061753.zip                                              | HPE FlexFabric 10Gb 2-port 533FLR-T Adapter                        | 1.35.0  | 7.19.27  |
| 512 | HPE QLogic NX2 Online Firmware Upgrade Utility for Windows Server x64 Editions    | cp061754.exe                                              | HPE Ethernet 10Gb 2-port 530SFP+ Adapter                           | 5.3.7.0 | 7.19.27  |
| 513 | HPE QLogic NX2 Online Firmware Upgrade Utility for Windows Server x64 Editions    | cp061754.exe                                              | HPE Ethernet 10Gb 2-port 530T Adapter                              | 5.3.7.0 | 7.19.27  |
| 514 | HPE QLogic NX2 Online Firmware Upgrade Utility for Windows Server x64 Editions    | cp061754.exe                                              | HPE FlexFabric 10Gb 2-port 533FLR-T Adapter                        | 5.3.7.0 | 7.19.27  |
| 515 | Intel Firmware Package For E810-CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter        | HPE_E810_CQDA2_4p50_PLDMoMCTP_8001D8B6.fwpkg              | Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE      | 4.50    | 4.50     |
| 516 | Intel Firmware Package For E810-CQDA2 Ethernet 100Gb 2-port QSFP28 OCP3 Adapter   | HPE_E810_CQDA2_OCP_4p50_NCSlwPLDMoMCTP_8001D8BC.fwpkg     | Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 OCP3 Adapter for HPE | 4.50    | 4.50     |
| 517 | Intel Firmware Package For E810-XXVDA2 Ethernet 10/25Gb 2-port SFP28 Adapter      | HPE_E810_XXVDA2_SD_4p50_PLDMoMCTP_8001D8BA.fwpkg          | Intel E810-XXVDA2 adapter                                          | 4.50    | 4.50     |
| 518 | Intel Firmware Package For E810-XXVDA2 Ethernet 10/25Gb 2-port SFP28 OCP3 Adapter | HPE_E810_XXVDA2_SD_OCP_4p50_NCSlwPLDMoMCTP_8001D8B3.fwpkg | Intel E810-XXVDA2 OCP3 adapter                                     | 4.50    | 4.50     |
| 519 | Intel Firmware Package For E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 Adapter      | HPE_E810_XXVDA4_FH_4p50_PLDMoMCTP_8001D8B5.fwpkg          | Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE    | 4.50    | 4.50     |
| 520 | Intel Online Firmware Upgrade Utility for Linux x86_64                            | firmware-nic-is-intel-1.31.0-1.1.x86_64.rpm               | HPE Ethernet 10Gb 2-port SFP+ OCP3 X710-DA2 Adapter                | 1.31.0  | 1.3602.0 |
| 521 | Intel Online Firmware Upgrade Utility for Linux x86_64                            | firmware-nic-is-intel-1.31.0-1.1.x86_64.rpm               | HPE Ethernet 10Gb 2-port SFP+ X710-DA2 Adapter                     | 1.31.0  | 1.3602.0 |
| 522 | Intel Online Firmware Upgrade Utility for Linux x86_64                            | firmware-nic-is-intel-1.31.0-1.1.x86_64.rpm               | Intel I350-T4 Ethernet 1Gb 4-port BASE-T Adapter for HPE           | 1.31.0  | 1.3602.0 |
| 523 | Intel Online Firmware Upgrade Utility for Linux x86_64                            | firmware-nic-is-intel-1.31.0-1.1.x86_64.rpm               | Intel I350-T4 Ethernet 1Gb 4-port BASE-T OCP3 Adapter for HPE      | 1.31.0  | 1.3602.0 |
| 524 | Intel Online Firmware Upgrade Utility for VMware                                  | CP061688.zip                                              | HPE Ethernet 10Gb 2-port SFP+ OCP3 X710-DA2 Adapter                | 3.24.0  | 1.3602.0 |
| 525 | Intel Online Firmware Upgrade Utility for VMware                                  | CP061688.zip                                              | HPE Ethernet 10Gb 2-port SFP+ X710-DA2 Adapter                     | 3.24.0  | 1.3602.0 |
| 526 | Intel Online Firmware Upgrade Utility for VMware                                  | CP061688.zip                                              | Intel I350-T4 Ethernet 1Gb 4-port BASE-T Adapter for HPE           | 3.24.0  | 1.3602.0 |
| 527 | Intel Online Firmware Upgrade Utility for VMware                                  | CP061688.zip                                              | Intel I350-T4 Ethernet 1Gb 4-port BASE-T OCP3 Adapter for HPE      | 3.24.0  | 1.3602.0 |

|     |                                                                                                                                                                         |                                             |                                                                   |            |            |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|-------------------------------------------------------------------|------------|------------|
| 528 | Intel Online Firmware Upgrade Utility for Windows Server x64 Editions                                                                                                   | cp061690.exe                                | HPE Ethernet 10Gb 2-port SFP+ OCP3 X710-DA2 Adapter               | 5.4.2.0    | 1.3602.0   |
| 529 | Intel Online Firmware Upgrade Utility for Windows Server x64 Editions                                                                                                   | cp061690.exe                                | HPE Ethernet 10Gb 2-port SFP+ X710-DA2 Adapter                    | 5.4.2.0    | 1.3602.0   |
| 530 | Intel Online Firmware Upgrade Utility for Windows Server x64 Editions                                                                                                   | cp061690.exe                                | Intel I350-T4 Ethernet 1Gb 4-port BASE-T Adapter for HPE          | 5.4.2.0    | 1.3602.0   |
| 531 | Intel Online Firmware Upgrade Utility for Windows Server x64 Editions                                                                                                   | cp061690.exe                                | Intel I350-T4 Ethernet 1Gb 4-port BASE-T OCP3 Adapter for HPE     | 5.4.2.0    | 1.3602.0   |
| 532 | Mellanox Firmware Package (FWPKG) - Mellanox MCX631102AS-ADAT Ethernet 10/25Gb 2-port SFP28 Adapter for HPE                                                             | 26_41_1000-MCX631102AS-ADA_Ax.pldm.fwpkg    | MLX MCX631102 10/25GbE 2p SFP28 Adptr                             | 26.41.1000 | 26.41.1000 |
| 533 | Mellanox Firmware Package (FWPKG) - Mellanox MCX631432AS-ADAI Ethernet 10/25Gb 2-port SFP28 OCP3 Adapter for HPE                                                        | 26_41_1000-MCX631432AS-ADA_Ax.pldm.fwpkg    | MLX MCX6314 10/25GbE 2p SFP28 OCP3 Adptr                          | 26.41.1000 | 26.41.1000 |
| 534 | Mellanox Firmware Package (FWPKG) for HPE Ethernet 100Gb 1-port QSFP28 PCIe3 x16 MCX515A-CCAT Adapter : HPE part numbers P31246-B21 and P31246-H21                      | 16_35_4030-MCX515A-CCA_HPE_Ax.pldm.fwpkg    | HPE 100GbE 1p QSFP28 MCX515A-CCAT Adptr                           | 16.35.4030 | 16.35.4030 |
| 535 | Mellanox Firmware Package (FWPKG) for HPE InfiniBand HDR100/Ethernet 100Gb 2-port QSFP56 PCIe4 x16 MCX653106A-ECAT Adapter : HPE part numbers P23666-B21 and P23666-H21 | 20_41_1000-MCX653106A-ECA_HPE_Ax.pldm.fwpkg | HPE IB HDR100/EN 100Gb 2p QSFP56 Adptr                            | 20.41.1000 | 20.41.1000 |
| 536 | Mellanox Firmware Package (FWPKG) for Mellanox MCX562A-ACAI Ethernet 10/25Gb 2-port SFP28 OCP3 Adapter for HPE                                                          | 16_35_3502-MCX562A-ACA_Ax_Bx.pldm.fwpkg     | HPE Ethernet 10/25Gb 2-port SFP28 MCX562A-ACAI OCP3 Adapter       | 16.35.3502 | 16.35.3502 |
| 537 | Mellanox Firmware Package (FWPKG) for Mellanox MCX623106AS-CDAT Ethernet 100Gb 2-port QSFP56 Adapter for HPE                                                            | 22_41_1000-MCX623106AS-CDA_Ax.pldm.fwpkg    | HPE Ethernet 100Gb 2-port QSFP56 MCX623106AS-CDAT Adapter         | 22.41.1000 | 22.41.1000 |
| 538 | Mellanox Firmware Package(FWPKG) for HPE Ethernet 10/25Gb 2-port SFP28 MCX512F-ACAT Adapter                                                                             | 16_35_3502-MCX512F-ACH_Ax_Bx.pldm.fwpkg     | HPE Ethernet 10/25Gb 2-port SFP28 MCX512F-ACAT Adapter            | 16.35.3502 | 16.35.3502 |
| 539 | Online Firmware Upgrade Utility (ESXi 7.0) for HPE Mellanox Ethernet only adapters                                                                                      | CP061399.zip                                | HPE Ethernet 25Gb 2-port 640 FLR-SFP28 Adapter                    | 1.0.8      | 14.32.1010 |
| 540 | Online Firmware Upgrade Utility (ESXi 7.0) for HPE Mellanox Ethernet only adapters                                                                                      | CP061399.zip                                | HPE Ethernet 25Gb 2-port 640SFP28 Adapter                         | 1.0.8      | 14.32.1010 |
| 541 | Online Firmware Upgrade Utility (ESXi 7.0) for HPE Mellanox VPI (Ethernet and Infiniband mode) ConnectX4 and ConnectX5 devices on VMware ESXi 7.0                       | CP062766.zip                                | HPE InfiniBand EDR/Ethernet 100Gb 2-port 841QSFP28 Adapter        | 1.0.7      | 16.35.4030 |
| 542 | Online Firmware Upgrade Utility (ESXi 7.0) for HPE Mellanox VPI (Ethernet and Infiniband mode) ConnectX6 devices on VMware ESXi 7.0                                     | CP062578.zip                                | HPE InfiniBand HDR100/Ethernet 100Gb 2-port 940QSFP56 x16 Adapter | 1.0.8      | 20.41.1000 |
| 543 | Online Firmware Upgrade Utility (ESXi 8.0) for HPE Mellanox Ethernet only adapters                                                                                      | CP061398.zip                                | HPE Ethernet 25Gb 2-port 640 FLR-SFP28 Adapter                    | 1.0.4      | 14.32.1010 |
| 544 | Online Firmware Upgrade Utility (ESXi                                                                                                                                   | CP061398.zip                                | HPE Ethernet 25Gb                                                 | 1.0.4      | 14.32.1010 |



|     |                                                                                                                                                              |                                                               |                                                                   |              |            |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|-------------------------------------------------------------------|--------------|------------|
|     | 8.0) for HPE Mellanox Ethernet only adapters                                                                                                                 |                                                               | 2-port 640SFP28 Adapter                                           |              |            |
| 545 | Online Firmware Upgrade Utility (ESXi 8.0) for HPE Mellanox VPI (Ethernet and Infiniband mode) ConnectX4 and ConnectX5 devices on VMware ESXi 8.0            | CP062767.zip                                                  | HPE InfiniBand EDR/Ethernet 100Gb 2-port 841QSFP28 Adapter        | 1.0.3        | 16.35.4030 |
| 546 | Online Firmware Upgrade Utility (ESXi 8.0) for HPE Mellanox VPI (Ethernet and Infiniband mode) ConnectX6 devices on VMware ESXi 8.0                          | CP060998.zip                                                  | HPE InfiniBand HDR100/Ethernet 100Gb 2-port 940QSFP56 x16 Adapter | 1.0.4        | 20.41.1000 |
| 547 | Online Firmware Upgrade Utility (Linux x86_64) for HPE Mellanox Ethernet only adapters                                                                       | firmware-nic-mellanox-ethernet-only-1.0.21-1.1.x86_64.rpm     | HPE Ethernet 25Gb 2-port 640 FLR-SFP28 Adapter                    | 1.0.21       | 14.32.1010 |
| 548 | Online Firmware Upgrade Utility (Linux x86_64) for HPE Mellanox Ethernet only adapters                                                                       | firmware-nic-mellanox-ethernet-only-1.0.21-1.1.x86_64.rpm     | HPE Ethernet 25Gb 2-port 640SFP28 Adapter                         | 1.0.21       | 14.32.1010 |
| 549 | Online Firmware Upgrade Utility (Linux x86_64) for HPE Mellanox VPI (Ethernet and Infiniband mode) ConnectX4 and ConnectX5 devices on Linux x86_64 platform  | firmware-hca-mellanox-vpi-connectx4-1.0.16-1.1.x86_64.rpm     | HPE InfiniBand EDR/Ethernet 100Gb 2-port 841QSFP28 Adapter        | 1.0.16       | 16.35.4030 |
| 550 | Online Firmware Upgrade Utility (Linux x86_64) for HPE Mellanox VPI (Ethernet and Infiniband mode) ConnectX6 devices on Linux x86_64 platform                | firmware-hca-mellanox-vpi-connectx6-mft-1.0.14-1.1.x86_64.rpm | HPE InfiniBand HDR100/Ethernet 100Gb 2-port 940QSFP56 x16 Adapter | 1.0.14       | 20.41.1000 |
| 551 | Online Firmware Upgrade Utility (Windows x64) for HPE Mellanox Ethernet only adapters                                                                        | cp062830.exe                                                  | HPE Ethernet 25Gb 2-port 640 FLR-SFP28 Adapter                    | 1.0.0.21 (A) | 14.32.1010 |
| 552 | Online Firmware Upgrade Utility (Windows x64) for HPE Mellanox Ethernet only adapters                                                                        | cp062830.exe                                                  | HPE Ethernet 25Gb 2-port 640SFP28 Adapter                         | 1.0.0.21 (A) | 14.32.1010 |
| 553 | Online Firmware Upgrade Utility (Windows x64) for HPE Mellanox VPI (Ethernet and Infiniband mode) ConnectX4 and ConnectX5 devices on Windows x86_64 platform | cp062768.exe                                                  | HPE InfiniBand EDR/Ethernet 100Gb 2-port 841QSFP28 Adapter        | 1.0.0.15     | 16.35.4030 |
| 554 | Online Firmware Upgrade Utility (Windows x64) for HPE Mellanox VPI (Ethernet and Infiniband mode) ConnectX6 devices on Windows x86_64 platform               | cp062577.exe                                                  | HPE InfiniBand HDR100/Ethernet 100Gb 2-port 940QSFP56 x16 Adapter | 1.0.0.10     | 20.41.1000 |

#### 6.2.11 Firmware - PCIe NVMe Storage Disk

| No. | Description                                                                                             | Package filename                                 | Device        | Package Version | Firmware/Driver version |
|-----|---------------------------------------------------------------------------------------------------------|--------------------------------------------------|---------------|-----------------|-------------------------|
| 555 | Online NVMe SSD Flash Component for Linux (x64) - EO000400KYDKV and EO000800KYDLA Drives                | firmware-hdd-6758a46eb7-HPK4-4.1.x86_64.rpm      | EO000800KYDLA | HPK4 (D)        | HPK4                    |
| 556 | Online NVMe SSD Flash Component for Linux (x64) - EO000400KYDKV and EO000800KYDLA Drives                | firmware-hdd-6758a46eb7-HPK4-4.1.x86_64.rpm      | EO000400KYDKV | HPK4 (D)        | HPK4                    |
| 557 | Online NVMe SSD Flash Component for Linux (x64) - ET000750KWJTF, EO000750KWTXC and EO000375KWJUC Drives | firmware-hdd-c4355d15c4-4ICSHPK4-10.1.x86_64.rpm | ET000750KWJTF | 4ICSHPK4 (J)    | 4ICSHPK4                |
| 558 | Online NVMe SSD Flash Component for Linux (x64) - ET000750KWJTF, EO000750KWTXC and EO000375KWJUC Drives | firmware-hdd-c4355d15c4-4ICSHPK4-10.1.x86_64.rpm | EO000375KWJUC | 4ICSHPK4 (J)    | 4ICSHPK4                |
| 559 | Online NVMe SSD Flash Component for Linux (x64) - ET000750KWJTF, EO000750KWTXC and                      | firmware-hdd-c4355d15c4-4ICSHPK4-10.1.x86_64.rpm | EO000750KWTXC | 4ICSHPK4 (J)    | 4ICSHPK4                |

|     |                                                                                                                                                                                                        |                                             |              |          |      |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|--------------|----------|------|
|     | EO000375KWJUC Drives                                                                                                                                                                                   |                                             |              |          |      |
| 560 | Online NVMe SSD Flash Component for Linux (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | firmware-hdd-6fc985bd3b-GPK7-4.1.x86_64.rpm | KCD6XLUL7T68 | GPK7 (D) | GPK7 |
| 561 | Online NVMe SSD Flash Component for Linux (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | firmware-hdd-6fc985bd3b-GPK7-4.1.x86_64.rpm | KCD6XVUL6T40 | GPK7 (D) | GPK7 |
| 562 | Online NVMe SSD Flash Component for Linux (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | firmware-hdd-6fc985bd3b-GPK7-4.1.x86_64.rpm | KCD6XVUL1T60 | GPK7 (D) | GPK7 |
| 563 | Online NVMe SSD Flash Component for Linux (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | firmware-hdd-6fc985bd3b-GPK7-4.1.x86_64.rpm | KCD6XVUL800G | GPK7 (D) | GPK7 |
| 564 | Online NVMe SSD Flash Component for Linux (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | firmware-hdd-6fc985bd3b-GPK7-4.1.x86_64.rpm | KCD6XVUL3T20 | GPK7 (D) | GPK7 |
| 565 | Online NVMe SSD Flash Component for Linux (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | firmware-hdd-6fc985bd3b-GPK7-4.1.x86_64.rpm | KCD6XLUL960G | GPK7 (D) | GPK7 |
| 566 | Online NVMe SSD Flash Component for Linux (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | firmware-hdd-6fc985bd3b-GPK7-4.1.x86_64.rpm | KCD6XLUL1T92 | GPK7 (D) | GPK7 |
| 567 | Online NVMe SSD Flash Component for Linux (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | firmware-hdd-6fc985bd3b-GPK7-4.1.x86_64.rpm | KCD6XLUL3T84 | GPK7 (D) | GPK7 |
| 568 | Online NVMe SSD Flash Component for Linux (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | firmware-hdd-6fc985bd3b-GPK7-4.1.x86_64.rpm | KCD6XVUL12T8 | GPK7 (D) | GPK7 |
| 569 | Online NVMe SSD Flash Component for Linux (x64) - KCD6XVUL800G,                                                                                                                                        | firmware-hdd-6fc985bd3b-GPK7-               | KCD6XLUL15T3 | GPK7 (D) | GPK7 |

|     |                                                                                                                                                                            |                                             |              |          |      |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|--------------|----------|------|
|     | KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives                                     | 4.1.x86_64.rpm                              |              |          |      |
| 570 | Online NVMe SSD Flash Component for Linux (x64) - KCM6FRUL1T92, KCM6FRUL3T84, KCM6FVUL1T60 and KCM6FVUL3T20 Drives                                                         | firmware-hdd-1a541ed00d-GPK5-4.1.x86_64.rpm | KCM6FRUL1T92 | GPK5 (D) | GPK5 |
| 571 | Online NVMe SSD Flash Component for Linux (x64) - KCM6FRUL1T92, KCM6FRUL3T84, KCM6FVUL1T60 and KCM6FVUL3T20 Drives                                                         | firmware-hdd-1a541ed00d-GPK5-4.1.x86_64.rpm | KCM6FRUL3T84 | GPK5 (D) | GPK5 |
| 572 | Online NVMe SSD Flash Component for Linux (x64) - KCM6FRUL1T92, KCM6FRUL3T84, KCM6FVUL1T60 and KCM6FVUL3T20 Drives                                                         | firmware-hdd-1a541ed00d-GPK5-4.1.x86_64.rpm | KCM6FVUL3T20 | GPK5 (D) | GPK5 |
| 573 | Online NVMe SSD Flash Component for Linux (x64) - KCM6FRUL1T92, KCM6FRUL3T84, KCM6FVUL1T60 and KCM6FVUL3T20 Drives                                                         | firmware-hdd-1a541ed00d-GPK5-4.1.x86_64.rpm | KCM6FVUL1T60 | GPK5 (D) | GPK5 |
| 574 | Online NVMe SSD Flash Component for Linux (x64) - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives | firmware-hdd-3815d4b024-GPK7-4.1.x86_64.rpm | KCM6XRUL960G | GPK7 (D) | GPK7 |
| 575 | Online NVMe SSD Flash Component for Linux (x64) - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives | firmware-hdd-3815d4b024-GPK7-4.1.x86_64.rpm | KCM6XRUL7T68 | GPK7 (D) | GPK7 |
| 576 | Online NVMe SSD Flash Component for Linux (x64) - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives | firmware-hdd-3815d4b024-GPK7-4.1.x86_64.rpm | KCM6XRUL1T92 | GPK7 (D) | GPK7 |
| 577 | Online NVMe SSD Flash Component for Linux (x64) - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives | firmware-hdd-3815d4b024-GPK7-4.1.x86_64.rpm | KCM6XVUL3T20 | GPK7 (D) | GPK7 |
| 578 | Online NVMe SSD Flash Component for Linux (x64) - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives | firmware-hdd-3815d4b024-GPK7-4.1.x86_64.rpm | KCM6XRUL3T84 | GPK7 (D) | GPK7 |
| 579 | Online NVMe SSD Flash Component for Linux (x64) - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives | firmware-hdd-3815d4b024-GPK7-4.1.x86_64.rpm | KCM6XVUL800G | GPK7 (D) | GPK7 |
| 580 | Online NVMe SSD Flash Component for Linux (x64) - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives | firmware-hdd-3815d4b024-GPK7-4.1.x86_64.rpm | KCM6XVUL6T40 | GPK7 (D) | GPK7 |
| 581 | Online NVMe SSD Flash Component for Linux (x64) - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20,                                                                                | firmware-hdd-3815d4b024-GPK7-4.1.x86_64.rpm | KCM6XVUL1T60 | GPK7 (D) | GPK7 |

|     |                                                                                                                                                                                    |                                              |               |          |      |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|---------------|----------|------|
|     | KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives                                                                                                     |                                              |               |          |      |
| 582 | Online NVMe SSD Flash Component for Linux (x64) - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP and VK007680KWWFQ Drives | firmware-hdd-54addf5312-HPK3-12.1.x86_64.rpm | VK007680KWWFQ | HPK3 (L) | HPK3 |
| 583 | Online NVMe SSD Flash Component for Linux (x64) - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP and VK007680KWWFQ Drives | firmware-hdd-54addf5312-HPK3-12.1.x86_64.rpm | MK006400KWWFK | HPK3 (L) | HPK3 |
| 584 | Online NVMe SSD Flash Component for Linux (x64) - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP and VK007680KWWFQ Drives | firmware-hdd-54addf5312-HPK3-12.1.x86_64.rpm | VK003840KWWFP | HPK3 (L) | HPK3 |
| 585 | Online NVMe SSD Flash Component for Linux (x64) - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP and VK007680KWWFQ Drives | firmware-hdd-54addf5312-HPK3-12.1.x86_64.rpm | MK003200KWWFH | HPK3 (L) | HPK3 |
| 586 | Online NVMe SSD Flash Component for Linux (x64) - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP and VK007680KWWFQ Drives | firmware-hdd-54addf5312-HPK3-12.1.x86_64.rpm | VK001920KWWFN | HPK3 (L) | HPK3 |
| 587 | Online NVMe SSD Flash Component for Linux (x64) - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP and VK007680KWWFQ Drives | firmware-hdd-54addf5312-HPK3-12.1.x86_64.rpm | MK001600KWWFF | HPK3 (L) | HPK3 |
| 588 | Online NVMe SSD Flash Component for Linux (x64) - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP and VK007680KWWFQ Drives | firmware-hdd-54addf5312-HPK3-12.1.x86_64.rpm | VK000960KWWFL | HPK3 (L) | HPK3 |
| 589 | Online NVMe SSD Flash Component for Linux (x64) - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP                          | firmware-hdd-54addf5312-HPK3-12.1.x86_64.rpm | MK00800KWWFE  | HPK3 (L) | HPK3 |

|     |                                                                                                                                                                                                                                                                 |                                                             |                        |              |          |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|------------------------|--------------|----------|
|     | and VK007680KWWFQ Drives                                                                                                                                                                                                                                        |                                                             |                        |              |          |
| 590 | Online NVMe SSD Flash Component for Linux (x64) - MO001600KWVNB, MO003200KWVNC, MO006400KWVND, MT001600KWSTB, MT003200KWSTC and MT006400KWSTD Drives                                                                                                            | firmware-hdd-<br>cea219e4b1-HPK3-<br>8.1.x86_64.rpm         | MO006400KWVND          | HPK3 (H)     | HPK3     |
| 591 | Online NVMe SSD Flash Component for Linux (x64) - MO001600KWVNB, MO003200KWVNC, MO006400KWVND, MT001600KWSTB, MT003200KWSTC and MT006400KWSTD Drives                                                                                                            | firmware-hdd-<br>cea219e4b1-HPK3-<br>8.1.x86_64.rpm         | MO003200KWVNC          | HPK3 (H)     | HPK3     |
| 592 | Online NVMe SSD Flash Component for Linux (x64) - MO001600KWVNB, MO003200KWVNC, MO006400KWVND, MT001600KWSTB, MT003200KWSTC and MT006400KWSTD Drives                                                                                                            | firmware-hdd-<br>cea219e4b1-HPK3-<br>8.1.x86_64.rpm         | MO001600KWVNB          | HPK3 (H)     | HPK3     |
| 593 | Online NVMe SSD Flash Component for Linux (x64) - MO001600KWVNB, MO003200KWVNC, MO006400KWVND, MT001600KWSTB, MT003200KWSTC and MT006400KWSTD Drives                                                                                                            | firmware-hdd-<br>cea219e4b1-HPK3-<br>8.1.x86_64.rpm         | MT001600KWSTB          | HPK3 (H)     | HPK3     |
| 594 | Online NVMe SSD Flash Component for Linux (x64) - MO001600KWVNB, MO003200KWVNC, MO006400KWVND, MT001600KWSTB, MT003200KWSTC and MT006400KWSTD Drives                                                                                                            | firmware-hdd-<br>cea219e4b1-HPK3-<br>8.1.x86_64.rpm         | MT003200KWSTC          | HPK3 (H)     | HPK3     |
| 595 | Online NVMe SSD Flash Component for Linux (x64) - MO001600KWVNB, MO003200KWVNC, MO006400KWVND, MT001600KWSTB, MT003200KWSTC and MT006400KWSTD Drives                                                                                                            | firmware-hdd-<br>cea219e4b1-HPK3-<br>8.1.x86_64.rpm         | MT006400KWSTD          | HPK3 (H)     | HPK3     |
| 596 | Online NVMe SSD Flash Component for Linux (x64) - MZPLJ1T6HBJR-000H3, MZPLJ3T2HBJR-000H3 and MZPLJ6T4HALA-000H3 Drives                                                                                                                                          | firmware-hdd-<br>6628fce235-EPK76H3Q-<br>5.1.x86_64.rpm     | MZPLJ6T4HALA-<br>000H3 | EPK76H3Q (E) | EPK76H3Q |
| 597 | Online NVMe SSD Flash Component for Linux (x64) - MZPLJ1T6HBJR-000H3, MZPLJ3T2HBJR-000H3 and MZPLJ6T4HALA-000H3 Drives                                                                                                                                          | firmware-hdd-<br>6628fce235-EPK76H3Q-<br>5.1.x86_64.rpm     | MZPLJ3T2HBJR-<br>000H3 | EPK76H3Q (E) | EPK76H3Q |
| 598 | Online NVMe SSD Flash Component for Linux (x64) - MZPLJ1T6HBJR-000H3, MZPLJ3T2HBJR-000H3 and MZPLJ6T4HALA-000H3 Drives                                                                                                                                          | firmware-hdd-<br>6628fce235-EPK76H3Q-<br>5.1.x86_64.rpm     | MZPLJ1T6HBJR-<br>000H3 | EPK76H3Q (E) | EPK76H3Q |
| 599 | Online NVMe SSD Flash Component for Linux (x64) - MZXL5800HBHQ-000H3, MZXL51T6HBJR-000H3, MZXL53T2HBLS-000H3, MZXL56T4HALA-000H3, MZXL512THALA-000H3, MZXL5960HBHQ-000H3, MZXL51T9HBJR-000H3, MZXL53T8HBLS-000H3, MZXL57T6HALA-000H3 and MZXL515THALA-00H3 Driv | firmware-hdd-<br>e320db791d-<br>MPK78H5Q-<br>1.1.x86_64.rpm | MZXL515THALA-<br>000H3 | MPK78H5Q     | MPK78H5Q |
| 600 | Online NVMe SSD Flash Component for Linux (x64) - MZXL5800HBHQ-000H3, MZXL51T6HBJR-000H3, MZXL53T2HBLS-000H3, MZXL56T4HALA-000H3, MZXL512THALA-000H3,                                                                                                           | firmware-hdd-<br>e320db791d-<br>MPK78H5Q-<br>1.1.x86_64.rpm | MZXL512THALA-<br>000H3 | MPK78H5Q     | MPK78H5Q |

|     |                                                                                                                                                                                                                                                                                                |                                                             |                        |          |          |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|------------------------|----------|----------|
|     | MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBLS-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-00H3 Driv                                                                                                                                                                          |                                                             |                        |          |          |
| 601 | Online NVMe SSD Flash Component<br>for Linux (x64) - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBLS-000H3,<br>MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBLS-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-00H3 Driv | firmware-hdd-<br>e320db791d-<br>MPK78H5Q-<br>1.1.x86_64.rpm | MZXL57T6HALA-<br>000H3 | MPK78H5Q | MPK78H5Q |
| 602 | Online NVMe SSD Flash Component<br>for Linux (x64) - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBLS-000H3,<br>MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBLS-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-00H3 Driv | firmware-hdd-<br>e320db791d-<br>MPK78H5Q-<br>1.1.x86_64.rpm | MZXL56T4HALA-<br>000H3 | MPK78H5Q | MPK78H5Q |
| 603 | Online NVMe SSD Flash Component<br>for Linux (x64) - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBLS-000H3,<br>MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBLS-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-00H3 Driv | firmware-hdd-<br>e320db791d-<br>MPK78H5Q-<br>1.1.x86_64.rpm | MZXL53T8HBLS-<br>000H3 | MPK78H5Q | MPK78H5Q |
| 604 | Online NVMe SSD Flash Component<br>for Linux (x64) - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBLS-000H3,<br>MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBLS-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-00H3 Driv | firmware-hdd-<br>e320db791d-<br>MPK78H5Q-<br>1.1.x86_64.rpm | MZXL53T2HBLS-<br>000H3 | MPK78H5Q | MPK78H5Q |
| 605 | Online NVMe SSD Flash Component<br>for Linux (x64) - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBLS-000H3,<br>MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBLS-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-00H3 Driv | firmware-hdd-<br>e320db791d-<br>MPK78H5Q-<br>1.1.x86_64.rpm | MZXL51T9HBJR-<br>000H3 | MPK78H5Q | MPK78H5Q |
| 606 | Online NVMe SSD Flash Component<br>for Linux (x64) - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBLS-000H3,<br>MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,                                                                                                                          | firmware-hdd-<br>e320db791d-<br>MPK78H5Q-<br>1.1.x86_64.rpm | MZXL51T6HBJR-<br>000H3 | MPK78H5Q | MPK78H5Q |

|     |                                                                                                                                                                                                                                                                                                |                                                             |                        |          |          |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|------------------------|----------|----------|
|     | MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBLS-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-00H3 Driv                                                                                                                                                                          |                                                             |                        |          |          |
| 607 | Online NVMe SSD Flash Component<br>for Linux (x64) - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBLS-000H3,<br>MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBLS-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-00H3 Driv | firmware-hdd-<br>e320db791d-<br>MPK78H5Q-<br>1.1.x86_64.rpm | MZXL5960HBHQ-<br>000H3 | MPK78H5Q | MPK78H5Q |
| 608 | Online NVMe SSD Flash Component<br>for Linux (x64) - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBLS-000H3,<br>MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBLS-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-00H3 Driv | firmware-hdd-<br>e320db791d-<br>MPK78H5Q-<br>1.1.x86_64.rpm | MZXL5800HBHQ-<br>000H3 | MPK78H5Q | MPK78H5Q |
| 609 | Online NVMe SSD Flash Component<br>for Linux (x64) - VO000960KWUEA,<br>VO001920KWUEB, VO003840KWUEC,<br>VO007680KWUED, VO015360KWUEE,<br>MO000800KWUDR,<br>MO001600KWUDT,<br>MO003200KWUDU and<br>MO006400KWUDV Drives                                                                         | firmware-hdd-<br>726d5ec795-HPK3-<br>1.1.x86_64.rpm         | VO000960KWUEA          | HPK3     | HPK3     |
| 610 | Online NVMe SSD Flash Component<br>for Linux (x64) - VO000960KWUEA,<br>VO001920KWUEB, VO003840KWUEC,<br>VO007680KWUED, VO015360KWUEE,<br>MO000800KWUDR,<br>MO001600KWUDT,<br>MO003200KWUDU and<br>MO006400KWUDV Drives                                                                         | firmware-hdd-<br>726d5ec795-HPK3-<br>1.1.x86_64.rpm         | VO001920KWUEB          | HPK3     | HPK3     |
| 611 | Online NVMe SSD Flash Component<br>for Linux (x64) - VO000960KWUEA,<br>VO001920KWUEB, VO003840KWUEC,<br>VO007680KWUED, VO015360KWUEE,<br>MO000800KWUDR,<br>MO001600KWUDT,<br>MO003200KWUDU and<br>MO006400KWUDV Drives                                                                         | firmware-hdd-<br>726d5ec795-HPK3-<br>1.1.x86_64.rpm         | VO003840KWUEC          | HPK3     | HPK3     |
| 612 | Online NVMe SSD Flash Component<br>for Linux (x64) - VO000960KWUEA,<br>VO001920KWUEB, VO003840KWUEC,<br>VO007680KWUED, VO015360KWUEE,<br>MO000800KWUDR,<br>MO001600KWUDT,<br>MO003200KWUDU and<br>MO006400KWUDV Drives                                                                         | firmware-hdd-<br>726d5ec795-HPK3-<br>1.1.x86_64.rpm         | VO007680KWUED          | HPK3     | HPK3     |
| 613 | Online NVMe SSD Flash Component<br>for Linux (x64) - VO000960KWUEA,<br>VO001920KWUEB, VO003840KWUEC,<br>VO007680KWUED, VO015360KWUEE,<br>MO000800KWUDR,<br>MO001600KWUDT,<br>MO003200KWUDU and                                                                                                 | firmware-hdd-<br>726d5ec795-HPK3-<br>1.1.x86_64.rpm         | VO015360KWUEE          | HPK3     | HPK3     |

|     |                                                                                                                                                                                                   |                                             |               |          |      |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------|----------|------|
|     | MO006400KWUDV Drives                                                                                                                                                                              |                                             |               |          |      |
| 614 | Online NVMe SSD Flash Component for Linux (x64) - VO000960KWUEA, VO001920KWUEB, VO003840KWUEC, VO007680KWUED, VO015360KWUEE, MO000800KWUDR, MO001600KWUDT, MO003200KWUDU and MO006400KWUDV Drives | firmware-hdd-726d5ec795-HPK3-1.1.x86_64.rpm | MO000800KWUDR | HPK3     | HPK3 |
| 615 | Online NVMe SSD Flash Component for Linux (x64) - VO000960KWUEA, VO001920KWUEB, VO003840KWUEC, VO007680KWUED, VO015360KWUEE, MO000800KWUDR, MO001600KWUDT, MO003200KWUDU and MO006400KWUDV Drives | firmware-hdd-726d5ec795-HPK3-1.1.x86_64.rpm | MO001600KWUDT | HPK3     | HPK3 |
| 616 | Online NVMe SSD Flash Component for Linux (x64) - VO000960KWUEA, VO001920KWUEB, VO003840KWUEC, VO007680KWUED, VO015360KWUEE, MO000800KWUDR, MO001600KWUDT, MO003200KWUDU and MO006400KWUDV Drives | firmware-hdd-726d5ec795-HPK3-1.1.x86_64.rpm | MO003200KWUDU | HPK3     | HPK3 |
| 617 | Online NVMe SSD Flash Component for Linux (x64) - VO000960KWUEA, VO001920KWUEB, VO003840KWUEC, VO007680KWUED, VO015360KWUEE, MO000800KWUDR, MO001600KWUDT, MO003200KWUDU and MO006400KWUDV Drives | firmware-hdd-726d5ec795-HPK3-1.1.x86_64.rpm | MO006400KWUDV | HPK3     | HPK3 |
| 618 | Online NVMe SSD Flash Component for Linux (x64) - VO000960KWVBR, VO001920KWVBT and VO003840KWVBU Drives                                                                                           | firmware-hdd-a9843986b0-HPK3-1.1.x86_64.rpm | VO000960KWVBR | HPK3     | HPK3 |
| 619 | Online NVMe SSD Flash Component for Linux (x64) - VO000960KWVBR, VO001920KWVBT and VO003840KWVBU Drives                                                                                           | firmware-hdd-a9843986b0-HPK3-1.1.x86_64.rpm | VO003840KWVBU | HPK3     | HPK3 |
| 620 | Online NVMe SSD Flash Component for Linux (x64) - VO000960KWVBR, VO001920KWVBT and VO003840KWVBU Drives                                                                                           | firmware-hdd-a9843986b0-HPK3-1.1.x86_64.rpm | VO001920KWVBT | HPK3     | HPK3 |
| 621 | Online NVMe SSD Flash Component for Linux (x64) - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives                | firmware-hdd-035a863453-HPK5-6.1.x86_64.rpm | VO000960KXAVL | HPK5 (F) | HPK5 |
| 622 | Online NVMe SSD Flash Component for Linux (x64) - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives                | firmware-hdd-035a863453-HPK5-6.1.x86_64.rpm | MO000800KXAVN | HPK5 (F) | HPK5 |
| 623 | Online NVMe SSD Flash Component for Linux (x64) - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives                | firmware-hdd-035a863453-HPK5-6.1.x86_64.rpm | MO001600KXAVT | HPK5 (F) | HPK5 |
| 624 | Online NVMe SSD Flash Component for Linux (x64) - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ,                                                                                                    | firmware-hdd-035a863453-HPK5-6.1.x86_64.rpm | MO003200KXAVU | HPK5 (F) | HPK5 |



|     |                                                                                                                                                                                    |                                             |               |          |      |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------|----------|------|
|     | VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives                                                                                                |                                             |               |          |      |
| 625 | Online NVMe SSD Flash Component for Linux (x64) - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives | firmware-hdd-035a863453-HPK5-6.1.x86_64.rpm | MO006400KXAVV | HPK5 (F) | HPK5 |
| 626 | Online NVMe SSD Flash Component for Linux (x64) - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives | firmware-hdd-035a863453-HPK5-6.1.x86_64.rpm | VO003840KXAVQ | HPK5 (F) | HPK5 |
| 627 | Online NVMe SSD Flash Component for Linux (x64) - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives | firmware-hdd-035a863453-HPK5-6.1.x86_64.rpm | VO007680KXAVR | HPK5 (F) | HPK5 |
| 628 | Online NVMe SSD Flash Component for Linux (x64) - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives | firmware-hdd-035a863453-HPK5-6.1.x86_64.rpm | VO001920KXAVP | HPK5 (F) | HPK5 |
| 629 | Online NVMe SSD Flash Component for Linux (x64) - VO001920KWVMT, VO003840KWVMU, and VO007680KWVMV Drives                                                                           | firmware-hdd-fe9c474847-HPK3-8.1.x86_64.rpm | VO007680KWVMV | HPK3 (H) | HPK3 |
| 630 | Online NVMe SSD Flash Component for Linux (x64) - VO001920KWVMT, VO003840KWVMU, and VO007680KWVMV Drives                                                                           | firmware-hdd-fe9c474847-HPK3-8.1.x86_64.rpm | VO003840KWVMU | HPK3 (H) | HPK3 |
| 631 | Online NVMe SSD Flash Component for Linux (x64) - VO001920KWVMT, VO003840KWVMU, and VO007680KWVMV Drives                                                                           | firmware-hdd-fe9c474847-HPK3-8.1.x86_64.rpm | VO001920KWVMT | HPK3 (H) | HPK3 |
| 632 | Online NVMe SSD Flash Component for Linux (x64) - VO001920KWZQR, VO003840KWZQT, MO001600KWZQP and MO003200KWZQQ Drives                                                             | firmware-hdd-2af7385a1e-HPK7-4.1.x86_64.rpm | VO003840KWZQT | HPK7 (D) | HPK7 |
| 633 | Online NVMe SSD Flash Component for Linux (x64) - VO001920KWZQR, VO003840KWZQT, MO001600KWZQP and MO003200KWZQQ Drives                                                             | firmware-hdd-2af7385a1e-HPK7-4.1.x86_64.rpm | VO001920KWZQR | HPK7 (D) | HPK7 |
| 634 | Online NVMe SSD Flash Component for Linux (x64) - VO001920KWZQR, VO003840KWZQT, MO001600KWZQP and MO003200KWZQQ Drives                                                             | firmware-hdd-2af7385a1e-HPK7-4.1.x86_64.rpm | MO001600KWZQP | HPK7 (D) | HPK7 |
| 635 | Online NVMe SSD Flash Component for Linux (x64) - VO001920KWZQR, VO003840KWZQT, MO001600KWZQP and MO003200KWZQQ Drives                                                             | firmware-hdd-2af7385a1e-HPK7-4.1.x86_64.rpm | MO003200KWZQQ | HPK7 (D) | HPK7 |
| 636 | Online NVMe SSD Flash Component for Linux (x64) - VO001920KYDMT, VO003840KYDMV, MO001600KYDMU, MO003200KYDNC, MO006400KYDND, VO007680KYDNA and VO015360KYDNB Drives                | firmware-hdd-a27c95663d-HPK5-3.1.x86_64.rpm | MO001600KYDMU | HPK5 (C) | HPK5 |
| 637 | Online NVMe SSD Flash Component for Linux (x64) - VO001920KYDMT, VO003840KYDMV, MO001600KYDMU,                                                                                     | firmware-hdd-a27c95663d-HPK5-3.1.x86_64.rpm | MO006400KYDND | HPK5 (C) | HPK5 |

|     |                                                                                                                                                                     |                                                  |               |              |          |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|---------------|--------------|----------|
|     | MO003200KYDNC, MO006400KYDND, VO007680KYDNA and VO015360KYDNB Drives                                                                                                |                                                  |               |              |          |
| 638 | Online NVMe SSD Flash Component for Linux (x64) - VO001920KYDMT, VO003840KYDMV, MO001600KYDMU, MO003200KYDNC, MO006400KYDND, VO007680KYDNA and VO015360KYDNB Drives | firmware-hdd-a27c95663d-HPK5-3.1.x86_64.rpm      | VO015360KYDNB | HPK5 (C)     | HPK5     |
| 639 | Online NVMe SSD Flash Component for Linux (x64) - VO001920KYDMT, VO003840KYDMV, MO001600KYDMU, MO003200KYDNC, MO006400KYDND, VO007680KYDNA and VO015360KYDNB Drives | firmware-hdd-a27c95663d-HPK5-3.1.x86_64.rpm      | VO007680KYDNA | HPK5 (C)     | HPK5     |
| 640 | Online NVMe SSD Flash Component for Linux (x64) - VO001920KYDMT, VO003840KYDMV, MO001600KYDMU, MO003200KYDNC, MO006400KYDND, VO007680KYDNA and VO015360KYDNB Drives | firmware-hdd-a27c95663d-HPK5-3.1.x86_64.rpm      | MO003200KYDNC | HPK5 (C)     | HPK5     |
| 641 | Online NVMe SSD Flash Component for Linux (x64) - VO001920KYDMT, VO003840KYDMV, MO001600KYDMU, MO003200KYDNC, MO006400KYDND, VO007680KYDNA and VO015360KYDNB Drives | firmware-hdd-a27c95663d-HPK5-3.1.x86_64.rpm      | VO001920KYDMT | HPK5 (C)     | HPK5     |
| 642 | Online NVMe SSD Flash Component for Linux (x64) - VO001920KYDMT, VO003840KYDMV, MO001600KYDMU, MO003200KYDNC, MO006400KYDND, VO007680KYDNA and VO015360KYDNB Drives | firmware-hdd-a27c95663d-HPK5-3.1.x86_64.rpm      | VO003840KYDMV | HPK5 (C)     | HPK5     |
| 643 | Online NVMe SSD Flash Component for Linux (x64) - VO002000KWVVC, VO004000KWVUR, MO001600KWVUU, MO003200KWVUV and MO006400KWVVA Drives                               | firmware-hdd-92d876cfea-4ICRHPK3-10.1.x86_64.rpm | VO002000KWVVC | 4ICRHPK3 (J) | 4ICRHPK3 |
| 644 | Online NVMe SSD Flash Component for Linux (x64) - VO002000KWVVC, VO004000KWVUR, MO001600KWVUU, MO003200KWVUV and MO006400KWVVA Drives                               | firmware-hdd-92d876cfea-4ICRHPK3-10.1.x86_64.rpm | VO004000KWVUR | 4ICRHPK3 (J) | 4ICRHPK3 |
| 645 | Online NVMe SSD Flash Component for Linux (x64) - VO002000KWVVC, VO004000KWVUR, MO001600KWVUU, MO003200KWVUV and MO006400KWVVA Drives                               | firmware-hdd-92d876cfea-4ICRHPK3-10.1.x86_64.rpm | MO001600KWVUU | 4ICRHPK3 (J) | 4ICRHPK3 |
| 646 | Online NVMe SSD Flash Component for Linux (x64) - VO002000KWVVC, VO004000KWVUR, MO001600KWVUU, MO003200KWVUV and MO006400KWVVA Drives                               | firmware-hdd-92d876cfea-4ICRHPK3-10.1.x86_64.rpm | MO003200KWVUV | 4ICRHPK3 (J) | 4ICRHPK3 |
| 647 | Online NVMe SSD Flash Component for Linux (x64) - VO002000KWVVC, VO004000KWVUR, MO001600KWVUU,                                                                      | firmware-hdd-92d876cfea-4ICRHPK3-10.1.x86_64.rpm | MO006400KWVVA | 4ICRHPK3 (J) | 4ICRHPK3 |

|     |                                                                                                                                                                                                                                                                 |                                                 |                    |              |          |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|--------------------|--------------|----------|
|     | MO003200KWVUV and MO006400KWVVA Drives                                                                                                                                                                                                                          |                                                 |                    |              |          |
| 648 | Online NVMe SSD Flash Component for Linux (x64) - VS000480KXALB, VS003840KWXFQ, VS001920KWFXP and VS000960KWXFN Drives                                                                                                                                          | firmware-hdd-805abb7e9c-85032G00-7.1.x86_64.rpm | VS003840KWXFQ      | 85032G00 (G) | 85032G00 |
| 649 | Online NVMe SSD Flash Component for Linux (x64) - VS000480KXALB, VS003840KWXFQ, VS001920KWFXP and VS000960KWXFN Drives                                                                                                                                          | firmware-hdd-805abb7e9c-85032G00-7.1.x86_64.rpm | VS001920KWXFQ      | 85032G00 (G) | 85032G00 |
| 650 | Online NVMe SSD Flash Component for Linux (x64) - VS000480KXALB, VS003840KWXFQ, VS001920KWFXP and VS000960KWXFN Drives                                                                                                                                          | firmware-hdd-805abb7e9c-85032G00-7.1.x86_64.rpm | VS000960KWXFN      | 85032G00 (G) | 85032G00 |
| 651 | Online NVMe SSD Flash Component for Linux (x64) - VS000480KXALB, VS003840KWXFQ, VS001920KWFXP and VS000960KWXFN Drives                                                                                                                                          | firmware-hdd-805abb7e9c-85032G00-7.1.x86_64.rpm | VS000480KXALB      | 85032G00 (G) | 85032G00 |
| 652 | Online NVMe SSD Flash Component for Linux (x64) -MZCLR800HBHQ-000H3, MZCLR1T6HBJR-000H3, MZCLR3T2HBLS-000H3, MZCLR6T4HALA-000H3, MZCLR12THALA-000H3, MZCLR960HBHQ-000H3, MZCLR1T9HBJR-000H3, MZCLR3T8HBLS-000H3, MZCLR7T6HALA-000H3 and MZCLR15THALA-000H3 Driv | firmware-hdd-951aefd63e-MPK7825Q-1.1.x86_64.rpm | MZCLR12THALA-000H3 | MPK7825Q     | MPK7825Q |
| 653 | Online NVMe SSD Flash Component for Linux (x64) -MZCLR800HBHQ-000H3, MZCLR1T6HBJR-000H3, MZCLR3T2HBLS-000H3, MZCLR6T4HALA-000H3, MZCLR12THALA-000H3, MZCLR960HBHQ-000H3, MZCLR1T9HBJR-000H3, MZCLR3T8HBLS-000H3, MZCLR7T6HALA-000H3 and MZCLR15THALA-000H3 Driv | firmware-hdd-951aefd63e-MPK7825Q-1.1.x86_64.rpm | MZCLR15THALA-000H3 | MPK7825Q     | MPK7825Q |
| 654 | Online NVMe SSD Flash Component for Linux (x64) -MZCLR800HBHQ-000H3, MZCLR1T6HBJR-000H3, MZCLR3T2HBLS-000H3, MZCLR6T4HALA-000H3, MZCLR12THALA-000H3, MZCLR960HBHQ-000H3, MZCLR1T9HBJR-000H3, MZCLR3T8HBLS-000H3, MZCLR7T6HALA-000H3 and MZCLR15THALA-000H3 Driv | firmware-hdd-951aefd63e-MPK7825Q-1.1.x86_64.rpm | MZCLR7T6HALA-000H3 | MPK7825Q     | MPK7825Q |
| 655 | Online NVMe SSD Flash Component for Linux (x64) -MZCLR800HBHQ-000H3, MZCLR1T6HBJR-000H3, MZCLR3T2HBLS-000H3, MZCLR6T4HALA-000H3, MZCLR12THALA-000H3, MZCLR960HBHQ-000H3, MZCLR1T9HBJR-000H3, MZCLR3T8HBLS-000H3, MZCLR7T6HALA-000H3 and MZCLR15THALA-000H3 Driv | firmware-hdd-951aefd63e-MPK7825Q-1.1.x86_64.rpm | MZCLR1T6HBJR-000H3 | MPK7825Q     | MPK7825Q |
| 656 | Online NVMe SSD Flash Component for Linux (x64) -MZCLR800HBHQ-000H3, MZCLR1T6HBJR-000H3, MZCLR3T2HBLS-000H3,                                                                                                                                                    | firmware-hdd-951aefd63e-MPK7825Q-1.1.x86_64.rpm | MZCLR800HBHQ-000H3 | MPK7825Q     | MPK7825Q |

|     |                                                                                                                                                                                                                                                                                                |                                                             |                        |          |          |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|------------------------|----------|----------|
|     | MZXLR6T4HALA-000H3,<br>MZXLR12THALA-000H3,<br>MZXLR960HBHQ-000H3,<br>MZXLR1T9HBJR-000H3,<br>MZXLR3T8HBL5-000H3,<br>MZXLR7T6HALA-000H3 and<br>MZXLR15THALA-000H3 Driv                                                                                                                           |                                                             |                        |          |          |
| 657 | Online NVMe SSD Flash Component<br>for Linux (x64) -MZXLR800HBHQ-<br>000H3, MZXLR1T6HBJR-000H3,<br>MZXLR3T2HBL5-000H3,<br>MZXLR6T4HALA-000H3,<br>MZXLR12THALA-000H3,<br>MZXLR960HBHQ-000H3,<br>MZXLR1T9HBJR-000H3,<br>MZXLR3T8HBL5-000H3,<br>MZXLR7T6HALA-000H3 and<br>MZXLR15THALA-000H3 Driv | firmware-hdd-<br>951aefd63e-<br>MPK7825Q-<br>1.1.x86_64.rpm | MZXLR3T2HBL5-<br>000H3 | MPK7825Q | MPK7825Q |
| 658 | Online NVMe SSD Flash Component<br>for Linux (x64) -MZXLR800HBHQ-<br>000H3, MZXLR1T6HBJR-000H3,<br>MZXLR3T2HBL5-000H3,<br>MZXLR6T4HALA-000H3,<br>MZXLR12THALA-000H3,<br>MZXLR960HBHQ-000H3,<br>MZXLR1T9HBJR-000H3,<br>MZXLR3T8HBL5-000H3,<br>MZXLR7T6HALA-000H3 and<br>MZXLR15THALA-000H3 Driv | firmware-hdd-<br>951aefd63e-<br>MPK7825Q-<br>1.1.x86_64.rpm | MZXLR6T4HALA-<br>000H3 | MPK7825Q | MPK7825Q |
| 659 | Online NVMe SSD Flash Component<br>for Linux (x64) -MZXLR800HBHQ-<br>000H3, MZXLR1T6HBJR-000H3,<br>MZXLR3T2HBL5-000H3,<br>MZXLR6T4HALA-000H3,<br>MZXLR12THALA-000H3,<br>MZXLR960HBHQ-000H3,<br>MZXLR1T9HBJR-000H3,<br>MZXLR3T8HBL5-000H3,<br>MZXLR7T6HALA-000H3 and<br>MZXLR15THALA-000H3 Driv | firmware-hdd-<br>951aefd63e-<br>MPK7825Q-<br>1.1.x86_64.rpm | MZXLR1T9HBJR-<br>000H3 | MPK7825Q | MPK7825Q |
| 660 | Online NVMe SSD Flash Component<br>for Linux (x64) -MZXLR800HBHQ-<br>000H3, MZXLR1T6HBJR-000H3,<br>MZXLR3T2HBL5-000H3,<br>MZXLR6T4HALA-000H3,<br>MZXLR12THALA-000H3,<br>MZXLR960HBHQ-000H3,<br>MZXLR1T9HBJR-000H3,<br>MZXLR3T8HBL5-000H3,<br>MZXLR7T6HALA-000H3 and<br>MZXLR15THALA-000H3 Driv | firmware-hdd-<br>951aefd63e-<br>MPK7825Q-<br>1.1.x86_64.rpm | MZXLR3T8HBL5-<br>000H3 | MPK7825Q | MPK7825Q |
| 661 | Online NVMe SSD Flash Component<br>for Linux (x64) -MZXLR800HBHQ-<br>000H3, MZXLR1T6HBJR-000H3,<br>MZXLR3T2HBL5-000H3,<br>MZXLR6T4HALA-000H3,<br>MZXLR12THALA-000H3,<br>MZXLR960HBHQ-000H3,<br>MZXLR1T9HBJR-000H3,<br>MZXLR3T8HBL5-000H3,<br>MZXLR7T6HALA-000H3 and<br>MZXLR15THALA-000H3 Driv | firmware-hdd-<br>951aefd63e-<br>MPK7825Q-<br>1.1.x86_64.rpm | MZXLR960HBHQ-<br>000H3 | MPK7825Q | MPK7825Q |
| 662 | Online NVMe SSD Flash Component<br>for VMware ESXi - EO000400KYDKV<br>and EO000800KYDLA Drives                                                                                                                                                                                                 | CP061553.zip                                                | EO000800KYDLA          | HPK4 (C) | HPK4     |
| 663 | Online NVMe SSD Flash Component                                                                                                                                                                                                                                                                | CP061553.zip                                                | EO000400KYDKV          | HPK4 (C) | HPK4     |

|     |                                                                                                                                                                                                        |              |               |              |          |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|--------------|----------|
|     | for VMware ESXi - EO000400KYDKV and EO000800KYDLA Drives                                                                                                                                               |              |               |              |          |
| 664 | Online NVMe SSD Flash Component for VMware ESXi - ET000750KWJTF, EO000750KWTXC and EO000375KWJUC Drives                                                                                                | CP061575.zip | ET000750KWJTF | 4ICSHPK4 (G) | 4ICSHPK4 |
| 665 | Online NVMe SSD Flash Component for VMware ESXi - ET000750KWJTF, EO000750KWTXC and EO000375KWJUC Drives                                                                                                | CP061575.zip | EO000375KWJUC | 4ICSHPK4 (G) | 4ICSHPK4 |
| 666 | Online NVMe SSD Flash Component for VMware ESXi - ET000750KWJTF, EO000750KWTXC and EO000375KWJUC Drives                                                                                                | CP061575.zip | EO000750KWTXC | 4ICSHPK4 (G) | 4ICSHPK4 |
| 667 | Online NVMe SSD Flash Component for VMware ESXi - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | CP061360.zip | KCD6XLUL7T68  | GPk7 (B)     | GPk7     |
| 668 | Online NVMe SSD Flash Component for VMware ESXi - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | CP061360.zip | KCD6XVUL6T40  | GPk7 (B)     | GPk7     |
| 669 | Online NVMe SSD Flash Component for VMware ESXi - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | CP061360.zip | KCD6XVUL1T60  | GPk7 (B)     | GPk7     |
| 670 | Online NVMe SSD Flash Component for VMware ESXi - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | CP061360.zip | KCD6XVUL800G  | GPk7 (B)     | GPk7     |
| 671 | Online NVMe SSD Flash Component for VMware ESXi - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | CP061360.zip | KCD6XVUL3T20  | GPk7 (B)     | GPk7     |
| 672 | Online NVMe SSD Flash Component for VMware ESXi - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | CP061360.zip | KCD6XVUL12T8  | GPk7 (B)     | GPk7     |
| 673 | Online NVMe SSD Flash Component for VMware ESXi - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | CP061360.zip | KCD6XLUL960G  | GPk7 (B)     | GPk7     |
| 674 | Online NVMe SSD Flash Component for VMware ESXi - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20,                                                                                                            | CP061360.zip | KCD6XLUL1T92  | GPk7 (B)     | GPk7     |

|     |                                                                                                                                                                                                        |              |              |          |      |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------|----------|------|
|     | KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives                                                                                             |              |              |          |      |
| 675 | Online NVMe SSD Flash Component for VMware ESXi - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | CP061360.zip | KCD6XLUL3T84 | GPk7 (B) | GPk7 |
| 676 | Online NVMe SSD Flash Component for VMware ESXi - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | CP061360.zip | KCD6XLUL15T3 | GPk7 (B) | GPk7 |
| 677 | Online NVMe SSD Flash Component for VMware ESXi - KCM6FRUL1T92, KCM6FRUL3T84, KCM6FVUL1T60 and KCM6FVUL3T20 Drives                                                                                     | CP061342.zip | KCM6FRUL1T92 | GPk5 (B) | GPk5 |
| 678 | Online NVMe SSD Flash Component for VMware ESXi - KCM6FRUL1T92, KCM6FRUL3T84, KCM6FVUL1T60 and KCM6FVUL3T20 Drives                                                                                     | CP061342.zip | KCM6FRUL3T84 | GPk5 (B) | GPk5 |
| 679 | Online NVMe SSD Flash Component for VMware ESXi - KCM6FRUL1T92, KCM6FRUL3T84, KCM6FVUL1T60 and KCM6FVUL3T20 Drives                                                                                     | CP061342.zip | KCM6FVUL3T20 | GPk5 (B) | GPk5 |
| 680 | Online NVMe SSD Flash Component for VMware ESXi - KCM6FRUL1T92, KCM6FRUL3T84, KCM6FVUL1T60 and KCM6FVUL3T20 Drives                                                                                     | CP061342.zip | KCM6FVUL1T60 | GPk5 (B) | GPk5 |
| 681 | Online NVMe SSD Flash Component for VMware ESXi - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives                             | CP061344.zip | KCM6XRUL960G | GPk7 (B) | GPk7 |
| 682 | Online NVMe SSD Flash Component for VMware ESXi - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives                             | CP061344.zip | KCM6XRUL7T68 | GPk7 (B) | GPk7 |
| 683 | Online NVMe SSD Flash Component for VMware ESXi - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives                             | CP061344.zip | KCM6XRUL1T92 | GPk7 (B) | GPk7 |
| 684 | Online NVMe SSD Flash Component for VMware ESXi - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives                             | CP061344.zip | KCM6XVUL3T20 | GPk7 (B) | GPk7 |
| 685 | Online NVMe SSD Flash Component for VMware ESXi - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives                             | CP061344.zip | KCM6XRUL3T84 | GPk7 (B) | GPk7 |
| 686 | Online NVMe SSD Flash Component for VMware ESXi - KCM6XVUL800G,                                                                                                                                        | CP061344.zip | KCM6XVUL800G | GPk7 (B) | GPk7 |

|     |                                                                                                                                                                                    |              |               |          |      |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|     | KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives                                                                         |              |               |          |      |
| 687 | Online NVMe SSD Flash Component for VMware ESXi - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives         | CP061344.zip | KCM6XVUL6T40  | GPK7 (B) | GPK7 |
| 688 | Online NVMe SSD Flash Component for VMware ESXi - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives         | CP061344.zip | KCM6XVUL1T60  | GPK7 (B) | GPK7 |
| 689 | Online NVMe SSD Flash Component for VMware ESXi - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP and VK007680KWWFQ Drives | CP061567.zip | VK007680KWWFQ | HPK3 (G) | HPK3 |
| 690 | Online NVMe SSD Flash Component for VMware ESXi - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP and VK007680KWWFQ Drives | CP061567.zip | MK006400KWWFK | HPK3 (G) | HPK3 |
| 691 | Online NVMe SSD Flash Component for VMware ESXi - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP and VK007680KWWFQ Drives | CP061567.zip | VK003840KWWFP | HPK3 (G) | HPK3 |
| 692 | Online NVMe SSD Flash Component for VMware ESXi - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP and VK007680KWWFQ Drives | CP061567.zip | MK003200KWWFH | HPK3 (G) | HPK3 |
| 693 | Online NVMe SSD Flash Component for VMware ESXi - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP and VK007680KWWFQ Drives | CP061567.zip | VK001920KWWFN | HPK3 (G) | HPK3 |
| 694 | Online NVMe SSD Flash Component for VMware ESXi - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP and VK007680KWWFQ Drives | CP061567.zip | MK001600KWWFF | HPK3 (G) | HPK3 |
| 695 | Online NVMe SSD Flash Component for VMware ESXi - MK000800KWWFE,                                                                                                                   | CP061567.zip | VK000960KWWFL | HPK3 (G) | HPK3 |

|     |                                                                                                                                                                                                         |              |                        |              |          |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------|--------------|----------|
|     | MK001600KWWFF,<br>MK003200KWWFH,<br>MK006400KWWFK,<br>VK000960KWWFL,<br>VK001920KWWFN, VK003840KWWFP<br>and VK007680KWWFQ Drives                                                                        |              |                        |              |          |
| 696 | Online NVMe SSD Flash Component<br>for VMware ESXi - MK000800KWWFE,<br>MK001600KWWFF,<br>MK003200KWWFH,<br>MK006400KWWFK,<br>VK000960KWWFL,<br>VK001920KWWFN, VK003840KWWFP<br>and VK007680KWWFQ Drives | CP061567.zip | MK00800KWWFE           | HPK3 (G)     | HPK3     |
| 697 | Online NVMe SSD Flash Component<br>for VMware ESXi - MO001600KWVNB,<br>MO003200KWVNC,<br>MO006400KWVND,<br>MT001600KWSTB, MT003200KWSTC<br>and MT006400KWSTD Drives                                     | CP061560.zip | MO006400KWVND          | HPK3 (F)     | HPK3     |
| 698 | Online NVMe SSD Flash Component<br>for VMware ESXi - MO001600KWVNB,<br>MO003200KWVNC,<br>MO006400KWVND,<br>MT001600KWSTB, MT003200KWSTC<br>and MT006400KWSTD Drives                                     | CP061560.zip | MO003200KWVNC          | HPK3 (F)     | HPK3     |
| 699 | Online NVMe SSD Flash Component<br>for VMware ESXi - MO001600KWVNB,<br>MO003200KWVNC,<br>MO006400KWVND,<br>MT001600KWSTB, MT003200KWSTC<br>and MT006400KWSTD Drives                                     | CP061560.zip | MO001600KWVNB          | HPK3 (F)     | HPK3     |
| 700 | Online NVMe SSD Flash Component<br>for VMware ESXi - MO001600KWVNB,<br>MO003200KWVNC,<br>MO006400KWVND,<br>MT001600KWSTB, MT003200KWSTC<br>and MT006400KWSTD Drives                                     | CP061560.zip | MT001600KWSTB          | HPK3 (F)     | HPK3     |
| 701 | Online NVMe SSD Flash Component<br>for VMware ESXi - MO001600KWVNB,<br>MO003200KWVNC,<br>MO006400KWVND,<br>MT001600KWSTB, MT003200KWSTC<br>and MT006400KWSTD Drives                                     | CP061560.zip | MT003200KWSTC          | HPK3 (F)     | HPK3     |
| 702 | Online NVMe SSD Flash Component<br>for VMware ESXi - MO001600KWVNB,<br>MO003200KWVNC,<br>MO006400KWVND,<br>MT001600KWSTB, MT003200KWSTC<br>and MT006400KWSTD Drives                                     | CP061560.zip | MT006400KWSTD          | HPK3 (F)     | HPK3     |
| 703 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZPLJ1T6HBJR-<br>000H3, MZPLJ3T2HBJR-000H3 and<br>MZPLJ6T4HALA-000H3 Drives                                                                        | CP061574.zip | MZPLJ1T6HBJR-<br>000H3 | EPK76H3Q (F) | EPK76H3Q |
| 704 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZPLJ1T6HBJR-<br>000H3, MZPLJ3T2HBJR-000H3 and<br>MZPLJ6T4HALA-000H3 Drives                                                                        | CP061574.zip | MZPLJ6T4HALA-<br>000H3 | EPK76H3Q (F) | EPK76H3Q |
| 705 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZPLJ1T6HBJR-<br>000H3, MZPLJ3T2HBJR-000H3 and<br>MZPLJ6T4HALA-000H3 Drives                                                                        | CP061574.zip | MZPLJ3T2HBJR-<br>000H3 | EPK76H3Q (F) | EPK76H3Q |
| 706 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBLS-000H3,                                                                                 | CP062661.zip | MZXL515THALA-<br>000H3 | MPK78H5Q     | MPK78H5Q |



|     |                                                                                                                                                                                                                                                                                                |              |                        |          |          |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------|----------|----------|
|     | MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBLS-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-00H3 Driv                                                                                                                            |              |                        |          |          |
| 707 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBLS-000H3,<br>MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBLS-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-00H3 Driv | CP062661.zip | MZXL512THALA-<br>000H3 | MPK78H5Q | MPK78H5Q |
| 708 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBLS-000H3,<br>MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBLS-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-00H3 Driv | CP062661.zip | MZXL57T6HALA-<br>000H3 | MPK78H5Q | MPK78H5Q |
| 709 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBLS-000H3,<br>MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBLS-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-00H3 Driv | CP062661.zip | MZXL56T4HALA-<br>000H3 | MPK78H5Q | MPK78H5Q |
| 710 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBLS-000H3,<br>MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBLS-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-00H3 Driv | CP062661.zip | MZXL53T8HBLS-<br>000H3 | MPK78H5Q | MPK78H5Q |
| 711 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBLS-000H3,<br>MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBLS-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-00H3 Driv | CP062661.zip | MZXL53T2HBLS-<br>000H3 | MPK78H5Q | MPK78H5Q |
| 712 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBLS-000H3,                                                                                                                                                                        | CP062661.zip | MZXL51T6HBJR-<br>000H3 | MPK78H5Q | MPK78H5Q |

|     |                                                                                                                                                                                                                                                                                                |              |                        |          |          |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------|----------|----------|
|     | MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBL5-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-00H3 Driv                                                                                                                            |              |                        |          |          |
| 713 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBL5-000H3,<br>MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBL5-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-00H3 Driv | CP062661.zip | MZXL5800HBHQ-<br>000H3 | MPK78H5Q | MPK78H5Q |
| 714 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBL5-000H3,<br>MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBL5-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-00H3 Driv | CP062661.zip | MZXL51T9HBJR-<br>000H3 | MPK78H5Q | MPK78H5Q |
| 715 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBL5-000H3,<br>MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBL5-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-00H3 Driv | CP062661.zip | MZXL5960HBHQ-<br>000H3 | MPK78H5Q | MPK78H5Q |
| 716 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZXLR800HBHQ-<br>000H3, MZXLR1T6HBJR-000H3,<br>MZXLR3T2HBL5-000H3,<br>MZXLR6T4HALA-000H3,<br>MZXLR12THALA-000H3,<br>MZXLR960HBHQ-000H3,<br>MZXLR1T9HBJR-000H3,<br>MZXLR3T8HBL5-000H3,<br>MZXLR7T6HALA-000H3 and<br>MZXLR15THALA-000H Driv | CP062662.zip | MZXLR12THALA-<br>000H3 | MPK7825Q | MPK7825Q |
| 717 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZXLR800HBHQ-<br>000H3, MZXLR1T6HBJR-000H3,<br>MZXLR3T2HBL5-000H3,<br>MZXLR6T4HALA-000H3,<br>MZXLR12THALA-000H3,<br>MZXLR960HBHQ-000H3,<br>MZXLR1T9HBJR-000H3,<br>MZXLR3T8HBL5-000H3,<br>MZXLR7T6HALA-000H3 and<br>MZXLR15THALA-000H Driv | CP062662.zip | MZXLR15THALA-<br>000H3 | MPK7825Q | MPK7825Q |
| 718 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZXLR800HBHQ-<br>000H3, MZXLR1T6HBJR-000H3,<br>MZXLR3T2HBL5-000H3,                                                                                                                                                                        | CP062662.zip | MZXLR7T6HALA-<br>000H3 | MPK7825Q | MPK7825Q |

|     |                                                                                                                                                                                                                                                                                                |              |                        |          |          |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------|----------|----------|
|     | MZXLR6T4HALA-000H3,<br>MZXLR12THALA-000H3,<br>MZXLR960HBHQ-000H3,<br>MZXLR1T9HBJR-000H3,<br>MZXLR3T8HBL5-000H3,<br>MZXLR7T6HALA-000H3 and<br>MZXLR15THALA-000H Driv                                                                                                                            |              |                        |          |          |
| 719 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZXLR800HBHQ-<br>000H3, MZXLR1T6HBJR-000H3,<br>MZXLR3T2HBL5-000H3,<br>MZXLR6T4HALA-000H3,<br>MZXLR12THALA-000H3,<br>MZXLR960HBHQ-000H3,<br>MZXLR1T9HBJR-000H3,<br>MZXLR3T8HBL5-000H3,<br>MZXLR7T6HALA-000H3 and<br>MZXLR15THALA-000H Driv | CP062662.zip | MZXLR1T6HBJR-<br>000H3 | MPK7825Q | MPK7825Q |
| 720 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZXLR800HBHQ-<br>000H3, MZXLR1T6HBJR-000H3,<br>MZXLR3T2HBL5-000H3,<br>MZXLR6T4HALA-000H3,<br>MZXLR12THALA-000H3,<br>MZXLR960HBHQ-000H3,<br>MZXLR1T9HBJR-000H3,<br>MZXLR3T8HBL5-000H3,<br>MZXLR7T6HALA-000H3 and<br>MZXLR15THALA-000H Driv | CP062662.zip | MZXLR800HBHQ-<br>000H3 | MPK7825Q | MPK7825Q |
| 721 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZXLR800HBHQ-<br>000H3, MZXLR1T6HBJR-000H3,<br>MZXLR3T2HBL5-000H3,<br>MZXLR6T4HALA-000H3,<br>MZXLR12THALA-000H3,<br>MZXLR960HBHQ-000H3,<br>MZXLR1T9HBJR-000H3,<br>MZXLR3T8HBL5-000H3,<br>MZXLR7T6HALA-000H3 and<br>MZXLR15THALA-000H Driv | CP062662.zip | MZXLR3T2HBL5-<br>000H3 | MPK7825Q | MPK7825Q |
| 722 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZXLR800HBHQ-<br>000H3, MZXLR1T6HBJR-000H3,<br>MZXLR3T2HBL5-000H3,<br>MZXLR6T4HALA-000H3,<br>MZXLR12THALA-000H3,<br>MZXLR960HBHQ-000H3,<br>MZXLR1T9HBJR-000H3,<br>MZXLR3T8HBL5-000H3,<br>MZXLR7T6HALA-000H3 and<br>MZXLR15THALA-000H Driv | CP062662.zip | MZXLR6T4HALA-<br>000H3 | MPK7825Q | MPK7825Q |
| 723 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZXLR800HBHQ-<br>000H3, MZXLR1T6HBJR-000H3,<br>MZXLR3T2HBL5-000H3,<br>MZXLR6T4HALA-000H3,<br>MZXLR12THALA-000H3,<br>MZXLR960HBHQ-000H3,<br>MZXLR1T9HBJR-000H3,<br>MZXLR3T8HBL5-000H3,<br>MZXLR7T6HALA-000H3 and<br>MZXLR15THALA-000H Driv | CP062662.zip | MZXLR1T9HBJR-<br>000H3 | MPK7825Q | MPK7825Q |
| 724 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZXLR800HBHQ-<br>000H3, MZXLR1T6HBJR-000H3,<br>MZXLR3T2HBL5-000H3,                                                                                                                                                                        | CP062662.zip | MZXLR3T8HBL5-<br>000H3 | MPK7825Q | MPK7825Q |

|     |                                                                                                                                                                                                                                                                                                |              |                        |          |          |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------|----------|----------|
|     | MZXLR6T4HALA-000H3,<br>MZXLR12THALA-000H3,<br>MZXLR960HBHQ-000H3,<br>MZXLR1T9HBJR-000H3,<br>MZXLR3T8HBLS-000H3,<br>MZXLR7T6HALA-000H3 and<br>MZXLR15THALA-000H Driv                                                                                                                            |              |                        |          |          |
| 725 | Online NVMe SSD Flash Component<br>for VMware ESXi - MZXLR800HBHQ-<br>000H3, MZXLR1T6HBJR-000H3,<br>MZXLR3T2HBLS-000H3,<br>MZXLR6T4HALA-000H3,<br>MZXLR12THALA-000H3,<br>MZXLR960HBHQ-000H3,<br>MZXLR1T9HBJR-000H3,<br>MZXLR3T8HBLS-000H3,<br>MZXLR7T6HALA-000H3 and<br>MZXLR15THALA-000H Driv | CP062662.zip | MZXLR960HBHQ-<br>000H3 | MPK7825Q | MPK7825Q |
| 726 | Online NVMe SSD Flash Component<br>for VMware ESXi - VO000960KWUEA,<br>VO001920KWUEB, VO003840KWUEC,<br>VO007680KWUED, VO015360KWUEE,<br>MO000800KWUDR,<br>MO001600KWUDT,<br>MO003200KWUDU and<br>MO006400KWUDV Drives                                                                         | CP062181.zip | VO000960KWUEA          | HPK3     | HPK3     |
| 727 | Online NVMe SSD Flash Component<br>for VMware ESXi - VO000960KWUEA,<br>VO001920KWUEB, VO003840KWUEC,<br>VO007680KWUED, VO015360KWUEE,<br>MO000800KWUDR,<br>MO001600KWUDT,<br>MO003200KWUDU and<br>MO006400KWUDV Drives                                                                         | CP062181.zip | VO001920KWUEB          | HPK3     | HPK3     |
| 728 | Online NVMe SSD Flash Component<br>for VMware ESXi - VO000960KWUEA,<br>VO001920KWUEB, VO003840KWUEC,<br>VO007680KWUED, VO015360KWUEE,<br>MO000800KWUDR,<br>MO001600KWUDT,<br>MO003200KWUDU and<br>MO006400KWUDV Drives                                                                         | CP062181.zip | VO003840KWUEC          | HPK3     | HPK3     |
| 729 | Online NVMe SSD Flash Component<br>for VMware ESXi - VO000960KWUEA,<br>VO001920KWUEB, VO003840KWUEC,<br>VO007680KWUED, VO015360KWUEE,<br>MO000800KWUDR,<br>MO001600KWUDT,<br>MO003200KWUDU and<br>MO006400KWUDV Drives                                                                         | CP062181.zip | VO007680KWUED          | HPK3     | HPK3     |
| 730 | Online NVMe SSD Flash Component<br>for VMware ESXi - VO000960KWUEA,<br>VO001920KWUEB, VO003840KWUEC,<br>VO007680KWUED, VO015360KWUEE,<br>MO000800KWUDR,<br>MO001600KWUDT,<br>MO003200KWUDU and<br>MO006400KWUDV Drives                                                                         | CP062181.zip | VO015360KWUEE          | HPK3     | HPK3     |
| 731 | Online NVMe SSD Flash Component<br>for VMware ESXi - VO000960KWUEA,<br>VO001920KWUEB, VO003840KWUEC,<br>VO007680KWUED, VO015360KWUEE,<br>MO000800KWUDR,<br>MO001600KWUDT,<br>MO003200KWUDU and<br>MO006400KWUDV Drives                                                                         | CP062181.zip | MO000800KWUDR          | HPK3     | HPK3     |

|     |                                                                                                                                                                                                   |              |               |          |      |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
| 732 | Online NVMe SSD Flash Component for VMware ESXi - VO000960KWUEA, VO001920KWUEB, VO003840KWUEC, VO007680KWUED, VO015360KWUEE, MO000800KWUDR, MO001600KWUDT, MO003200KWUDU and MO006400KWUDV Drives | CP062181.zip | MO001600KWUDT | HPK3     | HPK3 |
| 733 | Online NVMe SSD Flash Component for VMware ESXi - VO000960KWUEA, VO001920KWUEB, VO003840KWUEC, VO007680KWUED, VO015360KWUEE, MO000800KWUDR, MO001600KWUDT, MO003200KWUDU and MO006400KWUDV Drives | CP062181.zip | MO003200KWUDU | HPK3     | HPK3 |
| 734 | Online NVMe SSD Flash Component for VMware ESXi - VO000960KWUEA, VO001920KWUEB, VO003840KWUEC, VO007680KWUED, VO015360KWUEE, MO000800KWUDR, MO001600KWUDT, MO003200KWUDU and MO006400KWUDV Drives | CP062181.zip | MO006400KWUDV | HPK3     | HPK3 |
| 735 | Online NVMe SSD Flash Component for VMware ESXi - VO000960KWVBR, VO001920KWVBT and VO003840KWVBU Drives                                                                                           | CP062184.zip | VO000960KWVBR | HPK3     | HPK3 |
| 736 | Online NVMe SSD Flash Component for VMware ESXi - VO000960KWVBR, VO001920KWVBT and VO003840KWVBU Drives                                                                                           | CP062184.zip | VO001920KWVBT | HPK3     | HPK3 |
| 737 | Online NVMe SSD Flash Component for VMware ESXi - VO000960KWVBR, VO001920KWVBT and VO003840KWVBU Drives                                                                                           | CP062184.zip | VO003840KWVBU | HPK3     | HPK3 |
| 738 | Online NVMe SSD Flash Component for VMware ESXi - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives                | CP061333.zip | VO000960KXAVL | HPK5 (D) | HPK5 |
| 739 | Online NVMe SSD Flash Component for VMware ESXi - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives                | CP061333.zip | MO000800KXAVN | HPK5 (D) | HPK5 |
| 740 | Online NVMe SSD Flash Component for VMware ESXi - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives                | CP061333.zip | MO001600KXAVT | HPK5 (D) | HPK5 |
| 741 | Online NVMe SSD Flash Component for VMware ESXi - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives                | CP061333.zip | MO003200KXAVU | HPK5 (D) | HPK5 |
| 742 | Online NVMe SSD Flash Component for VMware ESXi - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives                | CP061333.zip | MO006400KXAVV | HPK5 (D) | HPK5 |

|     |                                                                                                                                                                                    |              |               |          |      |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
| 743 | Online NVMe SSD Flash Component for VMware ESXi - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives | CP061333.zip | VO003840KXAVQ | HPK5 (D) | HPK5 |
| 744 | Online NVMe SSD Flash Component for VMware ESXi - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives | CP061333.zip | VO007680KXAVR | HPK5 (D) | HPK5 |
| 745 | Online NVMe SSD Flash Component for VMware ESXi - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives | CP061333.zip | VO001920KXAVP | HPK5 (D) | HPK5 |
| 746 | Online NVMe SSD Flash Component for VMware ESXi - VO001920KWVMT, VO003840KWVMU, and VO007680KWVMV Drives                                                                           | CP061561.zip | VO007680KWVMV | HPK3 (F) | HPK3 |
| 747 | Online NVMe SSD Flash Component for VMware ESXi - VO001920KWVMT, VO003840KWVMU, and VO007680KWVMV Drives                                                                           | CP061561.zip | VO003840KWVMU | HPK3 (F) | HPK3 |
| 748 | Online NVMe SSD Flash Component for VMware ESXi - VO001920KWVMT, VO003840KWVMU, and VO007680KWVMV Drives                                                                           | CP061561.zip | VO001920KWVMT | HPK3 (F) | HPK3 |
| 749 | Online NVMe SSD Flash Component for VMware ESXi - VO001920KWZQR, VO003840KWZQT, MO001600KWZQP and MO003200KWZQQ Drives                                                             | CP061552.zip | VO003840KWZQT | HPK7 (C) | HPK7 |
| 750 | Online NVMe SSD Flash Component for VMware ESXi - VO001920KWZQR, VO003840KWZQT, MO001600KWZQP and MO003200KWZQQ Drives                                                             | CP061552.zip | VO001920KWZQR | HPK7 (C) | HPK7 |
| 751 | Online NVMe SSD Flash Component for VMware ESXi - VO001920KWZQR, VO003840KWZQT, MO001600KWZQP and MO003200KWZQQ Drives                                                             | CP061552.zip | MO001600KWZQP | HPK7 (C) | HPK7 |
| 752 | Online NVMe SSD Flash Component for VMware ESXi - VO001920KWZQR, VO003840KWZQT, MO001600KWZQP and MO003200KWZQQ Drives                                                             | CP061552.zip | MO003200KWZQQ | HPK7 (C) | HPK7 |
| 753 | Online NVMe SSD Flash Component for VMware ESXi - VO001920KYDMT, VO003840KYDMV, MO001600KYDMU, MO003200KYDNC, MO006400KYDND, VO007680KYDNA and VO015360KYDNB Drives                | CP061338.zip | VO001920KYDMT | HPK5 (B) | HPK5 |
| 754 | Online NVMe SSD Flash Component for VMware ESXi - VO001920KYDMT, VO003840KYDMV, MO001600KYDMU, MO003200KYDNC, MO006400KYDND, VO007680KYDNA and VO015360KYDNB Drives                | CP061338.zip | VO003840KYDMV | HPK5 (B) | HPK5 |
| 755 | Online NVMe SSD Flash Component for VMware ESXi - VO001920KYDMT, VO003840KYDMV, MO001600KYDMU, MO003200KYDNC, MO006400KYDND, VO007680KYDNA and                                     | CP061338.zip | MO001600KYDMU | HPK5 (B) | HPK5 |

|     |                                                                                                                                                                     |              |               |              |          |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|--------------|----------|
|     | VO015360KYDNB Drives                                                                                                                                                |              |               |              |          |
| 756 | Online NVMe SSD Flash Component for VMware ESXi - VO001920KYDMT, VO003840KYDMV, MO001600KYDMU, MO003200KYDNC, MO006400KYDND, VO007680KYDNA and VO015360KYDNB Drives | CP061338.zip | MO006400KYDND | HPK5 (B)     | HPK5     |
| 757 | Online NVMe SSD Flash Component for VMware ESXi - VO001920KYDMT, VO003840KYDMV, MO001600KYDMU, MO003200KYDNC, MO006400KYDND, VO007680KYDNA and VO015360KYDNB Drives | CP061338.zip | VO015360KYDNB | HPK5 (B)     | HPK5     |
| 758 | Online NVMe SSD Flash Component for VMware ESXi - VO001920KYDMT, VO003840KYDMV, MO001600KYDMU, MO003200KYDNC, MO006400KYDND, VO007680KYDNA and VO015360KYDNB Drives | CP061338.zip | VO007680KYDNA | HPK5 (B)     | HPK5     |
| 759 | Online NVMe SSD Flash Component for VMware ESXi - VO001920KYDMT, VO003840KYDMV, MO001600KYDMU, MO003200KYDNC, MO006400KYDND, VO007680KYDNA and VO015360KYDNB Drives | CP061338.zip | MO003200KYDNC | HPK5 (B)     | HPK5     |
| 760 | Online NVMe SSD Flash Component for VMware ESXi - VO002000KWVVC, VO004000KWVUR, MO001600KWVUU, MO003200KWVUV and MO006400KWVVA Drives                               | CP061573.zip | MO006400KWVVA | 4ICRHPK3 (G) | 4ICRHPK3 |
| 761 | Online NVMe SSD Flash Component for VMware ESXi - VO002000KWVVC, VO004000KWVUR, MO001600KWVUU, MO003200KWVUV and MO006400KWVVA Drives                               | CP061573.zip | VO004000KWVUR | 4ICRHPK3 (G) | 4ICRHPK3 |
| 762 | Online NVMe SSD Flash Component for VMware ESXi - VO002000KWVVC, VO004000KWVUR, MO001600KWVUU, MO003200KWVUV and MO006400KWVVA Drives                               | CP061573.zip | MO003200KWVUV | 4ICRHPK3 (G) | 4ICRHPK3 |
| 763 | Online NVMe SSD Flash Component for VMware ESXi - VO002000KWVVC, VO004000KWVUR, MO001600KWVUU, MO003200KWVUV and MO006400KWVVA Drives                               | CP061573.zip | VO002000KWVVC | 4ICRHPK3 (G) | 4ICRHPK3 |
| 764 | Online NVMe SSD Flash Component for VMware ESXi - VO002000KWVVC, VO004000KWVUR, MO001600KWVUU, MO003200KWVUV and MO006400KWVVA Drives                               | CP061573.zip | MO001600KWVUU | 4ICRHPK3 (G) | 4ICRHPK3 |
| 765 | Online NVMe SSD Flash Component for VMware ESXi - VS000480KXALB, VS000960KWXFN, VS001920KWXFP and VS003840KWXFQ Drives                                              | CP061653.zip | VS003840KWXFQ | 85032G00 (D) | 85032G00 |
| 766 | Online NVMe SSD Flash Component for VMware ESXi - VS000480KXALB, VS000960KWXFN, VS001920KWXFP                                                                       | CP061653.zip | VS001920KWXFP | 85032G00 (D) | 85032G00 |

|     |                                                                                                                                                                                                          |              |               |              |          |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|--------------|----------|
|     | and VS003840KWXFQ Drives                                                                                                                                                                                 |              |               |              |          |
| 767 | Online NVMe SSD Flash Component for VMware ESXi - VS000480KXALB, VS000960KWXFN, VS001920KWXFP and VS003840KWXFQ Drives                                                                                   | CP061653.zip | VS000960KWXFN | 85032G00 (D) | 85032G00 |
| 768 | Online NVMe SSD Flash Component for VMware ESXi - VS000480KXALB, VS000960KWXFN, VS001920KWXFP and VS003840KWXFQ Drives                                                                                   | CP061653.zip | VS000480KXALB | 85032G00 (D) | 85032G00 |
| 769 | Online NVMe SSD Flash Component for Windows (x64) - EO000400KYDKV and EO000800KYDLA Drives                                                                                                               | cp061543.exe | EO000800KYDLA | HPK4 (C)     | HPK4     |
| 770 | Online NVMe SSD Flash Component for Windows (x64) - EO000400KYDKV and EO000800KYDLA Drives                                                                                                               | cp061543.exe | EO000400KYDKV | HPK4 (C)     | HPK4     |
| 771 | Online NVMe SSD Flash Component for Windows (x64) - ET000750KWJTF, EO000750KWTXC and EO000375KWJUC Drives                                                                                                | cp061494.exe | ET000750KWJTF | 4ICSHPK4 (G) | 4ICSHPK4 |
| 772 | Online NVMe SSD Flash Component for Windows (x64) - ET000750KWJTF, EO000750KWTXC and EO000375KWJUC Drives                                                                                                | cp061494.exe | EO000375KWJUC | 4ICSHPK4 (G) | 4ICSHPK4 |
| 773 | Online NVMe SSD Flash Component for Windows (x64) - ET000750KWJTF, EO000750KWTXC and EO000375KWJUC Drives                                                                                                | cp061494.exe | EO000750KWTXC | 4ICSHPK4 (G) | 4ICSHPK4 |
| 774 | Online NVMe SSD Flash Component for Windows (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | cp061384.exe | KCD6XLUL7T68  | GPk7 (B)     | GPk7     |
| 775 | Online NVMe SSD Flash Component for Windows (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | cp061384.exe | KCD6XVUL6T40  | GPk7 (B)     | GPk7     |
| 776 | Online NVMe SSD Flash Component for Windows (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | cp061384.exe | KCD6XVUL1T60  | GPk7 (B)     | GPk7     |
| 777 | Online NVMe SSD Flash Component for Windows (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | cp061384.exe | KCD6XVUL800G  | GPk7 (B)     | GPk7     |
| 778 | Online NVMe SSD Flash Component for Windows (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | cp061384.exe | KCD6XVUL3T20  | GPk7 (B)     | GPk7     |
| 779 | Online NVMe SSD Flash Component for Windows (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8,                                                                                | cp061384.exe | KCD6XVUL12T8  | GPk7 (B)     | GPk7     |



|     |                                                                                                                                                                                                          |              |              |          |      |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------|----------|------|
|     | KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives                                                                                                                           |              |              |          |      |
| 780 | Online NVMe SSD Flash Component for Windows (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | cp061384.exe | KCD6XLUL960G | GPk7 (B) | GPk7 |
| 781 | Online NVMe SSD Flash Component for Windows (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | cp061384.exe | KCD6XLUL1T92 | GPk7 (B) | GPk7 |
| 782 | Online NVMe SSD Flash Component for Windows (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | cp061384.exe | KCD6XLUL3T84 | GPk7 (B) | GPk7 |
| 783 | Online NVMe SSD Flash Component for Windows (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives | cp061384.exe | KCD6XLUL15T3 | GPk7 (B) | GPk7 |
| 784 | Online NVMe SSD Flash Component for Windows (x64) - KCM6FRUL1T92, KCM6FRUL3T84, KCM6FVUL1T60 and KCM6FVUL3T20 Drives                                                                                     | cp061378.exe | KCM6FRUL1T92 | GPk5 (B) | GPk5 |
| 785 | Online NVMe SSD Flash Component for Windows (x64) - KCM6FRUL1T92, KCM6FRUL3T84, KCM6FVUL1T60 and KCM6FVUL3T20 Drives                                                                                     | cp061378.exe | KCM6FRUL3T84 | GPk5 (B) | GPk5 |
| 786 | Online NVMe SSD Flash Component for Windows (x64) - KCM6FRUL1T92, KCM6FRUL3T84, KCM6FVUL1T60 and KCM6FVUL3T20 Drives                                                                                     | cp061378.exe | KCM6FVUL3T20 | GPk5 (B) | GPk5 |
| 787 | Online NVMe SSD Flash Component for Windows (x64) - KCM6FRUL1T92, KCM6FRUL3T84, KCM6FVUL1T60 and KCM6FVUL3T20 Drives                                                                                     | cp061378.exe | KCM6FVUL1T60 | GPk5 (B) | GPk5 |
| 788 | Online NVMe SSD Flash Component for Windows (x64) - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives                             | cp061386.exe | KCM6XRUL960G | GPk7 (B) | GPk7 |
| 789 | Online NVMe SSD Flash Component for Windows (x64) - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives                             | cp061386.exe | KCM6XRUL7T68 | GPk7 (B) | GPk7 |
| 790 | Online NVMe SSD Flash Component for Windows (x64) - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives                             | cp061386.exe | KCM6XRUL1T92 | GPk7 (B) | GPk7 |
| 791 | Online NVMe SSD Flash Component                                                                                                                                                                          | cp061386.exe | KCM6XVUL3T20 | GPk7 (B) | GPk7 |

|     |                                                                                                                                                                                      |              |               |          |      |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|     | for Windows (x64) - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives                                         |              |               |          |      |
| 792 | Online NVMe SSD Flash Component for Windows (x64) - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives         | cp061386.exe | KCM6XRUL3T84  | GPK7 (B) | GPK7 |
| 793 | Online NVMe SSD Flash Component for Windows (x64) - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives         | cp061386.exe | KCM6XVUL800G  | GPK7 (B) | GPK7 |
| 794 | Online NVMe SSD Flash Component for Windows (x64) - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives         | cp061386.exe | KCM6XVUL6T40  | GPK7 (B) | GPK7 |
| 795 | Online NVMe SSD Flash Component for Windows (x64) - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives         | cp061386.exe | KCM6XVUL1T60  | GPK7 (B) | GPK7 |
| 796 | Online NVMe SSD Flash Component for Windows (x64) - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP and VK007680KWWFQ Drives | cp061542.exe | VK007680KWWFQ | HPK3 (G) | HPK3 |
| 797 | Online NVMe SSD Flash Component for Windows (x64) - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP and VK007680KWWFQ Drives | cp061542.exe | MK006400KWWFK | HPK3 (G) | HPK3 |
| 798 | Online NVMe SSD Flash Component for Windows (x64) - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP and VK007680KWWFQ Drives | cp061542.exe | VK003840KWWFP | HPK3 (G) | HPK3 |
| 799 | Online NVMe SSD Flash Component for Windows (x64) - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP and VK007680KWWFQ Drives | cp061542.exe | MK003200KWWFH | HPK3 (G) | HPK3 |
| 800 | Online NVMe SSD Flash Component                                                                                                                                                      | cp061542.exe | VK001920KWWFN | HPK3 (G) | HPK3 |

|     |                                                                                                                                                                                                              |              |               |          |      |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|     | for Windows (x64) -<br>MK000800KWWFE,<br>MK001600KWWFF,<br>MK003200KWWFH,<br>MK006400KWWFK,<br>VK000960KWWFL,<br>VK001920KWWFN, VK003840KWWFP<br>and VK007680KWWFQ Drives                                    |              |               |          |      |
| 801 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>MK000800KWWFE,<br>MK001600KWWFF,<br>MK003200KWWFH,<br>MK006400KWWFK,<br>VK000960KWWFL,<br>VK001920KWWFN, VK003840KWWFP<br>and VK007680KWWFQ Drives | cp061542.exe | MK001600KWWFF | HPK3 (G) | HPK3 |
| 802 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>MK000800KWWFE,<br>MK001600KWWFF,<br>MK003200KWWFH,<br>MK006400KWWFK,<br>VK000960KWWFL,<br>VK001920KWWFN, VK003840KWWFP<br>and VK007680KWWFQ Drives | cp061542.exe | VK000960KWWFL | HPK3 (G) | HPK3 |
| 803 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>MK000800KWWFE,<br>MK001600KWWFF,<br>MK003200KWWFH,<br>MK006400KWWFK,<br>VK000960KWWFL,<br>VK001920KWWFN, VK003840KWWFP<br>and VK007680KWWFQ Drives | cp061542.exe | MK00800KWWFE  | HPK3 (G) | HPK3 |
| 804 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>MO001600KWVNB,<br>MO003200KWVNC,<br>MO006400KWVND,<br>MT001600KWSTB, MT003200KWSTC<br>and MT006400KWSTD Drives                                     | cp061516.exe | MO006400KWVND | HPK3 (F) | HPK3 |
| 805 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>MO001600KWVNB,<br>MO003200KWVNC,<br>MO006400KWVND,<br>MT001600KWSTB, MT003200KWSTC<br>and MT006400KWSTD Drives                                     | cp061516.exe | MO003200KWVNC | HPK3 (F) | HPK3 |
| 806 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>MO001600KWVNB,<br>MO003200KWVNC,<br>MO006400KWVND,<br>MT001600KWSTB, MT003200KWSTC<br>and MT006400KWSTD Drives                                     | cp061516.exe | MO001600KWVNB | HPK3 (F) | HPK3 |
| 807 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>MO001600KWVNB,<br>MO003200KWVNC,<br>MO006400KWVND,<br>MT001600KWSTB, MT003200KWSTC<br>and MT006400KWSTD Drives                                     | cp061516.exe | MT001600KWSTB | HPK3 (F) | HPK3 |
| 808 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>MO001600KWVNB,                                                                                                                                     | cp061516.exe | MT003200KWSTC | HPK3 (F) | HPK3 |

|     |                                                                                                                                                                                                                                                                                                |              |                        |              |          |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------|--------------|----------|
|     | MO003200KWVNC,<br>MO006400KWVND,<br>MT001600KWSTB, MT003200KWSTC<br>and MT006400KWSTD Drives                                                                                                                                                                                                   |              |                        |              |          |
| 809 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>MO001600KWVNB,<br>MO003200KWVNC,<br>MO006400KWVND,<br>MT001600KWSTB, MT003200KWSTC<br>and MT006400KWSTD Drives                                                                                                                       | cp061516.exe | MT006400KWSTD          | HPK3 (F)     | HPK3     |
| 810 | Online NVMe SSD Flash Component<br>for Windows (x64) - MZPLJ1T6HBJR-<br>000H3, MZPLJ3T2HBJR-000H3 and<br>MZPLJ6T4HALA-000H3 Drives                                                                                                                                                             | cp061505.exe | MZPLJ1T6HBJR-<br>000H3 | EPK76H3Q (E) | EPK76H3Q |
| 811 | Online NVMe SSD Flash Component<br>for Windows (x64) - MZPLJ1T6HBJR-<br>000H3, MZPLJ3T2HBJR-000H3 and<br>MZPLJ6T4HALA-000H3 Drives                                                                                                                                                             | cp061505.exe | MZPLJ6T4HALA-<br>000H3 | EPK76H3Q (E) | EPK76H3Q |
| 812 | Online NVMe SSD Flash Component<br>for Windows (x64) - MZPLJ1T6HBJR-<br>000H3, MZPLJ3T2HBJR-000H3 and<br>MZPLJ6T4HALA-000H3 Drives                                                                                                                                                             | cp061505.exe | MZPLJ3T2HBJR-<br>000H3 | EPK76H3Q (E) | EPK76H3Q |
| 813 | Online NVMe SSD Flash Component<br>for Windows (x64) - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBLS-000H3,<br>MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBLS-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-0 Drive | cp062663.exe | MZXL5960HBHQ-<br>000H3 | MPK78H5Q     | MPK78H5Q |
| 814 | Online NVMe SSD Flash Component<br>for Windows (x64) - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBLS-000H3,<br>MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBLS-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-0 Drive | cp062663.exe | MZXL515THALA-<br>000H3 | MPK78H5Q     | MPK78H5Q |
| 815 | Online NVMe SSD Flash Component<br>for Windows (x64) - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBLS-000H3,<br>MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBLS-000H3,<br>MZXL57T6HALA-000H3 and<br>MZXL515THALA-0 Drive | cp062663.exe | MZXL512THALA-<br>000H3 | MPK78H5Q     | MPK78H5Q |
| 816 | Online NVMe SSD Flash Component<br>for Windows (x64) - MZXL5800HBHQ-<br>000H3, MZXL51T6HBJR-000H3,<br>MZXL53T2HBLS-000H3,<br>MZXL56T4HALA-000H3,<br>MZXL512THALA-000H3,<br>MZXL5960HBHQ-000H3,<br>MZXL51T9HBJR-000H3,<br>MZXL53T8HBLS-000H3,<br>MZXL57T6HALA-000H3 and                         | cp062663.exe | MZXL57T6HALA-<br>000H3 | MPK78H5Q     | MPK78H5Q |

|     |                                                                                                                                                                                                                                                                 |              |                    |          |          |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------|----------|----------|
|     | MZXL515THALA-0 Drive                                                                                                                                                                                                                                            |              |                    |          |          |
| 817 | Online NVMe SSD Flash Component for Windows (x64) - MZXL5800HBHQ-000H3, MZXL51T6HBJR-000H3, MZXL53T2HBLS-000H3, MZXL56T4HALA-000H3, MZXL512THALA-000H3, MZXL5960HBHQ-000H3, MZXL51T9HBJR-000H3, MZXL53T8HBLS-000H3, MZXL57T6HALA-000H3 and MZXL515THALA-0 Drive | cp062663.exe | MZXL56T4HALA-000H3 | MPK78H5Q | MPK78H5Q |
| 818 | Online NVMe SSD Flash Component for Windows (x64) - MZXL5800HBHQ-000H3, MZXL51T6HBJR-000H3, MZXL53T2HBLS-000H3, MZXL56T4HALA-000H3, MZXL512THALA-000H3, MZXL5960HBHQ-000H3, MZXL51T9HBJR-000H3, MZXL53T8HBLS-000H3, MZXL57T6HALA-000H3 and MZXL515THALA-0 Drive | cp062663.exe | MZXL53T8HBLS-000H3 | MPK78H5Q | MPK78H5Q |
| 819 | Online NVMe SSD Flash Component for Windows (x64) - MZXL5800HBHQ-000H3, MZXL51T6HBJR-000H3, MZXL53T2HBLS-000H3, MZXL56T4HALA-000H3, MZXL512THALA-000H3, MZXL5960HBHQ-000H3, MZXL51T9HBJR-000H3, MZXL53T8HBLS-000H3, MZXL57T6HALA-000H3 and MZXL515THALA-0 Drive | cp062663.exe | MZXL53T2HBLS-000H3 | MPK78H5Q | MPK78H5Q |
| 820 | Online NVMe SSD Flash Component for Windows (x64) - MZXL5800HBHQ-000H3, MZXL51T6HBJR-000H3, MZXL53T2HBLS-000H3, MZXL56T4HALA-000H3, MZXL512THALA-000H3, MZXL5960HBHQ-000H3, MZXL51T9HBJR-000H3, MZXL53T8HBLS-000H3, MZXL57T6HALA-000H3 and MZXL515THALA-0 Drive | cp062663.exe | MZXL51T6HBJR-000H3 | MPK78H5Q | MPK78H5Q |
| 821 | Online NVMe SSD Flash Component for Windows (x64) - MZXL5800HBHQ-000H3, MZXL51T6HBJR-000H3, MZXL53T2HBLS-000H3, MZXL56T4HALA-000H3, MZXL512THALA-000H3, MZXL5960HBHQ-000H3, MZXL51T9HBJR-000H3, MZXL53T8HBLS-000H3, MZXL57T6HALA-000H3 and MZXL515THALA-0 Drive | cp062663.exe | MZXL5800HBHQ-000H3 | MPK78H5Q | MPK78H5Q |
| 822 | Online NVMe SSD Flash Component for Windows (x64) - MZXL5800HBHQ-000H3, MZXL51T6HBJR-000H3, MZXL53T2HBLS-000H3, MZXL56T4HALA-000H3, MZXL512THALA-000H3, MZXL5960HBHQ-000H3, MZXL51T9HBJR-000H3, MZXL53T8HBLS-000H3, MZXL57T6HALA-000H3 and                      | cp062663.exe | MZXL51T9HBJR-000H3 | MPK78H5Q | MPK78H5Q |

|     |                                                                                                                                                                                                                                                       |              |                   |          |          |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------|----------|----------|
|     | MZXL515THALA-0 Drive                                                                                                                                                                                                                                  |              |                   |          |          |
| 823 | Online NVMe SSD Flash Component for Windows (x64) - MZXL800HBHQ-000H3, MZXL1T6HBJR-000H3, MZXL3T2HBLS-000H3, MZXL6T4HALA-000H3, MZXL12THALA-000H3, MZXL960HBHQ-000H3, MZXL1T9HBJR-000H3, MZXL3T8HBLS-000H3, MZXL7T6HALA-000H3 and MZXL15THALA-0 Drive | cp062664.exe | MZXL12THALA-000H3 | MPK7825Q | MPK7825Q |
| 824 | Online NVMe SSD Flash Component for Windows (x64) - MZXL800HBHQ-000H3, MZXL1T6HBJR-000H3, MZXL3T2HBLS-000H3, MZXL6T4HALA-000H3, MZXL12THALA-000H3, MZXL960HBHQ-000H3, MZXL1T9HBJR-000H3, MZXL3T8HBLS-000H3, MZXL7T6HALA-000H3 and MZXL15THALA-0 Drive | cp062664.exe | MZXL15THALA-000H3 | MPK7825Q | MPK7825Q |
| 825 | Online NVMe SSD Flash Component for Windows (x64) - MZXL800HBHQ-000H3, MZXL1T6HBJR-000H3, MZXL3T2HBLS-000H3, MZXL6T4HALA-000H3, MZXL12THALA-000H3, MZXL960HBHQ-000H3, MZXL1T9HBJR-000H3, MZXL3T8HBLS-000H3, MZXL7T6HALA-000H3 and MZXL15THALA-0 Drive | cp062664.exe | MZXL7T6HALA-000H3 | MPK7825Q | MPK7825Q |
| 826 | Online NVMe SSD Flash Component for Windows (x64) - MZXL800HBHQ-000H3, MZXL1T6HBJR-000H3, MZXL3T2HBLS-000H3, MZXL6T4HALA-000H3, MZXL12THALA-000H3, MZXL960HBHQ-000H3, MZXL1T9HBJR-000H3, MZXL3T8HBLS-000H3, MZXL7T6HALA-000H3 and MZXL15THALA-0 Drive | cp062664.exe | MZXL1T6HBJR-000H3 | MPK7825Q | MPK7825Q |
| 827 | Online NVMe SSD Flash Component for Windows (x64) - MZXL800HBHQ-000H3, MZXL1T6HBJR-000H3, MZXL3T2HBLS-000H3, MZXL6T4HALA-000H3, MZXL12THALA-000H3, MZXL960HBHQ-000H3, MZXL1T9HBJR-000H3, MZXL3T8HBLS-000H3, MZXL7T6HALA-000H3 and MZXL15THALA-0 Drive | cp062664.exe | MZXL800HBHQ-000H3 | MPK7825Q | MPK7825Q |
| 828 | Online NVMe SSD Flash Component for Windows (x64) - MZXL800HBHQ-000H3, MZXL1T6HBJR-000H3, MZXL3T2HBLS-000H3, MZXL6T4HALA-000H3, MZXL12THALA-000H3, MZXL960HBHQ-000H3, MZXL1T9HBJR-000H3, MZXL3T8HBLS-000H3, MZXL7T6HALA-000H3 and                     | cp062664.exe | MZXL3T2HBLS-000H3 | MPK7825Q | MPK7825Q |

|     |                                                                                                                                                                                                                                                                 |              |                    |          |          |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------|----------|----------|
|     | MZXLR15THALA-0 Drive                                                                                                                                                                                                                                            |              |                    |          |          |
| 829 | Online NVMe SSD Flash Component for Windows (x64) - MZXLR800HBHQ-000H3, MZXLR1T6HBJR-000H3, MZXLR3T2HBLS-000H3, MZXLR6T4HALA-000H3, MZXLR12THALA-000H3, MZXLR960HBHQ-000H3, MZXLR1T9HBJR-000H3, MZXLR3T8HBLS-000H3, MZXLR7T6HALA-000H3 and MZXLR15THALA-0 Drive | cp062664.exe | MZXLR6T4HALA-000H3 | MPK7825Q | MPK7825Q |
| 830 | Online NVMe SSD Flash Component for Windows (x64) - MZXLR800HBHQ-000H3, MZXLR1T6HBJR-000H3, MZXLR3T2HBLS-000H3, MZXLR6T4HALA-000H3, MZXLR12THALA-000H3, MZXLR960HBHQ-000H3, MZXLR1T9HBJR-000H3, MZXLR3T8HBLS-000H3, MZXLR7T6HALA-000H3 and MZXLR15THALA-0 Drive | cp062664.exe | MZXLR1T9HBJR-000H3 | MPK7825Q | MPK7825Q |
| 831 | Online NVMe SSD Flash Component for Windows (x64) - MZXLR800HBHQ-000H3, MZXLR1T6HBJR-000H3, MZXLR3T2HBLS-000H3, MZXLR6T4HALA-000H3, MZXLR12THALA-000H3, MZXLR960HBHQ-000H3, MZXLR1T9HBJR-000H3, MZXLR3T8HBLS-000H3, MZXLR7T6HALA-000H3 and MZXLR15THALA-0 Drive | cp062664.exe | MZXLR3T8HBLS-000H3 | MPK7825Q | MPK7825Q |
| 832 | Online NVMe SSD Flash Component for Windows (x64) - MZXLR800HBHQ-000H3, MZXLR1T6HBJR-000H3, MZXLR3T2HBLS-000H3, MZXLR6T4HALA-000H3, MZXLR12THALA-000H3, MZXLR960HBHQ-000H3, MZXLR1T9HBJR-000H3, MZXLR3T8HBLS-000H3, MZXLR7T6HALA-000H3 and MZXLR15THALA-0 Drive | cp062664.exe | MZXLR960HBHQ-000H3 | MPK7825Q | MPK7825Q |
| 833 | Online NVMe SSD Flash Component for Windows (x64) - VO000960KWUEA, VO001920KWUEB, VO003840KWUEC, VO007680KWUED, VO015360KWUEE, MO000800KWUDR, MO001600KWUDT, MO003200KWUDU and MO006400KWUDV Drives                                                             | cp062182.exe | VO000960KWUEA      | HPK3     | HPK3     |
| 834 | Online NVMe SSD Flash Component for Windows (x64) - VO000960KWUEA, VO001920KWUEB, VO003840KWUEC, VO007680KWUED, VO015360KWUEE, MO000800KWUDR, MO001600KWUDT, MO003200KWUDU and MO006400KWUDV Drives                                                             | cp062182.exe | VO001920KWUEB      | HPK3     | HPK3     |
| 835 | Online NVMe SSD Flash Component for Windows (x64) - VO000960KWUEA, VO001920KWUEB,                                                                                                                                                                               | cp062182.exe | VO003840KWUEC      | HPK3     | HPK3     |

|     |                                                                                                                                                                                                     |              |               |      |      |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|------|------|
|     | VO003840KWUEC, VO007680KWUED, VO015360KWUEE, MO000800KWUDR, MO001600KWUDT, MO003200KWUDU and MO006400KWUDV Drives                                                                                   |              |               |      |      |
| 836 | Online NVMe SSD Flash Component for Windows (x64) - VO000960KWUEA, VO001920KWUEB, VO003840KWUEC, VO007680KWUED, VO015360KWUEE, MO000800KWUDR, MO001600KWUDT, MO003200KWUDU and MO006400KWUDV Drives | cp062182.exe | VO007680KWUED | HPK3 | HPK3 |
| 837 | Online NVMe SSD Flash Component for Windows (x64) - VO000960KWUEA, VO001920KWUEB, VO003840KWUEC, VO007680KWUED, VO015360KWUEE, MO000800KWUDR, MO001600KWUDT, MO003200KWUDU and MO006400KWUDV Drives | cp062182.exe | VO015360KWUEE | HPK3 | HPK3 |
| 838 | Online NVMe SSD Flash Component for Windows (x64) - VO000960KWUEA, VO001920KWUEB, VO003840KWUEC, VO007680KWUED, VO015360KWUEE, MO000800KWUDR, MO001600KWUDT, MO003200KWUDU and MO006400KWUDV Drives | cp062182.exe | MO000800KWUDR | HPK3 | HPK3 |
| 839 | Online NVMe SSD Flash Component for Windows (x64) - VO000960KWUEA, VO001920KWUEB, VO003840KWUEC, VO007680KWUED, VO015360KWUEE, MO000800KWUDR, MO001600KWUDT, MO003200KWUDU and MO006400KWUDV Drives | cp062182.exe | MO001600KWUDT | HPK3 | HPK3 |
| 840 | Online NVMe SSD Flash Component for Windows (x64) - VO000960KWUEA, VO001920KWUEB, VO003840KWUEC, VO007680KWUED, VO015360KWUEE, MO000800KWUDR, MO001600KWUDT, MO003200KWUDU and MO006400KWUDV Drives | cp062182.exe | MO003200KWUDU | HPK3 | HPK3 |
| 841 | Online NVMe SSD Flash Component for Windows (x64) - VO000960KWUEA, VO001920KWUEB, VO003840KWUEC, VO007680KWUED, VO015360KWUEE, MO000800KWUDR, MO001600KWUDT, MO003200KWUDU and MO006400KWUDV Drives | cp062182.exe | MO006400KWUDV | HPK3 | HPK3 |
| 842 | Online NVMe SSD Flash Component for Windows (x64) - VO000960KWVBR, VO001920KWVBT and VO003840KWVBU Drives                                                                                           | cp062185.exe | VO000960KWVBR | HPK3 | HPK3 |
| 843 | Online NVMe SSD Flash Component for Windows (x64) -                                                                                                                                                 | cp062185.exe | VO001920KWVBT | HPK3 | HPK3 |



|     |                                                                                                                                                                                      |              |               |          |      |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|     | VO000960KWVBR, VO001920KWVBT and VO003840KWVBU Drives                                                                                                                                |              |               |          |      |
| 844 | Online NVMe SSD Flash Component for Windows (x64) - VO000960KWVBR, VO001920KWVBT and VO003840KWVBU Drives                                                                            | cp062185.exe | VO003840KWVBU | HPK3     | HPK3 |
| 845 | Online NVMe SSD Flash Component for Windows (x64) - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives | cp061495.exe | VO000960KXAVL | HPK5 (E) | HPK5 |
| 846 | Online NVMe SSD Flash Component for Windows (x64) - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives | cp061495.exe | MO000800KXAVN | HPK5 (E) | HPK5 |
| 847 | Online NVMe SSD Flash Component for Windows (x64) - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives | cp061495.exe | MO001600KXAVT | HPK5 (E) | HPK5 |
| 848 | Online NVMe SSD Flash Component for Windows (x64) - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives | cp061495.exe | MO003200KXAVU | HPK5 (E) | HPK5 |
| 849 | Online NVMe SSD Flash Component for Windows (x64) - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives | cp061495.exe | MO006400KXAVV | HPK5 (E) | HPK5 |
| 850 | Online NVMe SSD Flash Component for Windows (x64) - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives | cp061495.exe | VO003840KXAVQ | HPK5 (E) | HPK5 |
| 851 | Online NVMe SSD Flash Component for Windows (x64) - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives | cp061495.exe | VO007680KXAVR | HPK5 (E) | HPK5 |
| 852 | Online NVMe SSD Flash Component for Windows (x64) - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives | cp061495.exe | VO001920KXAVP | HPK5 (E) | HPK5 |
| 853 | Online NVMe SSD Flash Component for Windows (x64) - VO001920KWVMT, VO003840KWVMU, and VO007680KWVMV Drives                                                                           | cp061518.exe | VO007680KWVMV | HPK3 (F) | HPK3 |
| 854 | Online NVMe SSD Flash Component for Windows (x64) - VO001920KWVMT, VO003840KWVMU, and VO007680KWVMV Drives                                                                           | cp061518.exe | VO003840KWVMU | HPK3 (F) | HPK3 |
| 855 | Online NVMe SSD Flash Component for Windows (x64) -                                                                                                                                  | cp061518.exe | VO001920KWVMT | HPK3 (F) | HPK3 |

|     |                                                                                                                                                                                         |              |               |          |      |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|     | VO001920KWVMT,<br>VO003840KWVMU, and<br>VO007680KWVMV Drives                                                                                                                            |              |               |          |      |
| 856 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>VO001920KWZQR, VO003840KWZQT,<br>MO001600KWZQP and<br>MO003200KWZQQ Drives                                                    | cp061544.exe | VO003840KWZQT | HPK7 (C) | HPK7 |
| 857 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>VO001920KWZQR, VO003840KWZQT,<br>MO001600KWZQP and<br>MO003200KWZQQ Drives                                                    | cp061544.exe | VO001920KWZQR | HPK7 (C) | HPK7 |
| 858 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>VO001920KWZQR, VO003840KWZQT,<br>MO001600KWZQP and<br>MO003200KWZQQ Drives                                                    | cp061544.exe | MO001600KWZQP | HPK7 (C) | HPK7 |
| 859 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>VO001920KWZQR, VO003840KWZQT,<br>MO001600KWZQP and<br>MO003200KWZQQ Drives                                                    | cp061544.exe | MO003200KWZQQ | HPK7 (C) | HPK7 |
| 860 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>VO001920KYDMT, VO003840KYDMV,<br>MO001600KYDMU,<br>MO003200KYDNC, MO006400KYDND,<br>VO007680KYDNA and<br>VO015360KYDNB Drives | cp061409.exe | MO001600KYDMU | HPK5 (B) | HPK5 |
| 861 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>VO001920KYDMT, VO003840KYDMV,<br>MO001600KYDMU,<br>MO003200KYDNC, MO006400KYDND,<br>VO007680KYDNA and<br>VO015360KYDNB Drives | cp061409.exe | MO006400KYDND | HPK5 (B) | HPK5 |
| 862 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>VO001920KYDMT, VO003840KYDMV,<br>MO001600KYDMU,<br>MO003200KYDNC, MO006400KYDND,<br>VO007680KYDNA and<br>VO015360KYDNB Drives | cp061409.exe | VO015360KYDNB | HPK5 (B) | HPK5 |
| 863 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>VO001920KYDMT, VO003840KYDMV,<br>MO001600KYDMU,<br>MO003200KYDNC, MO006400KYDND,<br>VO007680KYDNA and<br>VO015360KYDNB Drives | cp061409.exe | VO007680KYDNA | HPK5 (B) | HPK5 |
| 864 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>VO001920KYDMT, VO003840KYDMV,<br>MO001600KYDMU,<br>MO003200KYDNC, MO006400KYDND,<br>VO007680KYDNA and<br>VO015360KYDNB Drives | cp061409.exe | MO003200KYDNC | HPK5 (B) | HPK5 |
| 865 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>VO001920KYDMT, VO003840KYDMV,<br>MO001600KYDMU,<br>MO003200KYDNC, MO006400KYDND,<br>VO007680KYDNA and<br>VO015360KYDNB Drives | cp061409.exe | VO001920KYDMT | HPK5 (B) | HPK5 |
| 866 | Online NVMe SSD Flash Component                                                                                                                                                         | cp061409.exe | VO003840KYDMV | HPK5 (B) | HPK5 |

|     |                                                                                                                                                                                  |                                       |               |              |          |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------------|--------------|----------|
|     | for Windows (x64) -<br>VO001920KYDMT, VO003840KYDMV,<br>MO001600KYDMU,<br>MO003200KYDNC, MO006400KYDND,<br>VO007680KYDNA and<br>VO015360KYDNB Drives                             |                                       |               |              |          |
| 867 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>VO002000KWVVC, VO004000KWVUR,<br>MO001600KWVUU,<br>MO003200KWVUV and<br>MO006400KWVVA Drives                           | cp061503.exe                          | MO006400KWVVA | 4ICRHPK3 (G) | 4ICRHPK3 |
| 868 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>VO002000KWVVC, VO004000KWVUR,<br>MO001600KWVUU,<br>MO003200KWVUV and<br>MO006400KWVVA Drives                           | cp061503.exe                          | VO004000KWVUR | 4ICRHPK3 (G) | 4ICRHPK3 |
| 869 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>VO002000KWVVC, VO004000KWVUR,<br>MO001600KWVUU,<br>MO003200KWVUV and<br>MO006400KWVVA Drives                           | cp061503.exe                          | MO003200KWVUV | 4ICRHPK3 (G) | 4ICRHPK3 |
| 870 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>VO002000KWVVC, VO004000KWVUR,<br>MO001600KWVUU,<br>MO003200KWVUV and<br>MO006400KWVVA Drives                           | cp061503.exe                          | VO002000KWVVC | 4ICRHPK3 (G) | 4ICRHPK3 |
| 871 | Online NVMe SSD Flash Component<br>for Windows (x64) -<br>VO002000KWVVC, VO004000KWVUR,<br>MO001600KWVUU,<br>MO003200KWVUV and<br>MO006400KWVVA Drives                           | cp061503.exe                          | MO001600KWVUU | 4ICRHPK3 (G) | 4ICRHPK3 |
| 872 | Online NVMe SSD Flash Component<br>for Windows (x64) - VS000480KXALB,<br>VS003840KWXFQ, VS001920KWXFP<br>and VS000960KWXFN drives                                                | cp061514.exe                          | VS000480KXALB | 85032G00 (E) | 85032G00 |
| 873 | Online NVMe SSD Flash Component<br>for Windows (x64) - VS000480KXALB,<br>VS003840KWXFQ, VS001920KWXFP<br>and VS000960KWXFN drives                                                | cp061514.exe                          | VS003840KWXFQ | 85032G00 (E) | 85032G00 |
| 874 | Online NVMe SSD Flash Component<br>for Windows (x64) - VS000480KXALB,<br>VS003840KWXFQ, VS001920KWXFP<br>and VS000960KWXFN drives                                                | cp061514.exe                          | VS001920KWXFP | 85032G00 (E) | 85032G00 |
| 875 | Online NVMe SSD Flash Component<br>for Windows (x64) - VS000480KXALB,<br>VS003840KWXFQ, VS001920KWXFP<br>and VS000960KWXFN drives                                                | cp061514.exe                          | VS000960KWXFN | 85032G00 (E) | 85032G00 |
| 876 | Universal Firmware Package for Drives<br>- MO000800KXPRV,<br>MO001600KXPTR, MO003200KXPTT,<br>MO006400KXPTU, VO000960KXPRU,<br>VO001920KXPTN, VO003840KXPTP<br>and VO007680KXPTQ | SKHynix_PE81X0_KPE81<br>X0AHPK2.fwpkg | MO000800KXPRV | HPK2         | HPK2     |
| 877 | Universal Firmware Package for Drives<br>- MO000800KXPRV,<br>MO001600KXPTR, MO003200KXPTT,<br>MO006400KXPTU, VO000960KXPRU,<br>VO001920KXPTN, VO003840KXPTP<br>and VO007680KXPTQ | SKHynix_PE81X0_KPE81<br>X0AHPK2.fwpkg | MO001600KXPTR | HPK2         | HPK2     |
| 878 | Universal Firmware Package for Drives<br>- MO000800KXPRV,                                                                                                                        | SKHynix_PE81X0_KPE81<br>X0AHPK2.fwpkg | MO003200KXPTT | HPK2         | HPK2     |

|     |                                                                                                                                                                                  |                                    |               |      |      |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|---------------|------|------|
|     | MO001600KXPTR, MO003200KXPTT, MO006400KXPTU, VO000960KXPRU, VO001920KXPTN, VO003840KXPTP and VO007680KXPTQ                                                                       |                                    |               |      |      |
| 879 | Universal Firmware Package for Drives - MO000800KXPRV, MO001600KXPTR, MO003200KXPTT, MO006400KXPTU, VO000960KXPRU, VO001920KXPTN, VO003840KXPTP and VO007680KXPTQ                | SKHynix_PE81X0_KPE81 X0AHPK2.fwpkg | MO006400KXPTU | HPK2 | HPK2 |
| 880 | Universal Firmware Package for Drives - MO000800KXPRV, MO001600KXPTR, MO003200KXPTT, MO006400KXPTU, VO000960KXPRU, VO001920KXPTN, VO003840KXPTP and VO007680KXPTQ                | SKHynix_PE81X0_KPE81 X0AHPK2.fwpkg | VO000960KXPRU | HPK2 | HPK2 |
| 881 | Universal Firmware Package for Drives - MO000800KXPRV, MO001600KXPTR, MO003200KXPTT, MO006400KXPTU, VO000960KXPRU, VO001920KXPTN, VO003840KXPTP and VO007680KXPTQ                | SKHynix_PE81X0_KPE81 X0AHPK2.fwpkg | VO001920KXPTN | HPK2 | HPK2 |
| 882 | Universal Firmware Package for Drives - MO000800KXPRV, MO001600KXPTR, MO003200KXPTT, MO006400KXPTU, VO000960KXPRU, VO001920KXPTN, VO003840KXPTP and VO007680KXPTQ                | SKHynix_PE81X0_KPE81 X0AHPK2.fwpkg | VO003840KXPTP | HPK2 | HPK2 |
| 883 | Universal Firmware Package for Drives - MO000800KXPRV, MO001600KXPTR, MO003200KXPTT, MO006400KXPTU, VO000960KXPRU, VO001920KXPTN, VO003840KXPTP and VO007680KXPTQ                | SKHynix_PE81X0_KPE81 X0AHPK2.fwpkg | VO007680KXPTQ | HPK2 | HPK2 |
| 884 | Universal Firmware Package for Drives - MO000800KXUJT, MO001600KXUJU, MO003200KXUJV, MO006400KXUKA, VO000960KXUJN, VO001920KXUJP, VO003840KXUJQ, VO007680KXUJR and VO015360KYGZQ | Kioxia_CD8_KACD8ALS HPK2.fwpkg     | MO000800KXUJT | HPK2 | HPK2 |
| 885 | Universal Firmware Package for Drives - MO000800KXUJT, MO001600KXUJU, MO003200KXUJV, MO006400KXUKA, VO000960KXUJN, VO001920KXUJP, VO003840KXUJQ, VO007680KXUJR and VO015360KYGZQ | Kioxia_CD8_KACD8ALS HPK2.fwpkg     | MO001600KXUJU | HPK2 | HPK2 |
| 886 | Universal Firmware Package for Drives - MO000800KXUJT, MO001600KXUJU, MO003200KXUJV, MO006400KXUKA, VO000960KXUJN, VO001920KXUJP, VO003840KXUJQ, VO007680KXUJR and VO015360KYGZQ | Kioxia_CD8_KACD8ALS HPK2.fwpkg     | MO003200KXUJV | HPK2 | HPK2 |
| 887 | Universal Firmware Package for Drives - MO000800KXUJT, MO001600KXUJU, MO003200KXUJV, MO006400KXUKA, VO000960KXUJN, VO001920KXUJP, VO003840KXUJQ, VO007680KXUJR and VO015360KYGZQ | Kioxia_CD8_KACD8ALS HPK2.fwpkg     | MO006400KXUKA | HPK2 | HPK2 |
| 888 | Universal Firmware Package for Drives - MO000800KXUJT, MO001600KXUJU, MO003200KXUJV, MO006400KXUKA, VO000960KXUJN, VO001920KXUJP, VO003840KXUJQ, VO007680KXUJR and VO015360KYGZQ | Kioxia_CD8_KACD8ALS HPK2.fwpkg     | VO000960KXUJN | HPK2 | HPK2 |
| 889 | Universal Firmware Package for Drives - MO000800KXUJT, MO001600KXUJU, MO003200KXUJV, MO006400KXUKA, VO000960KXUJN, VO001920KXUJP, VO003840KXUJQ, VO007680KXUJR and VO015360KYGZQ | Kioxia_CD8_KACD8ALS HPK2.fwpkg     | VO001920KXUJP | HPK2 | HPK2 |

|     |                                                                                                                                                                                  |                                                    |               |      |      |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|------|------|
|     | MO003200KXUJV, MO006400KXUKA, VO000960KXUJN, VO001920KXUJP, VO003840KXUJQ, VO007680KXUJR and VO015360KYGZQ                                                                       |                                                    |               |      |      |
| 890 | Universal Firmware Package for Drives - MO000800KXUJT, MO001600KXUJU, MO003200KXUJV, MO006400KXUKA, VO000960KXUJN, VO001920KXUJP, VO003840KXUJQ, VO007680KXUJR and VO015360KYGZQ | Kioxia_CD8_KACD8ALS<br>HPK2.fwpkg                  | VO003840KXUJQ | HPK2 | HPK2 |
| 891 | Universal Firmware Package for Drives - MO000800KXUJT, MO001600KXUJU, MO003200KXUJV, MO006400KXUKA, VO000960KXUJN, VO001920KXUJP, VO003840KXUJQ, VO007680KXUJR and VO015360KYGZQ | Kioxia_CD8_KACD8ALS<br>HPK2.fwpkg                  | VO007680KXUJR | HPK2 | HPK2 |
| 892 | Universal Firmware Package for Drives - MO000800KXUJT, MO001600KXUJU, MO003200KXUJV, MO006400KXUKA, VO000960KXUJN, VO001920KXUJP, VO003840KXUJQ, VO007680KXUJR and VO015360KYGZQ | Kioxia_CD8_KACD8ALS<br>HPK2.fwpkg                  | VO015360KYGZQ | HPK2 | HPK2 |
| 893 | Universal Firmware Package for Drives - MO000800KYDZK, MO001600KYDZR, MO003200KYDZT, MO006400KYDZU, VO000960KYDZH, VO001920KYDZL, VO003840KYDZN, VO001536KYDZQ and VO007680KYDZP | Micron_7500_Micron_7<br>500_M7500ALLHPK1.fw<br>pkg | MO006400KYDZU | HPK1 | HPK1 |
| 894 | Universal Firmware Package for Drives - MO000800KYDZK, MO001600KYDZR, MO003200KYDZT, MO006400KYDZU, VO000960KYDZH, VO001920KYDZL, VO003840KYDZN, VO001536KYDZQ and VO007680KYDZP | Micron_7500_Micron_7<br>500_M7500ALLHPK1.fw<br>pkg | MO003200KYDZT | HPK1 | HPK1 |
| 895 | Universal Firmware Package for Drives - MO000800KYDZK, MO001600KYDZR, MO003200KYDZT, MO006400KYDZU, VO000960KYDZH, VO001920KYDZL, VO003840KYDZN, VO001536KYDZQ and VO007680KYDZP | Micron_7500_Micron_7<br>500_M7500ALLHPK1.fw<br>pkg | MO001600KYDZR | HPK1 | HPK1 |
| 896 | Universal Firmware Package for Drives - MO000800KYDZK, MO001600KYDZR, MO003200KYDZT, MO006400KYDZU, VO000960KYDZH, VO001920KYDZL, VO003840KYDZN, VO001536KYDZQ and VO007680KYDZP | Micron_7500_Micron_7<br>500_M7500ALLHPK1.fw<br>pkg | MO000800KYDZK | HPK1 | HPK1 |
| 897 | Universal Firmware Package for Drives - MO000800KYDZK, MO001600KYDZR, MO003200KYDZT, MO006400KYDZU, VO000960KYDZH, VO001920KYDZL, VO003840KYDZN, VO001536KYDZQ and VO007680KYDZP | Micron_7500_Micron_7<br>500_M7500ALLHPK1.fw<br>pkg | VO007680KYDZP | HPK1 | HPK1 |
| 898 | Universal Firmware Package for Drives - MO000800KYDZK, MO001600KYDZR, MO003200KYDZT, MO006400KYDZU, VO000960KYDZH, VO001920KYDZL, VO003840KYDZN, VO001536KYDZQ and VO007680KYDZP | Micron_7500_Micron_7<br>500_M7500ALLHPK1.fw<br>pkg | VO003840KYDZN | HPK1 | HPK1 |
| 899 | Universal Firmware Package for Drives - MO000800KYDZK,                                                                                                                           | Micron_7500_Micron_7<br>500_M7500ALLHPK1.fw        | VO001920KYDZL | HPK1 | HPK1 |

|     |                                                                                                                                                                                  |                                             |               |      |      |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------|------|------|
|     | MO001600KYDZR, MO003200KYDZT, MO006400KYDZU, VO000960KYDZH, VO001920KYDZL, VO003840KYDZN, VO001536KYDZQ and VO007680KYDZP                                                        | pkg                                         |               |      |      |
| 900 | Universal Firmware Package for Drives - MO000800KYDZK, MO001600KYDZR, MO003200KYDZT, MO006400KYDZU, VO000960KYDZH, VO001920KYDZL, VO003840KYDZN, VO001536KYDZQ and VO007680KYDZP | Micron_7500_Micron_7500_M7500ALLHPK1.fw pkg | VO000960KYDZH | HPK1 | HPK1 |
| 901 | Universal Firmware Package for Drives - MO000800KYDZK, MO001600KYDZR, MO003200KYDZT, MO006400KYDZU, VO000960KYDZH, VO001920KYDZL, VO003840KYDZN, VO001536KYDZQ and VO007680KYDZP | Micron_7500_Micron_7500_M7500ALLHPK1.fw pkg | VO001536KYDZQ | HPK1 | HPK1 |
| 902 | Universal Firmware Package for Drives - MO001600KZYWU, MO003200KZYXB, MO006400KZYXC, VO001920KZYWT, VO003840KZYWV and VO007680KZYXA                                              | Solidigm_P5x20_4IAAH PK5.fw pkg             | MO001600KZYWU | HPK5 | HPK5 |
| 903 | Universal Firmware Package for Drives - MO001600KZYWU, MO003200KZYXB, MO006400KZYXC, VO001920KZYWT, VO003840KZYWV and VO007680KZYXA                                              | Solidigm_P5x20_4IAAH PK5.fw pkg             | MO003200KZYXB | HPK5 | HPK5 |
| 904 | Universal Firmware Package for Drives - MO001600KZYWU, MO003200KZYXB, MO006400KZYXC, VO001920KZYWT, VO003840KZYWV and VO007680KZYXA                                              | Solidigm_P5x20_4IAAH PK5.fw pkg             | MO006400KZYXC | HPK5 | HPK5 |
| 905 | Universal Firmware Package for Drives - MO001600KZYWU, MO003200KZYXB, MO006400KZYXC, VO001920KZYWT, VO003840KZYWV and VO007680KZYXA                                              | Solidigm_P5x20_4IAAH PK5.fw pkg             | VO001920KZYWT | HPK5 | HPK5 |
| 906 | Universal Firmware Package for Drives - MO001600KZYWU, MO003200KZYXB, MO006400KZYXC, VO001920KZYWT, VO003840KZYWV and VO007680KZYXA                                              | Solidigm_P5x20_4IAAH PK5.fw pkg             | VO003840KZYWV | HPK5 | HPK5 |
| 907 | Universal Firmware Package for Drives - MO001600KZYWU, MO003200KZYXB, MO006400KZYXC, VO001920KZYWT, VO003840KZYWV and VO007680KZYXA                                              | Solidigm_P5x20_4IAAH PK5.fw pkg             | VO007680KZYXA | HPK5 | HPK5 |
| 908 | Universal Firmware Package for Drives - VK000960KYDPT, VK001920KYDPU, VK003840KYDPV and VK007680KYDQA                                                                            | Samsung_PM9A3_PM9A3U3HPK4.fw pkg            | VK000960KYDPT | HPK4 | HPK4 |
| 909 | Universal Firmware Package for Drives - VK000960KYDPT, VK001920KYDPU, VK003840KYDPV and VK007680KYDQA                                                                            | Samsung_PM9A3_PM9A3U3HPK4.fw pkg            | VK001920KYDPU | HPK4 | HPK4 |
| 910 | Universal Firmware Package for Drives - VK000960KYDPT, VK001920KYDPU, VK003840KYDPV and VK007680KYDQA                                                                            | Samsung_PM9A3_PM9A3U3HPK4.fw pkg            | VK003840KYDPV | HPK4 | HPK4 |
| 911 | Universal Firmware Package for Drives - VK000960KYDPT, VK001920KYDPU, VK003840KYDPV and VK007680KYDQA                                                                            | Samsung_PM9A3_PM9A3U3HPK4.fw pkg            | VK007680KYDQA | HPK4 | HPK4 |
| 912 | Universal Firmware Package for Drives                                                                                                                                            | Micron_7450_Micron_7                        | VO001920KXNZQ | HPS3 | HPS3 |

|     |                                                                                                                                                                   |                                             |               |      |      |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------|------|------|
|     | - VO000960KXNXD, VO001920KXNZQ, VO003840KXNZR, VO007680KXNZT, MO000800KXNXH, MO001600KXNZV, MO003200KXPAA and MO006400KXPAB                                       | 450_M7450ALLHPS3.fw pkg                     |               |      |      |
| 913 | Universal Firmware Package for Drives - VO000960KXNXD, VO001920KXNZQ, VO003840KXNZR, VO007680KXNZT, MO000800KXNXH, MO001600KXNZV, MO003200KXPAA and MO006400KXPAB | Micron_7450_Micron_7450_M7450ALLHPS3.fw pkg | VO003840KXNZR | HPS3 | HPS3 |
| 914 | Universal Firmware Package for Drives - VO000960KXNXD, VO001920KXNZQ, VO003840KXNZR, VO007680KXNZT, MO000800KXNXH, MO001600KXNZV, MO003200KXPAA and MO006400KXPAB | Micron_7450_Micron_7450_M7450ALLHPS3.fw pkg | VO007680KXNZT | HPS3 | HPS3 |
| 915 | Universal Firmware Package for Drives - VO000960KXNXD, VO001920KXNZQ, VO003840KXNZR, VO007680KXNZT, MO000800KXNXH, MO001600KXNZV, MO003200KXPAA and MO006400KXPAB | Micron_7450_Micron_7450_M7450ALLHPS3.fw pkg | MO000800KXNXH | HPS3 | HPS3 |
| 916 | Universal Firmware Package for Drives - VO000960KXNXD, VO001920KXNZQ, VO003840KXNZR, VO007680KXNZT, MO000800KXNXH, MO001600KXNZV, MO003200KXPAA and MO006400KXPAB | Micron_7450_Micron_7450_M7450ALLHPS3.fw pkg | MO001600KXNZV | HPS3 | HPS3 |
| 917 | Universal Firmware Package for Drives - VO000960KXNXD, VO001920KXNZQ, VO003840KXNZR, VO007680KXNZT, MO000800KXNXH, MO001600KXNZV, MO003200KXPAA and MO006400KXPAB | Micron_7450_Micron_7450_M7450ALLHPS3.fw pkg | MO003200KXPAA | HPS3 | HPS3 |
| 918 | Universal Firmware Package for Drives - VO000960KXNXD, VO001920KXNZQ, VO003840KXNZR, VO007680KXNZT, MO000800KXNXH, MO001600KXNZV, MO003200KXPAA and MO006400KXPAB | Micron_7450_Micron_7450_M7450ALLHPS3.fw pkg | MO006400KXPAB | HPS3 | HPS3 |
| 919 | Universal Firmware Package for Drives - VO000960KXNXD, VO001920KXNZQ, VO003840KXNZR, VO007680KXNZT, MO000800KXNXH, MO001600KXNZV, MO003200KXPAA and MO006400KXPAB | Micron_7450_Micron_7450_M7450ALLHPS3.fw pkg | VO000960KXNXD | HPS3 | HPS3 |
| 920 | Universal Firmware Package for Drives - VR000480KXLXF                                                                                                             | Samsung_PM9A3_PM9A3M2HPK3.fwpkg             | VR000480KXLXF | HPK3 | HPK3 |

## 6.2.12 Firmware - Power Management

| No. | Description                                                                                                                                                         | Package filename                       | Device | Package Version | Firmware/Driver version |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|--------|-----------------|-------------------------|
| 921 | Online Flash for Windows x64 - Innovation Engine Firmware for servers using Intel Xeon Scalable 3100/3200/4100/4200/5100/5200/6100/6200/8100/8200 series Processors | cp062648.exe                           | -      | 0.2.3.0 (C)     | 0.2.3.0                 |
| 922 | Online ROM Flash for Linux - Advanced Power Capping Microcontroller Firmware for servers using Intel Xeon Scalable 3100/4100/5100/6100/8100 series Processors       | firmware-powerpic-1.1.4-2.1.x86_64.rpm | -      | 1.1.4 (B)       | 1.1.4                   |
| 923 | Online ROM Flash for Windows x64 -                                                                                                                                  | cp062654.exe                           | -      | 1.1.4 (B)       | 1.1.4                   |

|     |                                                                                                                                                               |                     |   |              |          |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|---|--------------|----------|
|     | Advanced Power Capping Microcontroller Firmware for servers using Intel Xeon Scalable 3100/4100/5100/6100/8100 series Processors                              |                     |   |              |          |
| 924 | Online ROM Flash for Windows x64 - Innovation Engine Firmware for servers using Intel Xeon Scalable 4300/5300/6300/8300 series Processors                     | cp053858.exe        | - | 1.0.0.22 (B) | 1.0.0.22 |
| 925 | ROM Flash Firmware Package - Advanced Power Capping Microcontroller Firmware for servers using Intel Xeon Scalable 3100/4100/5100/6100/8100 series Processors | PICFW-1.1.4-1.fwpkg | - | 1.1.4        | 1.1.4    |

### 6.2.13 Firmware - SAS Storage Disk

| No. | Description                                                                                            | Package filename                            | Device        | Package Version | Firmware/Driver version |
|-----|--------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------|-----------------|-------------------------|
| 926 | *REMOVED* Online HDD/SSD Flash Component for Linux (x64) - EH000600JWCPF and EH000900JWCPH Drives      | firmware-hdd-a05f29cef3-HPDB-1.1.x86_64.rpm | EH000600JWCPF | HPDB            | HPDB                    |
| 927 | *REMOVED* Online HDD/SSD Flash Component for Linux (x64) - EH000600JWCPF and EH000900JWCPH Drives      | firmware-hdd-a05f29cef3-HPDB-1.1.x86_64.rpm | EH000900JWCPH | HPDB            | HPDB                    |
| 928 | *REMOVED* Online HDD/SSD Flash Component for VMware ESXi - EH000600JWCPF and EH000900JWCPH Drives      | CP054905.zip                                | EH000600JWCPF | HPDB            | HPDB                    |
| 929 | *REMOVED* Online HDD/SSD Flash Component for VMware ESXi - EH000600JWCPF and EH000900JWCPH Drives      | CP054905.zip                                | EH000900JWCPH | HPDB            | HPDB                    |
| 930 | *REMOVED* Online HDD/SSD Flash Component for Windows (x64) - EH000600JWCPF and EH000900JWCPH Drives    | cp052997.exe                                | EH000600JWCPF | HPDB            | HPDB                    |
| 931 | *REMOVED* Online HDD/SSD Flash Component for Windows (x64) - EH000600JWCPF and EH000900JWCPH Drives    | cp052997.exe                                | EH000900JWCPH | HPDB            | HPDB                    |
| 932 | Online HDD/SSD Flash Component for Linux (x64) - EG000300JWBHR Drive                                   | firmware-hdd-2e4c61fc63-HPD5-7.1.x86_64.rpm | EG000300JWBHR | HPD5 (G)        | HPD5                    |
| 933 | Online HDD/SSD Flash Component for Linux (x64) - EG000300JWFVB Drive                                   | firmware-hdd-c5cd837c29-HPD3-7.1.x86_64.rpm | EG000300JWFVB | HPD3 (G)        | HPD3                    |
| 934 | Online HDD/SSD Flash Component for Linux (x64) - EG000300JWSJP, EG000600JWJNH and EG001200JWJNK Drives | firmware-hdd-24fe569b72-HPD5-6.1.x86_64.rpm | EG001200JWJNK | HPD5 (F)        | HPD5                    |
| 935 | Online HDD/SSD Flash Component for Linux (x64) - EG000300JWSJP, EG000600JWJNH and EG001200JWJNK Drives | firmware-hdd-24fe569b72-HPD5-6.1.x86_64.rpm | EG000600JWJNH | HPD5 (F)        | HPD5                    |
| 936 | Online HDD/SSD Flash Component for Linux (x64) - EG000300JWSJP, EG000600JWJNH and EG001200JWJNK Drives | firmware-hdd-24fe569b72-HPD5-6.1.x86_64.rpm | EG000300JWSJP | HPD5 (F)        | HPD5                    |
| 937 | Online HDD/SSD Flash Component for Linux (x64) - EG000600JWFUV and EG001200JWFVA Drives                | firmware-hdd-f0c91d2fe3-HPD4-7.1.x86_64.rpm | EG001200JWFVA | HPD4 (G)        | HPD4                    |



|     |                                                                                                                                      |                                             |               |          |      |
|-----|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------|----------|------|
| 938 | Online HDD/SSD Flash Component for Linux (x64) - EG000600JWFUV and EG001200JWFVA Drives                                              | firmware-hdd-f0c91d2fe3-HPD4-7.1.x86_64.rpm | EG000600JWFUV | HPD4 (G) | HPD4 |
| 939 | Online HDD/SSD Flash Component for Linux (x64) - EG000600JWJNP, EG001200JWJNQ, EG000600JXLVV, EG001200JXLWA and EG001200MXJQU Drives | firmware-hdd-bdfb8e99d9-HPD8-3.1.x86_64.rpm | EG001200JWJNQ | HPD8 (C) | HPD8 |
| 940 | Online HDD/SSD Flash Component for Linux (x64) - EG000600JWJNP, EG001200JWJNQ, EG000600JXLVV, EG001200JXLWA and EG001200MXJQU Drives | firmware-hdd-bdfb8e99d9-HPD8-3.1.x86_64.rpm | EG000600JWJNP | HPD8 (C) | HPD8 |
| 941 | Online HDD/SSD Flash Component for Linux (x64) - EG000600JWJNP, EG001200JWJNQ, EG000600JXLVV, EG001200JXLWA and EG001200MXJQU Drives | firmware-hdd-bdfb8e99d9-HPD8-3.1.x86_64.rpm | EG001200MXJQU | HPD8 (C) | HPD8 |
| 942 | Online HDD/SSD Flash Component for Linux (x64) - EG000600JWJNP, EG001200JWJNQ, EG000600JXLVV, EG001200JXLWA and EG001200MXJQU Drives | firmware-hdd-bdfb8e99d9-HPD8-3.1.x86_64.rpm | EG000600JXLVV | HPD8 (C) | HPD8 |
| 943 | Online HDD/SSD Flash Component for Linux (x64) - EG000600JWJNP, EG001200JWJNQ, EG000600JXLVV, EG001200JXLWA and EG001200MXJQU Drives | firmware-hdd-bdfb8e99d9-HPD8-3.1.x86_64.rpm | EG001200JXLWA | HPD8 (C) | HPD8 |
| 944 | Online HDD/SSD Flash Component for Linux (x64) - EG001800JWFVC Drive                                                                 | firmware-hdd-693b9a2853-HPD4-7.1.x86_64.rpm | EG001800JWFVC | HPD4 (G) | HPD4 |
| 945 | Online HDD/SSD Flash Component for Linux (x64) - EG001800JWJNL and EG002400JWJNN Drives                                              | firmware-hdd-852266afdf-HPD5-6.1.x86_64.rpm | EG002400JWJNN | HPD5 (F) | HPD5 |
| 946 | Online HDD/SSD Flash Component for Linux (x64) - EG001800JWJNL and EG002400JWJNN Drives                                              | firmware-hdd-852266afdf-HPD5-6.1.x86_64.rpm | EG001800JWJNL | HPD5 (F) | HPD5 |
| 947 | Online HDD/SSD Flash Component for Linux (x64) - EG001800JWJNR, EG002400JWJNT, EG001800JXLWB, EG002400JXLWC and EG002400MXJQT Drives | firmware-hdd-b1c9eaf74c-HPDA-4.1.x86_64.rpm | EG001800JWJNR | HPDA (D) | HPDA |
| 948 | Online HDD/SSD Flash Component for Linux (x64) - EG001800JWJNR, EG002400JWJNT, EG001800JXLWB, EG002400JXLWC and EG002400MXJQT Drives | firmware-hdd-b1c9eaf74c-HPDA-4.1.x86_64.rpm | EG002400JWJNT | HPDA (D) | HPDA |
| 949 | Online HDD/SSD Flash Component for Linux (x64) - EG001800JWJNR, EG002400JWJNT, EG001800JXLWB, EG002400JXLWC and EG002400MXJQT Drives | firmware-hdd-b1c9eaf74c-HPDA-4.1.x86_64.rpm | EG002400MXJQT | HPDA (D) | HPDA |
| 950 | Online HDD/SSD Flash Component for Linux (x64) - EG001800JWJNR, EG002400JWJNT, EG001800JXLWB, EG002400JXLWC and EG002400MXJQT Drives | firmware-hdd-b1c9eaf74c-HPDA-4.1.x86_64.rpm | EG001800JXLWB | HPDA (D) | HPDA |
| 951 | Online HDD/SSD Flash Component for Linux (x64) - EG001800JWJNR, EG002400JWJNT, EG001800JXLWB, EG002400JXLWC and EG002400MXJQT Drives | firmware-hdd-b1c9eaf74c-HPDA-4.1.x86_64.rpm | EG002400JXLWC | HPDA (D) | HPDA |
| 952 | Online HDD/SSD Flash Component for Linux (x64) - EG0600JETKA, EG0900JETKB and EG1200JETKC Drives                                     | firmware-hdd-7505dfb5ae-HPD8-7.1.x86_64.rpm | EG1200JETKC   | HPD8 (G) | HPD8 |

|     |                                                                                                                                                                    |                                              |               |          |      |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|---------------|----------|------|
| 953 | Online HDD/SSD Flash Component for Linux (x64) - EG0600JETKA, EG0900JETKB and EG1200JETKC Drives                                                                   | firmware-hdd-7505dfb5ae-HPD8-7.1.x86_64.rpm  | EG0600JETKA   | HPD8 (G) | HPD8 |
| 954 | Online HDD/SSD Flash Component for Linux (x64) - EG0600JETKA, EG0900JETKB and EG1200JETKC Drives                                                                   | firmware-hdd-7505dfb5ae-HPD8-7.1.x86_64.rpm  | EG0900JETKB   | HPD8 (G) | HPD8 |
| 955 | Online HDD/SSD Flash Component for Linux (x64) - EG1800JFHHM Drive                                                                                                 | firmware-hdd-7fc5497116-HPD8-7.1.x86_64.rpm  | EG1800JFHHM   | HPD8 (G) | HPD8 |
| 956 | Online HDD/SSD Flash Component for Linux (x64) - EH000900JWHPK and EH000600JWHPH Drives                                                                            | firmware-hdd-c7df7ceedb-HPD8-4.1.x86_64.rpm  | EH000600JWHPH | HPD8 (D) | HPD8 |
| 957 | Online HDD/SSD Flash Component for Linux (x64) - EH000900JWHPK and EH000600JWHPH Drives                                                                            | firmware-hdd-c7df7ceedb-HPD8-4.1.x86_64.rpm  | EH000900JWHPK | HPD8 (D) | HPD8 |
| 958 | Online HDD/SSD Flash Component for Linux (x64) - EH000900JWHPP, EH000600JWHPN and EH000300JWHPL Drives                                                             | firmware-hdd-8d68452816-HPD8-4.1.x86_64.rpm  | EH000300JWHPL | HPD8 (D) | HPD8 |
| 959 | Online HDD/SSD Flash Component for Linux (x64) - EH000900JWHPP, EH000600JWHPN and EH000300JWHPL Drives                                                             | firmware-hdd-8d68452816-HPD8-4.1.x86_64.rpm  | EH000600JWHPN | HPD8 (D) | HPD8 |
| 960 | Online HDD/SSD Flash Component for Linux (x64) - EH000900JWHPP, EH000600JWHPN and EH000300JWHPL Drives                                                             | firmware-hdd-8d68452816-HPD8-4.1.x86_64.rpm  | EH000900JWHPP | HPD8 (D) | HPD8 |
| 961 | Online HDD/SSD Flash Component for Linux (x64) - EK0800JVYPN, EO1600JVYPP, MK0800JVYPQ and MO1600JVYPR Drives                                                      | firmware-hdd-481c8ea9a7-HPD7-8.1.x86_64.rpm  | MO1600JVYPR   | HPD7 (H) | HPD7 |
| 962 | Online HDD/SSD Flash Component for Linux (x64) - EK0800JVYPN, EO1600JVYPP, MK0800JVYPQ and MO1600JVYPR Drives                                                      | firmware-hdd-481c8ea9a7-HPD7-8.1.x86_64.rpm  | EO1600JVYPP   | HPD7 (H) | HPD7 |
| 963 | Online HDD/SSD Flash Component for Linux (x64) - EK0800JVYPN, EO1600JVYPP, MK0800JVYPQ and MO1600JVYPR Drives                                                      | firmware-hdd-481c8ea9a7-HPD7-8.1.x86_64.rpm  | MK0800JVYPQ   | HPD7 (H) | HPD7 |
| 964 | Online HDD/SSD Flash Component for Linux (x64) - EK0800JVYPN, EO1600JVYPP, MK0800JVYPQ and MO1600JVYPR Drives                                                      | firmware-hdd-481c8ea9a7-HPD7-8.1.x86_64.rpm  | EK0800JVYPN   | HPD7 (H) | HPD7 |
| 965 | Online HDD/SSD Flash Component for Linux (x64) - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR, MO000400JWDKU, MO000800JWDKV, MO001600JWDLA and MO003200JWDLB Drives | firmware-hdd-5dcf26fa42-HPD2-11.1.x86_64.rpm | EO001600JWDKR | HPD2 (K) | HPD2 |
| 966 | Online HDD/SSD Flash Component for Linux (x64) - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR, MO000400JWDKU, MO000800JWDKV, MO001600JWDLA and MO003200JWDLB Drives | firmware-hdd-5dcf26fa42-HPD2-11.1.x86_64.rpm | MO001600JWDLA | HPD2 (K) | HPD2 |
| 967 | Online HDD/SSD Flash Component for Linux (x64) - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR, MO000400JWDKU, MO000800JWDKV, MO001600JWDLA and MO003200JWDLB Drives | firmware-hdd-5dcf26fa42-HPD2-11.1.x86_64.rpm | MO003200JWDLB | HPD2 (K) | HPD2 |
| 968 | Online HDD/SSD Flash Component for Linux (x64) - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR,                                                                      | firmware-hdd-5dcf26fa42-HPD2-11.1.x86_64.rpm | EO000400JWDKP | HPD2 (K) | HPD2 |

|     |                                                                                                                                                                                                                                                                      |                                                      |                |          |      |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|----------------|----------|------|
|     | MO000400JWDKU,<br>MO000800JWDKV, MO001600JWDLA<br>and MO003200JWDLB Drives                                                                                                                                                                                           |                                                      |                |          |      |
| 969 | Online HDD/SSD Flash Component for<br>Linux (x64) - EO000400JWDKP,<br>EO000800JWDKQ, EO001600JWDKR,<br>MO000400JWDKU,<br>MO000800JWDKV, MO001600JWDLA<br>and MO003200JWDLB Drives                                                                                    | firmware-hdd-<br>5dcf26fa42-HPD2-<br>11.1.x86_64.rpm | MO000400JWDKU  | HPD2 (K) | HPD2 |
| 970 | Online HDD/SSD Flash Component for<br>Linux (x64) - EO000400JWDKP,<br>EO000800JWDKQ, EO001600JWDKR,<br>MO000400JWDKU,<br>MO000800JWDKV, MO001600JWDLA<br>and MO003200JWDLB Drives                                                                                    | firmware-hdd-<br>5dcf26fa42-HPD2-<br>11.1.x86_64.rpm | EO000800JWDKQ  | HPD2 (K) | HPD2 |
| 971 | Online HDD/SSD Flash Component for<br>Linux (x64) - EO000400JWDKP,<br>EO000800JWDKQ, EO001600JWDKR,<br>MO000400JWDKU,<br>MO000800JWDKV, MO001600JWDLA<br>and MO003200JWDLB Drives                                                                                    | firmware-hdd-<br>5dcf26fa42-HPD2-<br>11.1.x86_64.rpm | MO000800JWDKV  | HPD2 (K) | HPD2 |
| 972 | Online HDD/SSD Flash Component for<br>Linux (x64) - EO000400PXDBQ,<br>EO000800PXDCCK, EO001600PXDCCH,<br>MO000800PXDBP, MO001600PXDCD,<br>MO003200PXDCD, MO006400PXDCD,<br>VO000960PXDBN, VO001920PXDBR,<br>VO003840PXDBT, VO007680PXDBU<br>and VO015300PXDBV Drives | firmware-hdd-<br>42aff4675b-HPD4-<br>1.1.x86_64.rpm  | EO000800PXDCCK | HPD4     | HPD4 |
| 973 | Online HDD/SSD Flash Component for<br>Linux (x64) - EO000400PXDBQ,<br>EO000800PXDCCK, EO001600PXDCCH,<br>MO000800PXDBP, MO001600PXDCD,<br>MO003200PXDCD, MO006400PXDCD,<br>VO000960PXDBN, VO001920PXDBR,<br>VO003840PXDBT, VO007680PXDBU<br>and VO015300PXDBV Drives | firmware-hdd-<br>42aff4675b-HPD4-<br>1.1.x86_64.rpm  | MO000800PXDBP  | HPD4     | HPD4 |
| 974 | Online HDD/SSD Flash Component for<br>Linux (x64) - EO000400PXDBQ,<br>EO000800PXDCCK, EO001600PXDCCH,<br>MO000800PXDBP, MO001600PXDCD,<br>MO003200PXDCD, MO006400PXDCD,<br>VO000960PXDBN, VO001920PXDBR,<br>VO003840PXDBT, VO007680PXDBU<br>and VO015300PXDBV Drives | firmware-hdd-<br>42aff4675b-HPD4-<br>1.1.x86_64.rpm  | EO000400PXDBQ  | HPD4     | HPD4 |
| 975 | Online HDD/SSD Flash Component for<br>Linux (x64) - EO000400PXDBQ,<br>EO000800PXDCCK, EO001600PXDCCH,<br>MO000800PXDBP, MO001600PXDCD,<br>MO003200PXDCD, MO006400PXDCD,<br>VO000960PXDBN, VO001920PXDBR,<br>VO003840PXDBT, VO007680PXDBU<br>and VO015300PXDBV Drives | firmware-hdd-<br>42aff4675b-HPD4-<br>1.1.x86_64.rpm  | EO001600PXDCCH | HPD4     | HPD4 |
| 976 | Online HDD/SSD Flash Component for<br>Linux (x64) - EO000400PXDBQ,<br>EO000800PXDCCK, EO001600PXDCCH,<br>MO000800PXDBP, MO001600PXDCD,<br>MO003200PXDCD, MO006400PXDCD,<br>VO000960PXDBN, VO001920PXDBR,<br>VO003840PXDBT, VO007680PXDBU<br>and VO015300PXDBV Drives | firmware-hdd-<br>42aff4675b-HPD4-<br>1.1.x86_64.rpm  | MO001600PXDCD  | HPD4     | HPD4 |
| 977 | Online HDD/SSD Flash Component for<br>Linux (x64) - EO000400PXDBQ,<br>EO000800PXDCCK, EO001600PXDCCH,<br>MO000800PXDBP, MO001600PXDCD,<br>MO003200PXDCD, MO006400PXDCD,                                                                                              | firmware-hdd-<br>42aff4675b-HPD4-<br>1.1.x86_64.rpm  | MO006400PXDCD  | HPD4     | HPD4 |

|     |                                                                                                                                                                                                                                               |                                             |               |          |      |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------|----------|------|
|     | VO000960PXDBN, VO001920PXDBR, VO003840PXDBT, VO007680PXDBU and VO015300PXDBV Drives                                                                                                                                                           |                                             |               |          |      |
| 978 | Online HDD/SSD Flash Component for Linux (x64) - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCD, MO006400PXDCE, VO000960PXDBN, VO001920PXDBR, VO003840PXDBT, VO007680PXDBU and VO015300PXDBV Drives | firmware-hdd-42aff4675b-HPD4-1.1.x86_64.rpm | VO007680PXDBU | HPD4     | HPD4 |
| 979 | Online HDD/SSD Flash Component for Linux (x64) - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCD, MO006400PXDCE, VO000960PXDBN, VO001920PXDBR, VO003840PXDBT, VO007680PXDBU and VO015300PXDBV Drives | firmware-hdd-42aff4675b-HPD4-1.1.x86_64.rpm | VO001920PXDBR | HPD4     | HPD4 |
| 980 | Online HDD/SSD Flash Component for Linux (x64) - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCD, MO006400PXDCE, VO000960PXDBN, VO001920PXDBR, VO003840PXDBT, VO007680PXDBU and VO015300PXDBV Drives | firmware-hdd-42aff4675b-HPD4-1.1.x86_64.rpm | MO003200PXDCD | HPD4     | HPD4 |
| 981 | Online HDD/SSD Flash Component for Linux (x64) - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCD, MO006400PXDCE, VO000960PXDBN, VO001920PXDBR, VO003840PXDBT, VO007680PXDBU and VO015300PXDBV Drives | firmware-hdd-42aff4675b-HPD4-1.1.x86_64.rpm | VO015300PXDBV | HPD4     | HPD4 |
| 982 | Online HDD/SSD Flash Component for Linux (x64) - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCD, MO006400PXDCE, VO000960PXDBN, VO001920PXDBR, VO003840PXDBT, VO007680PXDBU and VO015300PXDBV Drives | firmware-hdd-42aff4675b-HPD4-1.1.x86_64.rpm | VO000960PXDBN | HPD4     | HPD4 |
| 983 | Online HDD/SSD Flash Component for Linux (x64) - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCD, MO006400PXDCE, VO000960PXDBN, VO001920PXDBR, VO003840PXDBT, VO007680PXDBU and VO015300PXDBV Drives | firmware-hdd-42aff4675b-HPD4-1.1.x86_64.rpm | VO003840PXDBT | HPD4     | HPD4 |
| 984 | Online HDD/SSD Flash Component for Linux (x64) - MB002000JWFVN and MB004000JWFVP Drives                                                                                                                                                       | firmware-hdd-d7af557f47-HPD4-8.1.x86_64.rpm | MB002000JWFVN | HPD4 (H) | HPD4 |
| 985 | Online HDD/SSD Flash Component for Linux (x64) - MB002000JWFVN and MB004000JWFVP Drives                                                                                                                                                       | firmware-hdd-d7af557f47-HPD4-8.1.x86_64.rpm | MB004000JWFVP | HPD4 (H) | HPD4 |
| 986 | Online HDD/SSD Flash Component for Linux (x64) - MB002000JYDNE and MB004000JYDPB Drives                                                                                                                                                       | firmware-hdd-d4be2aecbb-HPD2-5.1.x86_64.rpm | MB004000JYDPB | HPD2 (E) | HPD2 |
| 987 | Online HDD/SSD Flash Component for Linux (x64) - MB002000JYDNE and MB004000JYDPB Drives                                                                                                                                                       | firmware-hdd-d4be2aecbb-HPD2-5.1.x86_64.rpm | MB002000JYDNE | HPD2 (E) | HPD2 |
| 988 | Online HDD/SSD Flash Component for Linux (x64) - MB004000JWFVK and MB006000JWFVL Drives                                                                                                                                                       | firmware-hdd-f6d00bd17e-HPD4-7.1.x86_64.rpm | MB004000JWFVK | HPD4 (G) | HPD4 |

|      |                                                                                                                                      |                                             |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------|----------|------|
| 989  | Online HDD/SSD Flash Component for Linux (x64) - MB004000JWFVK and MB006000JWFVL Drives                                              | firmware-hdd-f6d00bd17e-HPD4-7.1.x86_64.rpm | MB006000JWFVL | HPD4 (G) | HPD4 |
| 990  | Online HDD/SSD Flash Component for Linux (x64) - MB004000JWKGU Drive                                                                 | firmware-hdd-2c27a7a9a4-HPD2-7.1.x86_64.rpm | MB004000JWKGU | HPD2 (G) | HPD2 |
| 991  | Online HDD/SSD Flash Component for Linux (x64) - MB004000JWWQB and MB002000JWWQA Drives                                              | firmware-hdd-adb3ab8147-HPD8-5.1.x86_64.rpm | MB004000JWWQB | HPD8 (E) | HPD8 |
| 992  | Online HDD/SSD Flash Component for Linux (x64) - MB004000JWWQB and MB002000JWWQA Drives                                              | firmware-hdd-adb3ab8147-HPD8-5.1.x86_64.rpm | MB002000JWWQA | HPD8 (E) | HPD8 |
| 993  | Online HDD/SSD Flash Component for Linux (x64) - MB006000JWKGN Drive                                                                 | firmware-hdd-a886842a99-HPD2-7.1.x86_64.rpm | MB006000JWKGN | HPD2 (G) | HPD2 |
| 994  | Online HDD/SSD Flash Component for Linux (x64) - MB006000JYDNF and MB008000JYDPC Drives                                              | firmware-hdd-b04df66fe9-HPD2-5.1.x86_64.rpm | MB006000JYDNF | HPD2 (E) | HPD2 |
| 995  | Online HDD/SSD Flash Component for Linux (x64) - MB006000JYDNF and MB008000JYDPC Drives                                              | firmware-hdd-b04df66fe9-HPD2-5.1.x86_64.rpm | MB008000JYDPC | HPD2 (E) | HPD2 |
| 996  | Online HDD/SSD Flash Component for Linux (x64) - MB008000JWJRQ and MB006000JWJRP Drives                                              | firmware-hdd-faf39e0ff7-HPD9-7.1.x86_64.rpm | MB008000JWJRQ | HPD9 (G) | HPD9 |
| 997  | Online HDD/SSD Flash Component for Linux (x64) - MB008000JWJRQ and MB006000JWJRP Drives                                              | firmware-hdd-faf39e0ff7-HPD9-7.1.x86_64.rpm | MB006000JWJRP | HPD9 (G) | HPD9 |
| 998  | Online HDD/SSD Flash Component for Linux (x64) - MB008000JWRTD Drive                                                                 | firmware-hdd-8b26d1ef02-HPD2-8.1.x86_64.rpm | MB008000JWRTD | HPD2 (H) | HPD2 |
| 999  | Online HDD/SSD Flash Component for Linux (x64) - MB008000JWWQP and MB006000JWWQN Drives                                              | firmware-hdd-ae6b41e855-HPD8-5.1.x86_64.rpm | MB006000JWWQN | HPD8 (E) | HPD8 |
| 1000 | Online HDD/SSD Flash Component for Linux (x64) - MB008000JWWQP and MB006000JWWQN Drives                                              | firmware-hdd-ae6b41e855-HPD8-5.1.x86_64.rpm | MB008000JWWQP | HPD8 (E) | HPD8 |
| 1001 | Online HDD/SSD Flash Component for Linux (x64) - MB010000JWAYK and MB008000JWAYH Drives                                              | firmware-hdd-6ec35faf90-HPD6-7.1.x86_64.rpm | MB010000JWAYK | HPD6 (G) | HPD6 |
| 1002 | Online HDD/SSD Flash Component for Linux (x64) - MB010000JWAYK and MB008000JWAYH Drives                                              | firmware-hdd-6ec35faf90-HPD6-7.1.x86_64.rpm | MB008000JWAYH | HPD6 (G) | HPD6 |
| 1003 | Online HDD/SSD Flash Component for Linux (x64) - MB010000JWZHA, MB012000JWZHB, MB014000JWZHC and MB016000JWZHE Drives                | firmware-hdd-cf0b6cabe1-HPD4-4.1.x86_64.rpm | MB010000JWZHA | HPD4 (D) | HPD4 |
| 1004 | Online HDD/SSD Flash Component for Linux (x64) - MB010000JWZHA, MB012000JWZHB, MB014000JWZHC and MB016000JWZHE Drives                | firmware-hdd-cf0b6cabe1-HPD4-4.1.x86_64.rpm | MB016000JWZHE | HPD4 (D) | HPD4 |
| 1005 | Online HDD/SSD Flash Component for Linux (x64) - MB010000JWZHA, MB012000JWZHB, MB014000JWZHC and MB016000JWZHE Drives                | firmware-hdd-cf0b6cabe1-HPD4-4.1.x86_64.rpm | MB014000JWZHC | HPD4 (D) | HPD4 |
| 1006 | Online HDD/SSD Flash Component for Linux (x64) - MB010000JWZHA, MB012000JWZHB, MB014000JWZHC and MB016000JWZHE Drives                | firmware-hdd-cf0b6cabe1-HPD4-4.1.x86_64.rpm | MB012000JWZHB | HPD4 (D) | HPD4 |
| 1007 | Online HDD/SSD Flash Component for Linux (x64) - MB010000JYDKK, MB012000JYCJF, MB014000JYCJV, MB016000JYDKL and MB018000JYDKN Drives | firmware-hdd-8173816d98-HPD3-2.1.x86_64.rpm | MB010000JYDKK | HPD3 (B) | HPD3 |
| 1008 | Online HDD/SSD Flash Component for Linux (x64) - MB010000JYDKK, MB012000JYCJF, MB014000JYCJV,                                        | firmware-hdd-8173816d98-HPD3-2.1.x86_64.rpm | MB012000JYCJF | HPD3 (B) | HPD3 |

|      |                                                                                                                                      |                                              |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|---------------|----------|------|
|      | MB016000JYDKL and MB018000JYDKN Drives                                                                                               |                                              |               |          |      |
| 1009 | Online HDD/SSD Flash Component for Linux (x64) - MB010000JYDKK, MB012000JYCJF, MB014000JYCJV, MB016000JYDKL and MB018000JYDKN Drives | firmware-hdd-8173816d98-HPD3-2.1.x86_64.rpm  | MB014000JYCJV | HPD3 (B) | HPD3 |
| 1010 | Online HDD/SSD Flash Component for Linux (x64) - MB010000JYDKK, MB012000JYCJF, MB014000JYCJV, MB016000JYDKL and MB018000JYDKN Drives | firmware-hdd-8173816d98-HPD3-2.1.x86_64.rpm  | MB016000JYDKL | HPD3 (B) | HPD3 |
| 1011 | Online HDD/SSD Flash Component for Linux (x64) - MB010000JYDKK, MB012000JYCJF, MB014000JYCJV, MB016000JYDKL and MB018000JYDKN Drives | firmware-hdd-8173816d98-HPD3-2.1.x86_64.rpm  | MB018000JYDKN | HPD3 (B) | HPD3 |
| 1012 | Online HDD/SSD Flash Component for Linux (x64) - MB012000JWDFD Drive                                                                 | firmware-hdd-aaf1014ede-HPD4-2.1.x86_64.rpm  | MB012000JWDFD | HPD4 (B) | HPD4 |
| 1013 | Online HDD/SSD Flash Component for Linux (x64) - MB012000JZYVN, MB014000JZYVP, MB016000JZYVQ and MB018000JYCLK Drives                | firmware-hdd-87b796d9ae-HPD4-2.1.x86_64.rpm  | MB012000JZYVN | HPD4 (B) | HPD4 |
| 1014 | Online HDD/SSD Flash Component for Linux (x64) - MB012000JZYVN, MB014000JZYVP, MB016000JZYVQ and MB018000JYCLK Drives                | firmware-hdd-87b796d9ae-HPD4-2.1.x86_64.rpm  | MB014000JZYVP | HPD4 (B) | HPD4 |
| 1015 | Online HDD/SSD Flash Component for Linux (x64) - MB012000JZYVN, MB014000JZYVP, MB016000JZYVQ and MB018000JYCLK Drives                | firmware-hdd-87b796d9ae-HPD4-2.1.x86_64.rpm  | MB016000JZYVQ | HPD4 (B) | HPD4 |
| 1016 | Online HDD/SSD Flash Component for Linux (x64) - MB012000JZYVN, MB014000JZYVP, MB016000JZYVQ and MB018000JYCLK Drives                | firmware-hdd-87b796d9ae-HPD4-2.1.x86_64.rpm  | MB018000JYCLK | HPD4 (B) | HPD4 |
| 1017 | Online HDD/SSD Flash Component for Linux (x64) - MB014000JWRTH, MB012000JWRTF and MB010000JWRTE Drives                               | firmware-hdd-10385ef3e6-HPD2-12.1.x86_64.rpm | MB014000JWRTH | HPD2 (L) | HPD2 |
| 1018 | Online HDD/SSD Flash Component for Linux (x64) - MB014000JWRTH, MB012000JWRTF and MB010000JWRTE Drives                               | firmware-hdd-10385ef3e6-HPD2-12.1.x86_64.rpm | MB012000JWRTF | HPD2 (L) | HPD2 |
| 1019 | Online HDD/SSD Flash Component for Linux (x64) - MB014000JWRTH, MB012000JWRTF and MB010000JWRTE Drives                               | firmware-hdd-10385ef3e6-HPD2-12.1.x86_64.rpm | MB010000JWRTE | HPD2 (L) | HPD2 |
| 1020 | Online HDD/SSD Flash Component for Linux (x64) - MB014000JWTFD and MB012000JWTFD Drives                                              | firmware-hdd-4ba9615f90-HPD8-7.1.x86_64.rpm  | MB014000JWTFD | HPD8 (G) | HPD8 |
| 1021 | Online HDD/SSD Flash Component for Linux (x64) - MB014000JWTFD and MB012000JWTFD Drives                                              | firmware-hdd-4ba9615f90-HPD8-7.1.x86_64.rpm  | MB012000JWTFD | HPD8 (G) | HPD8 |
| 1022 | Online HDD/SSD Flash Component for Linux (x64) - MB014000JWUDB Drive                                                                 | firmware-hdd-cfd7436fcc-HPD4-2.1.x86_64.rpm  | MB014000JWUDB | HPD4 (B) | HPD4 |
| 1023 | Online HDD/SSD Flash Component for Linux (x64) - MB014000JXUCC Drive                                                                 | firmware-hdd-017797f12e-HPD4-3.1.x86_64.rpm  | MB014000JXUCC | HPD4 (C) | HPD4 |
| 1024 | Online HDD/SSD Flash Component for Linux (x64) - MB016000JWXKH Drive                                                                 | firmware-hdd-8a0371a425-HPDA-3.1.x86_64.rpm  | MB016000JWXKH | HPDA (C) | HPDA |
| 1025 | Online HDD/SSD Flash Component for Linux (x64) - MB016000JXLBA and MB018000JXLAU Drives                                              | firmware-hdd-d550523365-HPD3-3.1.x86_64.rpm  | MB016000JXLBA | HPD3 (C) | HPD3 |

|      |                                                                                                                                                                    |                                              |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|---------------|----------|------|
| 1026 | Online HDD/SSD Flash Component for Linux (x64) - MB016000JXLBA and MB018000JXLAU Drives                                                                            | firmware-hdd-d550523365-HPD3-3.1.x86_64.rpm  | MB018000JXLAU | HPD3 (C) | HPD3 |
| 1027 | Online HDD/SSD Flash Component for Linux (x64) - MB018000JXMTH and MB020000JXMTP Drives                                                                            | firmware-hdd-020fc874ad-HPD2-2.1.x86_64.rpm  | MB020000JXMTP | HPD2 (B) | HPD2 |
| 1028 | Online HDD/SSD Flash Component for Linux (x64) - MB018000JXMTH and MB020000JXMTP Drives                                                                            | firmware-hdd-020fc874ad-HPD2-2.1.x86_64.rpm  | MB018000JXMTH | HPD2 (B) | HPD2 |
| 1029 | Online HDD/SSD Flash Component for Linux (x64) - MB2000JFDSL and MB4000JFDSN Drives                                                                                | firmware-hdd-46fc43ab26-HPD4-13.1.x86_64.rpm | MB2000JFDSL   | HPD4 (M) | HPD4 |
| 1030 | Online HDD/SSD Flash Component for Linux (x64) - MB2000JFDSL and MB4000JFDSN Drives                                                                                | firmware-hdd-46fc43ab26-HPD4-13.1.x86_64.rpm | MB4000JFDSN   | HPD4 (M) | HPD4 |
| 1031 | Online HDD/SSD Flash Component for Linux (x64) - MM1000JEFRB and MM2000JEFRB Drives                                                                                | firmware-hdd-b04257b77b-HPDA-4.1.x86_64.rpm  | MM1000JEFRB   | HPDA (D) | HPDA |
| 1032 | Online HDD/SSD Flash Component for Linux (x64) - MM1000JEFRB and MM2000JEFRB Drives                                                                                | firmware-hdd-b04257b77b-HPDA-4.1.x86_64.rpm  | MM2000JEFRB   | HPDA (D) | HPDA |
| 1033 | Online HDD/SSD Flash Component for Linux (x64) - MM1000JFJTH Drive                                                                                                 | firmware-hdd-fa46c607d6-HPD5-4.1.x86_64.rpm  | MM1000JFJTH   | HPD5 (D) | HPD5 |
| 1034 | Online HDD/SSD Flash Component for Linux (x64) - MO000400JWFVN, MO000800JWFVP, MO001600JWFVQ, MO003200JWFVR, MO000960JWFVT, MO001920JWFVU and MO003840JWFVV Drives | firmware-hdd-b8a60f9e9a-HPD5-10.1.x86_64.rpm | MO003200JWFVR | HPD5 (J) | HPD5 |
| 1035 | Online HDD/SSD Flash Component for Linux (x64) - MO000400JWFVN, MO000800JWFVP, MO001600JWFVQ, MO003200JWFVR, MO000960JWFVT, MO001920JWFVU and MO003840JWFVV Drives | firmware-hdd-b8a60f9e9a-HPD5-10.1.x86_64.rpm | MO001920JWFVU | HPD5 (J) | HPD5 |
| 1036 | Online HDD/SSD Flash Component for Linux (x64) - MO000400JWFVN, MO000800JWFVP, MO001600JWFVQ, MO003200JWFVR, MO000960JWFVT, MO001920JWFVU and MO003840JWFVV Drives | firmware-hdd-b8a60f9e9a-HPD5-10.1.x86_64.rpm | MO001600JWFVQ | HPD5 (J) | HPD5 |
| 1037 | Online HDD/SSD Flash Component for Linux (x64) - MO000400JWFVN, MO000800JWFVP, MO001600JWFVQ, MO003200JWFVR, MO000960JWFVT, MO001920JWFVU and MO003840JWFVV Drives | firmware-hdd-b8a60f9e9a-HPD5-10.1.x86_64.rpm | MO000960JWFVT | HPD5 (J) | HPD5 |
| 1038 | Online HDD/SSD Flash Component for Linux (x64) - MO000400JWFVN, MO000800JWFVP, MO001600JWFVQ, MO003200JWFVR, MO000960JWFVT, MO001920JWFVU and MO003840JWFVV Drives | firmware-hdd-b8a60f9e9a-HPD5-10.1.x86_64.rpm | MO000800JWFVP | HPD5 (J) | HPD5 |
| 1039 | Online HDD/SSD Flash Component for Linux (x64) - MO000400JWFVN, MO000800JWFVP, MO001600JWFVQ, MO003200JWFVR, MO000960JWFVT, MO001920JWFVU and MO003840JWFVV Drives | firmware-hdd-b8a60f9e9a-HPD5-10.1.x86_64.rpm | MO000400JWFVN | HPD5 (J) | HPD5 |

|      |                                                                                                                                                                                                                                                         |                                                      |               |          |      |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|---------------|----------|------|
|      | MO000800JWFWP,<br>MO001600JFWQ,<br>MO003200JFWR,<br>MO000960JFWT,<br>MO001920JFWU and<br>MO003840JFWV Drives                                                                                                                                            | 10.1.x86_64.rpm                                      |               |          |      |
| 1040 | Online HDD/SSD Flash Component for<br>Linux (x64) - MO000400JFWN,<br>MO000800JWFWP,<br>MO001600JFWQ,<br>MO003200JFWR,<br>MO000960JFWT,<br>MO001920JFWU and<br>MO003840JFWV Drives                                                                       | firmware-hdd-<br>b8a60fbe9a-HPD5-<br>10.1.x86_64.rpm | MO003840JFWV  | HPD5 (J) | HPD5 |
| 1041 | Online HDD/SSD Flash Component for<br>Linux (x64) - MO000800JXBEV,<br>MO001600JBFP, MO003200JBFQ,<br>MO006400JBFR, MO000960JBFA,<br>MO001920JBFT, MO003840JBFU,<br>MO007680JBGA, MO015360JBFV,<br>EO000400JBEU, EO000800JBFL and<br>EO001600JBFN Drives | firmware-hdd-<br>24384980ec-HPD1-<br>7.1.x86_64.rpm  | MO000800JXBEV | HPD1 (G) | HPD1 |
| 1042 | Online HDD/SSD Flash Component for<br>Linux (x64) - MO000800JXBEV,<br>MO001600JBFP, MO003200JBFQ,<br>MO006400JBFR, MO000960JBFA,<br>MO001920JBFT, MO003840JBFU,<br>MO007680JBGA, MO015360JBFV,<br>EO000400JBEU, EO000800JBFL and<br>EO001600JBFN Drives | firmware-hdd-<br>24384980ec-HPD1-<br>7.1.x86_64.rpm  | MO001600JBFP  | HPD1 (G) | HPD1 |
| 1043 | Online HDD/SSD Flash Component for<br>Linux (x64) - MO000800JXBEV,<br>MO001600JBFP, MO003200JBFQ,<br>MO006400JBFR, MO000960JBFA,<br>MO001920JBFT, MO003840JBFU,<br>MO007680JBGA, MO015360JBFV,<br>EO000400JBEU, EO000800JBFL and<br>EO001600JBFN Drives | firmware-hdd-<br>24384980ec-HPD1-<br>7.1.x86_64.rpm  | MO003200JBFQ  | HPD1 (G) | HPD1 |
| 1044 | Online HDD/SSD Flash Component for<br>Linux (x64) - MO000800JXBEV,<br>MO001600JBFP, MO003200JBFQ,<br>MO006400JBFR, MO000960JBFA,<br>MO001920JBFT, MO003840JBFU,<br>MO007680JBGA, MO015360JBFV,<br>EO000400JBEU, EO000800JBFL and<br>EO001600JBFN Drives | firmware-hdd-<br>24384980ec-HPD1-<br>7.1.x86_64.rpm  | MO006400JBFR  | HPD1 (G) | HPD1 |
| 1045 | Online HDD/SSD Flash Component for<br>Linux (x64) - MO000800JXBEV,<br>MO001600JBFP, MO003200JBFQ,<br>MO006400JBFR, MO000960JBFA,<br>MO001920JBFT, MO003840JBFU,<br>MO007680JBGA, MO015360JBFV,<br>EO000400JBEU, EO000800JBFL and<br>EO001600JBFN Drives | firmware-hdd-<br>24384980ec-HPD1-<br>7.1.x86_64.rpm  | MO000960JBFA  | HPD1 (G) | HPD1 |
| 1046 | Online HDD/SSD Flash Component for<br>Linux (x64) - MO000800JXBEV,<br>MO001600JBFP, MO003200JBFQ,<br>MO006400JBFR, MO000960JBFA,<br>MO001920JBFT, MO003840JBFU,<br>MO007680JBGA, MO015360JBFV,<br>EO000400JBEU, EO000800JBFL and<br>EO001600JBFN Drives | firmware-hdd-<br>24384980ec-HPD1-<br>7.1.x86_64.rpm  | MO001920JBFT  | HPD1 (G) | HPD1 |
| 1047 | Online HDD/SSD Flash Component for<br>Linux (x64) - MO000800JXBEV,<br>MO001600JBFP, MO003200JBFQ,<br>MO006400JBFR, MO000960JBFA,                                                                                                                        | firmware-hdd-<br>24384980ec-HPD1-<br>7.1.x86_64.rpm  | MO003840JBFU  | HPD1 (G) | HPD1 |



|      |                                                                                                                                                                                                                                              |                                             |               |          |      |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------|----------|------|
|      | MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives                                                                                                                            |                                             |               |          |      |
| 1048 | Online HDD/SSD Flash Component for Linux (x64) - MO000800JXBEV, MO001600JXBFP, MO003200JXBQ, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives | firmware-hdd-24384980ec-HPD1-7.1.x86_64.rpm | MO007680JXBGA | HPD1 (G) | HPD1 |
| 1049 | Online HDD/SSD Flash Component for Linux (x64) - MO000800JXBEV, MO001600JXBFP, MO003200JXBQ, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives | firmware-hdd-24384980ec-HPD1-7.1.x86_64.rpm | MO015360JXBFV | HPD1 (G) | HPD1 |
| 1050 | Online HDD/SSD Flash Component for Linux (x64) - MO000800JXBEV, MO001600JXBFP, MO003200JXBQ, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives | firmware-hdd-24384980ec-HPD1-7.1.x86_64.rpm | EO000400JXBEU | HPD1 (G) | HPD1 |
| 1051 | Online HDD/SSD Flash Component for Linux (x64) - MO000800JXBEV, MO001600JXBFP, MO003200JXBQ, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives | firmware-hdd-24384980ec-HPD1-7.1.x86_64.rpm | EO000800JXBFL | HPD1 (G) | HPD1 |
| 1052 | Online HDD/SSD Flash Component for Linux (x64) - MO000800JXBEV, MO001600JXBFP, MO003200JXBQ, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives | firmware-hdd-24384980ec-HPD1-7.1.x86_64.rpm | EO001600JXBFN | HPD1 (G) | HPD1 |
| 1053 | Online HDD/SSD Flash Component for Linux (x64) - VK000960JWSSQ, VK001920JWSSR, VK003840JWSST, VK007680JWSSU and VO015300JWSSV Drives                                                                                                         | firmware-hdd-1e51a57347-HPD8-9.1.x86_64.rpm | VO015300JWSSV | HPD8 (I) | HPD8 |
| 1054 | Online HDD/SSD Flash Component for Linux (x64) - VK000960JWSSQ, VK001920JWSSR, VK003840JWSST, VK007680JWSSU and VO015300JWSSV Drives                                                                                                         | firmware-hdd-1e51a57347-HPD8-9.1.x86_64.rpm | VK007680JWSSU | HPD8 (I) | HPD8 |
| 1055 | Online HDD/SSD Flash Component for Linux (x64) - VK000960JWSSQ, VK001920JWSSR, VK003840JWSST, VK007680JWSSU and VO015300JWSSV Drives                                                                                                         | firmware-hdd-1e51a57347-HPD8-9.1.x86_64.rpm | VK003840JWSST | HPD8 (I) | HPD8 |
| 1056 | Online HDD/SSD Flash Component for Linux (x64) - VK000960JWSSQ, VK001920JWSSR, VK003840JWSST, VK007680JWSSU and VO015300JWSSV Drives                                                                                                         | firmware-hdd-1e51a57347-HPD8-9.1.x86_64.rpm | VK001920JWSSR | HPD8 (I) | HPD8 |
| 1057 | Online HDD/SSD Flash Component for Linux (x64) - VK000960JWSSQ,                                                                                                                                                                              | firmware-hdd-1e51a57347-HPD8-               | VK000960JWSSQ | HPD8 (I) | HPD8 |

|      |                                                                                                                                                                                                                                                  |                                             |                |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|----------------|----------|------|
|      | VK001920JWSSR, VK003840JWSST, VK007680JWSSU and VO015300JWSSV Drives                                                                                                                                                                             | 9.1.x86_64.rpm                              |                |          |      |
| 1058 | Online HDD/SSD Flash Component for Linux (x64) - VO000800JWZJP, VO001600JWZJQ, VO003200JWZJR and VO006400JWZJT Drives                                                                                                                            | firmware-hdd-a07a420ed1-HPD5-3.1.x86_64.rpm | VO006400JWZJT  | HPD5 (C) | HPD5 |
| 1059 | Online HDD/SSD Flash Component for Linux (x64) - VO000800JWZJP, VO001600JWZJQ, VO003200JWZJR and VO006400JWZJT Drives                                                                                                                            | firmware-hdd-a07a420ed1-HPD5-3.1.x86_64.rpm | VO003200JWZJR  | HPD5 (C) | HPD5 |
| 1060 | Online HDD/SSD Flash Component for Linux (x64) - VO000800JWZJP, VO001600JWZJQ, VO003200JWZJR and VO006400JWZJT Drives                                                                                                                            | firmware-hdd-a07a420ed1-HPD5-3.1.x86_64.rpm | VO001600JWZJQ  | HPD5 (C) | HPD5 |
| 1061 | Online HDD/SSD Flash Component for Linux (x64) - VO000800JWZJP, VO001600JWZJQ, VO003200JWZJR and VO006400JWZJT Drives                                                                                                                            | firmware-hdd-a07a420ed1-HPD5-3.1.x86_64.rpm | VO000800JWZJP  | HPD5 (C) | HPD5 |
| 1062 | Online HDD/SSD Flash Component for Linux (x64) - VO000960JWTBK, VO001920JWTL, VO003840JWTLN, VO007680JWTLB, MO000400JWTLQ, MO000800JWTLR, MO001600JWTLT, MO003200JWTLU, MO006400JWTLCD, EO000400JWTLBV, EO000800JWTLCA and EO001600JWTLCB Drives | firmware-hdd-9ad359dac1-HPDB-2.1.x86_64.rpm | VO007680JWTLB  | HPDB (B) | HPDB |
| 1063 | Online HDD/SSD Flash Component for Linux (x64) - VO000960JWTBK, VO001920JWTL, VO003840JWTLN, VO007680JWTLB, MO000400JWTLQ, MO000800JWTLR, MO001600JWTLT, MO003200JWTLU, MO006400JWTLCD, EO000400JWTLBV, EO000800JWTLCA and EO001600JWTLCB Drives | firmware-hdd-9ad359dac1-HPDB-2.1.x86_64.rpm | MO006400JWTLCD | HPDB (B) | HPDB |
| 1064 | Online HDD/SSD Flash Component for Linux (x64) - VO000960JWTBK, VO001920JWTL, VO003840JWTLN, VO007680JWTLB, MO000400JWTLQ, MO000800JWTLR, MO001600JWTLT, MO003200JWTLU, MO006400JWTLCD, EO000400JWTLBV, EO000800JWTLCA and EO001600JWTLCB Drives | firmware-hdd-9ad359dac1-HPDB-2.1.x86_64.rpm | VO003840JWTLN  | HPDB (B) | HPDB |
| 1065 | Online HDD/SSD Flash Component for Linux (x64) - VO000960JWTBK, VO001920JWTL, VO003840JWTLN, VO007680JWTLB, MO000400JWTLQ, MO000800JWTLR, MO001600JWTLT, MO003200JWTLU, MO006400JWTLCD, EO000400JWTLBV, EO000800JWTLCA and EO001600JWTLCB Drives | firmware-hdd-9ad359dac1-HPDB-2.1.x86_64.rpm | MO003200JWTLU  | HPDB (B) | HPDB |
| 1066 | Online HDD/SSD Flash Component for Linux (x64) - VO000960JWTBK, VO001920JWTL, VO003840JWTLN, VO007680JWTLB, MO000400JWTLQ, MO000800JWTLR, MO001600JWTLT, MO003200JWTLU, MO006400JWTLCD, EO000400JWTLBV, EO000800JWTLCA and EO001600JWTLCB Drives | firmware-hdd-9ad359dac1-HPDB-2.1.x86_64.rpm | EO003200JWTLCC | HPDB (B) | HPDB |
| 1067 | Online HDD/SSD Flash Component for Linux (x64) - VO000960JWTBK,                                                                                                                                                                                  | firmware-hdd-9ad359dac1-HPDB-               | VO001920JWTL   | HPDB (B) | HPDB |

|      |                                                                                                                                                                                                                                                                          |                                                     |                |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|----------------|----------|------|
|      | VO001920JWTL, VO003840JWTLN,<br>VO007680JWTLB, MO000400JWTLQ,<br>MO000800JWTLR, MO001600JWTLT,<br>MO003200JWTLU,<br>MO006400JWTLCD, EO000400JWTLBV,<br>EO000800JWTLCA and<br>EO001600JWTLCB Drives                                                                       | 2.1.x86_64.rpm                                      |                |          |      |
| 1068 | Online HDD/SSD Flash Component for<br>Linux (x64) - VO000960JWTLK,<br>VO001920JWTL, VO003840JWTLN,<br>VO007680JWTLB, MO000400JWTLQ,<br>MO000800JWTLR, MO001600JWTLT,<br>MO003200JWTLU,<br>MO006400JWTLCD, EO000400JWTLBV,<br>EO000800JWTLCA and<br>EO001600JWTLCB Drives | firmware-hdd-<br>9ad359dac1-HPDB-<br>2.1.x86_64.rpm | MO001600JWTLT  | HPDB (B) | HPDB |
| 1069 | Online HDD/SSD Flash Component for<br>Linux (x64) - VO000960JWTLK,<br>VO001920JWTL, VO003840JWTLN,<br>VO007680JWTLB, MO000400JWTLQ,<br>MO000800JWTLR, MO001600JWTLT,<br>MO003200JWTLU,<br>MO006400JWTLCD, EO000400JWTLBV,<br>EO000800JWTLCA and<br>EO001600JWTLCB Drives | firmware-hdd-<br>9ad359dac1-HPDB-<br>2.1.x86_64.rpm | EO001600JWTLCB | HPDB (B) | HPDB |
| 1070 | Online HDD/SSD Flash Component for<br>Linux (x64) - VO000960JWTLK,<br>VO001920JWTL, VO003840JWTLN,<br>VO007680JWTLB, MO000400JWTLQ,<br>MO000800JWTLR, MO001600JWTLT,<br>MO003200JWTLU,<br>MO006400JWTLCD, EO000400JWTLBV,<br>EO000800JWTLCA and<br>EO001600JWTLCB Drives | firmware-hdd-<br>9ad359dac1-HPDB-<br>2.1.x86_64.rpm | VO000960JWTLK  | HPDB (B) | HPDB |
| 1071 | Online HDD/SSD Flash Component for<br>Linux (x64) - VO000960JWTLK,<br>VO001920JWTL, VO003840JWTLN,<br>VO007680JWTLB, MO000400JWTLQ,<br>MO000800JWTLR, MO001600JWTLT,<br>MO003200JWTLU,<br>MO006400JWTLCD, EO000400JWTLBV,<br>EO000800JWTLCA and<br>EO001600JWTLCB Drives | firmware-hdd-<br>9ad359dac1-HPDB-<br>2.1.x86_64.rpm | MO000800JWTLR  | HPDB (B) | HPDB |
| 1072 | Online HDD/SSD Flash Component for<br>Linux (x64) - VO000960JWTLK,<br>VO001920JWTL, VO003840JWTLN,<br>VO007680JWTLB, MO000400JWTLQ,<br>MO000800JWTLR, MO001600JWTLT,<br>MO003200JWTLU,<br>MO006400JWTLCD, EO000400JWTLBV,<br>EO000800JWTLCA and<br>EO001600JWTLCB Drives | firmware-hdd-<br>9ad359dac1-HPDB-<br>2.1.x86_64.rpm | EO000800JWTLCA | HPDB (B) | HPDB |
| 1073 | Online HDD/SSD Flash Component for<br>Linux (x64) - VO000960JWTLK,<br>VO001920JWTL, VO003840JWTLN,<br>VO007680JWTLB, MO000400JWTLQ,<br>MO000800JWTLR, MO001600JWTLT,<br>MO003200JWTLU,<br>MO006400JWTLCD, EO000400JWTLBV,<br>EO000800JWTLCA and<br>EO001600JWTLCB Drives | firmware-hdd-<br>9ad359dac1-HPDB-<br>2.1.x86_64.rpm | MO000400JWTLQ  | HPDB (B) | HPDB |
| 1074 | Online HDD/SSD Flash Component for<br>Linux (x64) - VO000960JWTLK,<br>VO001920JWTL, VO003840JWTLN,<br>VO007680JWTLB, MO000400JWTLQ,<br>MO000800JWTLR, MO001600JWTLT,                                                                                                     | firmware-hdd-<br>9ad359dac1-HPDB-<br>2.1.x86_64.rpm | EO000400JWTLBV | HPDB (B) | HPDB |

|      |                                                                                                                                                                                                                                                                        |                                                     |               |          |      |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|---------------|----------|------|
|      | MO003200JWTCBU,<br>MO006400JWTCB, EO000400JWTCB,<br>EO000800JWTCB and<br>EO001600JWTCB Drives                                                                                                                                                                          |                                                     |               |          |      |
| 1075 | Online HDD/SSD Flash Component for<br>Linux (x64) - VO000960JWTCB,<br>VO001920JWTCB, VO003840JWTCB,<br>VO007680JWTCB, MO000400JWTCB,<br>MO000800JWTCB, MO001600JWTCB,<br>MO003200JWTCBU,<br>MO006400JWTCB, EO000400JWTCB,<br>EO000800JWTCB and<br>EO001600JWTCB Drives | firmware-hdd-<br>9ad359dac1-HPDB-<br>2.1.x86_64.rpm | MO001920JWTCB | HPDB (B) | HPDB |
| 1076 | Online HDD/SSD Flash Component for<br>Linux (x64) - VO000960JWZJF,<br>VO001920JWZJH, VO003840JWZJK,<br>VO007680JWZJL and<br>VO015360JWZJN Drives                                                                                                                       | firmware-hdd-<br>35fd24601f-HPD5-<br>3.1.x86_64.rpm | VO015360JWZJN | HPD5 (C) | HPD5 |
| 1077 | Online HDD/SSD Flash Component for<br>Linux (x64) - VO000960JWZJF,<br>VO001920JWZJH, VO003840JWZJK,<br>VO007680JWZJL and<br>VO015360JWZJN Drives                                                                                                                       | firmware-hdd-<br>35fd24601f-HPD5-<br>3.1.x86_64.rpm | VO007680JWZJL | HPD5 (C) | HPD5 |
| 1078 | Online HDD/SSD Flash Component for<br>Linux (x64) - VO000960JWZJF,<br>VO001920JWZJH, VO003840JWZJK,<br>VO007680JWZJL and<br>VO015360JWZJN Drives                                                                                                                       | firmware-hdd-<br>35fd24601f-HPD5-<br>3.1.x86_64.rpm | VO003840JWZJK | HPD5 (C) | HPD5 |
| 1079 | Online HDD/SSD Flash Component for<br>Linux (x64) - VO000960JWZJF,<br>VO001920JWZJH, VO003840JWZJK,<br>VO007680JWZJL and<br>VO015360JWZJN Drives                                                                                                                       | firmware-hdd-<br>35fd24601f-HPD5-<br>3.1.x86_64.rpm | VO001920JWZJH | HPD5 (C) | HPD5 |
| 1080 | Online HDD/SSD Flash Component for<br>Linux (x64) - VO000960JWZJF,<br>VO001920JWZJH, VO003840JWZJK,<br>VO007680JWZJL and<br>VO015360JWZJN Drives                                                                                                                       | firmware-hdd-<br>35fd24601f-HPD5-<br>3.1.x86_64.rpm | VO000960JWZJF | HPD5 (C) | HPD5 |
| 1081 | Online HDD/SSD Flash Component for<br>Linux (x64) - VO000960RWUEV,<br>VO001920RWUFA, VO003840RWUFB,<br>VO007680RWUFC, VO000960RWUFD,<br>VO001920RWUFE and<br>VO003840RWUFF Drives                                                                                      | firmware-hdd-<br>8fafc9efb2-HPD8-<br>2.1.x86_64.rpm | VO007680RWUFC | HPD8 (B) | HPD8 |
| 1082 | Online HDD/SSD Flash Component for<br>Linux (x64) - VO000960RWUEV,<br>VO001920RWUFA, VO003840RWUFB,<br>VO007680RWUFC, VO000960RWUFD,<br>VO001920RWUFE and<br>VO003840RWUFF Drives                                                                                      | firmware-hdd-<br>8fafc9efb2-HPD8-<br>2.1.x86_64.rpm | VO003840RWUFF | HPD8 (B) | HPD8 |
| 1083 | Online HDD/SSD Flash Component for<br>Linux (x64) - VO000960RWUEV,<br>VO001920RWUFA, VO003840RWUFB,<br>VO007680RWUFC, VO000960RWUFD,<br>VO001920RWUFE and<br>VO003840RWUFF Drives                                                                                      | firmware-hdd-<br>8fafc9efb2-HPD8-<br>2.1.x86_64.rpm | VO003840RWUFB | HPD8 (B) | HPD8 |
| 1084 | Online HDD/SSD Flash Component for<br>Linux (x64) - VO000960RWUEV,<br>VO001920RWUFA, VO003840RWUFB,<br>VO007680RWUFC, VO000960RWUFD,<br>VO001920RWUFE and<br>VO003840RWUFF Drives                                                                                      | firmware-hdd-<br>8fafc9efb2-HPD8-<br>2.1.x86_64.rpm | VO001920RWUFE | HPD8 (B) | HPD8 |
| 1085 | Online HDD/SSD Flash Component for<br>Linux (x64) - VO000960RWUEV,<br>VO001920RWUFA, VO003840RWUFB,<br>VO007680RWUFC, VO000960RWUFD,                                                                                                                                   | firmware-hdd-<br>8fafc9efb2-HPD8-<br>2.1.x86_64.rpm | VO001920RWUFA | HPD8 (B) | HPD8 |

|      |                                                                                                                                                                    |                                             |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------|----------|------|
|      | VO001920RWUFE and VO003840RWUFF Drives                                                                                                                             |                                             |               |          |      |
| 1086 | Online HDD/SSD Flash Component for Linux (x64) - VO000960RWUEV, VO001920RWUFA, VO003840RWUFB, VO007680RWUFC, VO000960RWUFD, VO001920RWUFE and VO003840RWUFF Drives | firmware-hdd-8fafc9efb2-HPD8-2.1.x86_64.rpm | VO000960RWUFD | HPD8 (B) | HPD8 |
| 1087 | Online HDD/SSD Flash Component for Linux (x64) - VO000960RWUEV, VO001920RWUFA, VO003840RWUFB, VO007680RWUFC, VO000960RWUFD, VO001920RWUFE and VO003840RWUFF Drives | firmware-hdd-8fafc9efb2-HPD8-2.1.x86_64.rpm | VO000960RWUEV | HPD8 (B) | HPD8 |
| 1088 | Online HDD/SSD Flash Component for Linux (x64) - VO003840XZCLT, VO007680XZCMB, MO000800XZCLQ and MO001600XZCLV Drives                                              | firmware-hdd-8f501d6cf1-HPD3-1.1.x86_64.rpm | VO003840XZCLT | HPD3     | HPD3 |
| 1089 | Online HDD/SSD Flash Component for Linux (x64) - VO003840XZCLT, VO007680XZCMB, MO000800XZCLQ and MO001600XZCLV Drives                                              | firmware-hdd-8f501d6cf1-HPD3-1.1.x86_64.rpm | MO001600XZCLV | HPD3     | HPD3 |
| 1090 | Online HDD/SSD Flash Component for Linux (x64) - VO003840XZCLT, VO007680XZCMB, MO000800XZCLQ and MO001600XZCLV Drives                                              | firmware-hdd-8f501d6cf1-HPD3-1.1.x86_64.rpm | MO000800XZCLQ | HPD3     | HPD3 |
| 1091 | Online HDD/SSD Flash Component for Linux (x64) - VO003840XZCLT, VO007680XZCMB, MO000800XZCLQ and MO001600XZCLV Drives                                              | firmware-hdd-8f501d6cf1-HPD3-1.1.x86_64.rpm | VO007680XZCMB | HPD3     | HPD3 |
| 1092 | Online HDD/SSD Flash Component for VMware ESXi - EG000300JWBHR Drive                                                                                               | CP061465.zip                                | EG000300JWBHR | HPD5 (E) | HPD5 |
| 1093 | Online HDD/SSD Flash Component for VMware ESXi - EG000300JWFVB Drive                                                                                               | CP061464.zip                                | EG000300JWFVB | HPD3 (E) | HPD3 |
| 1094 | Online HDD/SSD Flash Component for VMware ESXi - EG000300JWSJP, EG000600JWJNH and EG001200JWJNK Drives                                                             | CP061370.zip                                | EG001200JWJNK | HPD5 (D) | HPD5 |
| 1095 | Online HDD/SSD Flash Component for VMware ESXi - EG000300JWSJP, EG000600JWJNH and EG001200JWJNK Drives                                                             | CP061370.zip                                | EG000600JWJNH | HPD5 (D) | HPD5 |
| 1096 | Online HDD/SSD Flash Component for VMware ESXi - EG000300JWSJP, EG000600JWJNH and EG001200JWJNK Drives                                                             | CP061370.zip                                | EG000300JWSJP | HPD5 (D) | HPD5 |
| 1097 | Online HDD/SSD Flash Component for VMware ESXi - EG000600JWFUV and EG001200JWFVA Drives                                                                            | CP061475.zip                                | EG001200JWFVA | HPD4 (E) | HPD4 |
| 1098 | Online HDD/SSD Flash Component for VMware ESXi - EG000600JWFUV and EG001200JWFVA Drives                                                                            | CP061475.zip                                | EG000600JWFUV | HPD4 (E) | HPD4 |
| 1099 | Online HDD/SSD Flash Component for VMware ESXi - EG000600JWJNP, EG001200JWJNQ, EG000600JXLVV, EG001200JXLWA and EG001200MXJQU Drives                               | CP061359.zip                                | EG001200JWJNQ | HPD8 (B) | HPD8 |
| 1100 | Online HDD/SSD Flash Component for VMware ESXi - EG000600JWJNP, EG001200JWJNQ, EG000600JXLVV, EG001200JXLWA and EG001200MXJQU Drives                               | CP061359.zip                                | EG000600JWJNP | HPD8 (B) | HPD8 |
| 1101 | Online HDD/SSD Flash Component for VMware ESXi - EG000600JWJNP, EG001200JWJNQ, EG000600JXLVV,                                                                      | CP061359.zip                                | EG001200MXJQU | HPD8 (B) | HPD8 |

|      |                                                                                                                                      |              |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | EG001200JXLWA and EG001200MXJQU Drives                                                                                               |              |               |          |      |
| 1102 | Online HDD/SSD Flash Component for VMware ESXi - EG000600JWJNP, EG001200JWJNQ, EG000600JXLVV, EG001200JXLWA and EG001200MXJQU Drives | CP061359.zip | EG000600JXLVV | HPD8 (B) | HPD8 |
| 1103 | Online HDD/SSD Flash Component for VMware ESXi - EG000600JWJNP, EG001200JWJNQ, EG000600JXLVV, EG001200JXLWA and EG001200MXJQU Drives | CP061359.zip | EG001200JXLWA | HPD8 (B) | HPD8 |
| 1104 | Online HDD/SSD Flash Component for VMware ESXi - EG001800JWFVC Drive                                                                 | CP061474.zip | EG001800JWFVC | HPD4 (E) | HPD4 |
| 1105 | Online HDD/SSD Flash Component for VMware ESXi - EG001800JWJNL and EG002400JWJNN Drives                                              | CP061406.zip | EG002400JWJNN | HPD5 (D) | HPD5 |
| 1106 | Online HDD/SSD Flash Component for VMware ESXi - EG001800JWJNL and EG002400JWJNN Drives                                              | CP061406.zip | EG001800JWJNL | HPD5 (D) | HPD5 |
| 1107 | Online HDD/SSD Flash Component for VMware ESXi - EG001800JWJNR, EG002400JWJNT, EG001800JXLWB, EG002400JXLWC and EG002400MXJQT Drives | CP061358.zip | EG001800JWJNR | HPDA (C) | HPDA |
| 1108 | Online HDD/SSD Flash Component for VMware ESXi - EG001800JWJNR, EG002400JWJNT, EG001800JXLWB, EG002400JXLWC and EG002400MXJQT Drives | CP061358.zip | EG002400JWJNT | HPDA (C) | HPDA |
| 1109 | Online HDD/SSD Flash Component for VMware ESXi - EG001800JWJNR, EG002400JWJNT, EG001800JXLWB, EG002400JXLWC and EG002400MXJQT Drives | CP061358.zip | EG002400MXJQT | HPDA (C) | HPDA |
| 1110 | Online HDD/SSD Flash Component for VMware ESXi - EG001800JWJNR, EG002400JWJNT, EG001800JXLWB, EG002400JXLWC and EG002400MXJQT Drives | CP061358.zip | EG001800JXLWB | HPDA (C) | HPDA |
| 1111 | Online HDD/SSD Flash Component for VMware ESXi - EG001800JWJNR, EG002400JWJNT, EG001800JXLWB, EG002400JXLWC and EG002400MXJQT Drives | CP061358.zip | EG002400JXLWC | HPDA (C) | HPDA |
| 1112 | Online HDD/SSD Flash Component for VMware ESXi - EG0600JETKA, EG0900JETKB and EG1200JETKC Drives                                     | CP061382.zip | EG1200JETKC   | HPD8 (E) | HPD8 |
| 1113 | Online HDD/SSD Flash Component for VMware ESXi - EG0600JETKA, EG0900JETKB and EG1200JETKC Drives                                     | CP061382.zip | EG0600JETKA   | HPD8 (E) | HPD8 |
| 1114 | Online HDD/SSD Flash Component for VMware ESXi - EG0600JETKA, EG0900JETKB and EG1200JETKC Drives                                     | CP061382.zip | EG0900JETKB   | HPD8 (E) | HPD8 |
| 1115 | Online HDD/SSD Flash Component for VMware ESXi - EG1800JFHHM Drive                                                                   | CP061478.zip | EG1800JFHHM   | HPD8 (E) | HPD8 |
| 1116 | Online HDD/SSD Flash Component for VMware ESXi - EH000900JWHPK and EH000600JWHPH Drives                                              | CP061448.zip | EH000900JWHPK | HPD8 (B) | HPD8 |
| 1117 | Online HDD/SSD Flash Component for VMware ESXi - EH000900JWHPK and EH000600JWHPH Drives                                              | CP061448.zip | EH000600JWHPH | HPD8 (B) | HPD8 |
| 1118 | Online HDD/SSD Flash Component for                                                                                                   | CP061341.zip | EH000900JWHPP | HPD8 (B) | HPD8 |

|      |                                                                                                                                                                    |              |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | VMware ESXi - EH000900JWHPP, EH000600JWHPN and EH000300JWHPL Drives                                                                                                |              |               |          |      |
| 1119 | Online HDD/SSD Flash Component for VMware ESXi - EH000900JWHPP, EH000600JWHPN and EH000300JWHPL Drives                                                             | CP061341.zip | EH000600JWHPN | HPD8 (B) | HPD8 |
| 1120 | Online HDD/SSD Flash Component for VMware ESXi - EH000900JWHPP, EH000600JWHPN and EH000300JWHPL Drives                                                             | CP061341.zip | EH000300JWHPL | HPD8 (B) | HPD8 |
| 1121 | Online HDD/SSD Flash Component for VMware ESXi - EK0800JVYPN, EO1600JVYPP, MK0800JVYPQ and MO1600JVYPR Drives                                                      | CP061563.zip | MO1600JVYPR   | HPD7 (H) | HPD7 |
| 1122 | Online HDD/SSD Flash Component for VMware ESXi - EK0800JVYPN, EO1600JVYPP, MK0800JVYPQ and MO1600JVYPR Drives                                                      | CP061563.zip | EO1600JVYPP   | HPD7 (H) | HPD7 |
| 1123 | Online HDD/SSD Flash Component for VMware ESXi - EK0800JVYPN, EO1600JVYPP, MK0800JVYPQ and MO1600JVYPR Drives                                                      | CP061563.zip | MK0800JVYPQ   | HPD7 (H) | HPD7 |
| 1124 | Online HDD/SSD Flash Component for VMware ESXi - EK0800JVYPN, EO1600JVYPP, MK0800JVYPQ and MO1600JVYPR Drives                                                      | CP061563.zip | EK0800JVYPN   | HPD7 (H) | HPD7 |
| 1125 | Online HDD/SSD Flash Component for VMware ESXi - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR, MO000400JWDKU, MO000800JWDKV, MO001600JWDLA and MO003200JWDLB Drives | CP061343.zip | MO003200JWDLB | HPD2 (I) | HPD2 |
| 1126 | Online HDD/SSD Flash Component for VMware ESXi - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR, MO000400JWDKU, MO000800JWDKV, MO001600JWDLA and MO003200JWDLB Drives | CP061343.zip | MO001600JWDLA | HPD2 (I) | HPD2 |
| 1127 | Online HDD/SSD Flash Component for VMware ESXi - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR, MO000400JWDKU, MO000800JWDKV, MO001600JWDLA and MO003200JWDLB Drives | CP061343.zip | EO001600JWDKR | HPD2 (I) | HPD2 |
| 1128 | Online HDD/SSD Flash Component for VMware ESXi - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR, MO000400JWDKU, MO000800JWDKV, MO001600JWDLA and MO003200JWDLB Drives | CP061343.zip | MO000800JWDKV | HPD2 (I) | HPD2 |
| 1129 | Online HDD/SSD Flash Component for VMware ESXi - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR, MO000400JWDKU, MO000800JWDKV, MO001600JWDLA and MO003200JWDLB Drives | CP061343.zip | EO000800JWDKQ | HPD2 (I) | HPD2 |
| 1130 | Online HDD/SSD Flash Component for VMware ESXi - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR, MO000400JWDKU, MO000800JWDKV, MO001600JWDLA and MO003200JWDLB Drives | CP061343.zip | MO000400JWDKU | HPD2 (I) | HPD2 |
| 1131 | Online HDD/SSD Flash Component for VMware ESXi - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR,                                                                      | CP061343.zip | EO000400JWDKP | HPD2 (I) | HPD2 |

|      |                                                                                                                                                                                                                                                                       |              |                |      |      |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------|------|------|
|      | MO000400JWDKU,<br>MO000800JWDKV, MO001600JWDLA<br>and MO003200JWDLB Drives                                                                                                                                                                                            |              |                |      |      |
| 1132 | Online HDD/SSD Flash Component for<br>VMware ESXi - EO000400PXDBQ,<br>EO000800PXDCK, EO001600PXDCH,<br>MO000800PXDBP, MO001600PXDCC,<br>MO003200PXDCE, MO006400PXDCE,<br>VO000960PXDBN, VO001920PXDDBR,<br>VO003840PXDBT, VO007680PXDDBU<br>and VO015300PXDDBV Drives | CP062190.zip | EO000800PXDCK  | HPD4 | HPD4 |
| 1133 | Online HDD/SSD Flash Component for<br>VMware ESXi - EO000400PXDBQ,<br>EO000800PXDCK, EO001600PXDCH,<br>MO000800PXDBP, MO001600PXDCC,<br>MO003200PXDCE, MO006400PXDCE,<br>VO000960PXDBN, VO001920PXDDBR,<br>VO003840PXDBT, VO007680PXDDBU<br>and VO015300PXDDBV Drives | CP062190.zip | MO000800PXDBP  | HPD4 | HPD4 |
| 1134 | Online HDD/SSD Flash Component for<br>VMware ESXi - EO000400PXDBQ,<br>EO000800PXDCK, EO001600PXDCH,<br>MO000800PXDBP, MO001600PXDCC,<br>MO003200PXDCE, MO006400PXDCE,<br>VO000960PXDBN, VO001920PXDDBR,<br>VO003840PXDBT, VO007680PXDDBU<br>and VO015300PXDDBV Drives | CP062190.zip | EO000400PXDBQ  | HPD4 | HPD4 |
| 1135 | Online HDD/SSD Flash Component for<br>VMware ESXi - EO000400PXDBQ,<br>EO000800PXDCK, EO001600PXDCH,<br>MO000800PXDBP, MO001600PXDCC,<br>MO003200PXDCE, MO006400PXDCE,<br>VO000960PXDBN, VO001920PXDDBR,<br>VO003840PXDBT, VO007680PXDDBU<br>and VO015300PXDDBV Drives | CP062190.zip | EO001600PXDCH  | HPD4 | HPD4 |
| 1136 | Online HDD/SSD Flash Component for<br>VMware ESXi - EO000400PXDBQ,<br>EO000800PXDCK, EO001600PXDCH,<br>MO000800PXDBP, MO001600PXDCC,<br>MO003200PXDCE, MO006400PXDCE,<br>VO000960PXDBN, VO001920PXDDBR,<br>VO003840PXDBT, VO007680PXDDBU<br>and VO015300PXDDBV Drives | CP062190.zip | MO001600PXDCC  | HPD4 | HPD4 |
| 1137 | Online HDD/SSD Flash Component for<br>VMware ESXi - EO000400PXDBQ,<br>EO000800PXDCK, EO001600PXDCH,<br>MO000800PXDBP, MO001600PXDCC,<br>MO003200PXDCE, MO006400PXDCE,<br>VO000960PXDBN, VO001920PXDDBR,<br>VO003840PXDBT, VO007680PXDDBU<br>and VO015300PXDDBV Drives | CP062190.zip | MO006400PXDCE  | HPD4 | HPD4 |
| 1138 | Online HDD/SSD Flash Component for<br>VMware ESXi - EO000400PXDBQ,<br>EO000800PXDCK, EO001600PXDCH,<br>MO000800PXDBP, MO001600PXDCC,<br>MO003200PXDCE, MO006400PXDCE,<br>VO000960PXDBN, VO001920PXDDBR,<br>VO003840PXDBT, VO007680PXDDBU<br>and VO015300PXDDBV Drives | CP062190.zip | VO007680PXDDBU | HPD4 | HPD4 |
| 1139 | Online HDD/SSD Flash Component for<br>VMware ESXi - EO000400PXDBQ,<br>EO000800PXDCK, EO001600PXDCH,<br>MO000800PXDBP, MO001600PXDCC,<br>MO003200PXDCE, MO006400PXDCE,<br>VO000960PXDBN, VO001920PXDDBR,<br>VO003840PXDBT, VO007680PXDDBU                              | CP062190.zip | VO001920PXDDBR | HPD4 | HPD4 |



|      |                                                                                                                                                                                                                                               |              |               |          |      |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | and VO015300PXDBV Drives                                                                                                                                                                                                                      |              |               |          |      |
| 1140 | Online HDD/SSD Flash Component for VMware ESXi - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCD, MO006400PXDCE, VO000960PXDBN, VO001920PXDBR, VO003840PXDBT, VO007680PXDBU and VO015300PXDBV Drives | CP062190.zip | VO015300PXDBV | HPD4     | HPD4 |
| 1141 | Online HDD/SSD Flash Component for VMware ESXi - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCD, MO006400PXDCE, VO000960PXDBN, VO001920PXDBR, VO003840PXDBT, VO007680PXDBU and VO015300PXDBV Drives | CP062190.zip | MO003200PXDCD | HPD4     | HPD4 |
| 1142 | Online HDD/SSD Flash Component for VMware ESXi - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCD, MO006400PXDCE, VO000960PXDBN, VO001920PXDBR, VO003840PXDBT, VO007680PXDBU and VO015300PXDBV Drives | CP062190.zip | VO000960PXDBN | HPD4     | HPD4 |
| 1143 | Online HDD/SSD Flash Component for VMware ESXi - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCD, MO006400PXDCE, VO000960PXDBN, VO001920PXDBR, VO003840PXDBT, VO007680PXDBU and VO015300PXDBV Drives | CP062190.zip | VO003840PXDBT | HPD4     | HPD4 |
| 1144 | Online HDD/SSD Flash Component for VMware ESXi - MB002000JWFVN and MB004000JWFVP Drives                                                                                                                                                       | CP061413.zip | MB002000JWFVN | HPD4 (F) | HPD4 |
| 1145 | Online HDD/SSD Flash Component for VMware ESXi - MB002000JWFVN and MB004000JWFVP Drives                                                                                                                                                       | CP061413.zip | MB004000JWFVP | HPD4 (F) | HPD4 |
| 1146 | Online HDD/SSD Flash Component for VMware ESXi - MB002000JYDNE and MB004000JYDPB Drives                                                                                                                                                       | CP061454.zip | MB004000JYDPB | HPD2 (E) | HPD2 |
| 1147 | Online HDD/SSD Flash Component for VMware ESXi - MB002000JYDNE and MB004000JYDPB Drives                                                                                                                                                       | CP061454.zip | MB002000JYDNE | HPD2 (E) | HPD2 |
| 1148 | Online HDD/SSD Flash Component for VMware ESXi - MB004000JWFKV and MB006000JWFLV Drives                                                                                                                                                       | CP061482.zip | MB004000JWFKV | HPD4 (E) | HPD4 |
| 1149 | Online HDD/SSD Flash Component for VMware ESXi - MB004000JWFKV and MB006000JWFLV Drives                                                                                                                                                       | CP061482.zip | MB006000JWFLV | HPD4 (E) | HPD4 |
| 1150 | Online HDD/SSD Flash Component for VMware ESXi - MB004000JWKGU Drive                                                                                                                                                                          | CP061487.zip | MB004000JWKGU | HPD2 (E) | HPD2 |
| 1151 | Online HDD/SSD Flash Component for VMware ESXi - MB004000JWWQB and MB002000JWWQA Drives                                                                                                                                                       | CP061394.zip | MB004000JWWQB | HPD8 (B) | HPD8 |
| 1152 | Online HDD/SSD Flash Component for VMware ESXi - MB004000JWWQB and MB002000JWWQA Drives                                                                                                                                                       | CP061394.zip | MB002000JWWQA | HPD8 (B) | HPD8 |
| 1153 | Online HDD/SSD Flash Component for VMware ESXi - MB006000JWKGN Drive                                                                                                                                                                          | CP061591.zip | MB006000JWKGN | HPD2 (E) | HPD2 |
| 1154 | Online HDD/SSD Flash Component for VMware ESXi - MB006000JYDNF and MB008000JYDPC Drives                                                                                                                                                       | CP061453.zip | MB006000JYDNF | HPD2 (E) | HPD2 |

|      |                                                                                                                                      |              |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
| 1155 | Online HDD/SSD Flash Component for VMware ESXi - MB006000JYDNF and MB008000JYDPC Drives                                              | CP061453.zip | MB008000JYDPC | HPD2 (E) | HPD2 |
| 1156 | Online HDD/SSD Flash Component for VMware ESXi - MB008000JWJRQ and MB006000JWJRP Drives                                              | CP061564.zip | MB008000JWJRQ | HPD9 (F) | HPD9 |
| 1157 | Online HDD/SSD Flash Component for VMware ESXi - MB008000JWJRQ and MB006000JWJRP Drives                                              | CP061564.zip | MB006000JWJRP | HPD9 (F) | HPD9 |
| 1158 | Online HDD/SSD Flash Component for VMware ESXi - MB008000JWRTD Drive                                                                 | CP061420.zip | MB008000JWRTD | HPD2 (F) | HPD2 |
| 1159 | Online HDD/SSD Flash Component for VMware ESXi - MB008000JWWQP and MB006000JWWQN Drives                                              | CP061393.zip | MB006000JWWQN | HPD8 (B) | HPD8 |
| 1160 | Online HDD/SSD Flash Component for VMware ESXi - MB008000JWWQP and MB006000JWWQN Drives                                              | CP061393.zip | MB008000JWWQP | HPD8 (B) | HPD8 |
| 1161 | Online HDD/SSD Flash Component for VMware ESXi - MB010000JWAYK and MB008000JWAYH Drives                                              | CP061592.zip | MB010000JWAYK | HPD6 (E) | HPD6 |
| 1162 | Online HDD/SSD Flash Component for VMware ESXi - MB010000JWAYK and MB008000JWAYH Drives                                              | CP061592.zip | MB008000JWAYH | HPD6 (E) | HPD6 |
| 1163 | Online HDD/SSD Flash Component for VMware ESXi - MB010000JWZHA, MB012000JWZHB, MB014000JWZHC and MB016000JWZHE Drives                | CP061444.zip | MB010000JWZHA | HPD4 (B) | HPD4 |
| 1164 | Online HDD/SSD Flash Component for VMware ESXi - MB010000JWZHA, MB012000JWZHB, MB014000JWZHC and MB016000JWZHE Drives                | CP061444.zip | MB012000JWZHB | HPD4 (B) | HPD4 |
| 1165 | Online HDD/SSD Flash Component for VMware ESXi - MB010000JWZHA, MB012000JWZHB, MB014000JWZHC and MB016000JWZHE Drives                | CP061444.zip | MB016000JWZHE | HPD4 (B) | HPD4 |
| 1166 | Online HDD/SSD Flash Component for VMware ESXi - MB010000JWZHA, MB012000JWZHB, MB014000JWZHC and MB016000JWZHE Drives                | CP061444.zip | MB014000JWZHC | HPD4 (B) | HPD4 |
| 1167 | Online HDD/SSD Flash Component for VMware ESXi - MB010000JYDKK, MB012000JYCJF, MB014000JYCJV, MB016000JYDKL and MB018000JYDKN Drives | CP061557.zip | MB010000JYDKK | HPD3 (B) | HPD3 |
| 1168 | Online HDD/SSD Flash Component for VMware ESXi - MB010000JYDKK, MB012000JYCJF, MB014000JYCJV, MB016000JYDKL and MB018000JYDKN Drives | CP061557.zip | MB012000JYCJF | HPD3 (B) | HPD3 |
| 1169 | Online HDD/SSD Flash Component for VMware ESXi - MB010000JYDKK, MB012000JYCJF, MB014000JYCJV, MB016000JYDKL and MB018000JYDKN Drives | CP061557.zip | MB014000JYCJV | HPD3 (B) | HPD3 |
| 1170 | Online HDD/SSD Flash Component for VMware ESXi - MB010000JYDKK, MB012000JYCJF, MB014000JYCJV, MB016000JYDKL and MB018000JYDKN Drives | CP061557.zip | MB016000JYDKL | HPD3 (B) | HPD3 |
| 1171 | Online HDD/SSD Flash Component for VMware ESXi - MB010000JYDKK, MB012000JYCJF, MB014000JYCJV, MB016000JYDKL and MB018000JYDKN Drives | CP061557.zip | MB018000JYDKN | HPD3 (B) | HPD3 |
| 1172 | Online HDD/SSD Flash Component for                                                                                                   | CP061427.zip | MB012000JWDFD | HPD4 (B) | HPD4 |

|      |                                                                                                                                                                    |              |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | VMware ESXi - MB012000JWDFD Drive                                                                                                                                  |              |               |          |      |
| 1173 | Online HDD/SSD Flash Component for VMware ESXi - MB012000JZYVN, MB014000JZYVP, MB016000JZYVQ and MB018000JYCLK Drives                                              | CP061356.zip | MB012000JZYVN | HPD4 (B) | HPD4 |
| 1174 | Online HDD/SSD Flash Component for VMware ESXi - MB012000JZYVN, MB014000JZYVP, MB016000JZYVQ and MB018000JYCLK Drives                                              | CP061356.zip | MB014000JZYVP | HPD4 (B) | HPD4 |
| 1175 | Online HDD/SSD Flash Component for VMware ESXi - MB012000JZYVN, MB014000JZYVP, MB016000JZYVQ and MB018000JYCLK Drives                                              | CP061356.zip | MB016000JZYVQ | HPD4 (B) | HPD4 |
| 1176 | Online HDD/SSD Flash Component for VMware ESXi - MB012000JZYVN, MB014000JZYVP, MB016000JZYVQ and MB018000JYCLK Drives                                              | CP061356.zip | MB018000JYCLK | HPD4 (B) | HPD4 |
| 1177 | Online HDD/SSD Flash Component for VMware ESXi - MB014000JWTFD and MB012000JWTFD Drives                                                                            | CP061565.zip | MB014000JWTFD | HPD8 (F) | HPD8 |
| 1178 | Online HDD/SSD Flash Component for VMware ESXi - MB014000JWTFD and MB012000JWTFD Drives                                                                            | CP061565.zip | MB012000JWTFD | HPD8 (F) | HPD8 |
| 1179 | Online HDD/SSD Flash Component for VMware ESXi - MB014000JWUDB Drive                                                                                               | CP061652.zip | MB014000JWUDB | HPD4 (B) | HPD4 |
| 1180 | Online HDD/SSD Flash Component for VMware ESXi - MB014000JXUCC Drive                                                                                               | CP061537.zip | MB014000JXUCC | HPD4 (B) | HPD4 |
| 1181 | Online HDD/SSD Flash Component for VMware ESXi - MB016000JWXKH Drive                                                                                               | CP061446.zip | MB016000JWXKH | HPDA (B) | HPDA |
| 1182 | Online HDD/SSD Flash Component for VMware ESXi - MB016000JXLBA and MB018000JXLAU Drives                                                                            | CP061449.zip | MB016000JXLBA | HPD3 (B) | HPD3 |
| 1183 | Online HDD/SSD Flash Component for VMware ESXi - MB016000JXLBA and MB018000JXLAU Drives                                                                            | CP061449.zip | MB018000JXLAU | HPD3 (B) | HPD3 |
| 1184 | Online HDD/SSD Flash Component for VMware ESXi - MB018000JXMTH and MB020000JXMTP Drives                                                                            | CP061558.zip | MB018000JXMTH | HPD2 (B) | HPD2 |
| 1185 | Online HDD/SSD Flash Component for VMware ESXi - MB018000JXMTH and MB020000JXMTP Drives                                                                            | CP061558.zip | MB020000JXMTP | HPD2 (B) | HPD2 |
| 1186 | Online HDD/SSD Flash Component for VMware ESXi - MB2000JFDSL and MB4000JFDSN Drives                                                                                | CP061598.zip | MB2000JFDSL   | HPD4 (L) | HPD4 |
| 1187 | Online HDD/SSD Flash Component for VMware ESXi - MB2000JFDSL and MB4000JFDSN Drives                                                                                | CP061598.zip | MB4000JFDSN   | HPD4 (L) | HPD4 |
| 1188 | Online HDD/SSD Flash Component for VMware ESXi - MM1000JEFRB and MM2000JEFRB Drives                                                                                | CP061340.zip | MM1000JEFRB   | HPDA (D) | HPDA |
| 1189 | Online HDD/SSD Flash Component for VMware ESXi - MM1000JEFRB and MM2000JEFRB Drives                                                                                | CP061340.zip | MM2000JEFRB   | HPDA (D) | HPDA |
| 1190 | Online HDD/SSD Flash Component for VMware ESXi - MM1000JFJTH Drive                                                                                                 | CP061555.zip | MM1000JFJTH   | HPD5 (D) | HPD5 |
| 1191 | Online HDD/SSD Flash Component for VMware ESXi - MO000400JWFWN, MO000800JWFWP, MO001600JWFWQ, MO003200JWFWR, MO000960JWFWT, MO001920JWFWU and MO003840JWFWV Drives | CP061349.zip | MO003200JWFWR | HPD5 (I) | HPD5 |

|      |                                                                                                                                                                                                                                               |              |               |          |      |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
| 1192 | Online HDD/SSD Flash Component for VMware ESXi - MO000400JWFVN, MO000800JWFVP, MO001600JWFVQ, MO003200JWFVR, MO000960JWFVT, MO001920JWFVU and MO003840JWFVV Drives                                                                            | CP061349.zip | MO001920JWFVU | HPD5 (I) | HPD5 |
| 1193 | Online HDD/SSD Flash Component for VMware ESXi - MO000400JWFVN, MO000800JWFVP, MO001600JWFVQ, MO003200JWFVR, MO000960JWFVT, MO001920JWFVU and MO003840JWFVV Drives                                                                            | CP061349.zip | MO001600JWFVQ | HPD5 (I) | HPD5 |
| 1194 | Online HDD/SSD Flash Component for VMware ESXi - MO000400JWFVN, MO000800JWFVP, MO001600JWFVQ, MO003200JWFVR, MO000960JWFVT, MO001920JWFVU and MO003840JWFVV Drives                                                                            | CP061349.zip | MO000960JWFVT | HPD5 (I) | HPD5 |
| 1195 | Online HDD/SSD Flash Component for VMware ESXi - MO000400JWFVN, MO000800JWFVP, MO001600JWFVQ, MO003200JWFVR, MO000960JWFVT, MO001920JWFVU and MO003840JWFVV Drives                                                                            | CP061349.zip | MO000800JWFVP | HPD5 (I) | HPD5 |
| 1196 | Online HDD/SSD Flash Component for VMware ESXi - MO000400JWFVN, MO000800JWFVP, MO001600JWFVQ, MO003200JWFVR, MO000960JWFVT, MO001920JWFVU and MO003840JWFVV Drives                                                                            | CP061349.zip | MO000400JWFVN | HPD5 (I) | HPD5 |
| 1197 | Online HDD/SSD Flash Component for VMware ESXi - MO000400JWFVN, MO000800JWFVP, MO001600JWFVQ, MO003200JWFVR, MO000960JWFVT, MO001920JWFVU and MO003840JWFVV Drives                                                                            | CP061349.zip | MO003840JWFVV | HPD5 (I) | HPD5 |
| 1198 | Online HDD/SSD Flash Component for VMware ESXi - MO000800JXBVE, MO001600JXBFP, MO003200JXBFO, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFO, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives | CP061345.zip | MO000800JXBVE | HPD1 (E) | HPD1 |
| 1199 | Online HDD/SSD Flash Component for VMware ESXi - MO000800JXBVE, MO001600JXBFP, MO003200JXBFO, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFO, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives | CP061345.zip | MO001600JXBFP | HPD1 (E) | HPD1 |
| 1200 | Online HDD/SSD Flash Component for VMware ESXi - MO000800JXBVE,                                                                                                                                                                               | CP061345.zip | MO003200JXBFO | HPD1 (E) | HPD1 |

|      |                                                                                                                                                                                                                                               |              |                |          |      |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------|----------|------|
|      | MO001600JXBFP, MO003200JXBQ, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFBV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives                                                                 |              |                |          |      |
| 1201 | Online HDD/SSD Flash Component for VMware ESXi - MO000800JXBEB, MO001600JXBFP, MO003200JXBQ, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFBV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives | CP061345.zip | MO006400JXBFR  | HPD1 (E) | HPD1 |
| 1202 | Online HDD/SSD Flash Component for VMware ESXi - MO000800JXBEB, MO001600JXBFP, MO003200JXBQ, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFBV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives | CP061345.zip | MO000960JXBFA  | HPD1 (E) | HPD1 |
| 1203 | Online HDD/SSD Flash Component for VMware ESXi - MO000800JXBEB, MO001600JXBFP, MO003200JXBQ, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFBV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives | CP061345.zip | MO001920JXBFT  | HPD1 (E) | HPD1 |
| 1204 | Online HDD/SSD Flash Component for VMware ESXi - MO000800JXBEB, MO001600JXBFP, MO003200JXBQ, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFBV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives | CP061345.zip | MO003840JXBFB  | HPD1 (E) | HPD1 |
| 1205 | Online HDD/SSD Flash Component for VMware ESXi - MO000800JXBEB, MO001600JXBFP, MO003200JXBQ, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFBV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives | CP061345.zip | MO007680JXBGA  | HPD1 (E) | HPD1 |
| 1206 | Online HDD/SSD Flash Component for VMware ESXi - MO000800JXBEB, MO001600JXBFP, MO003200JXBQ, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFBV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives | CP061345.zip | MO015360JXBFBV | HPD1 (E) | HPD1 |
| 1207 | Online HDD/SSD Flash Component for VMware ESXi - MO000800JXBEB, MO001600JXBFP, MO003200JXBQ, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFBV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives | CP061345.zip | EO000400JXBEU  | HPD1 (E) | HPD1 |
| 1208 | Online HDD/SSD Flash Component for VMware ESXi - MO000800JXBEB, MO001600JXBFP, MO003200JXBQ, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFBV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives | CP061345.zip | EO000800JXBFL  | HPD1 (E) | HPD1 |

|      |                                                                                                                                                                                                                                             |              |               |          |      |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives                                                                                                                           |              |               |          |      |
| 1209 | Online HDD/SSD Flash Component for VMware ESXi - MO000800JXBEV, MO001600JXBFP, MO003200JXBQ, MO006400JXBFR, MO00960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives | CP061345.zip | EO001600JXBFN | HPD1 (E) | HPD1 |
| 1210 | Online HDD/SSD Flash Component for VMware ESXi - VK000960JWSSQ, VK001920JWSSR, VK003840JWSST, VK007680JWSSU and VO015300JWSSV Drives                                                                                                        | CP061569.zip | VO015300JWSSV | HPD8 (I) | HPD8 |
| 1211 | Online HDD/SSD Flash Component for VMware ESXi - VK000960JWSSQ, VK001920JWSSR, VK003840JWSST, VK007680JWSSU and VO015300JWSSV Drives                                                                                                        | CP061569.zip | VK007680JWSSU | HPD8 (I) | HPD8 |
| 1212 | Online HDD/SSD Flash Component for VMware ESXi - VK000960JWSSQ, VK001920JWSSR, VK003840JWSST, VK007680JWSSU and VO015300JWSSV Drives                                                                                                        | CP061569.zip | VK003840JWSST | HPD8 (I) | HPD8 |
| 1213 | Online HDD/SSD Flash Component for VMware ESXi - VK000960JWSSQ, VK001920JWSSR, VK003840JWSST, VK007680JWSSU and VO015300JWSSV Drives                                                                                                        | CP061569.zip | VK001920JWSSR | HPD8 (I) | HPD8 |
| 1214 | Online HDD/SSD Flash Component for VMware ESXi - VK000960JWSSQ, VK001920JWSSR, VK003840JWSST, VK007680JWSSU and VO015300JWSSV Drives                                                                                                        | CP061569.zip | VK000960JWSSQ | HPD8 (I) | HPD8 |
| 1215 | Online HDD/SSD Flash Component for VMware ESXi - VO000800JWZJP, VO001600JWZJQ, VO003200JWZJR and VO006400JWZJT Drives                                                                                                                       | CP061461.zip | VO006400JWZJT | HPD5 (B) | HPD5 |
| 1216 | Online HDD/SSD Flash Component for VMware ESXi - VO000800JWZJP, VO001600JWZJQ, VO003200JWZJR and VO006400JWZJT Drives                                                                                                                       | CP061461.zip | VO003200JWZJR | HPD5 (B) | HPD5 |
| 1217 | Online HDD/SSD Flash Component for VMware ESXi - VO000800JWZJP, VO001600JWZJQ, VO003200JWZJR and VO006400JWZJT Drives                                                                                                                       | CP061461.zip | VO001600JWZJQ | HPD5 (B) | HPD5 |
| 1218 | Online HDD/SSD Flash Component for VMware ESXi - VO000800JWZJP, VO001600JWZJQ, VO003200JWZJR and VO006400JWZJT Drives                                                                                                                       | CP061461.zip | VO000800JWZJP | HPD5 (B) | HPD5 |
| 1219 | Online HDD/SSD Flash Component for VMware ESXi - VO000960JWTKB, VO001920JWTKL, VO003840JWTKN, VO007680JWTKP, MO000400JWTKQ, MO000800JWTKR, MO001600JWTKT, MO003200JWTKU, MO006400JWTKD, EO000400JWTKV, EO000800JWTKA, EO001600JWTKB Drives  | CP061369.zip | VO007680JWTKP | HPDB (B) | HPDB |
| 1220 | Online HDD/SSD Flash Component for VMware ESXi - VO000960JWTKB, VO001920JWTKL, VO003840JWTKN, VO007680JWTKP, MO000400JWTKQ,                                                                                                                 | CP061369.zip | MO006400JWTKD | HPDB (B) | HPDB |

|      |                                                                                                                                                                                                                                                         |              |               |          |      |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | MO000800JWTBR, MO001600JWTBT,<br>MO003200WTBU,<br>MO006400WTCD, EO000400WTBV,<br>EO000800WTCA, EO001600WTCTB<br>Drives                                                                                                                                  |              |               |          |      |
| 1221 | Online HDD/SSD Flash Component for<br>VMware ESXi - VO000960WTBK,<br>VO001920WTBL, VO003840WTBN,<br>VO007680WTBP, MO000400WTBQ,<br>MO000800WTBR, MO001600WTBT,<br>MO003200WTBU,<br>MO006400WTCD, EO000400WTBV,<br>EO000800WTCA, EO001600WTCTB<br>Drives | CP061369.zip | VO003840WTBN  | HPDB (B) | HPDB |
| 1222 | Online HDD/SSD Flash Component for<br>VMware ESXi - VO000960WTBK,<br>VO001920WTBL, VO003840WTBN,<br>VO007680WTBP, MO000400WTBQ,<br>MO000800WTBR, MO001600WTBT,<br>MO003200WTBU,<br>MO006400WTCD, EO000400WTBV,<br>EO000800WTCA, EO001600WTCTB<br>Drives | CP061369.zip | MO003200WTBU  | HPDB (B) | HPDB |
| 1223 | Online HDD/SSD Flash Component for<br>VMware ESXi - VO000960WTBK,<br>VO001920WTBL, VO003840WTBN,<br>VO007680WTBP, MO000400WTBQ,<br>MO000800WTBR, MO001600WTBT,<br>MO003200WTBU,<br>MO006400WTCD, EO000400WTBV,<br>EO000800WTCA, EO001600WTCTB<br>Drives | CP061369.zip | EO003200WTCC  | HPDB (B) | HPDB |
| 1224 | Online HDD/SSD Flash Component for<br>VMware ESXi - VO000960WTBK,<br>VO001920WTBL, VO003840WTBN,<br>VO007680WTBP, MO000400WTBQ,<br>MO000800WTBR, MO001600WTBT,<br>MO003200WTBU,<br>MO006400WTCD, EO000400WTBV,<br>EO000800WTCA, EO001600WTCTB<br>Drives | CP061369.zip | VO001920WTBL  | HPDB (B) | HPDB |
| 1225 | Online HDD/SSD Flash Component for<br>VMware ESXi - VO000960WTBK,<br>VO001920WTBL, VO003840WTBN,<br>VO007680WTBP, MO000400WTBQ,<br>MO000800WTBR, MO001600WTBT,<br>MO003200WTBU,<br>MO006400WTCD, EO000400WTBV,<br>EO000800WTCA, EO001600WTCTB<br>Drives | CP061369.zip | MO001600WTBT  | HPDB (B) | HPDB |
| 1226 | Online HDD/SSD Flash Component for<br>VMware ESXi - VO000960WTBK,<br>VO001920WTBL, VO003840WTBN,<br>VO007680WTBP, MO000400WTBQ,<br>MO000800WTBR, MO001600WTBT,<br>MO003200WTBU,<br>MO006400WTCD, EO000400WTBV,<br>EO000800WTCA, EO001600WTCTB<br>Drives | CP061369.zip | EO001600WTCTB | HPDB (B) | HPDB |
| 1227 | Online HDD/SSD Flash Component for<br>VMware ESXi - VO000960WTBK,<br>VO001920WTBL, VO003840WTBN,<br>VO007680WTBP, MO000400WTBQ,<br>MO000800WTBR, MO001600WTBT,<br>MO003200WTBU,<br>MO006400WTCD, EO000400WTBV,                                          | CP061369.zip | VO000960WTBK  | HPDB (B) | HPDB |

|      |                                                                                                                                                                                                                                                                    |              |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | EO000800JWTCB, EO001600JWTCB<br>Drives                                                                                                                                                                                                                             |              |               |          |      |
| 1228 | Online HDD/SSD Flash Component for<br>VMware ESXi - VO000960JWTKB,<br>VO001920JWTKL, VO003840JWTKN,<br>VO007680JWTKP, MO000400JWTKQ,<br>MO000800JWTKR, MO001600JWTKT,<br>MO003200JWTKU,<br>MO006400JWTKD, EO000400JWTKV,<br>EO000800JWTCB, EO001600JWTCB<br>Drives | CP061369.zip | MO000800JWTKR | HPDB (B) | HPDB |
| 1229 | Online HDD/SSD Flash Component for<br>VMware ESXi - VO000960JWTKB,<br>VO001920JWTKL, VO003840JWTKN,<br>VO007680JWTKP, MO000400JWTKQ,<br>MO000800JWTKR, MO001600JWTKT,<br>MO003200JWTKU,<br>MO006400JWTKD, EO000400JWTKV,<br>EO000800JWTCB, EO001600JWTCB<br>Drives | CP061369.zip | EO000800JWTCB | HPDB (B) | HPDB |
| 1230 | Online HDD/SSD Flash Component for<br>VMware ESXi - VO000960JWTKB,<br>VO001920JWTKL, VO003840JWTKN,<br>VO007680JWTKP, MO000400JWTKQ,<br>MO000800JWTKR, MO001600JWTKT,<br>MO003200JWTKU,<br>MO006400JWTKD, EO000400JWTKV,<br>EO000800JWTCB, EO001600JWTCB<br>Drives | CP061369.zip | MO000400JWTKQ | HPDB (B) | HPDB |
| 1231 | Online HDD/SSD Flash Component for<br>VMware ESXi - VO000960JWTKB,<br>VO001920JWTKL, VO003840JWTKN,<br>VO007680JWTKP, MO000400JWTKQ,<br>MO000800JWTKR, MO001600JWTKT,<br>MO003200JWTKU,<br>MO006400JWTKD, EO000400JWTKV,<br>EO000800JWTCB, EO001600JWTCB<br>Drives | CP061369.zip | EO000400JWTKV | HPDB (B) | HPDB |
| 1232 | Online HDD/SSD Flash Component for<br>VMware ESXi - VO000960JWTKB,<br>VO001920JWTKL, VO003840JWTKN,<br>VO007680JWTKP, MO000400JWTKQ,<br>MO000800JWTKR, MO001600JWTKT,<br>MO003200JWTKU,<br>MO006400JWTKD, EO000400JWTKV,<br>EO000800JWTCB, EO001600JWTCB<br>Drives | CP061369.zip | MO001920JWWVW | HPDB (B) | HPDB |
| 1233 | Online HDD/SSD Flash Component for<br>VMware ESXi - VO000960JWZJF,<br>VO001920JWZJH, VO003840JWZJK,<br>VO007680JWZJL and<br>VO015360JWZJN Drives                                                                                                                   | CP061460.zip | VO015360JWZJN | HPD5 (B) | HPD5 |
| 1234 | Online HDD/SSD Flash Component for<br>VMware ESXi - VO000960JWZJF,<br>VO001920JWZJH, VO003840JWZJK,<br>VO007680JWZJL and<br>VO015360JWZJN Drives                                                                                                                   | CP061460.zip | VO007680JWZJL | HPD5 (B) | HPD5 |
| 1235 | Online HDD/SSD Flash Component for<br>VMware ESXi - VO000960JWZJF,<br>VO001920JWZJH, VO003840JWZJK,<br>VO007680JWZJL and<br>VO015360JWZJN Drives                                                                                                                   | CP061460.zip | VO003840JWZJK | HPD5 (B) | HPD5 |
| 1236 | Online HDD/SSD Flash Component for<br>VMware ESXi - VO000960JWZJF,<br>VO001920JWZJH, VO003840JWZJK,<br>VO007680JWZJL and                                                                                                                                           | CP061460.zip | VO001920JWZJH | HPD5 (B) | HPD5 |



|      |                                                                                                                                                                    |              |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | VO015360JWZJN Drives                                                                                                                                               |              |               |          |      |
| 1237 | Online HDD/SSD Flash Component for VMware ESXi - VO000960JWZJF, VO001920JWZJH, VO003840JWZJK, VO007680JWZJL and VO015360JWZJN Drives                               | CP061460.zip | VO000960JWZJF | HPD5 (B) | HPD5 |
| 1238 | Online HDD/SSD Flash Component for VMware ESXi - VO000960RWUEV, VO001920RWUFA, VO003840RWUFB, VO007680RWUFC, VO000960RWUFD, VO001920RWUFE and VO003840RWUFF Drives | CP061451.zip | VO007680RWUFC | HPD8 (B) | HPD8 |
| 1239 | Online HDD/SSD Flash Component for VMware ESXi - VO000960RWUEV, VO001920RWUFA, VO003840RWUFB, VO007680RWUFC, VO000960RWUFD, VO001920RWUFE and VO003840RWUFF Drives | CP061451.zip | VO003840RWUFF | HPD8 (B) | HPD8 |
| 1240 | Online HDD/SSD Flash Component for VMware ESXi - VO000960RWUEV, VO001920RWUFA, VO003840RWUFB, VO007680RWUFC, VO000960RWUFD, VO001920RWUFE and VO003840RWUFF Drives | CP061451.zip | VO003840RWUFB | HPD8 (B) | HPD8 |
| 1241 | Online HDD/SSD Flash Component for VMware ESXi - VO000960RWUEV, VO001920RWUFA, VO003840RWUFB, VO007680RWUFC, VO000960RWUFD, VO001920RWUFE and VO003840RWUFF Drives | CP061451.zip | VO001920RWUFE | HPD8 (B) | HPD8 |
| 1242 | Online HDD/SSD Flash Component for VMware ESXi - VO000960RWUEV, VO001920RWUFA, VO003840RWUFB, VO007680RWUFC, VO000960RWUFD, VO001920RWUFE and VO003840RWUFF Drives | CP061451.zip | VO001920RWUFA | HPD8 (B) | HPD8 |
| 1243 | Online HDD/SSD Flash Component for VMware ESXi - VO000960RWUEV, VO001920RWUFA, VO003840RWUFB, VO007680RWUFC, VO000960RWUFD, VO001920RWUFE and VO003840RWUFF Drives | CP061451.zip | VO000960RWUFD | HPD8 (B) | HPD8 |
| 1244 | Online HDD/SSD Flash Component for VMware ESXi - VO000960RWUEV, VO001920RWUFA, VO003840RWUFB, VO007680RWUFC, VO000960RWUFD, VO001920RWUFE and VO003840RWUFF Drives | CP061451.zip | VO000960RWUEV | HPD8 (B) | HPD8 |
| 1245 | Online HDD/SSD Flash Component for VMware ESXi - VO003840XZCLT, VO007680XZCMB, MO000800XZCLQ and MO001600XZCLV Drives                                              | CP062187.zip | VO003840XZCLT | HPD3     | HPD3 |
| 1246 | Online HDD/SSD Flash Component for VMware ESXi - VO003840XZCLT, VO007680XZCMB, MO000800XZCLQ and MO001600XZCLV Drives                                              | CP062187.zip | MO001600XZCLV | HPD3     | HPD3 |
| 1247 | Online HDD/SSD Flash Component for VMware ESXi - VO003840XZCLT, VO007680XZCMB, MO000800XZCLQ and MO001600XZCLV Drives                                              | CP062187.zip | MO000800XZCLQ | HPD3     | HPD3 |
| 1248 | Online HDD/SSD Flash Component for VMware ESXi - VO003840XZCLT, VO007680XZCMB, MO000800XZCLQ and MO001600XZCLV Drives                                              | CP062187.zip | VO007680XZCMB | HPD3     | HPD3 |
| 1249 | Online HDD/SSD Flash Component for VMware ESXi - MB014000JWRTH,                                                                                                    | CP061593.zip | MB014000JWRTH | HPD2 (I) | HPD2 |

|      |                                                                                                                                        |              |               |          |      |
|------|----------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | MB012000JWRTF and MB010000JWRTE Drives                                                                                                 |              |               |          |      |
| 1250 | Online HDD/SSD Flash Component for VMware ESXi - MB014000JWRTH, MB012000JWRTF and MB010000JWRTE Drives                                 | CP061593.zip | MB012000JWRTF | HPD2 (I) | HPD2 |
| 1251 | Online HDD/SSD Flash Component for VMware ESXi - MB014000JWRTH, MB012000JWRTF and MB010000JWRTE Drives                                 | CP061593.zip | MB010000JWRTE | HPD2 (I) | HPD2 |
| 1252 | Online HDD/SSD Flash Component for Windows (x64) - EG000300JBHR Drive                                                                  | cp061424.exe | EG000300JBHR  | HPD5 (E) | HPD5 |
| 1253 | Online HDD/SSD Flash Component for Windows (x64) - EG000300JWFVB Drive                                                                 | cp061419.exe | EG000300JWFVB | HPD3 (E) | HPD3 |
| 1254 | Online HDD/SSD Flash Component for Windows (x64) - EG000300JWSJP, EG000600JWJNH and EG001200JWJNK Drives                               | cp061520.exe | EG001200JWJNK | HPD5 (D) | HPD5 |
| 1255 | Online HDD/SSD Flash Component for Windows (x64) - EG000300JWSJP, EG000600JWJNH and EG001200JWJNK Drives                               | cp061520.exe | EG000600JWJNH | HPD5 (D) | HPD5 |
| 1256 | Online HDD/SSD Flash Component for Windows (x64) - EG000300JWSJP, EG000600JWJNH and EG001200JWJNK Drives                               | cp061520.exe | EG000300JWSJP | HPD5 (D) | HPD5 |
| 1257 | Online HDD/SSD Flash Component for Windows (x64) - EG000600JWFUV and EG001200JWFVA Drives                                              | cp061428.exe | EG001200JWFVA | HPD4 (E) | HPD4 |
| 1258 | Online HDD/SSD Flash Component for Windows (x64) - EG000600JWFUV and EG001200JWFVA Drives                                              | cp061428.exe | EG000600JWFUV | HPD4 (E) | HPD4 |
| 1259 | Online HDD/SSD Flash Component for Windows (x64) - EG000600JWJNP, EG001200JWJNQ, EG000600JXLVV, EG001200JXLWA and EG001200MXJQU Drives | cp061379.exe | EG001200MXJQU | HPD8 (B) | HPD8 |
| 1260 | Online HDD/SSD Flash Component for Windows (x64) - EG000600JWJNP, EG001200JWJNQ, EG000600JXLVV, EG001200JXLWA and EG001200MXJQU Drives | cp061379.exe | EG000600JXLVV | HPD8 (B) | HPD8 |
| 1261 | Online HDD/SSD Flash Component for Windows (x64) - EG000600JWJNP, EG001200JWJNQ, EG000600JXLVV, EG001200JXLWA and EG001200MXJQU Drives | cp061379.exe | EG001200JXLWA | HPD8 (B) | HPD8 |
| 1262 | Online HDD/SSD Flash Component for Windows (x64) - EG000600JWJNP, EG001200JWJNQ, EG000600JXLVV, EG001200JXLWA and EG001200MXJQU Drives | cp061379.exe | EG000600JWJNP | HPD8 (B) | HPD8 |
| 1263 | Online HDD/SSD Flash Component for Windows (x64) - EG000600JWJNP, EG001200JWJNQ, EG000600JXLVV, EG001200JXLWA and EG001200MXJQU Drives | cp061379.exe | EG001200JWJNQ | HPD8 (B) | HPD8 |
| 1264 | Online HDD/SSD Flash Component for Windows (x64) - EG001800JWFVC Drive                                                                 | cp061429.exe | EG001800JWFVC | HPD4 (E) | HPD4 |
| 1265 | Online HDD/SSD Flash Component for Windows (x64) - EG001800JWJNL and EG002400JWJNN Drives                                              | cp061586.exe | EG002400JWJNN | HPD5 (D) | HPD5 |
| 1266 | Online HDD/SSD Flash Component for                                                                                                     | cp061586.exe | EG001800JWJNL | HPD5 (D) | HPD5 |

|      |                                                                                                                                        |              |               |          |      |
|------|----------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | Windows (x64) - EG001800JWJNL and EG002400JWJNN Drives                                                                                 |              |               |          |      |
| 1267 | Online HDD/SSD Flash Component for Windows (x64) - EG001800JWJNR, EG002400JWJNT, EG001800JXLWB, EG002400JXLWC and EG002400MXJQT Drives | cp061381.exe | EG001800JWJNR | HPDA (C) | HPDA |
| 1268 | Online HDD/SSD Flash Component for Windows (x64) - EG001800JWJNR, EG002400JWJNT, EG001800JXLWB, EG002400JXLWC and EG002400MXJQT Drives | cp061381.exe | EG002400JWJNT | HPDA (C) | HPDA |
| 1269 | Online HDD/SSD Flash Component for Windows (x64) - EG001800JWJNR, EG002400JWJNT, EG001800JXLWB, EG002400JXLWC and EG002400MXJQT Drives | cp061381.exe | EG002400MXJQT | HPDA (C) | HPDA |
| 1270 | Online HDD/SSD Flash Component for Windows (x64) - EG001800JWJNR, EG002400JWJNT, EG001800JXLWB, EG002400JXLWC and EG002400MXJQT Drives | cp061381.exe | EG001800JXLWB | HPDA (C) | HPDA |
| 1271 | Online HDD/SSD Flash Component for Windows (x64) - EG001800JWJNR, EG002400JWJNT, EG001800JXLWB, EG002400JXLWC and EG002400MXJQT Drives | cp061381.exe | EG002400JXLWC | HPDA (C) | HPDA |
| 1272 | Online HDD/SSD Flash Component for Windows (x64) - EG0600JETKA, EG0900JETKB and EG1200JETKC Drives                                     | cp061523.exe | EG1200JETKC   | HPD8 (E) | HPD8 |
| 1273 | Online HDD/SSD Flash Component for Windows (x64) - EG0600JETKA, EG0900JETKB and EG1200JETKC Drives                                     | cp061523.exe | EG0600JETKA   | HPD8 (E) | HPD8 |
| 1274 | Online HDD/SSD Flash Component for Windows (x64) - EG0600JETKA, EG0900JETKB and EG1200JETKC Drives                                     | cp061523.exe | EG0900JETKB   | HPD8 (E) | HPD8 |
| 1275 | Online HDD/SSD Flash Component for Windows (x64) - EG1800JFHHM Drive                                                                   | cp061431.exe | EG1800JFHHM   | HPD8 (E) | HPD8 |
| 1276 | Online HDD/SSD Flash Component for Windows (x64) - EH000900JWHPK and EH000600JWHPH Drives                                              | cp061587.exe | EH000600JWHPH | HPD8 (C) | HPD8 |
| 1277 | Online HDD/SSD Flash Component for Windows (x64) - EH000900JWHPK and EH000600JWHPH Drives                                              | cp061587.exe | EH000900JWHPK | HPD8 (C) | HPD8 |
| 1278 | Online HDD/SSD Flash Component for Windows (x64) - EH000900JWHPP, EH000600JWHPN and EH000300JWHPL Drives                               | cp061506.exe | EH000300JWHPL | HPD8 (C) | HPD8 |
| 1279 | Online HDD/SSD Flash Component for Windows (x64) - EH000900JWHPP, EH000600JWHPN and EH000300JWHPL Drives                               | cp061506.exe | EH000600JWHPN | HPD8 (C) | HPD8 |
| 1280 | Online HDD/SSD Flash Component for Windows (x64) - EH000900JWHPP, EH000600JWHPN and EH000300JWHPL Drives                               | cp061506.exe | EH000900JWHPP | HPD8 (C) | HPD8 |
| 1281 | Online HDD/SSD Flash Component for Windows (x64) - EK0800JVYPN, EO1600JVYPP, MK0800JVYPQ and MO1600JVYPR Drives                        | cp061538.exe | MO1600JVYPR   | HPD7 (G) | HPD7 |
| 1282 | Online HDD/SSD Flash Component for Windows (x64) - EK0800JVYPN, EO1600JVYPP, MK0800JVYPQ and                                           | cp061538.exe | EO1600JVYPP   | HPD7 (G) | HPD7 |

|      |                                                                                                                                                                                                                                                 |              |               |          |      |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | MO1600JVYPR Drives                                                                                                                                                                                                                              |              |               |          |      |
| 1283 | Online HDD/SSD Flash Component for Windows (x64) - EK0800JVYPN, EO1600JVYPP, MK0800JVYPQ and MO1600JVYPR Drives                                                                                                                                 | cp061538.exe | MK0800JVYPQ   | HPD7 (G) | HPD7 |
| 1284 | Online HDD/SSD Flash Component for Windows (x64) - EK0800JVYPN, EO1600JVYPP, MK0800JVYPQ and MO1600JVYPR Drives                                                                                                                                 | cp061538.exe | EK0800JVYPN   | HPD7 (G) | HPD7 |
| 1285 | Online HDD/SSD Flash Component for Windows (x64) - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR, MO000400JWDKU, MO000800JWDKV, MO001600JWDLA and MO003200JWDLB Drives                                                                            | cp061437.exe | EO001600JWDKR | HPD2 (H) | HPD2 |
| 1286 | Online HDD/SSD Flash Component for Windows (x64) - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR, MO000400JWDKU, MO000800JWDKV, MO001600JWDLA and MO003200JWDLB Drives                                                                            | cp061437.exe | MO001600JWDLA | HPD2 (H) | HPD2 |
| 1287 | Online HDD/SSD Flash Component for Windows (x64) - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR, MO000400JWDKU, MO000800JWDKV, MO001600JWDLA and MO003200JWDLB Drives                                                                            | cp061437.exe | MO003200JWDLB | HPD2 (H) | HPD2 |
| 1288 | Online HDD/SSD Flash Component for Windows (x64) - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR, MO000400JWDKU, MO000800JWDKV, MO001600JWDLA and MO003200JWDLB Drives                                                                            | cp061437.exe | EO000400JWDKP | HPD2 (H) | HPD2 |
| 1289 | Online HDD/SSD Flash Component for Windows (x64) - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR, MO000400JWDKU, MO000800JWDKV, MO001600JWDLA and MO003200JWDLB Drives                                                                            | cp061437.exe | MO000400JWDKU | HPD2 (H) | HPD2 |
| 1290 | Online HDD/SSD Flash Component for Windows (x64) - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR, MO000400JWDKU, MO000800JWDKV, MO001600JWDLA and MO003200JWDLB Drives                                                                            | cp061437.exe | EO000800JWDKQ | HPD2 (H) | HPD2 |
| 1291 | Online HDD/SSD Flash Component for Windows (x64) - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR, MO000400JWDKU, MO000800JWDKV, MO001600JWDLA and MO003200JWDLB Drives                                                                            | cp061437.exe | MO000800JWDKV | HPD2 (H) | HPD2 |
| 1292 | Online HDD/SSD Flash Component for Windows (x64) - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCD, MO006400PXDCE, VO000960PXDBN, VO001920PXDBR, VO003840PXDBT, VO007680PXDBU and VO015300PXDBV Drives | cp062191.exe | EO000800PXDCK | HPD4     | HPD4 |
| 1293 | Online HDD/SSD Flash Component for Windows (x64) - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCD, MO006400PXDCE, VO000960PXDBN, VO001920PXDBR, VO003840PXDBT, VO007680PXDBU                          | cp062191.exe | MO000800PXDBP | HPD4     | HPD4 |

|      |                                                                                                                                                                                                                                                 |              |               |      |      |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|------|------|
|      | and VO015300PXDBV Drives                                                                                                                                                                                                                        |              |               |      |      |
| 1294 | Online HDD/SSD Flash Component for Windows (x64) - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCE, MO006400PXDCE, VO000960PXDBN, VO001920PXDCH, VO003840PXDCH, VO007680PXDCH and VO015300PXDBV Drives | cp062191.exe | EO000400PXDBQ | HPD4 | HPD4 |
| 1295 | Online HDD/SSD Flash Component for Windows (x64) - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCE, MO006400PXDCE, VO000960PXDBN, VO001920PXDCH, VO003840PXDCH, VO007680PXDCH and VO015300PXDBV Drives | cp062191.exe | EO001600PXDCH | HPD4 | HPD4 |
| 1296 | Online HDD/SSD Flash Component for Windows (x64) - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCE, MO006400PXDCE, VO000960PXDBN, VO001920PXDCH, VO003840PXDCH, VO007680PXDCH and VO015300PXDBV Drives | cp062191.exe | MO001600PXDCC | HPD4 | HPD4 |
| 1297 | Online HDD/SSD Flash Component for Windows (x64) - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCE, MO006400PXDCE, VO000960PXDBN, VO001920PXDCH, VO003840PXDCH, VO007680PXDCH and VO015300PXDBV Drives | cp062191.exe | MO006400PXDCE | HPD4 | HPD4 |
| 1298 | Online HDD/SSD Flash Component for Windows (x64) - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCE, MO006400PXDCE, VO000960PXDBN, VO001920PXDCH, VO003840PXDCH, VO007680PXDCH and VO015300PXDBV Drives | cp062191.exe | VO007680PXDCH | HPD4 | HPD4 |
| 1299 | Online HDD/SSD Flash Component for Windows (x64) - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCE, MO006400PXDCE, VO000960PXDBN, VO001920PXDCH, VO003840PXDCH, VO007680PXDCH and VO015300PXDBV Drives | cp062191.exe | VO001920PXDCH | HPD4 | HPD4 |
| 1300 | Online HDD/SSD Flash Component for Windows (x64) - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCE, MO006400PXDCE, VO000960PXDBN, VO001920PXDCH, VO003840PXDCH, VO007680PXDCH and VO015300PXDBV Drives | cp062191.exe | VO015300PXDBV | HPD4 | HPD4 |
| 1301 | Online HDD/SSD Flash Component for Windows (x64) - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCE, MO006400PXDCE, VO000960PXDBN, VO001920PXDCH, VO003840PXDCH, VO007680PXDCH and VO015300PXDBV Drives | cp062191.exe | MO003200PXDCE | HPD4 | HPD4 |
| 1302 | Online HDD/SSD Flash Component for Windows (x64) - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCE, MO006400PXDCE, VO000960PXDBN, VO001920PXDCH, VO003840PXDCH, VO007680PXDCH and VO015300PXDBV Drives | cp062191.exe | VO000960PXDBN | HPD4 | HPD4 |

|      |                                                                                                                                                                                                                                                    |              |               |          |      |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | Windows (x64) - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCD, MO006400PXDCE, VO000960PXDBN, VO001920PXDDBR, VO003840PXDBT, VO007680PXDDBU and VO015300PXDDBV Drives                                    |              |               |          |      |
| 1303 | Online HDD/SSD Flash Component for Windows (x64) - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCD, MO006400PXDCE, VO000960PXDBN, VO001920PXDDBR, VO003840PXDBT, VO007680PXDDBU and VO015300PXDDBV Drives | cp062191.exe | VO003840PXDBT | HPD4     | HPD4 |
| 1304 | Online HDD/SSD Flash Component for Windows (x64) - MB002000JWFVN and MB004000JWFVP Drives                                                                                                                                                          | cp061439.exe | MB002000JWFVN | HPD4 (F) | HPD4 |
| 1305 | Online HDD/SSD Flash Component for Windows (x64) - MB002000JWFVN and MB004000JWFVP Drives                                                                                                                                                          | cp061439.exe | MB004000JWFVP | HPD4 (F) | HPD4 |
| 1306 | Online HDD/SSD Flash Component for Windows (x64) - MB002000JYDNE and MB004000JYDPB Drives                                                                                                                                                          | cp061528.exe | MB004000JYDPB | HPD2 (E) | HPD2 |
| 1307 | Online HDD/SSD Flash Component for Windows (x64) - MB002000JYDNE and MB004000JYDPB Drives                                                                                                                                                          | cp061528.exe | MB002000JYDNE | HPD2 (E) | HPD2 |
| 1308 | Online HDD/SSD Flash Component for Windows (x64) - MB004000JWFVK and MB006000JWFVL Drives                                                                                                                                                          | cp061441.exe | MB004000JWFVK | HPD4 (E) | HPD4 |
| 1309 | Online HDD/SSD Flash Component for Windows (x64) - MB004000JWFVK and MB006000JWFVL Drives                                                                                                                                                          | cp061441.exe | MB006000JWFVL | HPD4 (E) | HPD4 |
| 1310 | Online HDD/SSD Flash Component for Windows (x64) - MB004000JWKGU Drive                                                                                                                                                                             | cp061442.exe | MB004000JWKGU | HPD2 (E) | HPD2 |
| 1311 | Online HDD/SSD Flash Component for Windows (x64) - MB004000JWWQB and MB002000JWWQA Drives                                                                                                                                                          | cp061522.exe | MB004000JWWQB | HPD8 (C) | HPD8 |
| 1312 | Online HDD/SSD Flash Component for Windows (x64) - MB004000JWWQB and MB002000JWWQA Drives                                                                                                                                                          | cp061522.exe | MB002000JWWQA | HPD8 (C) | HPD8 |
| 1313 | Online HDD/SSD Flash Component for Windows (x64) - MB006000JWKGN Drive                                                                                                                                                                             | cp061458.exe | MB006000JWKGN | HPD2 (E) | HPD2 |
| 1314 | Online HDD/SSD Flash Component for Windows (x64) - MB006000JYDNF and MB008000JYDPC Drives                                                                                                                                                          | cp061527.exe | MB006000JYDNF | HPD2 (E) | HPD2 |
| 1315 | Online HDD/SSD Flash Component for Windows (x64) - MB006000JYDNF and MB008000JYDPC Drives                                                                                                                                                          | cp061527.exe | MB008000JYDPC | HPD2 (E) | HPD2 |
| 1316 | Online HDD/SSD Flash Component for Windows (x64) - MB008000JWJRQ and MB006000JWJRP Drives                                                                                                                                                          | cp061535.exe | MB008000JWJRQ | HPD9 (F) | HPD9 |
| 1317 | Online HDD/SSD Flash Component for Windows (x64) - MB008000JWJRQ and MB006000JWJRP Drives                                                                                                                                                          | cp061535.exe | MB006000JWJRP | HPD9 (F) | HPD9 |
| 1318 | Online HDD/SSD Flash Component for Windows (x64) - MB008000JWRTD Drive                                                                                                                                                                             | cp061463.exe | MB008000JWRTD | HPD2 (F) | HPD2 |
| 1319 | Online HDD/SSD Flash Component for Windows (x64) - MB008000JWWQP and MB006000JWWQN Drives                                                                                                                                                          | cp061521.exe | MB006000JWWQN | HPD8 (C) | HPD8 |
| 1320 | Online HDD/SSD Flash Component for Windows (x64) - MB008000JWWQP and MB006000JWWQN Drives                                                                                                                                                          | cp061521.exe | MB008000JWWQP | HPD8 (C) | HPD8 |

|      |                                                                                                                                        |              |               |          |      |
|------|----------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
| 1321 | Online HDD/SSD Flash Component for Windows (x64) - MB010000GWZGT, MB012000GWZGU, MB014000GWZGV and MB016000GWZHD Drives                | cp061416.exe | MB010000GWZGT | HPG1 (D) | HPG1 |
| 1322 | Online HDD/SSD Flash Component for Windows (x64) - MB010000GWZGT, MB012000GWZGU, MB014000GWZGV and MB016000GWZHD Drives                | cp061416.exe | MB012000GWZGU | HPG1 (D) | HPG1 |
| 1323 | Online HDD/SSD Flash Component for Windows (x64) - MB010000GWZGT, MB012000GWZGU, MB014000GWZGV and MB016000GWZHD Drives                | cp061416.exe | MB014000GWZGV | HPG1 (D) | HPG1 |
| 1324 | Online HDD/SSD Flash Component for Windows (x64) - MB010000GWZGT, MB012000GWZGU, MB014000GWZGV and MB016000GWZHD Drives                | cp061416.exe | MB016000GWZHD | HPG1 (D) | HPG1 |
| 1325 | Online HDD/SSD Flash Component for Windows (x64) - MB010000JWAYK and MB008000JWAYH Drives                                              | cp061467.exe | MB010000JWAYK | HPD6 (E) | HPD6 |
| 1326 | Online HDD/SSD Flash Component for Windows (x64) - MB010000JWAYK and MB008000JWAYH Drives                                              | cp061467.exe | MB008000JWAYH | HPD6 (E) | HPD6 |
| 1327 | Online HDD/SSD Flash Component for Windows (x64) - MB010000JWZHA, MB012000JWZHB, MB014000JWZHC and MB016000JWZHE Drives                | cp061504.exe | MB010000JWZHA | HPD4 (C) | HPD4 |
| 1328 | Online HDD/SSD Flash Component for Windows (x64) - MB010000JWZHA, MB012000JWZHB, MB014000JWZHC and MB016000JWZHE Drives                | cp061504.exe | MB012000JWZHB | HPD4 (C) | HPD4 |
| 1329 | Online HDD/SSD Flash Component for Windows (x64) - MB010000JWZHA, MB012000JWZHB, MB014000JWZHC and MB016000JWZHE Drives                | cp061504.exe | MB014000JWZHC | HPD4 (C) | HPD4 |
| 1330 | Online HDD/SSD Flash Component for Windows (x64) - MB010000JWZHA, MB012000JWZHB, MB014000JWZHC and MB016000JWZHE Drives                | cp061504.exe | MB016000JWZHE | HPD4 (C) | HPD4 |
| 1331 | Online HDD/SSD Flash Component for Windows (x64) - MB010000JYDKK, MB012000JYCJF, MB014000JYCJV, MB016000JYDKL and MB018000JYDKN Drives | cp061513.exe | MB010000JYDKK | HPD3 (B) | HPD3 |
| 1332 | Online HDD/SSD Flash Component for Windows (x64) - MB010000JYDKK, MB012000JYCJF, MB014000JYCJV, MB016000JYDKL and MB018000JYDKN Drives | cp061513.exe | MB012000JYCJF | HPD3 (B) | HPD3 |
| 1333 | Online HDD/SSD Flash Component for Windows (x64) - MB010000JYDKK, MB012000JYCJF, MB014000JYCJV, MB016000JYDKL and MB018000JYDKN Drives | cp061513.exe | MB014000JYCJV | HPD3 (B) | HPD3 |
| 1334 | Online HDD/SSD Flash Component for Windows (x64) - MB010000JYDKK, MB012000JYCJF, MB014000JYCJV, MB016000JYDKL and MB018000JYDKN Drives | cp061513.exe | MB016000JYDKL | HPD3 (B) | HPD3 |
| 1335 | Online HDD/SSD Flash Component for Windows (x64) - MB010000JYDKK, MB012000JYCJF, MB014000JYCJV, MB016000JYDKL and                      | cp061513.exe | MB018000JYDKN | HPD3 (B) | HPD3 |

|      |                                                                                                                         |              |               |          |      |
|------|-------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | MB018000JYDKN Drives                                                                                                    |              |               |          |      |
| 1336 | Online HDD/SSD Flash Component for Windows (x64) - MB012000JWDFD Drive                                                  | cp061929.exe | MB012000JWDFD | HPD4 (B) | HPD4 |
| 1337 | Online HDD/SSD Flash Component for Windows (x64) - MB012000JZYVN, MB014000JZYVP, MB016000JZYVQ and MB018000JYCLK Drives | cp061362.exe | MB012000JZYVN | HPD4 (B) | HPD4 |
| 1338 | Online HDD/SSD Flash Component for Windows (x64) - MB012000JZYVN, MB014000JZYVP, MB016000JZYVQ and MB018000JYCLK Drives | cp061362.exe | MB014000JZYVP | HPD4 (B) | HPD4 |
| 1339 | Online HDD/SSD Flash Component for Windows (x64) - MB012000JZYVN, MB014000JZYVP, MB016000JZYVQ and MB018000JYCLK Drives | cp061362.exe | MB016000JZYVQ | HPD4 (B) | HPD4 |
| 1340 | Online HDD/SSD Flash Component for Windows (x64) - MB012000JZYVN, MB014000JZYVP, MB016000JZYVQ and MB018000JYCLK Drives | cp061362.exe | MB018000JYCLK | HPD4 (B) | HPD4 |
| 1341 | Online HDD/SSD Flash Component for Windows (x64) - MB014000JWRTH, MB012000JWRTF and MB010000JWRTE Drives                | cp061471.exe | MB014000JWRTH | HPD2 (H) | HPD2 |
| 1342 | Online HDD/SSD Flash Component for Windows (x64) - MB014000JWRTH, MB012000JWRTF and MB010000JWRTE Drives                | cp061471.exe | MB012000JWRTF | HPD2 (H) | HPD2 |
| 1343 | Online HDD/SSD Flash Component for Windows (x64) - MB014000JWRTH, MB012000JWRTF and MB010000JWRTE Drives                | cp061471.exe | MB010000JWRTE | HPD2 (H) | HPD2 |
| 1344 | Online HDD/SSD Flash Component for Windows (x64) - MB014000JWTFD and MB012000JWTFD Drives                               | cp061533.exe | MB014000JWTFD | HPD8 (F) | HPD8 |
| 1345 | Online HDD/SSD Flash Component for Windows (x64) - MB014000JWTFD and MB012000JWTFD Drives                               | cp061533.exe | MB012000JWTFD | HPD8 (F) | HPD8 |
| 1346 | Online HDD/SSD Flash Component for Windows (x64) - MB014000JUWDB Drive                                                  | cp061493.exe | MB014000JUWDB | HPD4 (B) | HPD4 |
| 1347 | Online HDD/SSD Flash Component for Windows (x64) - MB014000JXUCC Drive                                                  | cp061546.exe | MB014000JXUCC | HPD4 (B) | HPD4 |
| 1348 | Online HDD/SSD Flash Component for Windows (x64) - MB016000JWXKH Drive                                                  | cp061375.exe | MB016000JWXKH | HPDA (B) | HPDA |
| 1349 | Online HDD/SSD Flash Component for Windows (x64) - MB016000JXLBA and MB018000JXLAU Drives                               | cp061585.exe | MB016000JXLBA | HPD3 (B) | HPD3 |
| 1350 | Online HDD/SSD Flash Component for Windows (x64) - MB016000JXLBA and MB018000JXLAU Drives                               | cp061585.exe | MB018000JXLAU | HPD3 (B) | HPD3 |
| 1351 | Online HDD/SSD Flash Component for Windows (x64) - MB018000JXMTH and MB020000JXMTP Drives                               | cp061515.exe | MB020000JXMTP | HPD2 (B) | HPD2 |
| 1352 | Online HDD/SSD Flash Component for Windows (x64) - MB018000JXMTH and MB020000JXMTP Drives                               | cp061515.exe | MB018000JXMTH | HPD2 (B) | HPD2 |
| 1353 | Online HDD/SSD Flash Component for Windows (x64) - MB2000JFDSL and MB4000JFDSN Drives                                   | cp061476.exe | MB2000JFDSL   | HPD4 (J) | HPD4 |
| 1354 | Online HDD/SSD Flash Component for Windows (x64) - MB2000JFDSL and MB4000JFDSN Drives                                   | cp061476.exe | MB4000JFDSN   | HPD4 (J) | HPD4 |
| 1355 | Online HDD/SSD Flash Component for                                                                                      | cp061529.exe | MM1000JEFRB   | HPDA (D) | HPDA |



|      |                                                                                                                                                                      |              |               |          |      |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | Windows (x64) - MM1000JEFRB and MM2000JEFRC Drives                                                                                                                   |              |               |          |      |
| 1356 | Online HDD/SSD Flash Component for Windows (x64) - MM1000JEFRB and MM2000JEFRC Drives                                                                                | cp061529.exe | MM2000JEFRC   | HPDA (D) | HPDA |
| 1357 | Online HDD/SSD Flash Component for Windows (x64) - MM1000JFJTH Drive                                                                                                 | cp061530.exe | MM1000JFJTH   | HPD5 (D) | HPD5 |
| 1358 | Online HDD/SSD Flash Component for Windows (x64) - MO000400JWFVN, MO000800JWFVP, MO001600JWFVQ, MO003200JWFVR, MO000960JWFVT, MO001920JWFVU and MO003840JWFVV Drives | cp061488.exe | MO003200JWFVR | HPD5 (H) | HPD5 |
| 1359 | Online HDD/SSD Flash Component for Windows (x64) - MO000400JWFVN, MO000800JWFVP, MO001600JWFVQ, MO003200JWFVR, MO000960JWFVT, MO001920JWFVU and MO003840JWFVV Drives | cp061488.exe | MO001920JWFVU | HPD5 (H) | HPD5 |
| 1360 | Online HDD/SSD Flash Component for Windows (x64) - MO000400JWFVN, MO000800JWFVP, MO001600JWFVQ, MO003200JWFVR, MO000960JWFVT, MO001920JWFVU and MO003840JWFVV Drives | cp061488.exe | MO001600JWFVQ | HPD5 (H) | HPD5 |
| 1361 | Online HDD/SSD Flash Component for Windows (x64) - MO000400JWFVN, MO000800JWFVP, MO001600JWFVQ, MO003200JWFVR, MO000960JWFVT, MO001920JWFVU and MO003840JWFVV Drives | cp061488.exe | MO000960JWFVT | HPD5 (H) | HPD5 |
| 1362 | Online HDD/SSD Flash Component for Windows (x64) - MO000400JWFVN, MO000800JWFVP, MO001600JWFVQ, MO003200JWFVR, MO000960JWFVT, MO001920JWFVU and MO003840JWFVV Drives | cp061488.exe | MO000800JWFVP | HPD5 (H) | HPD5 |
| 1363 | Online HDD/SSD Flash Component for Windows (x64) - MO000400JWFVN, MO000800JWFVP, MO001600JWFVQ, MO003200JWFVR, MO000960JWFVT, MO001920JWFVU and MO003840JWFVV Drives | cp061488.exe | MO000400JWFVN | HPD5 (H) | HPD5 |
| 1364 | Online HDD/SSD Flash Component for Windows (x64) - MO000400JWFVN, MO000800JWFVP, MO001600JWFVQ, MO003200JWFVR, MO000960JWFVT, MO001920JWFVU and MO003840JWFVV Drives | cp061488.exe | MO003840JWFVV | HPD5 (H) | HPD5 |
| 1365 | Online HDD/SSD Flash Component for Windows (x64) - MO000800JXBEP, MO001600JXBEP, MO003200JXBEP,                                                                      | cp061508.exe | MO000800JXBEP | HPD1 (E) | HPD1 |

|      |                                                                                                                                                                                                                                           |              |               |          |      |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | MO006400JBFR, MO000960JBFA, MO001920JBFT, MO003840JBFU, MO007680JBGA, MO015360JBFBV, EO000400JBEBU, EO000800JBFL and EO001600JBFBN Drives                                                                                                 |              |               |          |      |
| 1366 | Online HDD/SSD Flash Component for Windows (x64) - MO000800JBEBV, MO001600JBFBP, MO003200JBFBQ, MO006400JBFR, MO000960JBFA, MO001920JBFT, MO003840JBFU, MO007680JBGA, MO015360JBFBV, EO000400JBEBU, EO000800JBFL and EO001600JBFBN Drives | cp061508.exe | MO001600JBFBP | HPD1 (E) | HPD1 |
| 1367 | Online HDD/SSD Flash Component for Windows (x64) - MO000800JBEBV, MO001600JBFBP, MO003200JBFBQ, MO006400JBFR, MO000960JBFA, MO001920JBFT, MO003840JBFU, MO007680JBGA, MO015360JBFBV, EO000400JBEBU, EO000800JBFL and EO001600JBFBN Drives | cp061508.exe | MO003200JBFBQ | HPD1 (E) | HPD1 |
| 1368 | Online HDD/SSD Flash Component for Windows (x64) - MO000800JBEBV, MO001600JBFBP, MO003200JBFBQ, MO006400JBFR, MO000960JBFA, MO001920JBFT, MO003840JBFU, MO007680JBGA, MO015360JBFBV, EO000400JBEBU, EO000800JBFL and EO001600JBFBN Drives | cp061508.exe | MO006400JBFR  | HPD1 (E) | HPD1 |
| 1369 | Online HDD/SSD Flash Component for Windows (x64) - MO000800JBEBV, MO001600JBFBP, MO003200JBFBQ, MO006400JBFR, MO000960JBFA, MO001920JBFT, MO003840JBFU, MO007680JBGA, MO015360JBFBV, EO000400JBEBU, EO000800JBFL and EO001600JBFBN Drives | cp061508.exe | MO000960JBFA  | HPD1 (E) | HPD1 |
| 1370 | Online HDD/SSD Flash Component for Windows (x64) - MO000800JBEBV, MO001600JBFBP, MO003200JBFBQ, MO006400JBFR, MO000960JBFA, MO001920JBFT, MO003840JBFU, MO007680JBGA, MO015360JBFBV, EO000400JBEBU, EO000800JBFL and EO001600JBFBN Drives | cp061508.exe | MO001920JBFT  | HPD1 (E) | HPD1 |
| 1371 | Online HDD/SSD Flash Component for Windows (x64) - MO000800JBEBV, MO001600JBFBP, MO003200JBFBQ, MO006400JBFR, MO000960JBFA, MO001920JBFT, MO003840JBFU, MO007680JBGA, MO015360JBFBV, EO000400JBEBU, EO000800JBFL and EO001600JBFBN Drives | cp061508.exe | MO003840JBFU  | HPD1 (E) | HPD1 |
| 1372 | Online HDD/SSD Flash Component for Windows (x64) - MO000800JBEBV, MO001600JBFBP, MO003200JBFBQ, MO006400JBFR, MO000960JBFA, MO001920JBFT, MO003840JBFU, MO007680JBGA, MO015360JBFBV, EO000400JBEBU, EO000800JBFL and EO001600JBFBN Drives | cp061508.exe | EO000400JBEBU | HPD1 (E) | HPD1 |
| 1373 | Online HDD/SSD Flash Component for Windows (x64) - MO000800JBEBV, MO001600JBFBP, MO003200JBFBQ, MO006400JBFR, MO000960JBFA, MO001920JBFT, MO003840JBFU, MO007680JBGA, MO015360JBFBV, EO000400JBEBU, EO000800JBFL and EO001600JBFBN Drives | cp061508.exe | EO000800JBFL  | HPD1 (E) | HPD1 |

|      |                                                                                                                                                                                                                                                 |              |               |          |      |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | MO007680JXBGA, MO015360JXBFV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives                                                                                                                                                             |              |               |          |      |
| 1374 | Online HDD/SSD Flash Component for Windows (x64) - MO000800JXBEV, MO001600JXBFP, MO003200JXBFQ, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives | cp061508.exe | EO001600JXBFN | HPD1 (E) | HPD1 |
| 1375 | Online HDD/SSD Flash Component for Windows (x64) - MO000800JXBEV, MO001600JXBFP, MO003200JXBFQ, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives | cp061508.exe | MO015360JXBFV | HPD1 (E) | HPD1 |
| 1376 | Online HDD/SSD Flash Component for Windows (x64) - MO000800JXBEV, MO001600JXBFP, MO003200JXBFQ, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives | cp061508.exe | MO007680JXBGA | HPD1 (E) | HPD1 |
| 1377 | Online HDD/SSD Flash Component for Windows (x64) - VK000960JWSSQ, VK001920JWSSR, VK003840JWSST, VK007680JWSSU and VO015300JWSSV Drives                                                                                                          | cp061536.exe | VO015300JWSSV | HPD8 (G) | HPD8 |
| 1378 | Online HDD/SSD Flash Component for Windows (x64) - VK000960JWSSQ, VK001920JWSSR, VK003840JWSST, VK007680JWSSU and VO015300JWSSV Drives                                                                                                          | cp061536.exe | VK007680JWSSU | HPD8 (G) | HPD8 |
| 1379 | Online HDD/SSD Flash Component for Windows (x64) - VK000960JWSSQ, VK001920JWSSR, VK003840JWSST, VK007680JWSSU and VO015300JWSSV Drives                                                                                                          | cp061536.exe | VK003840JWSST | HPD8 (G) | HPD8 |
| 1380 | Online HDD/SSD Flash Component for Windows (x64) - VK000960JWSSQ, VK001920JWSSR, VK003840JWSST, VK007680JWSSU and VO015300JWSSV Drives                                                                                                          | cp061536.exe | VK001920JWSSR | HPD8 (G) | HPD8 |
| 1381 | Online HDD/SSD Flash Component for Windows (x64) - VK000960JWSSQ, VK001920JWSSR, VK003840JWSST, VK007680JWSSU and VO015300JWSSV Drives                                                                                                          | cp061536.exe | VK000960JWSSQ | HPD8 (G) | HPD8 |
| 1382 | Online HDD/SSD Flash Component for Windows (x64) - VO000800JWZJP, VO001600JWZJQ, VO003200JWZJR and VO006400JWZJT Drives                                                                                                                         | cp061549.exe | VO006400JWZJT | HPD5 (B) | HPD5 |
| 1383 | Online HDD/SSD Flash Component for Windows (x64) - VO000800JWZJP, VO001600JWZJQ, VO003200JWZJR and VO006400JWZJT Drives                                                                                                                         | cp061549.exe | VO003200JWZJR | HPD5 (B) | HPD5 |
| 1384 | Online HDD/SSD Flash Component for Windows (x64) - VO000800JWZJP, VO001600JWZJQ, VO003200JWZJR and VO006400JWZJT Drives                                                                                                                         | cp061549.exe | VO001600JWZJQ | HPD5 (B) | HPD5 |
| 1385 | Online HDD/SSD Flash Component for Windows (x64) - VO000800JWZJP,                                                                                                                                                                               | cp061549.exe | VO000800JWZJP | HPD5 (B) | HPD5 |

|      |                                                                                                                                                                                                                                     |              |              |          |      |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------|----------|------|
|      | VO001600JWZJQ, VO003200JWZJR and VO006400JWZJT Drives                                                                                                                                                                               |              |              |          |      |
| 1386 | Online HDD/SSD Flash Component for Windows (x64) - VO000960JWBK, VO001920JWTL, VO003840JWBN, VO007680JWBP, MO000400JWBQ, MO000800JWBR, MO001600JWBT, MO003200JWBU, MO006400JWCD, EO000400JWBV, EO000800JWCA and EO001600JWCB Drives | cp061507.exe | VO007680JWBP | HPDB (B) | HPDB |
| 1387 | Online HDD/SSD Flash Component for Windows (x64) - VO000960JWBK, VO001920JWTL, VO003840JWBN, VO007680JWBP, MO000400JWBQ, MO000800JWBR, MO001600JWBT, MO003200JWBU, MO006400JWCD, EO000400JWBV, EO000800JWCA and EO001600JWCB Drives | cp061507.exe | MO006400JWCD | HPDB (B) | HPDB |
| 1388 | Online HDD/SSD Flash Component for Windows (x64) - VO000960JWBK, VO001920JWTL, VO003840JWBN, VO007680JWBP, MO000400JWBQ, MO000800JWBR, MO001600JWBT, MO003200JWBU, MO006400JWCD, EO000400JWBV, EO000800JWCA and EO001600JWCB Drives | cp061507.exe | VO003840JWBN | HPDB (B) | HPDB |
| 1389 | Online HDD/SSD Flash Component for Windows (x64) - VO000960JWBK, VO001920JWTL, VO003840JWBN, VO007680JWBP, MO000400JWBQ, MO000800JWBR, MO001600JWBT, MO003200JWBU, MO006400JWCD, EO000400JWBV, EO000800JWCA and EO001600JWCB Drives | cp061507.exe | MO003200JWBU | HPDB (B) | HPDB |
| 1390 | Online HDD/SSD Flash Component for Windows (x64) - VO000960JWBK, VO001920JWTL, VO003840JWBN, VO007680JWBP, MO000400JWBQ, MO000800JWBR, MO001600JWBT, MO003200JWBU, MO006400JWCD, EO000400JWBV, EO000800JWCA and EO001600JWCB Drives | cp061507.exe | EO003200JWCC | HPDB (B) | HPDB |
| 1391 | Online HDD/SSD Flash Component for Windows (x64) - VO000960JWBK, VO001920JWTL, VO003840JWBN, VO007680JWBP, MO000400JWBQ, MO000800JWBR, MO001600JWBT, MO003200JWBU, MO006400JWCD, EO000400JWBV, EO000800JWCA and EO001600JWCB Drives | cp061507.exe | VO001920JWTL | HPDB (B) | HPDB |
| 1392 | Online HDD/SSD Flash Component for Windows (x64) - VO000960JWBK, VO001920JWTL, VO003840JWBN, VO007680JWBP, MO000400JWBQ, MO000800JWBR, MO001600JWBT, MO003200JWBU, MO006400JWCD, EO000400JWBV, EO000800JWCA and EO001600JWCB Drives | cp061507.exe | MO001600JWBT | HPDB (B) | HPDB |
| 1393 | Online HDD/SSD Flash Component for                                                                                                                                                                                                  | cp061507.exe | EO001600JWCB | HPDB (B) | HPDB |

|      |                                                                                                                                                                                                                                      |              |              |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------|----------|------|
|      | Windows (x64) - VO000960JWBK, VO001920JWTL, VO003840JWBN, VO007680JWBP, MO000400JWBQ, MO000800JWBR, MO001600JWBT, MO003200JWBU, MO006400JWTC, EO000400JWBV, EO000800JWTC and EO001600JWTCB Drives                                    |              |              |          |      |
| 1394 | Online HDD/SSD Flash Component for Windows (x64) - VO000960JWBK, VO001920JWTL, VO003840JWBN, VO007680JWBP, MO000400JWBQ, MO000800JWBR, MO001600JWBT, MO003200JWBU, MO006400JWTC, EO000400JWBV, EO000800JWTC and EO001600JWTCB Drives | cp061507.exe | VO000960JWBK | HPDB (B) | HPDB |
| 1395 | Online HDD/SSD Flash Component for Windows (x64) - VO000960JWBK, VO001920JWTL, VO003840JWBN, VO007680JWBP, MO000400JWBQ, MO000800JWBR, MO001600JWBT, MO003200JWBU, MO006400JWTC, EO000400JWBV, EO000800JWTC and EO001600JWTCB Drives | cp061507.exe | MO000800JWBR | HPDB (B) | HPDB |
| 1396 | Online HDD/SSD Flash Component for Windows (x64) - VO000960JWBK, VO001920JWTL, VO003840JWBN, VO007680JWBP, MO000400JWBQ, MO000800JWBR, MO001600JWBT, MO003200JWBU, MO006400JWTC, EO000400JWBV, EO000800JWTC and EO001600JWTCB Drives | cp061507.exe | EO000800JWTC | HPDB (B) | HPDB |
| 1397 | Online HDD/SSD Flash Component for Windows (x64) - VO000960JWBK, VO001920JWTL, VO003840JWBN, VO007680JWBP, MO000400JWBQ, MO000800JWBR, MO001600JWBT, MO003200JWBU, MO006400JWTC, EO000400JWBV, EO000800JWTC and EO001600JWTCB Drives | cp061507.exe | MO000400JWBQ | HPDB (B) | HPDB |
| 1398 | Online HDD/SSD Flash Component for Windows (x64) - VO000960JWBK, VO001920JWTL, VO003840JWBN, VO007680JWBP, MO000400JWBQ, MO000800JWBR, MO001600JWBT, MO003200JWBU, MO006400JWTC, EO000400JWBV, EO000800JWTC and EO001600JWTCB Drives | cp061507.exe | EO000400JWBV | HPDB (B) | HPDB |
| 1399 | Online HDD/SSD Flash Component for Windows (x64) - VO000960JWBK, VO001920JWTL, VO003840JWBN, VO007680JWBP, MO000400JWBQ, MO000800JWBR, MO001600JWBT, MO003200JWBU, MO006400JWTC, EO000400JWBV, EO000800JWTC and EO001600JWTCB Drives | cp061507.exe | MO001920JWWW | HPDB (B) | HPDB |
| 1400 | Online HDD/SSD Flash Component for Windows (x64) - VO000960JWZJ, VO001920JWZH, VO003840JWZK, VO007680JWZL and                                                                                                                        | cp061550.exe | VO015360JWZJ | HPD5 (B) | HPD5 |

|      |                                                                                                                                                                      |              |               |          |      |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | VO015360JWZJN Drives                                                                                                                                                 |              |               |          |      |
| 1401 | Online HDD/SSD Flash Component for Windows (x64) - VO000960JWZJF, VO001920JWZJH, VO003840JWZJK, VO007680JWZJL and VO015360JWZJN Drives                               | cp061550.exe | VO007680JWZJL | HPD5 (B) | HPD5 |
| 1402 | Online HDD/SSD Flash Component for Windows (x64) - VO000960JWZJF, VO001920JWZJH, VO003840JWZJK, VO007680JWZJL and VO015360JWZJN Drives                               | cp061550.exe | VO003840JWZJK | HPD5 (B) | HPD5 |
| 1403 | Online HDD/SSD Flash Component for Windows (x64) - VO000960JWZJF, VO001920JWZJH, VO003840JWZJK, VO007680JWZJL and VO015360JWZJN Drives                               | cp061550.exe | VO001920JWZJH | HPD5 (B) | HPD5 |
| 1404 | Online HDD/SSD Flash Component for Windows (x64) - VO000960JWZJF, VO001920JWZJH, VO003840JWZJK, VO007680JWZJL and VO015360JWZJN Drives                               | cp061550.exe | VO000960JWZJF | HPD5 (B) | HPD5 |
| 1405 | Online HDD/SSD Flash Component for Windows (x64) - VO000960RWUEV, VO001920RWUFA, VO003840RWUFB, VO007680RWUFC, VO000960RWUFD, VO001920RWUFE and VO003840RWUFF Drives | cp061519.exe | VO007680RWUFC | HPD8 (B) | HPD8 |
| 1406 | Online HDD/SSD Flash Component for Windows (x64) - VO000960RWUEV, VO001920RWUFA, VO003840RWUFB, VO007680RWUFC, VO000960RWUFD, VO001920RWUFE and VO003840RWUFF Drives | cp061519.exe | VO003840RWUFF | HPD8 (B) | HPD8 |
| 1407 | Online HDD/SSD Flash Component for Windows (x64) - VO000960RWUEV, VO001920RWUFA, VO003840RWUFB, VO007680RWUFC, VO000960RWUFD, VO001920RWUFE and VO003840RWUFF Drives | cp061519.exe | VO003840RWUFB | HPD8 (B) | HPD8 |
| 1408 | Online HDD/SSD Flash Component for Windows (x64) - VO000960RWUEV, VO001920RWUFA, VO003840RWUFB, VO007680RWUFC, VO000960RWUFD, VO001920RWUFE and VO003840RWUFF Drives | cp061519.exe | VO001920RWUFE | HPD8 (B) | HPD8 |
| 1409 | Online HDD/SSD Flash Component for Windows (x64) - VO000960RWUEV, VO001920RWUFA, VO003840RWUFB, VO007680RWUFC, VO000960RWUFD, VO001920RWUFE and VO003840RWUFF Drives | cp061519.exe | VO001920RWUFA | HPD8 (B) | HPD8 |
| 1410 | Online HDD/SSD Flash Component for Windows (x64) - VO000960RWUEV, VO001920RWUFA, VO003840RWUFB, VO007680RWUFC, VO000960RWUFD, VO001920RWUFE and VO003840RWUFF Drives | cp061519.exe | VO000960RWUFD | HPD8 (B) | HPD8 |
| 1411 | Online HDD/SSD Flash Component for Windows (x64) - VO000960RWUEV, VO001920RWUFA, VO003840RWUFB, VO007680RWUFC, VO000960RWUFD, VO001920RWUFE and VO003840RWUFF Drives | cp061519.exe | VO000960RWUEV | HPD8 (B) | HPD8 |
| 1412 | Online HDD/SSD Flash Component for Windows (x64) - VO003840XZCLT, VO007680XZCMB, MO000800XZCLQ                                                                       | cp062188.exe | VO003840XZCLT | HPD3     | HPD3 |

|      |                                                                                                                                                    |                                    |               |      |      |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|---------------|------|------|
|      | and MO001600XZCLV Drives                                                                                                                           |                                    |               |      |      |
| 1413 | Online HDD/SSD Flash Component for Windows (x64) - VO003840XZCLT, VO007680XZCMB, MO000800XZCLQ and MO001600XZCLV Drives                            | cp062188.exe                       | MO001600XZCLV | HPD3 | HPD3 |
| 1414 | Online HDD/SSD Flash Component for Windows (x64) - VO003840XZCLT, VO007680XZCMB, MO000800XZCLQ and MO001600XZCLV Drives                            | cp062188.exe                       | MO000800XZCLQ | HPD3 | HPD3 |
| 1415 | Online HDD/SSD Flash Component for Windows (x64) - VO003840XZCLT, VO007680XZCMB, MO000800XZCLQ and MO001600XZCLV Drives                            | cp062188.exe                       | VO007680XZCMB | HPD3 | HPD3 |
| 1416 | Universal Firmware Package for Drives - MB020000JXMVU                                                                                              | WDC_ParisD_WparisdA SFD1.fwpkg     | MB020000JXMVU | HPD1 | HPD1 |
| 1417 | Universal Firmware Package for Drives - MB12000JYESN, MB16000JYEVC, MB20000JYEVD                                                                   | Seagate_Summit_SUM MITSUSND1.fwpkg | MB12000JYESN  | HPD1 | HPD1 |
| 1418 | Universal Firmware Package for Drives - MB12000JYESN, MB16000JYEVC, MB20000JYEVD                                                                   | Seagate_Summit_SUM MITSUSND1.fwpkg | MB16000JYEVC  | HPD1 | HPD1 |
| 1419 | Universal Firmware Package for Drives - MB12000JYESN, MB16000JYEVC, MB20000JYEVD                                                                   | Seagate_Summit_SUM MITSUSND1.fwpkg | MB20000JYEVD  | HPD1 | HPD1 |
| 1420 | Universal Firmware Package for Drives - MB24000JYEVE                                                                                               | Seagate_Summit_SUM MITSUSSD1.fwpkg | MB24000JYEVE  | HPD1 | HPD1 |
| 1421 | Universal Firmware Package for Drives - MO000960RXKRC, MO001920RXKRH, MO003840RXKRK, VO000960RXKRB, VO001920RXKRD and VO003840RXKRE                | Seagate_LangeBP_SLNG BHPESD5.fwpkg | MO000960RXKRC | HPD5 | HPD5 |
| 1422 | Universal Firmware Package for Drives - MO000960RXKRC, MO001920RXKRH, MO003840RXKRK, VO000960RXKRB, VO001920RXKRD and VO003840RXKRE                | Seagate_LangeBP_SLNG BHPESD5.fwpkg | MO001920RXKRH | HPD5 | HPD5 |
| 1423 | Universal Firmware Package for Drives - MO000960RXKRC, MO001920RXKRH, MO003840RXKRK, VO000960RXKRB, VO001920RXKRD and VO003840RXKRE                | Seagate_LangeBP_SLNG BHPESD5.fwpkg | MO003840RXKRK | HPD5 | HPD5 |
| 1424 | Universal Firmware Package for Drives - MO000960RXKRC, MO001920RXKRH, MO003840RXKRK, VO000960RXKRB, VO001920RXKRD and VO003840RXKRE                | Seagate_LangeBP_SLNG BHPESD5.fwpkg | VO000960RXKRB | HPD5 | HPD5 |
| 1425 | Universal Firmware Package for Drives - MO000960RXKRC, MO001920RXKRH, MO003840RXKRK, VO000960RXKRB, VO001920RXKRD and VO003840RXKRE                | Seagate_LangeBP_SLNG BHPESD5.fwpkg | VO001920RXKRD | HPD5 | HPD5 |
| 1426 | Universal Firmware Package for Drives - MO000960RXKRC, MO001920RXKRH, MO003840RXKRK, VO000960RXKRB, VO001920RXKRD and VO003840RXKRE                | Seagate_LangeBP_SLNG BHPESD5.fwpkg | VO003840RXKRE | HPD5 | HPD5 |
| 1427 | Universal Firmware Package for Drives - MO000960RXRQK, MO001920RXRRH, MO003840RXRRK, VO000960RXRQL, VO001920RXRRL, VO003840RXRRN and VO007680RYEWD | Seagate_Cooper_SCOO PRHPESD4.fwpkg | MO000960RXRQK | HPD4 | HPD4 |
| 1428 | Universal Firmware Package for Drives - MO000960RXRQK, MO001920RXRRH, MO003840RXRRK, VO000960RXRQL, VO001920RXRRL,                                 | Seagate_Cooper_SCOO PRHPESD4.fwpkg | MO001920RXRRH | HPD4 | HPD4 |

|      |                                                                                                                                                                   |                                       |               |      |      |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------------|------|------|
|      | VO003840RXRRN and<br>VO007680RYEWD                                                                                                                                |                                       |               |      |      |
| 1429 | Universal Firmware Package for Drives<br>- MO000960RXRQK,<br>MO001920RXRRH, MO003840RXRRK,<br>VO000960RXRQL, VO001920RXRRL,<br>VO003840RXRRN and<br>VO007680RYEWD | Seagate_Cooper_SCOO<br>PRHPESD4.fwpkg | MO003840RXRRK | HPD4 | HPD4 |
| 1430 | Universal Firmware Package for Drives<br>- MO000960RXRQK,<br>MO001920RXRRH, MO003840RXRRK,<br>VO000960RXRQL, VO001920RXRRL,<br>VO003840RXRRN and<br>VO007680RYEWD | Seagate_Cooper_SCOO<br>PRHPESD4.fwpkg | VO000960RXRQL | HPD4 | HPD4 |
| 1431 | Universal Firmware Package for Drives<br>- MO000960RXRQK,<br>MO001920RXRRH, MO003840RXRRK,<br>VO000960RXRQL, VO001920RXRRL,<br>VO003840RXRRN and<br>VO007680RYEWD | Seagate_Cooper_SCOO<br>PRHPESD4.fwpkg | VO001920RXRRL | HPD4 | HPD4 |
| 1432 | Universal Firmware Package for Drives<br>- MO000960RXRQK,<br>MO001920RXRRH, MO003840RXRRK,<br>VO000960RXRQL, VO001920RXRRL,<br>VO003840RXRRN and<br>VO007680RYEWD | Seagate_Cooper_SCOO<br>PRHPESD4.fwpkg | VO003840RXRRN | HPD4 | HPD4 |
| 1433 | Universal Firmware Package for Drives<br>- MO000960RXRQK,<br>MO001920RXRRH, MO003840RXRRK,<br>VO000960RXRQL, VO001920RXRRL,<br>VO003840RXRRN and<br>VO007680RYEWD | Seagate_Cooper_SCOO<br>PRHPESD4.fwpkg | VO007680RYEWD | HPD4 | HPD4 |
| 1434 | Universal Firmware Package for Drives<br>- MO001600PXMTN,<br>MO003200PXMTV,<br>MO006400PXMUA, VO001920PXMTL,<br>VO003840PXMTR, VO007680PXMTT<br>and VO015360PXMTU | Kioxia_PM7_KAPM7ALS<br>HPD2.fwpkg     | VO015360PXMTU | HPD2 | HPD2 |
| 1435 | Universal Firmware Package for Drives<br>- MO001600PXMTN,<br>MO003200PXMTV,<br>MO006400PXMUA, VO001920PXMTL,<br>VO003840PXMTR, VO007680PXMTT<br>and VO015360PXMTU | Kioxia_PM7_KAPM7ALS<br>HPD2.fwpkg     | VO007680PXMTT | HPD2 | HPD2 |
| 1436 | Universal Firmware Package for Drives<br>- MO001600PXMTN,<br>MO003200PXMTV,<br>MO006400PXMUA, VO001920PXMTL,<br>VO003840PXMTR, VO007680PXMTT<br>and VO015360PXMTU | Kioxia_PM7_KAPM7ALS<br>HPD2.fwpkg     | VO003840PXMTR | HPD2 | HPD2 |
| 1437 | Universal Firmware Package for Drives<br>- MO001600PXMTN,<br>MO003200PXMTV,<br>MO006400PXMUA, VO001920PXMTL,<br>VO003840PXMTR, VO007680PXMTT<br>and VO015360PXMTU | Kioxia_PM7_KAPM7ALS<br>HPD2.fwpkg     | VO001920PXMTL | HPD2 | HPD2 |
| 1438 | Universal Firmware Package for Drives<br>- MO001600PXMTN,<br>MO003200PXMTV,<br>MO006400PXMUA, VO001920PXMTL,<br>VO003840PXMTR, VO007680PXMTT<br>and VO015360PXMTU | Kioxia_PM7_KAPM7ALS<br>HPD2.fwpkg     | MO006400PXMUA | HPD2 | HPD2 |
| 1439 | Universal Firmware Package for Drives<br>- MO001600PXMTN,<br>MO003200PXMTV,<br>MO006400PXMUA, VO001920PXMTL,                                                      | Kioxia_PM7_KAPM7ALS<br>HPD2.fwpkg     | MO003200PXMTV | HPD2 | HPD2 |



|      |                                                                                                                                                    |                                       |               |      |      |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------------|------|------|
|      | VO003840PXMTR, VO007680PXMTT and VO015360PXMTU                                                                                                     |                                       |               |      |      |
| 1440 | Universal Firmware Package for Drives - MO001600PXMTN, MO003200PXMTV, MO006400PXMUA, VO001920PXMTL, VO003840PXMTR, VO007680PXMTT and VO015360PXMTU | Kioxia_PM7_KAPM7ALS<br>HPD2.fwpkg     | MO001600PXMTN | HPD2 | HPD2 |
| 1441 | Universal Firmware Package for Drives - MO001600PZWSH, MO003200PZWSK, MO000800PZWSF and MO006400PZXFA                                              | Samsung_PM165X_GP<br>M1655SAMD3.fwpkg | MO001600PZWSH | HPD3 | HPD3 |
| 1442 | Universal Firmware Package for Drives - MO001600PZWSH, MO003200PZWSK, MO000800PZWSF and MO006400PZXFA                                              | Samsung_PM165X_GP<br>M1655SAMD3.fwpkg | MO003200PZWSK | HPD3 | HPD3 |
| 1443 | Universal Firmware Package for Drives - MO001600PZWSH, MO003200PZWSK, MO000800PZWSF and MO006400PZXFA                                              | Samsung_PM165X_GP<br>M1655SAMD3.fwpkg | MO000800PZWSF | HPD3 | HPD3 |
| 1444 | Universal Firmware Package for Drives - MO001600PZWSH, MO003200PZWSK, MO000800PZWSF and MO006400PZXFA                                              | Samsung_PM165X_GP<br>M1655SAMD3.fwpkg | MO006400PZXFA | HPD3 | HPD3 |
| 1445 | Universal Firmware Package for Drives - VO000960PZWSL, VO001920PZWSN, VO003840PZWSP, VO007680PZXF and VO015360PZXEU                                | Samsung_PM165X_GP<br>M1653SAMD3.fwpkg | VO000960PZWSL | HPD3 | HPD3 |
| 1446 | Universal Firmware Package for Drives - VO000960PZWSL, VO001920PZWSN, VO003840PZWSP, VO007680PZXF and VO015360PZXEU                                | Samsung_PM165X_GP<br>M1653SAMD3.fwpkg | VO001920PZWSN | HPD3 | HPD3 |
| 1447 | Universal Firmware Package for Drives - VO000960PZWSL, VO001920PZWSN, VO003840PZWSP, VO007680PZXF and VO015360PZXEU                                | Samsung_PM165X_GP<br>M1653SAMD3.fwpkg | VO003840PZWSP | HPD3 | HPD3 |
| 1448 | Universal Firmware Package for Drives - VO000960PZWSL, VO001920PZWSN, VO003840PZWSP, VO007680PZXF and VO015360PZXEU                                | Samsung_PM165X_GP<br>M1653SAMD3.fwpkg | VO007680PZXF  | HPD3 | HPD3 |
| 1449 | Universal Firmware Package for Drives - VO000960PZWSL, VO001920PZWSN, VO003840PZWSP, VO007680PZXF and VO015360PZXEU                                | Samsung_PM165X_GP<br>M1653SAMD3.fwpkg | VO015360PZXEU | HPD3 | HPD3 |
| 1450 | Universal Firmware Package for Drives - VO000960RZWUP, VO000960RZWUQ, VO001920RZWUR, VO001920RZWUV, VO003840RZWUT, VO003840RZWVA and VO007680RZWUU | Kioxia_RM6_KARM6ALS<br>HPD1.fwpkg     | VO000960RZWUP | HPD1 | HPD1 |
| 1451 | Universal Firmware Package for Drives - VO000960RZWUP, VO000960RZWUQ, VO001920RZWUR, VO001920RZWUV, VO003840RZWUT, VO003840RZWVA and VO007680RZWUU | Kioxia_RM6_KARM6ALS<br>HPD1.fwpkg     | VO000960RZWUQ | HPD1 | HPD1 |
| 1452 | Universal Firmware Package for Drives - VO000960RZWUP, VO000960RZWUQ, VO001920RZWUR, VO001920RZWUV, VO003840RZWUT, VO003840RZWVA and VO007680RZWUU | Kioxia_RM6_KARM6ALS<br>HPD1.fwpkg     | VO001920RZWUR | HPD1 | HPD1 |
| 1453 | Universal Firmware Package for Drives - VO000960RZWUP, VO000960RZWUQ, VO001920RZWUR, VO001920RZWUV,                                                | Kioxia_RM6_KARM6ALS<br>HPD1.fwpkg     | VO001920RZWUV | HPD1 | HPD1 |

|      |                                                                                                                                                    |                                   |               |      |      |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|---------------|------|------|
|      | VO003840RZWUT, VO003840RZWVA and VO007680RZWUU                                                                                                     |                                   |               |      |      |
| 1454 | Universal Firmware Package for Drives - VO000960RZWUP, VO000960RZWUQ, VO001920RZWUR, VO001920RZWUV, VO003840RZWUT, VO003840RZWVA and VO007680RZWUU | Kioxia_RM6_KARM6ALS<br>HPD1.fwpkg | VO003840RZWUT | HPD1 | HPD1 |
| 1455 | Universal Firmware Package for Drives - VO000960RZWUP, VO000960RZWUQ, VO001920RZWUR, VO001920RZWUV, VO003840RZWUT, VO003840RZWVA and VO007680RZWUU | Kioxia_RM6_KARM6ALS<br>HPD1.fwpkg | VO003840RZWVA | HPD1 | HPD1 |
| 1456 | Universal Firmware Package for Drives - VO000960RZWUP, VO000960RZWUQ, VO001920RZWUR, VO001920RZWUV, VO003840RZWUT, VO003840RZWVA and VO007680RZWUU | Kioxia_RM6_KARM6ALS<br>HPD1.fwpkg | VO007680RZWUU | HPD1 | HPD1 |

#### 6.2.14 Firmware - SATA Storage Disk

| No.  | Description                                                                                            | Package filename                             | Device        | Package Version | Firmware/Driver version |
|------|--------------------------------------------------------------------------------------------------------|----------------------------------------------|---------------|-----------------|-------------------------|
| 1457 | Online HDD/SSD Flash Component for Linux (x64) - MB001000GWCBC and MB002000GWCBD Drives                | firmware-hdd-68b12e54d2-HPG6-11.1.x86_64.rpm | MB001000GWCBC | HPG6 (K)        | HPG6                    |
| 1458 | Online HDD/SSD Flash Component for Linux (x64) - MB001000GWCBC and MB002000GWCBD Drives                | firmware-hdd-68b12e54d2-HPG6-11.1.x86_64.rpm | MB002000GWCBD | HPG6 (K)        | HPG6                    |
| 1459 | Online HDD/SSD Flash Component for Linux (x64) - MB001000GWFWK and MB002000GWFWL Drives                | firmware-hdd-bfc4af697b-HPG6-11.1.x86_64.rpm | MB001000GWFWK | HPG6 (K)        | HPG6                    |
| 1460 | Online HDD/SSD Flash Component for Linux (x64) - MB001000GWFWK and MB002000GWFWL Drives                | firmware-hdd-bfc4af697b-HPG6-11.1.x86_64.rpm | MB002000GWFWL | HPG6 (K)        | HPG6                    |
| 1461 | Online HDD/SSD Flash Component for Linux (x64) - MB001000GWJAN, MB002000GWFWA and MB004000GWFWB Drives | firmware-hdd-d39e7a7e75-HPG1-12.1.x86_64.rpm | MB004000GWFWB | HPG1 (L)        | HPG1                    |
| 1462 | Online HDD/SSD Flash Component for Linux (x64) - MB001000GWJAN, MB002000GWFWA and MB004000GWFWB Drives | firmware-hdd-d39e7a7e75-HPG1-12.1.x86_64.rpm | MB002000GWFWA | HPG1 (L)        | HPG1                    |
| 1463 | Online HDD/SSD Flash Component for Linux (x64) - MB001000GWJAN, MB002000GWFWA and MB004000GWFWB Drives | firmware-hdd-d39e7a7e75-HPG1-12.1.x86_64.rpm | MB001000GWJAN | HPG1 (L)        | HPG1                    |
| 1464 | Online HDD/SSD Flash Component for Linux (x64) - MB004000GWKGV Drive                                   | firmware-hdd-ca21e169e2-HPG1-11.1.x86_64.rpm | MB004000GWKGV | HPG1 (K)        | HPG1                    |
| 1465 | Online HDD/SSD Flash Component for Linux (x64) - MB004000GWWQH, MB002000GWWQF and MB001000GWWQE Drives | firmware-hdd-12304c1aca-HPG6-3.1.x86_64.rpm  | MB004000GWWQH | HPG6 (C)        | HPG6                    |
| 1466 | Online HDD/SSD Flash Component for Linux (x64) - MB004000GWWQH, MB002000GWWQF and MB001000GWWQE Drives | firmware-hdd-12304c1aca-HPG6-3.1.x86_64.rpm  | MB002000GWWQF | HPG6 (C)        | HPG6                    |
| 1467 | Online HDD/SSD Flash Component for Linux (x64) - MB004000GWWQH, MB002000GWWQF and MB001000GWWQE Drives | firmware-hdd-12304c1aca-HPG6-3.1.x86_64.rpm  | MB001000GWWQE | HPG6 (C)        | HPG6                    |
| 1468 | Online HDD/SSD Flash Component for Linux (x64) - MB006000GWBXQ and                                     | firmware-hdd-a1fd19f9ca-HPG8-                | MB006000GWBXQ | HPG8 (K)        | HPG8                    |

|      |                                                                                                                                      |                                              |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|---------------|----------|------|
|      | MB008000GWBYL Drives                                                                                                                 | 11.1.x86_64.rpm                              |               |          |      |
| 1469 | Online HDD/SSD Flash Component for Linux (x64) - MB006000GWBXQ and MB008000GWBYL Drives                                              | firmware-hdd-a1fd19f9ca-HPG8-11.1.x86_64.rpm | MB008000GWBYL | HPG8 (K) | HPG8 |
| 1470 | Online HDD/SSD Flash Component for Linux (x64) - MB006000GWJRR and MB008000GWJRT Drives                                              | firmware-hdd-c993b31232-HPG6-4.1.x86_64.rpm  | MB008000GWJRT | HPG6 (D) | HPG6 |
| 1471 | Online HDD/SSD Flash Component for Linux (x64) - MB006000GWJRR and MB008000GWJRT Drives                                              | firmware-hdd-c993b31232-HPG6-4.1.x86_64.rpm  | MB006000GWJRR | HPG6 (D) | HPG6 |
| 1472 | Online HDD/SSD Flash Component for Linux (x64) - MB006000GWKGR Drive                                                                 | firmware-hdd-7f2a26e6d0-HPG1-11.1.x86_64.rpm | MB006000GWKGR | HPG1 (K) | HPG1 |
| 1473 | Online HDD/SSD Flash Component for Linux (x64) - MB008000GWRTC Drive                                                                 | firmware-hdd-82894b9e0a-HPG1-11.1.x86_64.rpm | MB008000GWRTC | HPG1 (K) | HPG1 |
| 1474 | Online HDD/SSD Flash Component for Linux (x64) - MB008000GWWQU and MB006000GWWQT Drives                                              | firmware-hdd-18e328f036-HPG8-3.1.x86_64.rpm  | MB008000GWWQU | HPG8 (C) | HPG8 |
| 1475 | Online HDD/SSD Flash Component for Linux (x64) - MB008000GWWQU and MB006000GWWQT Drives                                              | firmware-hdd-18e328f036-HPG8-3.1.x86_64.rpm  | MB006000GWWQT | HPG8 (C) | HPG8 |
| 1476 | Online HDD/SSD Flash Component for Linux (x64) - MB010000GWAYN and MB008000GWAYL Drives                                              | firmware-hdd-cc819d4bff-HPG5-11.1.x86_64.rpm | MB010000GWAYN | HPG5 (K) | HPG5 |
| 1477 | Online HDD/SSD Flash Component for Linux (x64) - MB010000GWAYN and MB008000GWAYL Drives                                              | firmware-hdd-cc819d4bff-HPG5-11.1.x86_64.rpm | MB008000GWAYL | HPG5 (K) | HPG5 |
| 1478 | Online HDD/SSD Flash Component for Linux (x64) - MB010000GWZGT, MB012000GWZGU, MB014000GWZGV and MB016000GWZHD Drives                | firmware-hdd-7a1edae8e7-HPG1-5.1.x86_64.rpm  | MB010000GWZGT | HPG1 (E) | HPG1 |
| 1479 | Online HDD/SSD Flash Component for Linux (x64) - MB010000GWZGT, MB012000GWZGU, MB014000GWZGV and MB016000GWZHD Drives                | firmware-hdd-7a1edae8e7-HPG1-5.1.x86_64.rpm  | MB012000GWZGU | HPG1 (E) | HPG1 |
| 1480 | Online HDD/SSD Flash Component for Linux (x64) - MB010000GWZGT, MB012000GWZGU, MB014000GWZGV and MB016000GWZHD Drives                | firmware-hdd-7a1edae8e7-HPG1-5.1.x86_64.rpm  | MB014000GWZGV | HPG1 (E) | HPG1 |
| 1481 | Online HDD/SSD Flash Component for Linux (x64) - MB010000GWZGT, MB012000GWZGU, MB014000GWZGV and MB016000GWZHD Drives                | firmware-hdd-7a1edae8e7-HPG1-5.1.x86_64.rpm  | MB016000GWZHD | HPG1 (E) | HPG1 |
| 1482 | Online HDD/SSD Flash Component for Linux (x64) - MB010000GYDKP, MB012000GYCJL, MB014000GYCJT, MB016000GYDKQ and MB018000GYDKR Drives | firmware-hdd-4fbb6d96e5-HPG2-2.1.x86_64.rpm  | MB010000GYDKP | HPG2 (B) | HPG2 |
| 1483 | Online HDD/SSD Flash Component for Linux (x64) - MB010000GYDKP, MB012000GYCJL, MB014000GYCJT, MB016000GYDKQ and MB018000GYDKR Drives | firmware-hdd-4fbb6d96e5-HPG2-2.1.x86_64.rpm  | MB016000GYDKQ | HPG2 (B) | HPG2 |
| 1484 | Online HDD/SSD Flash Component for Linux (x64) - MB010000GYDKP, MB012000GYCJL, MB014000GYCJT, MB016000GYDKQ and MB018000GYDKR Drives | firmware-hdd-4fbb6d96e5-HPG2-2.1.x86_64.rpm  | MB018000GYDKR | HPG2 (B) | HPG2 |
| 1485 | Online HDD/SSD Flash Component for Linux (x64) - MB010000GYDKP, MB012000GYCJL, MB014000GYCJT,                                        | firmware-hdd-4fbb6d96e5-HPG2-2.1.x86_64.rpm  | MB012000GYCJL | HPG2 (B) | HPG2 |

|      |                                                                                                                                      |                                              |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|---------------|----------|------|
|      | MB016000GYDKQ and MB018000GYDKR Drives                                                                                               |                                              |               |          |      |
| 1486 | Online HDD/SSD Flash Component for Linux (x64) - MB010000GYDKP, MB012000GYCJL, MB014000GYCJT, MB016000GYDKQ and MB018000GYDKR Drives | firmware-hdd-4fbb6d96e5-HPG2-2.1.x86_64.rpm  | MB014000GYCJT | HPG2 (B) | HPG2 |
| 1487 | Online HDD/SSD Flash Component for Linux (x64) - MB012000GWDFE Drive                                                                 | firmware-hdd-059b8654a6-HPG5-2.1.x86_64.rpm  | MB012000GWDFE | HPG5 (B) | HPG5 |
| 1488 | Online HDD/SSD Flash Component for Linux (x64) - MB012000GWTFE and MB014000GWTFE Drives                                              | firmware-hdd-b78255e146-HPG8-4.1.x86_64.rpm  | MB014000GWTFE | HPG8 (D) | HPG8 |
| 1489 | Online HDD/SSD Flash Component for Linux (x64) - MB012000GWTFE and MB014000GWTFE Drives                                              | firmware-hdd-b78255e146-HPG8-4.1.x86_64.rpm  | MB012000GWTFE | HPG8 (D) | HPG8 |
| 1490 | Online HDD/SSD Flash Component for Linux (x64) - MB012000GZYVT, MB014000GZYVU, MB016000GZYVV and MB018000GYCLL Drives                | firmware-hdd-e0171a2936-HPG4-2.1.x86_64.rpm  | MB012000GZYVT | HPG4 (B) | HPG4 |
| 1491 | Online HDD/SSD Flash Component for Linux (x64) - MB012000GZYVT, MB014000GZYVU, MB016000GZYVV and MB018000GYCLL Drives                | firmware-hdd-e0171a2936-HPG4-2.1.x86_64.rpm  | MB014000GZYVU | HPG4 (B) | HPG4 |
| 1492 | Online HDD/SSD Flash Component for Linux (x64) - MB012000GZYVT, MB014000GZYVU, MB016000GZYVV and MB018000GYCLL Drives                | firmware-hdd-e0171a2936-HPG4-2.1.x86_64.rpm  | MB016000GZYVV | HPG4 (B) | HPG4 |
| 1493 | Online HDD/SSD Flash Component for Linux (x64) - MB012000GZYVT, MB014000GZYVU, MB016000GZYVV and MB018000GYCLL Drives                | firmware-hdd-e0171a2936-HPG4-2.1.x86_64.rpm  | MB018000GYCLL | HPG4 (B) | HPG4 |
| 1494 | Online HDD/SSD Flash Component for Linux (x64) - MB014000GWRTN, MB012000GWRTL and MB010000GWRTK Drives                               | firmware-hdd-6b7ce3da0e-HPG2-11.1.x86_64.rpm | MB014000GWRTN | HPG2 (K) | HPG2 |
| 1495 | Online HDD/SSD Flash Component for Linux (x64) - MB014000GWRTN, MB012000GWRTL and MB010000GWRTK Drives                               | firmware-hdd-6b7ce3da0e-HPG2-11.1.x86_64.rpm | MB012000GWRTL | HPG2 (K) | HPG2 |
| 1496 | Online HDD/SSD Flash Component for Linux (x64) - MB014000GWRTN, MB012000GWRTL and MB010000GWRTK Drives                               | firmware-hdd-6b7ce3da0e-HPG2-11.1.x86_64.rpm | MB010000GWRTK | HPG2 (K) | HPG2 |
| 1497 | Online HDD/SSD Flash Component for Linux (x64) - MB014000GWUDA Drive                                                                 | firmware-hdd-41cdb1c9da-HPG3-2.1.x86_64.rpm  | MB014000GWUDA | HPG3 (B) | HPG3 |
| 1498 | Online HDD/SSD Flash Component for Linux (x64) - MB016000GWXKK Drive                                                                 | firmware-hdd-e4f147cdd2-HPG4-3.1.x86_64.rpm  | MB016000GWXKK | HPG4 (C) | HPG4 |
| 1499 | Online HDD/SSD Flash Component for Linux (x64) - MB018000GXMTQ and MB020000GXMTQ Drives                                              | firmware-hdd-3496cc4743-HPG2-2.1.x86_64.rpm  | MB020000GXMTQ | HPG2 (B) | HPG2 |
| 1500 | Online HDD/SSD Flash Component for Linux (x64) - MB018000GXMTQ and MB020000GXMTQ Drives                                              | firmware-hdd-3496cc4743-HPG2-2.1.x86_64.rpm  | MB018000GXMTQ | HPG2 (B) | HPG2 |
| 1501 | Online HDD/SSD Flash Component for Linux (x64) - MK000480GWSSC, MK000960GWSSD, MK001920GWSSE and MK003840GWSSF Drives                | firmware-hdd-f693ccc138-HPG3-9.1.x86_64.rpm  | MK003840GWSSF | HPG3 (I) | HPG3 |
| 1502 | Online HDD/SSD Flash Component for Linux (x64) - MK000480GWSSC, MK000960GWSSD, MK001920GWSSE and MK003840GWSSF Drives                | firmware-hdd-f693ccc138-HPG3-9.1.x86_64.rpm  | MK001920GWSSE | HPG3 (I) | HPG3 |
| 1503 | Online HDD/SSD Flash Component for Linux (x64) - MK000480GWSSC,                                                                      | firmware-hdd-f693ccc138-HPG3-                | MK000960GWSSD | HPG3 (I) | HPG3 |

|      |                                                                                                                                                                                                  |                                              |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|---------------|----------|------|
|      | MK000960GWSSD, MK001920GWSSE and MK003840GWSSF Drives                                                                                                                                            | 9.1.x86_64.rpm                               |               |          |      |
| 1504 | Online HDD/SSD Flash Component for Linux (x64) - MK000480GWSSC, MK000960GWSSD, MK001920GWSSE and MK003840GWSSF Drives                                                                            | firmware-hdd-f693ccc138-HPG3-9.1.x86_64.rpm  | MK000480GWSSC | HPG3 (I) | HPG3 |
| 1505 | Online HDD/SSD Flash Component for Linux (x64) - MK000480GWXFF, MK000960GWXFF, MK001920GWXFF and MK003840GWXFF Drives                                                                            | firmware-hdd-8e1e8083c5-HPG3-3.1.x86_64.rpm  | MK003840GWXFF | HPG3 (C) | HPG3 |
| 1506 | Online HDD/SSD Flash Component for Linux (x64) - MK000480GWXFF, MK000960GWXFF, MK001920GWXFF and MK003840GWXFF Drives                                                                            | firmware-hdd-8e1e8083c5-HPG3-3.1.x86_64.rpm  | MK001920GWXFF | HPG3 (C) | HPG3 |
| 1507 | Online HDD/SSD Flash Component for Linux (x64) - MK000480GWXFF, MK000960GWXFF, MK001920GWXFF and MK003840GWXFF Drives                                                                            | firmware-hdd-8e1e8083c5-HPG3-3.1.x86_64.rpm  | MK000960GWXFF | HPG3 (C) | HPG3 |
| 1508 | Online HDD/SSD Flash Component for Linux (x64) - MK000480GWXFF, MK000960GWXFF, MK001920GWXFF and MK003840GWXFF Drives                                                                            | firmware-hdd-8e1e8083c5-HPG3-3.1.x86_64.rpm  | MK000480GWXFF | HPG3 (C) | HPG3 |
| 1509 | Online HDD/SSD Flash Component for Linux (x64) - MK000480GZXRA, MK000960GZXRB, MK001920GZXRC and MK003840GZXRV Drives                                                                            | firmware-hdd-9475583fb5-HPG1-3.1.x86_64.rpm  | MK000480GZXRA | HPG1 (C) | HPG1 |
| 1510 | Online HDD/SSD Flash Component for Linux (x64) - MK000480GZXRA, MK000960GZXRB, MK001920GZXRC and MK003840GZXRV Drives                                                                            | firmware-hdd-9475583fb5-HPG1-3.1.x86_64.rpm  | MK001920GZXRC | HPG1 (C) | HPG1 |
| 1511 | Online HDD/SSD Flash Component for Linux (x64) - MK000480GZXRA, MK000960GZXRB, MK001920GZXRC and MK003840GZXRV Drives                                                                            | firmware-hdd-9475583fb5-HPG1-3.1.x86_64.rpm  | MK000960GZXRB | HPG1 (C) | HPG1 |
| 1512 | Online HDD/SSD Flash Component for Linux (x64) - MK000480GZXRA, MK000960GZXRB, MK001920GZXRC and MK003840GZXRV Drives                                                                            | firmware-hdd-9475583fb5-HPG1-3.1.x86_64.rpm  | MK003840GZXRV | HPG1 (C) | HPG1 |
| 1513 | Online HDD/SSD Flash Component for Linux (x64) - MM1000GFJTE Drive                                                                                                                               | firmware-hdd-95af9a555e-HPG6-4.1.x86_64.rpm  | MM1000GFJTE   | HPG6 (D) | HPG6 |
| 1514 | Online HDD/SSD Flash Component for Linux (x64) - MM2000GEFRA Drive                                                                                                                               | firmware-hdd-ec908c3650-HPG9-4.1.x86_64.rpm  | MM2000GEFRA   | HPG9 (D) | HPG9 |
| 1515 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | firmware-hdd-aef2a690c9-HPG5-10.1.x86_64.rpm | MK001920GWJPQ | HPG5 (J) | HPG5 |
| 1516 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | firmware-hdd-aef2a690c9-HPG5-10.1.x86_64.rpm | VK001920GWJPH | HPG5 (J) | HPG5 |
| 1517 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | firmware-hdd-aef2a690c9-HPG5-10.1.x86_64.rpm | MK000240GWKVK | HPG5 (J) | HPG5 |
| 1518 | Online HDD/SSD Flash Component for                                                                                                                                                               | firmware-hdd-                                | VK000240GWJPD | HPG5 (J) | HPG5 |

|      |                                                                                                                                                                                                  |                                              |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|---------------|----------|------|
|      | Linux (x64) - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives                                    | aef2a690c9-HPG5-10.1.x86_64.rpm              |               |          |      |
| 1519 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | firmware-hdd-aef2a690c9-HPG5-10.1.x86_64.rpm | VK003840GWJPK | HPG5 (J) | HPG5 |
| 1520 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | firmware-hdd-aef2a690c9-HPG5-10.1.x86_64.rpm | MK000480GWJPN | HPG5 (J) | HPG5 |
| 1521 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | firmware-hdd-aef2a690c9-HPG5-10.1.x86_64.rpm | VK000480GWJPE | HPG5 (J) | HPG5 |
| 1522 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | firmware-hdd-aef2a690c9-HPG5-10.1.x86_64.rpm | MK000960GWJPP | HPG5 (J) | HPG5 |
| 1523 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | firmware-hdd-aef2a690c9-HPG5-10.1.x86_64.rpm | VK000960GWJPF | HPG5 (J) | HPG5 |
| 1524 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWSRQ, VK000480GWSRR, VK000960GWSRT, VK001920GWSRU and VK003840GWSRV Drives                                                             | firmware-hdd-db687966b4-HPG4-9.1.x86_64.rpm  | VK003840GWSRV | HPG4 (I) | HPG4 |
| 1525 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWSRQ, VK000480GWSRR, VK000960GWSRT, VK001920GWSRU and VK003840GWSRV Drives                                                             | firmware-hdd-db687966b4-HPG4-9.1.x86_64.rpm  | VK001920GWSRU | HPG4 (I) | HPG4 |
| 1526 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWSRQ, VK000480GWSRR, VK000960GWSRT, VK001920GWSRU and VK003840GWSRV Drives                                                             | firmware-hdd-db687966b4-HPG4-9.1.x86_64.rpm  | VK000960GWSRT | HPG4 (I) | HPG4 |
| 1527 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWSRQ, VK000480GWSRR, VK000960GWSRT, VK001920GWSRU and VK003840GWSRV Drives                                                             | firmware-hdd-db687966b4-HPG4-9.1.x86_64.rpm  | VK000480GWSRR | HPG4 (I) | HPG4 |
| 1528 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWSRQ, VK000480GWSRR, VK000960GWSRT, VK001920GWSRU and VK003840GWSRV Drives                                                             | firmware-hdd-db687966b4-HPG4-9.1.x86_64.rpm  | VK000240GWSRQ | HPG4 (I) | HPG4 |

|      |                                                                                                                                                                                                       |                                             |                |          |      |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|----------------|----------|------|
| 1529 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GW TTC, VK003840GWTTD, MK000480GW TTH, MK000960GW TTK, MK001920GW TTL and MK003840GW TTN Drives | firmware-hdd-c566d63ca0-HPG7-3.1.x86_64.rpm | VK003840GWTTD  | HPG7 (C) | HPG7 |
| 1530 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GW TTC, VK003840GWTTD, MK000480GW TTH, MK000960GW TTK, MK001920GW TTL and MK003840GW TTN Drives | firmware-hdd-c566d63ca0-HPG7-3.1.x86_64.rpm | MK003840GWTTN  | HPG7 (C) | HPG7 |
| 1531 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GW TTC, VK003840GWTTD, MK000480GW TTH, MK000960GW TTK, MK001920GW TTL and MK003840GW TTN Drives | firmware-hdd-c566d63ca0-HPG7-3.1.x86_64.rpm | VK001920GW TTC | HPG7 (C) | HPG7 |
| 1532 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GW TTC, VK003840GWTTD, MK000480GW TTH, MK000960GW TTK, MK001920GW TTL and MK003840GW TTN Drives | firmware-hdd-c566d63ca0-HPG7-3.1.x86_64.rpm | MK001920GW TTL | HPG7 (C) | HPG7 |
| 1533 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GW TTC, VK003840GWTTD, MK000480GW TTH, MK000960GW TTK, MK001920GW TTL and MK003840GW TTN Drives | firmware-hdd-c566d63ca0-HPG7-3.1.x86_64.rpm | VK000960GWTTB  | HPG7 (C) | HPG7 |
| 1534 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GW TTC, VK003840GWTTD, MK000480GW TTH, MK000960GW TTK, MK001920GW TTL and MK003840GW TTN Drives | firmware-hdd-c566d63ca0-HPG7-3.1.x86_64.rpm | MK000960GW TTK | HPG7 (C) | HPG7 |
| 1535 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GW TTC, VK003840GWTTD, MK000480GW TTH, MK000960GW TTK, MK001920GW TTL and MK003840GW TTN Drives | firmware-hdd-c566d63ca0-HPG7-3.1.x86_64.rpm | VK000480GWTTA  | HPG7 (C) | HPG7 |
| 1536 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GW TTC, VK003840GWTTD, MK000480GW TTH, MK000960GW TTK, MK001920GW TTL and MK003840GW TTN Drives | firmware-hdd-c566d63ca0-HPG7-3.1.x86_64.rpm | MK000480GW TTH | HPG7 (C) | HPG7 |
| 1537 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GW TTC, VK003840GWTTD, MK000480GW TTH, MK000960GW TTK, MK001920GW TTL and MK003840GW TTN Drives | firmware-hdd-c566d63ca0-HPG7-3.1.x86_64.rpm | VK000240GWTSV  | HPG7 (C) | HPG7 |
| 1538 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GXAWK, VK000960GXAWL, VK000480GXAWK, VK000960GXAWL,                                                                                          | firmware-hdd-8f9bf23306-HPG1-8.1.x86_64.rpm | VK000240GXAWK  | HPG1 (H) | HPG1 |

|      |                                                                                                                                                                                                                                                              |                                             |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------|----------|------|
|      | VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives                                                                                               |                                             |               |          |      |
| 1539 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | firmware-hdd-8f9bf23306-HPG1-8.1.x86_64.rpm | VK000480GXAWK | HPG1 (H) | HPG1 |
| 1540 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | firmware-hdd-8f9bf23306-HPG1-8.1.x86_64.rpm | VK000960GXAWL | HPG1 (H) | HPG1 |
| 1541 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | firmware-hdd-8f9bf23306-HPG1-8.1.x86_64.rpm | VK003840GXAWP | HPG1 (H) | HPG1 |
| 1542 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | firmware-hdd-8f9bf23306-HPG1-8.1.x86_64.rpm | VK007680GXAWQ | HPG1 (H) | HPG1 |
| 1543 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | firmware-hdd-8f9bf23306-HPG1-8.1.x86_64.rpm | MK000480GXAWF | HPG1 (H) | HPG1 |
| 1544 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | firmware-hdd-8f9bf23306-HPG1-8.1.x86_64.rpm | MK000960GXAXB | HPG1 (H) | HPG1 |
| 1545 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR,                                                                      | firmware-hdd-8f9bf23306-HPG1-8.1.x86_64.rpm | MK001920GXAWR | HPG1 (H) | HPG1 |



|      |                                                                                                                                                                                                                                                              |                                             |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------|----------|------|
|      | MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives                                                                                                                                                                                         |                                             |               |          |      |
| 1546 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GXAWT, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | firmware-hdd-8f9bf23306-HPG1-8.1.x86_64.rpm | MK003840GXAWT | HPG1 (H) | HPG1 |
| 1547 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GXAWT, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | firmware-hdd-8f9bf23306-HPG1-8.1.x86_64.rpm | VR000240GXBBL | HPG1 (H) | HPG1 |
| 1548 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GXAWT, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | firmware-hdd-8f9bf23306-HPG1-8.1.x86_64.rpm | MR000480GXBGH | HPG1 (H) | HPG1 |
| 1549 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GXAWT, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | firmware-hdd-8f9bf23306-HPG1-8.1.x86_64.rpm | MR000960GXBGK | HPG1 (H) | HPG1 |
| 1550 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GXAWT, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | firmware-hdd-8f9bf23306-HPG1-8.1.x86_64.rpm | VK001920GXAWN | HPG1 (H) | HPG1 |
| 1551 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives                                                                                                          | firmware-hdd-abd133f0de-HPG1-3.1.x86_64.rpm | VK001920GZXQV | HPG1 (C) | HPG1 |
| 1552 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives                                                                                                          | firmware-hdd-abd133f0de-HPG1-3.1.x86_64.rpm | VK003840GZXRH | HPG1 (C) | HPG1 |
| 1553 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives                                                                                                          | firmware-hdd-abd133f0de-HPG1-3.1.x86_64.rpm | VK007680GZXRT | HPG1 (C) | HPG1 |
| 1554 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives                                                                                                          | firmware-hdd-abd133f0de-HPG1-3.1.x86_64.rpm | VK000960GZXQU | HPG1 (C) | HPG1 |

|      |                                                                                                                                                     |                                             |               |          |      |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------|----------|------|
|      | VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives                                                                                               |                                             |               |          |      |
| 1555 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives | firmware-hdd-abd133f0de-HPG1-3.1.x86_64.rpm | VK000480GZXRF | HPG1 (C) | HPG1 |
| 1556 | Online HDD/SSD Flash Component for Linux (x64) - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives | firmware-hdd-abd133f0de-HPG1-3.1.x86_64.rpm | VK000240GZXRU | HPG1 (C) | HPG1 |
| 1557 | Online HDD/SSD Flash Component for Linux (x64) - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives | firmware-hdd-9e87eecb3f-HPG3-7.1.x86_64.rpm | VK001920GWSXK | HPG3 (G) | HPG3 |
| 1558 | Online HDD/SSD Flash Component for Linux (x64) - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives | firmware-hdd-9e87eecb3f-HPG3-7.1.x86_64.rpm | MK001920GWUGK | HPG3 (G) | HPG3 |
| 1559 | Online HDD/SSD Flash Component for Linux (x64) - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives | firmware-hdd-9e87eecb3f-HPG3-7.1.x86_64.rpm | VK000960GWSXH | HPG3 (G) | HPG3 |
| 1560 | Online HDD/SSD Flash Component for Linux (x64) - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives | firmware-hdd-9e87eecb3f-HPG3-7.1.x86_64.rpm | MK000960GWUGH | HPG3 (G) | HPG3 |
| 1561 | Online HDD/SSD Flash Component for Linux (x64) - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives | firmware-hdd-9e87eecb3f-HPG3-7.1.x86_64.rpm | VK000480GWSXF | HPG3 (G) | HPG3 |
| 1562 | Online HDD/SSD Flash Component for Linux (x64) - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives | firmware-hdd-9e87eecb3f-HPG3-7.1.x86_64.rpm | MK000480GWUGF | HPG3 (G) | HPG3 |
| 1563 | Online HDD/SSD Flash Component for Linux (x64) - VK000480GWTHA, VK000960GWTHB, VK001920GWTHC and VK003840GWTHD Drives                               | firmware-hdd-492a9952f6-HPG5-1.1.x86_64.rpm | VK003840GWTHD | HPG5     | HPG5 |
| 1564 | Online HDD/SSD Flash Component for Linux (x64) - VK000480GWTHA, VK000960GWTHB, VK001920GWTHC and VK003840GWTHD Drives                               | firmware-hdd-492a9952f6-HPG5-1.1.x86_64.rpm | VK001920GWTHC | HPG5     | HPG5 |
| 1565 | Online HDD/SSD Flash Component for Linux (x64) - VK000480GWTHA, VK000960GWTHB, VK001920GWTHC and VK003840GWTHD Drives                               | firmware-hdd-492a9952f6-HPG5-1.1.x86_64.rpm | VK000960GWTHB | HPG5     | HPG5 |
| 1566 | Online HDD/SSD Flash Component for Linux (x64) - VK000480GWTHA, VK000960GWTHB, VK001920GWTHC and VK003840GWTHD Drives                               | firmware-hdd-492a9952f6-HPG5-1.1.x86_64.rpm | VK000480GWTHA | HPG5     | HPG5 |
| 1567 | Online HDD/SSD Flash Component for Linux (x64) - VK000480GZCNE,                                                                                     | firmware-hdd-befd42bd64-HPG3-               | VK000480GZCNE | HPG3 (C) | HPG3 |

|      |                                                                                                                       |                                             |               |          |      |
|------|-----------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------|----------|------|
|      | VK000960GZCNF, VK001920GZCNH and VK003840GZCNK Drives                                                                 | 3.1.x86_64.rpm                              |               |          |      |
| 1568 | Online HDD/SSD Flash Component for Linux (x64) - VK000480GZCNE, VK000960GZCNF, VK001920GZCNH and VK003840GZCNK Drives | firmware-hdd-befd42bd64-HPG3-3.1.x86_64.rpm | VK000960GZCNF | HPG3 (C) | HPG3 |
| 1569 | Online HDD/SSD Flash Component for Linux (x64) - VK000480GZCNE, VK000960GZCNF, VK001920GZCNH and VK003840GZCNK Drives | firmware-hdd-befd42bd64-HPG3-3.1.x86_64.rpm | VK001920GZCNH | HPG3 (C) | HPG3 |
| 1570 | Online HDD/SSD Flash Component for Linux (x64) - VK000480GZCNE, VK000960GZCNF, VK001920GZCNH and VK003840GZCNK Drives | firmware-hdd-befd42bd64-HPG3-3.1.x86_64.rpm | VK003840GZCNK | HPG3 (C) | HPG3 |
| 1571 | Online HDD/SSD Flash Component for Linux (x64) - VK000960GXCLD, VK001920GXCGP, VK003840GXCGQ and VK007680GXCGR Drives | firmware-hdd-4b4177239b-HPG3-5.1.x86_64.rpm | VK000960GXCLD | HPG3 (E) | HPG3 |
| 1572 | Online HDD/SSD Flash Component for Linux (x64) - VK000960GXCLD, VK001920GXCGP, VK003840GXCGQ and VK007680GXCGR Drives | firmware-hdd-4b4177239b-HPG3-5.1.x86_64.rpm | VK007680GXCGR | HPG3 (E) | HPG3 |
| 1573 | Online HDD/SSD Flash Component for Linux (x64) - VK000960GXCLD, VK001920GXCGP, VK003840GXCGQ and VK007680GXCGR Drives | firmware-hdd-4b4177239b-HPG3-5.1.x86_64.rpm | VK001920GXCGP | HPG3 (E) | HPG3 |
| 1574 | Online HDD/SSD Flash Component for Linux (x64) - VK000960GXCLD, VK001920GXCGP, VK003840GXCGQ and VK007680GXCGR Drives | firmware-hdd-4b4177239b-HPG3-5.1.x86_64.rpm | VK003840GXCGQ | HPG3 (E) | HPG3 |
| 1575 | Online HDD/SSD Flash Component for Linux (x64) - VK003840GWSXL Drive                                                  | firmware-hdd-d1cf327bc4-HPG3-7.1.x86_64.rpm | VK003840GWSXL | HPG3 (G) | HPG3 |
| 1576 | Online HDD/SSD Flash Component for Linux (x64) - VK007680GWSXN Drive                                                  | firmware-hdd-b460823f70-HPG3-7.1.x86_64.rpm | VK007680GWSXN | HPG3 (G) | HPG3 |
| 1577 | Online HDD/SSD Flash Component for VMware ESXi - MB001000GWCBC and MB002000GWCBD Drives                               | CP061387.zip                                | MB001000GWCBC | HPG6 (I) | HPG6 |
| 1578 | Online HDD/SSD Flash Component for VMware ESXi - MB001000GWCBC and MB002000GWCBD Drives                               | CP061387.zip                                | MB002000GWCBD | HPG6 (I) | HPG6 |
| 1579 | Online HDD/SSD Flash Component for VMware ESXi - MB001000GWFWK and MB002000GWFWL Drives                               | CP061411.zip                                | MB001000GWFWK | HPG6 (J) | HPG6 |
| 1580 | Online HDD/SSD Flash Component for VMware ESXi - MB001000GWFWK and MB002000GWFWL Drives                               | CP061411.zip                                | MB002000GWFWL | HPG6 (J) | HPG6 |
| 1581 | Online HDD/SSD Flash Component for VMware ESXi - MB001000GWJAN, MB002000GWFWA and MB004000GWFWB Drives                | CP061412.zip                                | MB004000GWFWB | HPG1 (J) | HPG1 |
| 1582 | Online HDD/SSD Flash Component for VMware ESXi - MB001000GWJAN, MB002000GWFWA and MB004000GWFWB Drives                | CP061412.zip                                | MB002000GWFWA | HPG1 (J) | HPG1 |
| 1583 | Online HDD/SSD Flash Component for VMware ESXi - MB001000GWJAN, MB002000GWFWA and MB004000GWFWB Drives                | CP061412.zip                                | MB001000GWJAN | HPG1 (J) | HPG1 |
| 1584 | Online HDD/SSD Flash Component for VMware ESXi - MB004000GWKGV Drive                                                  | CP061415.zip                                | MB004000GWKGV | HPG1 (J) | HPG1 |
| 1585 | Online HDD/SSD Flash Component for VMware ESXi - MB004000GWWQH, MB002000GWWQF and                                     | CP061433.zip                                | MB004000GWWQH | HPG6 (B) | HPG6 |

|      |                                                                                                                                      |              |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | MB001000GWWQE Drives                                                                                                                 |              |               |          |      |
| 1586 | Online HDD/SSD Flash Component for VMware ESXi - MB004000GWWQH, MB002000GWWQF and MB001000GWWQE Drives                               | CP061433.zip | MB002000GWWQF | HPG6 (B) | HPG6 |
| 1587 | Online HDD/SSD Flash Component for VMware ESXi - MB004000GWWQH, MB002000GWWQF and MB001000GWWQE Drives                               | CP061433.zip | MB001000GWWQE | HPG6 (B) | HPG6 |
| 1588 | Online HDD/SSD Flash Component for VMware ESXi - MB006000GWBXQ and MB008000GWBXL Drives                                              | CP061486.zip | MB006000GWBXQ | HPG8 (I) | HPG8 |
| 1589 | Online HDD/SSD Flash Component for VMware ESXi - MB006000GWBXQ and MB008000GWBXL Drives                                              | CP061486.zip | MB008000GWBXL | HPG8 (I) | HPG8 |
| 1590 | Online HDD/SSD Flash Component for VMware ESXi - MB006000GWJRR and MB008000GWJRT Drives                                              | CP061445.zip | MB008000GWJRT | HPG6 (B) | HPG6 |
| 1591 | Online HDD/SSD Flash Component for VMware ESXi - MB006000GWJRR and MB008000GWJRT Drives                                              | CP061445.zip | MB006000GWJRR | HPG6 (B) | HPG6 |
| 1592 | Online HDD/SSD Flash Component for VMware ESXi - MB006000GWKGR Drive                                                                 | CP061414.zip | MB006000GWKGR | HPG1 (J) | HPG1 |
| 1593 | Online HDD/SSD Flash Component for VMware ESXi - MB008000GWRTC Drive                                                                 | CP061421.zip | MB008000GWRTC | HPG1 (J) | HPG1 |
| 1594 | Online HDD/SSD Flash Component for VMware ESXi - MB008000GWWQU and MB006000GWWQT Drives                                              | CP061432.zip | MB008000GWWQU | HPG8 (B) | HPG8 |
| 1595 | Online HDD/SSD Flash Component for VMware ESXi - MB008000GWWQU and MB006000GWWQT Drives                                              | CP061432.zip | MB006000GWWQT | HPG8 (B) | HPG8 |
| 1596 | Online HDD/SSD Flash Component for VMware ESXi - MB010000GWAYN and MB008000GWAYL Drives                                              | CP061590.zip | MB010000GWAYN | HPG5 (J) | HPG5 |
| 1597 | Online HDD/SSD Flash Component for VMware ESXi - MB010000GWAYN and MB008000GWAYL Drives                                              | CP061590.zip | MB008000GWAYL | HPG5 (J) | HPG5 |
| 1598 | Online HDD/SSD Flash Component for VMware ESXi - MB010000GWZGT, MB012000GWZGU, MB014000GWZGV and MB016000GWZHD Drives                | CP061380.zip | MB010000GWZGT | HPG1 (D) | HPG1 |
| 1599 | Online HDD/SSD Flash Component for VMware ESXi - MB010000GWZGT, MB012000GWZGU, MB014000GWZGV and MB016000GWZHD Drives                | CP061380.zip | MB012000GWZGU | HPG1 (D) | HPG1 |
| 1600 | Online HDD/SSD Flash Component for VMware ESXi - MB010000GWZGT, MB012000GWZGU, MB014000GWZGV and MB016000GWZHD Drives                | CP061380.zip | MB014000GWZGV | HPG1 (D) | HPG1 |
| 1601 | Online HDD/SSD Flash Component for VMware ESXi - MB010000GWZGT, MB012000GWZGU, MB014000GWZGV and MB016000GWZHD Drives                | CP061380.zip | MB016000GWZHD | HPG1 (D) | HPG1 |
| 1602 | Online HDD/SSD Flash Component for VMware ESXi - MB010000GYDKP, MB012000GYCJL, MB014000GYCJT, MB016000GYDKQ and MB018000GYDKR Drives | CP061556.zip | MB010000GYDKP | HPG2 (B) | HPG2 |
| 1603 | Online HDD/SSD Flash Component for VMware ESXi - MB010000GYDKP,                                                                      | CP061556.zip | MB016000GYDKQ | HPG2 (B) | HPG2 |

|      |                                                                                                                                      |              |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | MB012000GYCJL, MB014000GYCJT, MB016000GYDKQ and MB018000GYDKR Drives                                                                 |              |               |          |      |
| 1604 | Online HDD/SSD Flash Component for VMware ESXi - MB010000GYDKP, MB012000GYCJL, MB014000GYCJT, MB016000GYDKQ and MB018000GYDKR Drives | CP061556.zip | MB018000GYDKR | HPG2 (B) | HPG2 |
| 1605 | Online HDD/SSD Flash Component for VMware ESXi - MB010000GYDKP, MB012000GYCJL, MB014000GYCJT, MB016000GYDKQ and MB018000GYDKR Drives | CP061556.zip | MB012000GYCJL | HPG2 (B) | HPG2 |
| 1606 | Online HDD/SSD Flash Component for VMware ESXi - MB010000GYDKP, MB012000GYCJL, MB014000GYCJT, MB016000GYDKQ and MB018000GYDKR Drives | CP061556.zip | MB014000GYCJT | HPG2 (B) | HPG2 |
| 1607 | Online HDD/SSD Flash Component for VMware ESXi - MB012000GWDFE Drive                                                                 | CP061423.zip | MB012000GWDFE | HPG5 (B) | HPG5 |
| 1608 | Online HDD/SSD Flash Component for VMware ESXi - MB012000GWTFE and MB014000GWTFE Drives                                              | CP061422.zip | MB014000GWTFE | HPG8 (B) | HPG8 |
| 1609 | Online HDD/SSD Flash Component for VMware ESXi - MB012000GWTFE and MB014000GWTFE Drives                                              | CP061422.zip | MB012000GWTFE | HPG8 (B) | HPG8 |
| 1610 | Online HDD/SSD Flash Component for VMware ESXi - MB012000GZYVT, MB014000GZYVU, MB016000GZYVV and MB018000GYCLL Drives                | CP061357.zip | MB012000GZYVT | HPG4 (B) | HPG4 |
| 1611 | Online HDD/SSD Flash Component for VMware ESXi - MB012000GZYVT, MB014000GZYVU, MB016000GZYVV and MB018000GYCLL Drives                | CP061357.zip | MB014000GZYVU | HPG4 (B) | HPG4 |
| 1612 | Online HDD/SSD Flash Component for VMware ESXi - MB012000GZYVT, MB014000GZYVU, MB016000GZYVV and MB018000GYCLL Drives                | CP061357.zip | MB016000GZYVV | HPG4 (B) | HPG4 |
| 1613 | Online HDD/SSD Flash Component for VMware ESXi - MB012000GZYVT, MB014000GZYVU, MB016000GZYVV and MB018000GYCLL Drives                | CP061357.zip | MB018000GYCLL | HPG4 (B) | HPG4 |
| 1614 | Online HDD/SSD Flash Component for VMware ESXi - MB014000GWRTN, MB012000GWRTL and MB010000GWRTK Drives                               | CP061390.zip | MB014000GWRTN | HPG2 (I) | HPG2 |
| 1615 | Online HDD/SSD Flash Component for VMware ESXi - MB014000GWRTN, MB012000GWRTL and MB010000GWRTK Drives                               | CP061390.zip | MB012000GWRTL | HPG2 (I) | HPG2 |
| 1616 | Online HDD/SSD Flash Component for VMware ESXi - MB014000GWRTN, MB012000GWRTL and MB010000GWRTK Drives                               | CP061390.zip | MB010000GWRTK | HPG2 (I) | HPG2 |
| 1617 | Online HDD/SSD Flash Component for VMware ESXi - MB014000GWUDA Drive                                                                 | CP061651.zip | MB014000GWUDA | HPG3 (B) | HPG3 |
| 1618 | Online HDD/SSD Flash Component for VMware ESXi - MB016000GWXKK Drive                                                                 | CP061447.zip | MB016000GWXKK | HPG4 (B) | HPG4 |
| 1619 | Online HDD/SSD Flash Component for VMware ESXi - MB018000GXMTQ and MB020000GXMTQ Drives                                              | CP061572.zip | MB020000GXMTQ | HPG2 (B) | HPG2 |
| 1620 | Online HDD/SSD Flash Component for VMware ESXi - MB018000GXMTQ and                                                                   | CP061572.zip | MB018000GXMTQ | HPG2 (B) | HPG2 |

|      |                                                                                                                                                                                                  |              |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | MB020000GXMTQ Drives                                                                                                                                                                             |              |               |          |      |
| 1621 | Online HDD/SSD Flash Component for VMware ESXi - MK000480GWSSC, MK000960GWSSD, MK001920GWSSE and MK003840GWSSF Drives                                                                            | CP061434.zip | MK003840GWSSF | HPG3 (G) | HPG3 |
| 1622 | Online HDD/SSD Flash Component for VMware ESXi - MK000480GWSSC, MK000960GWSSD, MK001920GWSSE and MK003840GWSSF Drives                                                                            | CP061434.zip | MK001920GWSSE | HPG3 (G) | HPG3 |
| 1623 | Online HDD/SSD Flash Component for VMware ESXi - MK000480GWSSC, MK000960GWSSD, MK001920GWSSE and MK003840GWSSF Drives                                                                            | CP061434.zip | MK000960GWSSD | HPG3 (G) | HPG3 |
| 1624 | Online HDD/SSD Flash Component for VMware ESXi - MK000480GWSSC, MK000960GWSSD, MK001920GWSSE and MK003840GWSSF Drives                                                                            | CP061434.zip | MK000480GWSSC | HPG3 (G) | HPG3 |
| 1625 | Online HDD/SSD Flash Component for VMware ESXi - MK000480GWXFF, MK000960GWXFF, MK001920GWXFK and MK003840GWXFL Drives                                                                            | CP061347.zip | MK003840GWXFL | HPG3 (B) | HPG3 |
| 1626 | Online HDD/SSD Flash Component for VMware ESXi - MK000480GWXFF, MK000960GWXFF, MK001920GWXFK and MK003840GWXFL Drives                                                                            | CP061347.zip | MK001920GWXFK | HPG3 (B) | HPG3 |
| 1627 | Online HDD/SSD Flash Component for VMware ESXi - MK000480GWXFF, MK000960GWXFF, MK001920GWXFK and MK003840GWXFL Drives                                                                            | CP061347.zip | MK000960GWXFF | HPG3 (B) | HPG3 |
| 1628 | Online HDD/SSD Flash Component for VMware ESXi - MK000480GWXFF, MK000960GWXFF, MK001920GWXFK and MK003840GWXFL Drives                                                                            | CP061347.zip | MK000480GWXFF | HPG3 (B) | HPG3 |
| 1629 | Online HDD/SSD Flash Component for VMware ESXi - MK000480GZXRA, MK000960GZXRB, MK001920GZXRC and MK003840GZXRV Drives.                                                                           | CP061456.zip | MK000480GZXRA | HPG1 (B) | HPG1 |
| 1630 | Online HDD/SSD Flash Component for VMware ESXi - MK000480GZXRA, MK000960GZXRB, MK001920GZXRC and MK003840GZXRV Drives.                                                                           | CP061456.zip | MK001920GZXRC | HPG1 (B) | HPG1 |
| 1631 | Online HDD/SSD Flash Component for VMware ESXi - MK000480GZXRA, MK000960GZXRB, MK001920GZXRC and MK003840GZXRV Drives.                                                                           | CP061456.zip | MK000960GZXRB | HPG1 (B) | HPG1 |
| 1632 | Online HDD/SSD Flash Component for VMware ESXi - MK000480GZXRA, MK000960GZXRB, MK001920GZXRC and MK003840GZXRV Drives.                                                                           | CP061456.zip | MK003840GZXRV | HPG1 (B) | HPG1 |
| 1633 | Online HDD/SSD Flash Component for VMware ESXi - MM1000GFJTE Drive                                                                                                                               | CP061426.zip | MM1000GFJTE   | HPG6 (D) | HPG6 |
| 1634 | Online HDD/SSD Flash Component for VMware ESXi - MM2000GEFRA Drive                                                                                                                               | CP061425.zip | MM2000GEFRA   | HPG9 (D) | HPG9 |
| 1635 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | CP061355.zip | MK001920GWJPQ | HPG5 (I) | HPG5 |
| 1636 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP                          | CP061355.zip | MK000240GWKVK | HPG5 (I) | HPG5 |

|      |                                                                                                                                                                                                  |              |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | and MK001920GWJPQ Drives                                                                                                                                                                         |              |               |          |      |
| 1637 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | CP061355.zip | MK000480GWJPN | HPG5 (I) | HPG5 |
| 1638 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | CP061355.zip | MK000960GWJPP | HPG5 (I) | HPG5 |
| 1639 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | CP061355.zip | VK003840GWJPK | HPG5 (I) | HPG5 |
| 1640 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | CP061355.zip | VK001920GWJPH | HPG5 (I) | HPG5 |
| 1641 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | CP061355.zip | VK000960GWJPF | HPG5 (I) | HPG5 |
| 1642 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | CP061355.zip | VK000480GWJPE | HPG5 (I) | HPG5 |
| 1643 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | CP061355.zip | VK000240GWJPD | HPG5 (I) | HPG5 |
| 1644 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GWSRQ, VK000480GWSRR, VK000960GWSRT, VK001920GWSRU, VK003840GWSRV Drives                                                                | CP061435.zip | VK003840GWSRV | HPG4 (G) | HPG4 |
| 1645 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GWSRQ, VK000480GWSRR, VK000960GWSRT, VK001920GWSRU, VK003840GWSRV Drives                                                                | CP061435.zip | VK001920GWSRU | HPG4 (G) | HPG4 |
| 1646 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GWSRQ, VK000480GWSRR, VK000960GWSRT, VK001920GWSRU, VK003840GWSRV Drives                                                                | CP061435.zip | VK000960GWSRT | HPG4 (G) | HPG4 |
| 1647 | Online HDD/SSD Flash Component for                                                                                                                                                               | CP061435.zip | VK000480GWSRR | HPG4 (G) | HPG4 |

|      |                                                                                                                                                                                                                    |              |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | VMware ESXi - VK000240GWSRQ,<br>VK000480GWSRR, VK000960GWSRT,<br>VK001920GWSRU, VK003840GWSRV<br>Drives                                                                                                            |              |               |          |      |
| 1648 | Online HDD/SSD Flash Component for<br>VMware ESXi - VK000240GWSRQ,<br>VK000480GWSRR, VK000960GWSRT,<br>VK001920GWSRU, VK003840GWSRV<br>Drives                                                                      | CP061435.zip | VK000240GWSRQ | HPG4 (G) | HPG4 |
| 1649 | Online HDD/SSD Flash Component for<br>VMware ESXi - VK000240GWTSV,<br>VK000480GWTTA, VK000960GWTTB,<br>VK001920GWTTT, VK003840GWTTD,<br>MK000480GWTTT,<br>MK000960GWTTT, MK001920GWTTT<br>and MK003840GWTTT Drives | CP061551.zip | VK003840GWTTD | HPG7 (C) | HPG7 |
| 1650 | Online HDD/SSD Flash Component for<br>VMware ESXi - VK000240GWTSV,<br>VK000480GWTTA, VK000960GWTTB,<br>VK001920GWTTT, VK003840GWTTD,<br>MK000480GWTTT,<br>MK000960GWTTT, MK001920GWTTT<br>and MK003840GWTTT Drives | CP061551.zip | MK003840GWTTT | HPG7 (C) | HPG7 |
| 1651 | Online HDD/SSD Flash Component for<br>VMware ESXi - VK000240GWTSV,<br>VK000480GWTTA, VK000960GWTTB,<br>VK001920GWTTT, VK003840GWTTD,<br>MK000480GWTTT,<br>MK000960GWTTT, MK001920GWTTT<br>and MK003840GWTTT Drives | CP061551.zip | VK001920GWTTT | HPG7 (C) | HPG7 |
| 1652 | Online HDD/SSD Flash Component for<br>VMware ESXi - VK000240GWTSV,<br>VK000480GWTTA, VK000960GWTTB,<br>VK001920GWTTT, VK003840GWTTD,<br>MK000480GWTTT,<br>MK000960GWTTT, MK001920GWTTT<br>and MK003840GWTTT Drives | CP061551.zip | MK001920GWTTT | HPG7 (C) | HPG7 |
| 1653 | Online HDD/SSD Flash Component for<br>VMware ESXi - VK000240GWTSV,<br>VK000480GWTTA, VK000960GWTTB,<br>VK001920GWTTT, VK003840GWTTD,<br>MK000480GWTTT,<br>MK000960GWTTT, MK001920GWTTT<br>and MK003840GWTTT Drives | CP061551.zip | VK000960GWTTB | HPG7 (C) | HPG7 |
| 1654 | Online HDD/SSD Flash Component for<br>VMware ESXi - VK000240GWTSV,<br>VK000480GWTTA, VK000960GWTTB,<br>VK001920GWTTT, VK003840GWTTD,<br>MK000480GWTTT,<br>MK000960GWTTT, MK001920GWTTT<br>and MK003840GWTTT Drives | CP061551.zip | MK000960GWTTT | HPG7 (C) | HPG7 |
| 1655 | Online HDD/SSD Flash Component for<br>VMware ESXi - VK000240GWTSV,<br>VK000480GWTTA, VK000960GWTTB,<br>VK001920GWTTT, VK003840GWTTD,<br>MK000480GWTTT,<br>MK000960GWTTT, MK001920GWTTT<br>and MK003840GWTTT Drives | CP061551.zip | VK000480GWTTA | HPG7 (C) | HPG7 |
| 1656 | Online HDD/SSD Flash Component for<br>VMware ESXi - VK000240GWTSV,<br>VK000480GWTTA, VK000960GWTTB,<br>VK001920GWTTT, VK003840GWTTD,<br>MK000480GWTTT,<br>MK000960GWTTT, MK001920GWTTT<br>and MK003840GWTTT Drives | CP061551.zip | MK000480GWTTT | HPG7 (C) | HPG7 |
| 1657 | Online HDD/SSD Flash Component for                                                                                                                                                                                 | CP061551.zip | VK000240GWTSV | HPG7 (C) | HPG7 |



|      |                                                                                                                                                                                                                                                              |              |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | VMware ESXi - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GWTTT, VK003840GWTTD, MK000480GWTTT, MK000960GWTTK, MK001920GWTTL and MK003840GWTTN Drives                                                                                                |              |               |          |      |
| 1658 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | CP061346.zip | VK000240GXAWF | HPG1 (F) | HPG1 |
| 1659 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | CP061346.zip | VK000480GXAWK | HPG1 (F) | HPG1 |
| 1660 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | CP061346.zip | VK000960GXAWL | HPG1 (F) | HPG1 |
| 1661 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | CP061346.zip | VK003840GXAWP | HPG1 (F) | HPG1 |
| 1662 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | CP061346.zip | VK007680GXAWQ | HPG1 (F) | HPG1 |
| 1663 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | CP061346.zip | MK000480GXAWF | HPG1 (F) | HPG1 |
| 1664 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR,                                                                      | CP061346.zip | MK000960GXAXB | HPG1 (F) | HPG1 |

|      |                                                                                                                                                                                                                                                              |              |               |          |      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives                                                                                                                                                                                         |              |               |          |      |
| 1665 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | CP061346.zip | MK001920GXAWR | HPG1 (F) | HPG1 |
| 1666 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | CP061346.zip | MK003840GXAWT | HPG1 (F) | HPG1 |
| 1667 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | CP061346.zip | VR000240GXBBL | HPG1 (F) | HPG1 |
| 1668 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | CP061346.zip | MR000480GXBGH | HPG1 (F) | HPG1 |
| 1669 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | CP061346.zip | MR000960GXBGK | HPG1 (F) | HPG1 |
| 1670 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | CP061346.zip | VK001920GXAWN | HPG1 (F) | HPG1 |
| 1671 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives.                                                                                                         | CP061455.zip | VK001920GZXQV | HPG1 (B) | HPG1 |
| 1672 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH                                                                                                                                   | CP061455.zip | VK003840GZXRH | HPG1 (B) | HPG1 |

|      |                                                                                                                                                      |              |               |          |      |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | and VK007680GZXRT Drives.                                                                                                                            |              |               |          |      |
| 1673 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives. | CP061455.zip | VK007680GZXRT | HPG1 (B) | HPG1 |
| 1674 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives. | CP061455.zip | VK000960GZXQU | HPG1 (B) | HPG1 |
| 1675 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives. | CP061455.zip | VK000480GZXRF | HPG1 (B) | HPG1 |
| 1676 | Online HDD/SSD Flash Component for VMware ESXi - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives. | CP061455.zip | VK000240GZXRU | HPG1 (B) | HPG1 |
| 1677 | Online HDD/SSD Flash Component for VMware ESXi - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives  | CP061337.zip | VK001920GWSXK | HPG3 (E) | HPG3 |
| 1678 | Online HDD/SSD Flash Component for VMware ESXi - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives  | CP061337.zip | MK001920GWUGK | HPG3 (E) | HPG3 |
| 1679 | Online HDD/SSD Flash Component for VMware ESXi - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives  | CP061337.zip | VK000960GWSXH | HPG3 (E) | HPG3 |
| 1680 | Online HDD/SSD Flash Component for VMware ESXi - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives  | CP061337.zip | MK000960GWUGH | HPG3 (E) | HPG3 |
| 1681 | Online HDD/SSD Flash Component for VMware ESXi - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives  | CP061337.zip | VK000480GWSXF | HPG3 (E) | HPG3 |
| 1682 | Online HDD/SSD Flash Component for VMware ESXi - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives  | CP061337.zip | MK000480GWUGF | HPG3 (E) | HPG3 |
| 1683 | Online HDD/SSD Flash Component for VMware ESXi - VK000480GWTHA, VK000960GWTHB, VK001920GWTHC and VK003840GWTHD Drives                                | CP061964.zip | VK003840GWTHD | HPG5     | HPG5 |
| 1684 | Online HDD/SSD Flash Component for VMware ESXi - VK000480GWTHA, VK000960GWTHB, VK001920GWTHC and VK003840GWTHD Drives                                | CP061964.zip | VK001920GWTHC | HPG5     | HPG5 |
| 1685 | Online HDD/SSD Flash Component for                                                                                                                   | CP061964.zip | VK000960GWTHB | HPG5     | HPG5 |

|      |                                                                                                                       |              |               |          |      |
|------|-----------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | VMware ESXi - VK000480GWTHA, VK000960GWTHB, VK001920GWTHC and VK003840GWTHD Drives                                    |              |               |          |      |
| 1686 | Online HDD/SSD Flash Component for VMware ESXi - VK000480GWTHA, VK000960GWTHB, VK001920GWTHC and VK003840GWTHD Drives | CP061964.zip | VK000480GWTHA | HPG5     | HPG5 |
| 1687 | Online HDD/SSD Flash Component for VMware ESXi - VK000480GZCNE, VK000960GZCNF, VK001920GZCNH and VK003840GZCNK Drives | CP061327.zip | VK000480GZCNE | HPG3 (B) | HPG3 |
| 1688 | Online HDD/SSD Flash Component for VMware ESXi - VK000480GZCNE, VK000960GZCNF, VK001920GZCNH and VK003840GZCNK Drives | CP061327.zip | VK000960GZCNF | HPG3 (B) | HPG3 |
| 1689 | Online HDD/SSD Flash Component for VMware ESXi - VK000480GZCNE, VK000960GZCNF, VK001920GZCNH and VK003840GZCNK Drives | CP061327.zip | VK001920GZCNH | HPG3 (B) | HPG3 |
| 1690 | Online HDD/SSD Flash Component for VMware ESXi - VK000480GZCNE, VK000960GZCNF, VK001920GZCNH and VK003840GZCNK Drives | CP061327.zip | VK003840GZCNK | HPG3 (B) | HPG3 |
| 1691 | Online HDD/SSD Flash Component for VMware ESXi - VK000960GXCLD, VK001920GXCGP, VK003840GXCGQ and VK007680GXCGR Drives | CP061374.zip | VK000960GXCLD | HPG3 (D) | HPG3 |
| 1692 | Online HDD/SSD Flash Component for VMware ESXi - VK000960GXCLD, VK001920GXCGP, VK003840GXCGQ and VK007680GXCGR Drives | CP061374.zip | VK007680GXCGR | HPG3 (D) | HPG3 |
| 1693 | Online HDD/SSD Flash Component for VMware ESXi - VK000960GXCLD, VK001920GXCGP, VK003840GXCGQ and VK007680GXCGR Drives | CP061374.zip | VK001920GXCGP | HPG3 (D) | HPG3 |
| 1694 | Online HDD/SSD Flash Component for VMware ESXi - VK000960GXCLD, VK001920GXCGP, VK003840GXCGQ and VK007680GXCGR Drives | CP061374.zip | VK003840GXCGQ | HPG3 (D) | HPG3 |
| 1695 | Online HDD/SSD Flash Component for VMware ESXi - VK003840GWSXL Drive                                                  | CP061404.zip | VK003840GWSXL | HPG3 (E) | HPG3 |
| 1696 | Online HDD/SSD Flash Component for VMware ESXi - VK007680GWSXN Drive                                                  | CP061403.zip | VK007680GWSXN | HPG3 (E) | HPG3 |
| 1697 | Online HDD/SSD Flash Component for Windows (x64) - MB001000GWCBC and MB002000GWCBD Drives                             | cp061576.exe | MB001000GWCBC | HPG6 (H) | HPG6 |
| 1698 | Online HDD/SSD Flash Component for Windows (x64) - MB001000GWCBC and MB002000GWCBD Drives                             | cp061576.exe | MB002000GWCBD | HPG6 (H) | HPG6 |
| 1699 | Online HDD/SSD Flash Component for Windows (x64) - MB001000GWFWK and MB002000GWFWL Drives                             | cp061438.exe | MB001000GWFWK | HPG6 (I) | HPG6 |
| 1700 | Online HDD/SSD Flash Component for Windows (x64) - MB001000GWFWK and MB002000GWFWL Drives                             | cp061438.exe | MB002000GWFWL | HPG6 (I) | HPG6 |
| 1701 | Online HDD/SSD Flash Component for Windows (x64) - MB001000GWJAN, MB002000GWFWA and MB004000GWFWB Drives              | cp061578.exe | MB004000GWFWB | HPG1 (I) | HPG1 |
| 1702 | Online HDD/SSD Flash Component for Windows (x64) - MB001000GWJAN, MB002000GWFWA and MB004000GWFWB Drives              | cp061578.exe | MB002000GWFWA | HPG1 (I) | HPG1 |
| 1703 | Online HDD/SSD Flash Component for Windows (x64) - MB001000GWJAN,                                                     | cp061578.exe | MB001000GWJAN | HPG1 (I) | HPG1 |

|      |                                                                                                                                        |              |               |          |      |
|------|----------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | MB002000GWFVA and MB004000GWFVB Drives                                                                                                 |              |               |          |      |
| 1704 | Online HDD/SSD Flash Component for Windows (x64) - MB004000GWKGV Drive                                                                 | cp061440.exe | MB004000GWKGV | HPG1 (I) | HPG1 |
| 1705 | Online HDD/SSD Flash Component for Windows (x64) - MB004000GWWQH, MB002000GWWQF and MB001000GWWQE Drives                               | cp061371.exe | MB004000GWWQH | HPG6 (B) | HPG6 |
| 1706 | Online HDD/SSD Flash Component for Windows (x64) - MB004000GWWQH, MB002000GWWQF and MB001000GWWQE Drives                               | cp061371.exe | MB002000GWWQF | HPG6 (B) | HPG6 |
| 1707 | Online HDD/SSD Flash Component for Windows (x64) - MB004000GWWQH, MB002000GWWQF and MB001000GWWQE Drives                               | cp061371.exe | MB001000GWWQE | HPG6 (B) | HPG6 |
| 1708 | Online HDD/SSD Flash Component for Windows (x64) - MB006000GWBXQ and MB008000GWBYL Drives                                              | cp061443.exe | MB006000GWBXQ | HPG8 (H) | HPG8 |
| 1709 | Online HDD/SSD Flash Component for Windows (x64) - MB006000GWBXQ and MB008000GWBYL Drives                                              | cp061443.exe | MB008000GWBYL | HPG8 (H) | HPG8 |
| 1710 | Online HDD/SSD Flash Component for Windows (x64) - MB006000GWJRR and MB008000GWJRT Drives                                              | cp061502.exe | MB008000GWJRT | HPG6 (C) | HPG6 |
| 1711 | Online HDD/SSD Flash Component for Windows (x64) - MB006000GWJRR and MB008000GWJRT Drives                                              | cp061502.exe | MB006000GWJRR | HPG6 (C) | HPG6 |
| 1712 | Online HDD/SSD Flash Component for Windows (x64) - MB006000GWKGR Drive                                                                 | cp061457.exe | MB006000GWKGR | HPG1 (I) | HPG1 |
| 1713 | Online HDD/SSD Flash Component for Windows (x64) - MB008000GWRTC Drive                                                                 | cp061459.exe | MB008000GWRTC | HPG1 (I) | HPG1 |
| 1714 | Online HDD/SSD Flash Component for Windows (x64) - MB008000GWWQU and MB006000GWWQT Drives                                              | cp061498.exe | MB008000GWWQU | HPG8 (B) | HPG8 |
| 1715 | Online HDD/SSD Flash Component for Windows (x64) - MB008000GWWQU and MB006000GWWQT Drives                                              | cp061498.exe | MB006000GWWQT | HPG8 (B) | HPG8 |
| 1716 | Online HDD/SSD Flash Component for Windows (x64) - MB010000GWAYN and MB008000GWAYL Drives                                              | cp061365.exe | MB010000GWAYN | HPG5 (H) | HPG5 |
| 1717 | Online HDD/SSD Flash Component for Windows (x64) - MB010000GWAYN and MB008000GWAYL Drives                                              | cp061365.exe | MB008000GWAYL | HPG5 (H) | HPG5 |
| 1718 | Online HDD/SSD Flash Component for Windows (x64) - MB010000GYDKP, MB012000GYCJL, MB014000GYCJT, MB016000GYDKQ and MB018000GYDKR Drives | cp061524.exe | MB010000GYDKP | HPG2 (B) | HPG2 |
| 1719 | Online HDD/SSD Flash Component for Windows (x64) - MB010000GYDKP, MB012000GYCJL, MB014000GYCJT, MB016000GYDKQ and MB018000GYDKR Drives | cp061524.exe | MB016000GYDKQ | HPG2 (B) | HPG2 |
| 1720 | Online HDD/SSD Flash Component for Windows (x64) - MB010000GYDKP, MB012000GYCJL, MB014000GYCJT, MB016000GYDKQ and MB018000GYDKR Drives | cp061524.exe | MB018000GYDKR | HPG2 (B) | HPG2 |
| 1721 | Online HDD/SSD Flash Component for Windows (x64) - MB010000GYDKP, MB012000GYCJL, MB014000GYCJT, MB016000GYDKQ and                      | cp061524.exe | MB012000GYCJL | HPG2 (B) | HPG2 |

|      |                                                                                                                                        |              |               |          |      |
|------|----------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | MB018000GYDKR Drives                                                                                                                   |              |               |          |      |
| 1722 | Online HDD/SSD Flash Component for Windows (x64) - MB010000GYDKP, MB012000GYCJL, MB014000GYCJT, MB016000GYDKQ and MB018000GYDKR Drives | cp061524.exe | MB014000GYCJT | HPG2 (B) | HPG2 |
| 1723 | Online HDD/SSD Flash Component for Windows (x64) - MB012000GWDFE Drive                                                                 | cp061930.exe | MB012000GWDFE | HPG5 (B) | HPG5 |
| 1724 | Online HDD/SSD Flash Component for Windows (x64) - MB012000GWTFF and MB014000GWTFF Drives                                              | cp061470.exe | MB014000GWTFF | HPG8 (C) | HPG8 |
| 1725 | Online HDD/SSD Flash Component for Windows (x64) - MB012000GWTFF and MB014000GWTFF Drives                                              | cp061470.exe | MB012000GWTFF | HPG8 (C) | HPG8 |
| 1726 | Online HDD/SSD Flash Component for Windows (x64) - MB012000GZYVT, MB014000GZYVU, MB016000GZYVV and MB018000GYCLL Drives                | cp061363.exe | MB012000GZYVT | HPG4 (B) | HPG4 |
| 1727 | Online HDD/SSD Flash Component for Windows (x64) - MB012000GZYVT, MB014000GZYVU, MB016000GZYVV and MB018000GYCLL Drives                | cp061363.exe | MB014000GZYVU | HPG4 (B) | HPG4 |
| 1728 | Online HDD/SSD Flash Component for Windows (x64) - MB012000GZYVT, MB014000GZYVU, MB016000GZYVV and MB018000GYCLL Drives                | cp061363.exe | MB016000GZYVV | HPG4 (B) | HPG4 |
| 1729 | Online HDD/SSD Flash Component for Windows (x64) - MB012000GZYVT, MB014000GZYVU, MB016000GZYVV and MB018000GYCLL Drives                | cp061363.exe | MB018000GYCLL | HPG4 (B) | HPG4 |
| 1730 | Online HDD/SSD Flash Component for Windows (x64) - MB014000GWRTN, MB012000GWRTL and MB010000GWRTK Drives                               | cp061579.exe | MB014000GWRTN | HPG2 (H) | HPG2 |
| 1731 | Online HDD/SSD Flash Component for Windows (x64) - MB014000GWRTN, MB012000GWRTL and MB010000GWRTK Drives                               | cp061579.exe | MB012000GWRTL | HPG2 (H) | HPG2 |
| 1732 | Online HDD/SSD Flash Component for Windows (x64) - MB014000GWRTN, MB012000GWRTL and MB010000GWRTK Drives                               | cp061579.exe | MB010000GWRTK | HPG2 (H) | HPG2 |
| 1733 | Online HDD/SSD Flash Component for Windows (x64) - MB014000GWUDA Drive                                                                 | cp061492.exe | MB014000GWUDA | HPG3 (B) | HPG3 |
| 1734 | Online HDD/SSD Flash Component for Windows (x64) - MB016000GWXKK Drive                                                                 | cp061376.exe | MB016000GWXKK | HPG4 (B) | HPG4 |
| 1735 | Online HDD/SSD Flash Component for Windows (x64) - MB018000GXMTK and MB020000GXMTQ Drives                                              | cp061510.exe | MB020000GXMTQ | HPG2 (B) | HPG2 |
| 1736 | Online HDD/SSD Flash Component for Windows (x64) - MB018000GXMTK and MB020000GXMTQ Drives                                              | cp061510.exe | MB018000GXMTK | HPG2 (B) | HPG2 |
| 1737 | Online HDD/SSD Flash Component for Windows (x64) - MK000480GWSSC, MK000960GWSSD, MK001920GWSSE and MK003840GWSSF Drives                | cp061499.exe | MK003840GWSSF | HPG3 (G) | HPG3 |
| 1738 | Online HDD/SSD Flash Component for Windows (x64) - MK000480GWSSC, MK000960GWSSD, MK001920GWSSE and MK003840GWSSF Drives                | cp061499.exe | MK001920GWSSE | HPG3 (G) | HPG3 |
| 1739 | Online HDD/SSD Flash Component for Windows (x64) - MK000480GWSSC, MK000960GWSSD, MK001920GWSSE                                         | cp061499.exe | MK000960GWSSD | HPG3 (G) | HPG3 |

|      |                                                                                                                                                                                                    |              |               |          |      |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | and MK003840GWSSF Drives                                                                                                                                                                           |              |               |          |      |
| 1740 | Online HDD/SSD Flash Component for Windows (x64) - MK000480GWSSC, MK000960GWSSD, MK001920GWSSE and MK003840GWSSF Drives                                                                            | cp061499.exe | MK000480GWSSC | HPG3 (G) | HPG3 |
| 1741 | Online HDD/SSD Flash Component for Windows (x64) - MK000480GWXFF, MK000960GWXFH, MK001920GWXFK and MK003840GWXFL Drives                                                                            | cp061361.exe | MK003840GWXFL | HPG3 (B) | HPG3 |
| 1742 | Online HDD/SSD Flash Component for Windows (x64) - MK000480GWXFF, MK000960GWXFH, MK001920GWXFK and MK003840GWXFL Drives                                                                            | cp061361.exe | MK001920GWXFK | HPG3 (B) | HPG3 |
| 1743 | Online HDD/SSD Flash Component for Windows (x64) - MK000480GWXFF, MK000960GWXFH, MK001920GWXFK and MK003840GWXFL Drives                                                                            | cp061361.exe | MK000960GWXFH | HPG3 (B) | HPG3 |
| 1744 | Online HDD/SSD Flash Component for Windows (x64) - MK000480GWXFF, MK000960GWXFH, MK001920GWXFK and MK003840GWXFL Drives                                                                            | cp061361.exe | MK000480GWXFF | HPG3 (B) | HPG3 |
| 1745 | Online HDD/SSD Flash Component for Windows (x64) - MK000480GZXRA, MK000960GZXRB, MK001920GZXRC and MK003840GZXRV Drives                                                                            | cp061417.exe | MK000480GZXRA | HPG1 (B) | HPG1 |
| 1746 | Online HDD/SSD Flash Component for Windows (x64) - MK000480GZXRA, MK000960GZXRB, MK001920GZXRC and MK003840GZXRV Drives                                                                            | cp061417.exe | MK001920GZXRC | HPG1 (B) | HPG1 |
| 1747 | Online HDD/SSD Flash Component for Windows (x64) - MK000480GZXRA, MK000960GZXRB, MK001920GZXRC and MK003840GZXRV Drives                                                                            | cp061417.exe | MK000960GZXRB | HPG1 (B) | HPG1 |
| 1748 | Online HDD/SSD Flash Component for Windows (x64) - MK000480GZXRA, MK000960GZXRB, MK001920GZXRC and MK003840GZXRV Drives                                                                            | cp061417.exe | MK003840GZXRV | HPG1 (B) | HPG1 |
| 1749 | Online HDD/SSD Flash Component for Windows (x64) - MM1000GFJTE Drive                                                                                                                               | cp061405.exe | MM1000GFJTE   | HPG6 (C) | HPG6 |
| 1750 | Online HDD/SSD Flash Component for Windows (x64) - MM2000GEFRA Drive                                                                                                                               | cp061389.exe | MM2000GEFRA   | HPG9 (C) | HPG9 |
| 1751 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | cp061372.exe | MK001920GWJPQ | HPG5 (G) | HPG5 |
| 1752 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | cp061372.exe | VK001920GWJPH | HPG5 (G) | HPG5 |
| 1753 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | cp061372.exe | MK000240GWKVK | HPG5 (G) | HPG5 |
| 1754 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF,                                                                                                    | cp061372.exe | VK000240GWJPD | HPG5 (G) | HPG5 |

|      |                                                                                                                                                                                                    |              |               |          |      |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives                                                                                                 |              |               |          |      |
| 1755 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | cp061372.exe | VK003840GWJPK | HPG5 (G) | HPG5 |
| 1756 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | cp061372.exe | MK000480GWJPN | HPG5 (G) | HPG5 |
| 1757 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | cp061372.exe | VK000480GWJPE | HPG5 (G) | HPG5 |
| 1758 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | cp061372.exe | MK000960GWJPP | HPG5 (G) | HPG5 |
| 1759 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives | cp061372.exe | VK000960GWJPF | HPG5 (G) | HPG5 |
| 1760 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWSRQ, VK000480GWSRR, VK000960GWSRT, VK001920GWSRU and VK003840GWSRV Drives                                                             | cp061584.exe | VK003840GWSRV | HPG4 (G) | HPG4 |
| 1761 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWSRQ, VK000480GWSRR, VK000960GWSRT, VK001920GWSRU and VK003840GWSRV Drives                                                             | cp061584.exe | VK001920GWSRU | HPG4 (G) | HPG4 |
| 1762 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWSRQ, VK000480GWSRR, VK000960GWSRT, VK001920GWSRU and VK003840GWSRV Drives                                                             | cp061584.exe | VK000960GWSRT | HPG4 (G) | HPG4 |
| 1763 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWSRQ, VK000480GWSRR, VK000960GWSRT, VK001920GWSRU and VK003840GWSRV Drives                                                             | cp061584.exe | VK000480GWSRR | HPG4 (G) | HPG4 |
| 1764 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWSRQ, VK000480GWSRR, VK000960GWSRT, VK001920GWSRU and VK003840GWSRV Drives                                                             | cp061584.exe | VK000240GWSRQ | HPG4 (G) | HPG4 |
| 1765 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWTSV,                                                                                                                                  | cp061545.exe | VK003840GWTTD | HPG7 (C) | HPG7 |



|      |                                                                                                                                                                                                         |              |                 |          |      |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------|----------|------|
|      | VK000480GWTTA, VK000960GWTTB, VK001920GW TTC, VK003840GWTTD, MK000480GW TTH, MK000960GW TTK, MK001920GW TTL and MK003840GW TTN Drives                                                                   |              |                 |          |      |
| 1766 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GW TTC, VK003840GWTTD, MK000480GW TTH, MK000960GW TTK, MK001920GW TTL and MK003840GW TTN Drives | cp061545.exe | MK003840GW TTN  | HPG7 (C) | HPG7 |
| 1767 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GW TTC, VK003840GWTTD, MK000480GW TTH, MK000960GW TTK, MK001920GW TTL and MK003840GW TTN Drives | cp061545.exe | VK001920GW TTC  | HPG7 (C) | HPG7 |
| 1768 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GW TTC, VK003840GWTTD, MK000480GW TTH, MK000960GW TTK, MK001920GW TTL and MK003840GW TTN Drives | cp061545.exe | MK001920GW TTL  | HPG7 (C) | HPG7 |
| 1769 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GW TTC, VK003840GWTTD, MK000480GW TTH, MK000960GW TTK, MK001920GW TTL and MK003840GW TTN Drives | cp061545.exe | VK000960GW TT B | HPG7 (C) | HPG7 |
| 1770 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GW TTC, VK003840GWTTD, MK000480GW TTH, MK000960GW TTK, MK001920GW TTL and MK003840GW TTN Drives | cp061545.exe | MK000960GW TTK  | HPG7 (C) | HPG7 |
| 1771 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GW TTC, VK003840GWTTD, MK000480GW TTH, MK000960GW TTK, MK001920GW TTL and MK003840GW TTN Drives | cp061545.exe | VK000480GW TT A | HPG7 (C) | HPG7 |
| 1772 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GW TTC, VK003840GWTTD, MK000480GW TTH, MK000960GW TTK, MK001920GW TTL and MK003840GW TTN Drives | cp061545.exe | MK000480GW TT H | HPG7 (C) | HPG7 |
| 1773 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GW TTC, VK003840GWTTD, MK000480GW TTH, MK000960GW TTK, MK001920GW TTL and MK003840GW TTN Drives | cp061545.exe | VK000240GW TS V | HPG7 (C) | HPG7 |
| 1774 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GXAW E, VK000480GXAW K, VK000960GXAW L, VK001920GXAW N, VK003840GXAW P, VK007680GXAW Q, MK000480GXAW F,                                      | cp061511.exe | MR000960GX BG K | HPG1 (F) | HPG1 |

|      |                                                                                                                                                                                                                                                                |              |               |          |      |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives                                                                                                                                                             |              |               |          |      |
| 1775 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | cp061511.exe | MR000480GXBGH | HPG1 (F) | HPG1 |
| 1776 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | cp061511.exe | VR000240GXBBL | HPG1 (F) | HPG1 |
| 1777 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | cp061511.exe | MK003840GXAWT | HPG1 (F) | HPG1 |
| 1778 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | cp061511.exe | MK001920GXAWR | HPG1 (F) | HPG1 |
| 1779 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | cp061511.exe | MK000960GXAXB | HPG1 (F) | HPG1 |
| 1780 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | cp061511.exe | MK000480GXAWF | HPG1 (F) | HPG1 |
| 1781 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and                      | cp061511.exe | VK007680GXAWQ | HPG1 (F) | HPG1 |

|      |                                                                                                                                                                                                                                                                |              |               |          |      |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
|      | MR000960GXBGK Drives                                                                                                                                                                                                                                           |              |               |          |      |
| 1782 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | cp061511.exe | VK003840GXAWP | HPG1 (F) | HPG1 |
| 1783 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | cp061511.exe | VK000960GXAWL | HPG1 (F) | HPG1 |
| 1784 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | cp061511.exe | VK000480GXAWK | HPG1 (F) | HPG1 |
| 1785 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | cp061511.exe | VK000240GXAWF | HPG1 (F) | HPG1 |
| 1786 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives | cp061511.exe | VK001920GXAWN | HPG1 (F) | HPG1 |
| 1787 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives                                                                                                          | cp061418.exe | VK001920GZXQV | HPG1 (B) | HPG1 |
| 1788 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives                                                                                                          | cp061418.exe | VK003840GZXRH | HPG1 (B) | HPG1 |
| 1789 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives                                                                                                          | cp061418.exe | VK007680GZXRT | HPG1 (B) | HPG1 |
| 1790 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives                                                                                                          | cp061418.exe | VK000960GZXQU | HPG1 (B) | HPG1 |

|      |                                                                                                                                                       |              |               |          |      |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------|------|
| 1791 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives | cp061418.exe | VK000480GZXRF | HPG1 (B) | HPG1 |
| 1792 | Online HDD/SSD Flash Component for Windows (x64) - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives | cp061418.exe | VK000240GZXRU | HPG1 (B) | HPG1 |
| 1793 | Online HDD/SSD Flash Component for Windows (x64) - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives | cp061496.exe | VK001920GWSXK | HPG3 (E) | HPG3 |
| 1794 | Online HDD/SSD Flash Component for Windows (x64) - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives | cp061496.exe | MK001920GWUGK | HPG3 (E) | HPG3 |
| 1795 | Online HDD/SSD Flash Component for Windows (x64) - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives | cp061496.exe | VK000960GWSXH | HPG3 (E) | HPG3 |
| 1796 | Online HDD/SSD Flash Component for Windows (x64) - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives | cp061496.exe | MK000960GWUGH | HPG3 (E) | HPG3 |
| 1797 | Online HDD/SSD Flash Component for Windows (x64) - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives | cp061496.exe | VK000480GWSXF | HPG3 (E) | HPG3 |
| 1798 | Online HDD/SSD Flash Component for Windows (x64) - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives | cp061496.exe | MK000480GWUGF | HPG3 (E) | HPG3 |
| 1799 | Online HDD/SSD Flash Component for Windows (x64) - VK000480GWTHA, VK000960GWTHB, VK001920GWTHC and VK003840GWTHD Drives                               | cp061965.exe | VK003840GWTHD | HPG5     | HPG5 |
| 1800 | Online HDD/SSD Flash Component for Windows (x64) - VK000480GWTHA, VK000960GWTHB, VK001920GWTHC and VK003840GWTHD Drives                               | cp061965.exe | VK001920GWTHC | HPG5     | HPG5 |
| 1801 | Online HDD/SSD Flash Component for Windows (x64) - VK000480GWTHA, VK000960GWTHB, VK001920GWTHC and VK003840GWTHD Drives                               | cp061965.exe | VK000960GWTHB | HPG5     | HPG5 |
| 1802 | Online HDD/SSD Flash Component for Windows (x64) - VK000480GWTHA, VK000960GWTHB, VK001920GWTHC and VK003840GWTHD Drives                               | cp061965.exe | VK000480GWTHA | HPG5     | HPG5 |
| 1803 | Online HDD/SSD Flash Component for Windows (x64) - VK000480GZCNE, VK000960GZCNF, VK001920GZCNH and VK003840GZCNK Drives                               | cp061329.exe | VK000480GZCNE | HPG3 (B) | HPG3 |

|      |                                                                                                                                                                                                                                    |                                        |               |          |      |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|---------------|----------|------|
| 1804 | Online HDD/SSD Flash Component for Windows (x64) - VK000480GZCNE, VK000960GZCNF, VK001920GZCNH and VK003840GZCNK Drives                                                                                                            | cp061329.exe                           | VK000960GZCNF | HPG3 (B) | HPG3 |
| 1805 | Online HDD/SSD Flash Component for Windows (x64) - VK000480GZCNE, VK000960GZCNF, VK001920GZCNH and VK003840GZCNK Drives                                                                                                            | cp061329.exe                           | VK001920GZCNH | HPG3 (B) | HPG3 |
| 1806 | Online HDD/SSD Flash Component for Windows (x64) - VK000480GZCNE, VK000960GZCNF, VK001920GZCNH and VK003840GZCNK Drives                                                                                                            | cp061329.exe                           | VK003840GZCNK | HPG3 (B) | HPG3 |
| 1807 | Online HDD/SSD Flash Component for Windows (x64) - VK000960GXCLD, VK001920GXCGP, VK003840GXCGQ and VK007680GXCGR Drives                                                                                                            | cp061383.exe                           | VK000960GXCLD | HPG3 (C) | HPG3 |
| 1808 | Online HDD/SSD Flash Component for Windows (x64) - VK000960GXCLD, VK001920GXCGP, VK003840GXCGQ and VK007680GXCGR Drives                                                                                                            | cp061383.exe                           | VK007680GXCGR | HPG3 (C) | HPG3 |
| 1809 | Online HDD/SSD Flash Component for Windows (x64) - VK000960GXCLD, VK001920GXCGP, VK003840GXCGQ and VK007680GXCGR Drives                                                                                                            | cp061383.exe                           | VK001920GXCGP | HPG3 (C) | HPG3 |
| 1810 | Online HDD/SSD Flash Component for Windows (x64) - VK000960GXCLD, VK001920GXCGP, VK003840GXCGQ and VK007680GXCGR Drives                                                                                                            | cp061383.exe                           | VK003840GXCGQ | HPG3 (C) | HPG3 |
| 1811 | Online HDD/SSD Flash Component for Windows (x64) - VK003840GWSXL Drive                                                                                                                                                             | cp061582.exe                           | VK003840GWSXL | HPG3 (E) | HPG3 |
| 1812 | Online HDD/SSD Flash Component for Windows (x64) - VK007680GWSXN Drive                                                                                                                                                             | cp061583.exe                           | VK007680GWSXN | HPG3 (E) | HPG3 |
| 1813 | Universal Firmware Package for Drives - MB002000GYDNK and MB004000GYDPD                                                                                                                                                            | Seagate_CimarronBP_S CIMARBPNTG1.fwpkg | MB002000GYDNK | HPG1     | HPG1 |
| 1814 | Universal Firmware Package for Drives - MB002000GYDNK and MB004000GYDPD                                                                                                                                                            | Seagate_CimarronBP_S CIMARBPNTG1.fwpkg | MB004000GYDPD | HPG1     | HPG1 |
| 1815 | Universal Firmware Package for Drives - MB006000GWZVL and MB008000GWZVN                                                                                                                                                            | Toshiba_MG08Air_TAM G08ADAeG1.fwpkg    | MB006000GWZVL | HPG1     | HPG1 |
| 1816 | Universal Firmware Package for Drives - MB006000GWZVL and MB008000GWZVN                                                                                                                                                            | Toshiba_MG08Air_TAM G08ADAeG1.fwpkg    | MB008000GWZVN | HPG1     | HPG1 |
| 1817 | Universal Firmware Package for Drives - MB006000GYDNL, MB008000GYDPE and MB010000GYDNN                                                                                                                                             | Seagate_CimarronBP_S CIMARBPETG1.fwpkg | MB006000GYDNL | HPG1     | HPG1 |
| 1818 | Universal Firmware Package for Drives - MB006000GYDNL, MB008000GYDPE and MB010000GYDNN                                                                                                                                             | Seagate_CimarronBP_S CIMARBPETG1.fwpkg | MB008000GYDPE | HPG1     | HPG1 |
| 1819 | Universal Firmware Package for Drives - MB006000GYDNL, MB008000GYDPE and MB010000GYDNN                                                                                                                                             | Seagate_CimarronBP_S CIMARBPETG1.fwpkg | MB010000GYDNN | HPG1     | HPG1 |
| 1820 | Universal Firmware Package for Drives - MK000480GYCNT ,MK000960GYCNP , MK001920GYCNF ,MK003840GYCNQ , VK000240GYCNU ,VK000480GYCNH ,V K000960GYCNK ,VK001920GYCNL ,VK 003840GYCNN ,VK007680GYCNE ,VR0 00240GXPQT and VR000480GXPQU | Solidigm_S4X20_4IYYH PG3.fwpkg         | MK000480GYCNT | HPG3     | HPG3 |
| 1821 | Universal Firmware Package for Drives - MK000480GYCNT ,MK000960GYCNP ,                                                                                                                                                             | Solidigm_S4X20_4IYYH PG3.fwpkg         | MK000960GYCNP | HPG3     | HPG3 |

|      |                                                                                                                                                                                                                                                         |                                   |               |      |      |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|---------------|------|------|
|      | MK001920GYCNF ,MK003840GYCNQ ,<br>VK000240GYCNU ,VK000480GYCNH ,V<br>K000960GYCNK ,VK001920GYCNL ,VK<br>003840GYCNN ,VK007680GYCNE ,VR0<br>00240GXPQT and VR000480GXPQU                                                                                 |                                   |               |      |      |
| 1822 | Universal Firmware Package for Drives<br>-<br>MK000480GYCNT ,MK000960GYCNP ,<br>MK001920GYCNF ,MK003840GYCNQ ,<br>VK000240GYCNU ,VK000480GYCNH ,V<br>K000960GYCNK ,VK001920GYCNL ,VK<br>003840GYCNN ,VK007680GYCNE ,VR0<br>00240GXPQT and VR000480GXPQU | Solidigm_S4X20_4IYYH<br>PG3.fwpkg | MK001920GYCNF | HPG3 | HPG3 |
| 1823 | Universal Firmware Package for Drives<br>-<br>MK000480GYCNT ,MK000960GYCNP ,<br>MK001920GYCNF ,MK003840GYCNQ ,<br>VK000240GYCNU ,VK000480GYCNH ,V<br>K000960GYCNK ,VK001920GYCNL ,VK<br>003840GYCNN ,VK007680GYCNE ,VR0<br>00240GXPQT and VR000480GXPQU | Solidigm_S4X20_4IYYH<br>PG3.fwpkg | MK003840GYCNQ | HPG3 | HPG3 |
| 1824 | Universal Firmware Package for Drives<br>-<br>MK000480GYCNT ,MK000960GYCNP ,<br>MK001920GYCNF ,MK003840GYCNQ ,<br>VK000240GYCNU ,VK000480GYCNH ,V<br>K000960GYCNK ,VK001920GYCNL ,VK<br>003840GYCNN ,VK007680GYCNE ,VR0<br>00240GXPQT and VR000480GXPQU | Solidigm_S4X20_4IYYH<br>PG3.fwpkg | VK000240GYCNU | HPG3 | HPG3 |
| 1825 | Universal Firmware Package for Drives<br>-<br>MK000480GYCNT ,MK000960GYCNP ,<br>MK001920GYCNF ,MK003840GYCNQ ,<br>VK000240GYCNU ,VK000480GYCNH ,V<br>K000960GYCNK ,VK001920GYCNL ,VK<br>003840GYCNN ,VK007680GYCNE ,VR0<br>00240GXPQT and VR000480GXPQU | Solidigm_S4X20_4IYYH<br>PG3.fwpkg | VK000480GYCNH | HPG3 | HPG3 |
| 1826 | Universal Firmware Package for Drives<br>-<br>MK000480GYCNT ,MK000960GYCNP ,<br>MK001920GYCNF ,MK003840GYCNQ ,<br>VK000240GYCNU ,VK000480GYCNH ,V<br>K000960GYCNK ,VK001920GYCNL ,VK<br>003840GYCNN ,VK007680GYCNE ,VR0<br>00240GXPQT and VR000480GXPQU | Solidigm_S4X20_4IYYH<br>PG3.fwpkg | VK000960GYCNK | HPG3 | HPG3 |
| 1827 | Universal Firmware Package for Drives<br>-<br>MK000480GYCNT ,MK000960GYCNP ,<br>MK001920GYCNF ,MK003840GYCNQ ,<br>VK000240GYCNU ,VK000480GYCNH ,V<br>K000960GYCNK ,VK001920GYCNL ,VK<br>003840GYCNN ,VK007680GYCNE ,VR0<br>00240GXPQT and VR000480GXPQU | Solidigm_S4X20_4IYYH<br>PG3.fwpkg | VK001920GYCNL | HPG3 | HPG3 |
| 1828 | Universal Firmware Package for Drives<br>-<br>MK000480GYCNT ,MK000960GYCNP ,<br>MK001920GYCNF ,MK003840GYCNQ ,<br>VK000240GYCNU ,VK000480GYCNH ,V<br>K000960GYCNK ,VK001920GYCNL ,VK<br>003840GYCNN ,VK007680GYCNE ,VR0<br>00240GXPQT and VR000480GXPQU | Solidigm_S4X20_4IYYH<br>PG3.fwpkg | VK003840GYCNN | HPG3 | HPG3 |
| 1829 | Universal Firmware Package for Drives<br>-<br>MK000480GYCNT ,MK000960GYCNP ,<br>MK001920GYCNF ,MK003840GYCNQ ,<br>VK000240GYCNU ,VK000480GYCNH ,V                                                                                                       | Solidigm_S4X20_4IYYH<br>PG3.fwpkg | VK007680GYCNE | HPG3 | HPG3 |

|      |                                                                                                                                                                                                                                 |                                |               |      |      |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|---------------|------|------|
|      | K000960GYCNK ,VK001920GYCNL ,VK003840GYCNN ,VK007680GYCNE ,VR000240GXPQT and VR000480GXPQU                                                                                                                                      |                                |               |      |      |
| 1830 | Universal Firmware Package for Drives - MK000480GYCNT ,MK000960GYCNP , MK001920GYCNF ,MK003840GYCNQ , VK000240GYCNU ,VK000480GYCNH ,VK000960GYCNK ,VK001920GYCNL ,VK003840GYCNN ,VK007680GYCNE ,VR000240GXPQT and VR000480GXPQU | Solidigm_S4X20_4IYYH PG3.fwpkg | VR000240GXPQT | HPG3 | HPG3 |
| 1831 | Universal Firmware Package for Drives - MK000480GYCNT ,MK000960GYCNP , MK001920GYCNF ,MK003840GYCNQ , VK000240GYCNU ,VK000480GYCNH ,VK000960GYCNK ,VK001920GYCNL ,VK003840GYCNN ,VK007680GYCNE ,VR000240GXPQT and VR000480GXPQU | Solidigm_S4X20_4IYYH PG3.fwpkg | VR000480GXPQU | HPG3 | HPG3 |

### 6.2.15 Firmware - Storage Controller

| No.  | Description                                                                                                                               | Package filename                                  | Device                                  | Package Version | Firmware/Driver version |
|------|-------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|-----------------------------------------|-----------------|-------------------------|
| 1832 | Controller Firmware Flash for ESXi7.0 and 8.0 - HPE MR216i-a Gen10 Plus Tri Mode Controller                                               | CP060618.zip                                      | Broadcom MR216i-a Cntrl for HPE Gen10+  | 52.26.3.5487    | 52.26.3.5487            |
| 1833 | Controller Firmware Flash for ESXi7.0 and 8.0 - HPE MR216i-p Gen10 Plus Tri Mode Controller                                               | CP060617.zip                                      | Broadcom MR216i-p Cntrl for HPE Gen10+  | 52.26.3.5487    | 52.26.3.5487            |
| 1834 | Controller Firmware Flash for ESXi7.0 and 8.0 - HPE MR416i-a Gen10 Plus Tri Mode Controller                                               | CP060616.zip                                      | Broadcom MR416i-a Cntrl for HPE Gen10+  | 52.26.3.5487    | 52.26.3.5487            |
| 1835 | Controller Firmware Flash for ESXi7.0 and 8.0 - HPE MR416i-p Gen10 Plus Tri Mode Controller                                               | CP060615.zip                                      | Broadcom MR416i-p Cntrl for HPE Gen10+  | 52.26.3.5487    | 52.26.3.5487            |
| 1836 | Firmware Package - HPE Gen11 Boot Controller NS204i-u, NS204i-d and HPE Gen10 Plus Boot Controller NS204i-p, NS204i-d, NS204i-t, NS204i-r | HPE_NS204i_Gen10P_Gen11_1.2.14.1013_A.fw pkg      | HPE NS204i-p Gen10+ Boot Controller     | 1.2.14.1013     | 1.2.14.1013             |
| 1837 | Firmware Package - HPE Gen11 Boot Controller NS204i-u, NS204i-d and HPE Gen10 Plus Boot Controller NS204i-p, NS204i-d, NS204i-t, NS204i-r | HPE_NS204i_Gen10P_Gen11_1.2.14.1013_A.fw pkg      | HPE NS204i-r Gen10+ Boot Controller     | 1.2.14.1013     | 1.2.14.1013             |
| 1838 | Firmware Package - HPE MR216i-a Gen10 Plus Tri Mode Controller                                                                            | HPE_MR216i-a_Gen10P_52.26.3-5487_A.fwpkg          | Broadcom MR216i-a Cntrl for HPE Gen10+  | 52.26.3-5487    | 52.26.3-5487            |
| 1839 | Firmware Package - HPE MR216i-p Gen10 Plus Tri Mode Controller                                                                            | HPE_MR216i-p_Gen10P_52.26.3-5487_A.fwpkg          | Broadcom MR216i-p Cntrl for HPE Gen10+  | 52.26.3-5487    | 52.26.3-5487            |
| 1840 | Firmware Package - HPE MR416i-a Gen10 Plus Tri Mode Controller                                                                            | HPE_MR416i-a_Gen10P_52.26.3-5487_A.fwpkg          | Broadcom MR416i-a Cntrl for HPE Gen10+  | 52.26.3-5487    | 52.26.3-5487            |
| 1841 | Firmware Package - HPE MR416i-p Gen10 Plus Tri Mode Controller                                                                            | HPE_MR416i-p_Gen10P_52.26.3-5487_A.fwpkg          | Broadcom MR416i-p Cntrl for HPE Gen10+  | 52.26.3-5487    | 52.26.3-5487            |
| 1842 | Firmware Package - HPE SR932i-p Gen10 Plus /SR416i-a Gen10 Plus/SR932i-p Gen11/SR416ie-m Gen11 Controllers                                | HPE_SR416_SR932_Gen10P_Gen11_03.01.30.106_A.fwpkg | Microchip SR416i-a Cntrl for HPE Gen10+ | 03.01.30.106    | 03.01.30.106            |
| 1843 | Firmware Package - HPE SR932i-p Gen10 Plus /SR416i-a Gen10 Plus/SR932i-p Gen11/SR416ie-m Gen11 Controllers                                | HPE_SR416_SR932_Gen10P_Gen11_03.01.30.106_A.fwpkg | Microchip SR932i-p Cntrl for HPE Gen10+ | 03.01.30.106    | 03.01.30.106            |

|      |                                                                                                                                                                                           |                                                    |                                             |          |      |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------------------------------------|----------|------|
| 1844 | Firmware Package - HPE Smart Array P408i-p, P408e-p, P408i-a, P408i-c, E208i-p, E208e-p, E208i-c, E208i-a, P204i-c, P416ie-m and P816i-a SR Gen10 and SR308i-o,SR308i-p Gen11 controllers | HPE_SR_Gen10_7.11_A.fwpkg                          | HPE Smart Array E208e-p SR Gen10 Controller | 7.11     | 7.11 |
| 1845 | Firmware Package - HPE Smart Array P408i-p, P408e-p, P408i-a, P408i-c, E208i-p, E208e-p, E208i-c, E208i-a, P204i-c, P416ie-m and P816i-a SR Gen10 and SR308i-o,SR308i-p Gen11 controllers | HPE_SR_Gen10_7.11_A.fwpkg                          | HPE Smart Array P816i-a SR Gen10 Controller | 7.11     | 7.11 |
| 1846 | Firmware Package - HPE Smart Array P408i-p, P408e-p, P408i-a, P408i-c, E208i-p, E208e-p, E208i-c, E208i-a, P204i-c, P416ie-m and P816i-a SR Gen10 and SR308i-o,SR308i-p Gen11 controllers | HPE_SR_Gen10_7.11_A.fwpkg                          | HPE Smart Array P408i-a SR Gen10 Controller | 7.11     | 7.11 |
| 1847 | Firmware Package - HPE Smart Array P408i-p, P408e-p, P408i-a, P408i-c, E208i-p, E208e-p, E208i-c, E208i-a, P204i-c, P416ie-m and P816i-a SR Gen10 and SR308i-o,SR308i-p Gen11 controllers | HPE_SR_Gen10_7.11_A.fwpkg                          | HPE Smart Array P408i-p SR Gen10 Controller | 7.11     | 7.11 |
| 1848 | Firmware Package - HPE Smart Array P408i-p, P408e-p, P408i-a, P408i-c, E208i-p, E208e-p, E208i-c, E208i-a, P204i-c, P416ie-m and P816i-a SR Gen10 and SR308i-o,SR308i-p Gen11 controllers | HPE_SR_Gen10_7.11_A.fwpkg                          | HPE Smart Array E208i-a SR Gen10 Controller | 7.11     | 7.11 |
| 1849 | Firmware Package - HPE Smart Array P408i-p, P408e-p, P408i-a, P408i-c, E208i-p, E208e-p, E208i-c, E208i-a, P204i-c, P416ie-m and P816i-a SR Gen10 and SR308i-o,SR308i-p Gen11 controllers | HPE_SR_Gen10_7.11_A.fwpkg                          | HPE Smart Array E208i-p SR Gen10 Controller | 7.11     | 7.11 |
| 1850 | Online ROM Flash Component for VMware ESXi - HPE 12Gb/s SAS Expander Firmware for HPE Smart Array Controllers and HPE HBA Controllers                                                     | CP057012.zip                                       | HPE 12Gb SAS Expander Card                  | 5.15 (B) | 5.15 |
| 1851 | Online ROM Flash Component for Windows (x64) - HPE 12Gb/s SAS Expander Firmware for HPE Smart Array Controllers and HPE HBA Controllers                                                   | cp062536.exe                                       | HPE 12Gb SAS Expander Card                  | 5.15 (C) | 5.15 |
| 1852 | Supplemental Update / Online ROM Flash Component for Linux (x64) – HPE 12Gb/s SAS Expander Firmware for HPE Smart Array Controllers and HPE HBA Controllers                               | firmware-smartarray-1f19a4a64d-5.15-3.1.x86_64.rpm | HPE 12Gb SAS Expander Card                  | 5.15 (C) | 5.15 |

## 6.2.16 Firmware – Storage Fibre Channel

| No.  | Description                                                                   | Package filename                             | Device                                                      | Package Version | Firmware/Driver version |
|------|-------------------------------------------------------------------------------|----------------------------------------------|-------------------------------------------------------------|-----------------|-------------------------|
| 1853 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for Linux (x64) | firmware-fc-emulex-2024.09.01-1.4.x86_64.rpm | HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01      | 14.4.329.10             |
| 1854 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for Linux (x64) | firmware-fc-emulex-2024.09.01-1.4.x86_64.rpm | HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01      | 14.4.329.10             |
| 1855 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for Linux       | firmware-fc-emulex-2024.09.01-               | HPE SN1600E 32Gb Dual Port Fibre                            | 2024.09.01      | 14.4.329.10             |



|      |                                                                                                          |                                              |                                                             |            |             |
|------|----------------------------------------------------------------------------------------------------------|----------------------------------------------|-------------------------------------------------------------|------------|-------------|
|      | (x64)                                                                                                    | 1.4.x86_64.rpm                               | Channel Host Bus Adapter                                    |            |             |
| 1856 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for Linux (x64)                            | firmware-fc-emulex-2024.09.01-1.4.x86_64.rpm | HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 14.4.329.10 |
| 1857 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for Linux (x64)                            | firmware-fc-emulex-2024.09.01-1.4.x86_64.rpm | HPE SN1610E 32Gb 1-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 14.4.329.10 |
| 1858 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for Linux (x64)                            | firmware-fc-emulex-2024.09.01-1.4.x86_64.rpm | HPE SN1610E 32Gb 2-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 14.4.329.10 |
| 1859 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for Microsoft Windows Server 2019/2022 x64 | cp059674.exe                                 | HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 14.4.329.10 |
| 1860 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for Microsoft Windows Server 2019/2022 x64 | cp059674.exe                                 | HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 14.4.329.10 |
| 1861 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for Microsoft Windows Server 2019/2022 x64 | cp059674.exe                                 | HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 14.4.329.10 |
| 1862 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for Microsoft Windows Server 2019/2022 x64 | cp059674.exe                                 | HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 14.4.329.10 |
| 1863 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for Microsoft Windows Server 2019/2022 x64 | cp059674.exe                                 | HPE SN1610E 32Gb 1-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 14.4.329.10 |
| 1864 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for Microsoft Windows Server 2019/2022 x64 | cp059674.exe                                 | HPE SN1610E 32Gb 2-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 14.4.329.10 |
| 1865 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for Microsoft Windows Server 2025 x64      | cp061971.exe                                 | HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 14.4.329.10 |
| 1866 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for Microsoft Windows Server 2025 x64      | cp061971.exe                                 | HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 14.4.329.10 |
| 1867 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for Microsoft Windows Server 2025 x64      | cp061971.exe                                 | HPE SN1610E 32Gb 1-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 14.4.329.10 |
| 1868 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for Microsoft Windows Server 2025 x64      | cp061971.exe                                 | HPE SN1610E 32Gb 2-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 14.4.329.10 |
| 1869 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for VMware vSphere 7.0                     | CP059671.zip                                 | HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 14.4.329.10 |
| 1870 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for VMware vSphere 7.0                     | CP059671.zip                                 | HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 14.4.329.10 |
| 1871 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for VMware vSphere 7.0                     | CP059671.zip                                 | HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 14.4.329.10 |

|      |                                                                                                             |                                              |                                                             |            |             |
|------|-------------------------------------------------------------------------------------------------------------|----------------------------------------------|-------------------------------------------------------------|------------|-------------|
| 1872 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for VMware vSphere 7.0                        | CP059671.zip                                 | HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 14.4.329.10 |
| 1873 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for VMware vSphere 7.0                        | CP059671.zip                                 | HPE SN1610E 32Gb 1-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 14.4.329.10 |
| 1874 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for VMware vSphere 7.0                        | CP059671.zip                                 | HPE SN1610E 32Gb 2-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 14.4.329.10 |
| 1875 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for VMware vSphere 8.0                        | CP059672.zip                                 | HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 14.4.329.10 |
| 1876 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for VMware vSphere 8.0                        | CP059672.zip                                 | HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 14.4.329.10 |
| 1877 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for VMware vSphere 8.0                        | CP059672.zip                                 | HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 14.4.329.10 |
| 1878 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for VMware vSphere 8.0                        | CP059672.zip                                 | HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 14.4.329.10 |
| 1879 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for VMware vSphere 8.0                        | CP059672.zip                                 | HPE SN1610E 32Gb 1-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 14.4.329.10 |
| 1880 | HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for VMware vSphere 8.0                        | CP059672.zip                                 | HPE SN1610E 32Gb 2-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 14.4.329.10 |
| 1881 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters - Linux (x86_64)                              | firmware-fc-qlogic-2024.09.01-1.3.x86_64.rpm | HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 02.04.01    |
| 1882 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters - Linux (x86_64)                              | firmware-fc-qlogic-2024.09.01-1.3.x86_64.rpm | HPE SN1100Q 16Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 02.04.01    |
| 1883 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters - Linux (x86_64)                              | firmware-fc-qlogic-2024.09.01-1.3.x86_64.rpm | HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 02.04.01    |
| 1884 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters - Linux (x86_64)                              | firmware-fc-qlogic-2024.09.01-1.3.x86_64.rpm | HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 02.04.01    |
| 1885 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters - Linux (x86_64)                              | firmware-fc-qlogic-2024.09.01-1.3.x86_64.rpm | HPE SN1610Q 32Gb 1-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 02.10.00    |
| 1886 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters - Linux (x86_64)                              | firmware-fc-qlogic-2024.09.01-1.3.x86_64.rpm | HPE SN1610Q 32Gb 2-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 02.10.00    |
| 1887 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters - Microsoft Windows Server 2019/2022 (x86_64) | cp059848.exe                                 | HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 02.04.01    |
| 1888 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters -                                             | cp059848.exe                                 | HPE SN1100Q 16Gb Single Port Fibre                          | 2024.09.01 | 02.04.01    |

|      |                                                                                                             |              |                                                             |            |          |
|------|-------------------------------------------------------------------------------------------------------------|--------------|-------------------------------------------------------------|------------|----------|
|      | Microsoft Windows Server 2019/2022 (x86_64)                                                                 |              | Channel Host Bus Adapter                                    |            |          |
| 1889 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters - Microsoft Windows Server 2019/2022 (x86_64) | cp059848.exe | HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 02.04.01 |
| 1890 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters - Microsoft Windows Server 2019/2022 (x86_64) | cp059848.exe | HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 02.04.01 |
| 1891 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters - Microsoft Windows Server 2019/2022 (x86_64) | cp059848.exe | HPE SN1610Q 32Gb 1-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 02.10.00 |
| 1892 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters - Microsoft Windows Server 2019/2022 (x86_64) | cp059848.exe | HPE SN1610Q 32Gb 2-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 02.10.00 |
| 1893 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters - Microsoft Windows Server 2025 (x86_64)      | cp061945.exe | HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 02.04.01 |
| 1894 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters - Microsoft Windows Server 2025 (x86_64)      | cp061945.exe | HPE SN1100Q 16Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 02.04.01 |
| 1895 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters - Microsoft Windows Server 2025 (x86_64)      | cp061945.exe | HPE SN1610Q 32Gb 1-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 02.10.00 |
| 1896 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters - Microsoft Windows Server 2025 (x86_64)      | cp061945.exe | HPE SN1610Q 32Gb 2-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 02.10.00 |
| 1897 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters for VMware vSphere 7.0                        | CP059845.zip | HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 02.04.01 |
| 1898 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters for VMware vSphere 7.0                        | CP059845.zip | HPE SN1100Q 16Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 02.04.01 |
| 1899 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters for VMware vSphere 7.0                        | CP059845.zip | HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 02.04.01 |
| 1900 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters for VMware vSphere 7.0                        | CP059845.zip | HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 02.04.01 |
| 1901 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters for VMware vSphere 7.0                        | CP059845.zip | HPE SN1610Q 32Gb 1-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 02.10.00 |
| 1902 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters for VMware vSphere 7.0                        | CP059845.zip | HPE SN1610Q 32Gb 2-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 02.10.00 |
| 1903 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters for VMware vSphere 8.0                        | CP059846.zip | HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 02.04.01 |
| 1904 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters for VMware vSphere 8.0                        | CP059846.zip | HPE SN1100Q 16Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 02.04.01 |

|      |                                                                                      |              |                                                             |            |          |
|------|--------------------------------------------------------------------------------------|--------------|-------------------------------------------------------------|------------|----------|
| 1905 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters for VMware vSphere 8.0 | CP059846.zip | HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 02.04.01 |
| 1906 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters for VMware vSphere 8.0 | CP059846.zip | HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 02.04.01 |
| 1907 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters for VMware vSphere 8.0 | CP059846.zip | HPE SN1610Q 32Gb 1-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 02.10.00 |
| 1908 | HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters for VMware vSphere 8.0 | CP059846.zip | HPE SN1610Q 32Gb 2-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 02.10.00 |

## 6.2.17 Firmware – System

| No.  | Description                                                                                                                                                                      | Package filename                         | Device             | Package Version  | Firmware/Driver version |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|--------------------|------------------|-------------------------|
| 1909 | Firmware Package - Gen10 NVMe Backplane PIC Firmware                                                                                                                             | ISS_NVMe_BP_PIC_flashV1B24.fwpkg         | NVMe Backplane PIC | 1.24 (E)         | 1.24                    |
| 1910 | Firmware Package - UBM1 Backplane PIC PLDM Firmware                                                                                                                              | HPE_UBM1_1.46_B.fwpkg                    | UBM1 Backplane PIC | 1.46 (B)         | 1.46                    |
| 1911 | Firmware Package - UBM2 Backplane PIC PLDM Firmware for Gen10/Gen10P/Gen11 Servers                                                                                               | HPE_UBM2_1.20_E.fwpkg                    | UBM2 Backplane PIC | 1.20 (E)         | 1.20                    |
| 1912 | Firmware Package - UBM3 Backplane PIC PLDM Firmware for Gen10/Gen10P/Gen11 servers usage                                                                                         | HPE_UBM3_1.24_E.fwpkg                    | UBM3 Backplane PIC | 1.24 (E)         | 1.24                    |
| 1913 | Firmware Package - UBM4 Backplane PIC PLDM Firmware for Gen10/Gen10P/Gen11 servers usage                                                                                         | HPE_UBM4_1.24_F.fwpkg                    | UBM4 Backplane PIC | 1.24 (F)         | 1.24                    |
| 1914 | Firmware Package - UBM6 Backplane PIC PLDM Firmware for Gen10/Gen10P/Gen11 servers usage                                                                                         | HPE_UBM6_1.04_A.fwpkg                    | UBM6 Backplane PIC | 1.04             | 1.04                    |
| 1915 | Online Flash for Linux - Innovation Engine Firmware for servers using Intel Xeon Scalable 3100/3200/4100/4200/5100/5200/6100/6200/8100/8200 series Processors                    | firmware-ie-0.2.3.0-2.1.x86_64.rpm       | -                  | 0.2.3.0 (B)      | 0.2.3.0                 |
| 1916 | Online Flash for Linux - Server Platform Services (SPS) Firmware for servers using Intel Xeon Scalable 3100/3200/4100/4200/5100/5200/6100/6200/8100/8200 series Processors       | firmware-sps-04.01.05.002-2.1.x86_64.rpm | -                  | 04.01.05.002 (B) | 4.1.5.2                 |
| 1917 | Online Flash for Linux - Server Platform Services (SPS) Firmware for servers using Intel Xeon Scalable 4300/5300/6300/8300 series Processors                                     | firmware-sps-04.04.04.603-2.1.x86_64.rpm | -                  | 04.04.04.603 (B) | 4.4.4.603               |
| 1918 | Online Flash for Windows x64 - Server Platform Services (SPS) Firmware for servers using Intel Xeon Scalable 3100/3200/4100/4200/5100/5200/6100/6200/8100/8200 series Processors | cp062628.exe                             | -                  | 04.01.05.002 (C) | 4.1.5.2                 |
| 1919 | Online Flash for Windows x64 - Server Platform Services (SPS) Firmware for servers using Intel Xeon Scalable 4300/5300/6300/8300 series Processors                               | cp062641.exe                             | -                  | 04.04.04.603 (B) | 4.4.4.603               |
| 1920 | Online ROM Flash Component for Windows x64 - Server Platform Services Manageability Engine Firmware for the Intel C242 and C246                                                  | cp062703.exe                             | -                  | 06.00.03.604 (B) | 6.0.3.604               |

|      |                                                                                                                                                                                |                                                |   |                  |           |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|---|------------------|-----------|
|      | PCH based systems                                                                                                                                                              |                                                |   |                  |           |
| 1921 | Online ROM Flash Component for Windows x64 - Server Platform Services Manageability Engine Firmware for the Intel C242 and C246 PCH based systems                              | cp057563.exe                                   | - | 05.01.04.913     | 5.1.4.913 |
| 1922 | Online ROM Flash Component for Windows x64 - Server Platform Services Manageability Engine Firmware for the Intel C256 PCH based systems                                       | cp062695.exe                                   | - | 06.00.03.604 (B) | 6.0.3.604 |
| 1923 | Online ROM Flash for Linux - Innovation Engine Firmware for servers using Intel Xeon Scalable 4300/5300/6300/8300 series Processors                                            | firmware-ie-1.0.0.22-2.1.x86_64.rpm            | - | 1.0.0.22 (B)     | 1.0.0.22  |
| 1924 | Online ROM Flash for Linux - Server Platform Services Manageability Engine Firmware for the Intel C242 and C246 PCH based systems                                              | firmware-u43u44sps-05.01.04.913-2.1.x86_64.rpm | - | 05.01.04.913 (B) | 5.1.4.913 |
| 1925 | Online ROM Flash for Linux - Server Platform Services Manageability Engine Firmware for the Intel C242 and C246 PCH based systems                                              | firmware-u61sps-06.00.03.604-2.1.x86_64.rpm    | - | 06.00.03.604 (B) | 6.0.3.604 |
| 1926 | Online ROM Flash for Linux - Server Platform Services Manageability Engine Firmware for the Intel C256 PCH based systems                                                       | firmware-u60sps-06.00.03.604-2.1.x86_64.rpm    | - | 06.00.03.604 (B) | 6.0.3.604 |
| 1927 | ROM Flash Firmware Package - Innovation Engine Firmware for servers using Intel Xeon Scalable 3100/3200/4100/4200/5100/5200/6100/6200/8100/8200 series Processors              | OEM.IEGen10_0.2.3.0.fwpkg                      | - | 0.2.3.0 (B)      | 0.2.3.0   |
| 1928 | ROM Flash Firmware Package - Innovation Engine Firmware for servers using Intel Xeon Scalable 4300/5300/6300/8300 series Processors                                            | OEM.IEGen10Plus_1.0.0.22.fwpkg                 | - | 1.0.0.22 (B)     | 1.0.0.22  |
| 1929 | ROM Flash Firmware Package - Server Platform Services (SPS) Firmware for servers using Intel Xeon Scalable 3100/3200/4100/4200/5100/5200/6100/6200/8100/8200 series Processors | OEM.SPSGen10_04.01.05.002.fwpkg                | - | 04.01.05.002     | 4.1.5.2   |
| 1930 | ROM Flash Firmware Package - Server Platform Services (SPS) Firmware for servers using Intel Xeon Scalable 4300/5300/6300/8300 series Processors                               | OEM.SPSGen10Plus_04.04.04.603.fwpkg            | - | 04.04.04.603     | 4.4.4.603 |
| 1931 | ROM Flash Firmware Package - Server Platform Services Manageability Engine Firmware for the Intel C242 and C246 PCH based systems                                              | OEM.DL20ML30Gen10SPS_05.01.04.913.fwpkg        | - | 05.01.04.913     | 5.1.4.913 |
| 1932 | ROM Flash Firmware Package - Server Platform Services Manageability Engine Firmware for the Intel C242 and C246 PCH based systems                                              | OEM.SC_ML30GEN10Plus_ME_06.00.03.604.fwpkg     | - | 06.00.03.604     | 6.0.3.604 |
| 1933 | ROM Flash Firmware Package - Server Platform Services Manageability Engine Firmware for the Intel C256 PCH based systems                                                       | OEM.SC_DL20GEN10Plus_ME_06.00.03.604.fwpkg     | - | 06.00.03.604     | 6.0.3.604 |

## 6.2.18 Software - Lights-Out Management

| No.  | Description                         | Package filename | Device | Package Version | Firmware/Driver version |
|------|-------------------------------------|------------------|--------|-----------------|-------------------------|
| 1934 | HPE Lights-Out Online Configuration | hponcfg-6.0.0-   | -      | 6.0.0-0 (A)     | 6.0.0-0                 |

|      |                                                                      |              |   |         |         |
|------|----------------------------------------------------------------------|--------------|---|---------|---------|
|      | Utility for Linux (AMD64/EM64T)                                      | 0.x86_64.rpm |   |         |         |
| 1935 | HPE Lights-Out Online Configuration Utility for Windows x64 Editions | cp049814.exe | - | 6.0.0.0 | 6.0.0.0 |

## 6.2.19 Software – Management

| No.  | Description                                                                                               | Package filename | Device                                      | Package Version | Firmware/Driver version            |
|------|-----------------------------------------------------------------------------------------------------------|------------------|---------------------------------------------|-----------------|------------------------------------|
| 1936 | HPE Agentless Management Bundle Smart Component on ESXi for Gen10 and Gen10 Plus Servers                  | cp059815.zip     | -                                           | 2024.03.01      | 701.11.10.0.4-1                    |
| 1937 | HPE Fiber Channel and Storage Enablement Bundle Smart Component for ESXi 7.0                              | cp062084.zip     | -                                           | 2024.09.01      | 700.3.9.0.4-1                      |
| 1938 | HPE Fiber Channel and Storage Enablement Bundle Smart Component for ESXi 8.0                              | cp062083.zip     | -                                           | 2024.09.01      | 800.3.9.0.30-1                     |
| 1939 | HPE iLO Driver Bundle Smart Component for ESXi 7.0 and ESXi 8.0                                           | cp062952.zip     | -                                           | 2024.09.00      | 700.10.8.2.2-10EM.700.1.0.15843807 |
| 1940 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 7.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059214.zip     | HPE Smart Array P816i-a SR Gen10 Controller | 2024.10.01      | 6.40.6.0-7.0.0                     |
| 1941 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 7.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059214.zip     | HPE Smart Array P408i-a SR Gen10 Controller | 2024.10.01      | 6.40.6.0-7.0.0                     |
| 1942 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 7.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059214.zip     | HPE Smart Array P408i-p SR Gen10 Controller | 2024.10.01      | 6.40.6.0-7.0.0                     |
| 1943 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 7.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059214.zip     | HPE Smart Array E208e-p SR Gen10 Controller | 2024.10.01      | 6.40.6.0-7.0.0                     |
| 1944 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 7.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059214.zip     | HPE Smart Array E208i-a SR Gen10 Controller | 2024.10.01      | 6.40.6.0-7.0.0                     |
| 1945 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 7.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059214.zip     | HPE Smart Array E208i-p SR Gen10 Controller | 2024.10.01      | 6.40.6.0-7.0.0                     |
| 1946 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 7.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059214.zip     | Microchip SR416i-a Cntrl for HPE Gen10+     | 2024.10.01      | 6.40.6.0-7.0.0                     |
| 1947 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 7.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059214.zip     | Microchip SR932i-p Cntrl for HPE Gen10+     | 2024.10.01      | 6.40.6.0-7.0.0                     |
| 1948 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 7.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059214.zip     | Smart Array S100i SR                        | 2024.10.01      | 6.40.6.0-7.0.0                     |
| 1949 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 7.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059214.zip     | Smart Array S100i SR                        | 2024.10.01      | 6.40.6.0-7.0.0                     |
| 1950 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 7.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059214.zip     | Smart Array S100i SR                        | 2024.10.01      | 6.40.6.0-7.0.0                     |
| 1951 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 7.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059214.zip     | HPE 12Gb SAS Expander Card                  | 2024.10.01      | 6.40.6.0-7.0.0                     |
| 1952 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 8.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059215.zip     | HPE Smart Array P816i-a SR Gen10 Controller | 2024.10.01      | 6.40.6.0-8.0.0                     |
| 1953 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 8.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059215.zip     | HPE Smart Array P408i-a SR Gen10 Controller | 2024.10.01      | 6.40.6.0-8.0.0                     |
| 1954 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 8.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059215.zip     | HPE Smart Array P408i-p SR Gen10 Controller | 2024.10.01      | 6.40.6.0-8.0.0                     |

|      |                                                                                                           |              |                                             |            |                |
|------|-----------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------|------------|----------------|
| 1955 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 8.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059215.zip | HPE Smart Array E208e-p SR Gen10 Controller | 2024.10.01 | 6.40.6.0-8.0.0 |
| 1956 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 8.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059215.zip | HPE Smart Array E208i-a SR Gen10 Controller | 2024.10.01 | 6.40.6.0-8.0.0 |
| 1957 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 8.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059215.zip | HPE Smart Array E208i-p SR Gen10 Controller | 2024.10.01 | 6.40.6.0-8.0.0 |
| 1958 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 8.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059215.zip | Microchip SR416i-a Cntrl for HPE Gen10+     | 2024.10.01 | 6.40.6.0-8.0.0 |
| 1959 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 8.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059215.zip | Microchip SR932i-p Cntrl for HPE Gen10+     | 2024.10.01 | 6.40.6.0-8.0.0 |
| 1960 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 8.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059215.zip | Smart Array S100i SR                        | 2024.10.01 | 6.40.6.0-8.0.0 |
| 1961 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 8.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059215.zip | Smart Array S100i SR                        | 2024.10.01 | 6.40.6.0-8.0.0 |
| 1962 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 8.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059215.zip | Smart Array S100i SR                        | 2024.10.01 | 6.40.6.0-8.0.0 |
| 1963 | Smart Storage Administrator (SSA) CLI Smart Component for ESXi 8.0 for Gen10/Gen10 Plus/Gen11 Controllers | cp059215.zip | HPE 12Gb SAS Expander Card                  | 2024.10.01 | 6.40.6.0-8.0.0 |

## 6.2.20 Software - Storage Controller

| No.  | Description                                                                                 | Package filename | Device                                      | Package Version | Firmware/Driver version |
|------|---------------------------------------------------------------------------------------------|------------------|---------------------------------------------|-----------------|-------------------------|
| 1964 | HPE MegaRAID Storage Administrator StorCLI for VMware7.0 (For Gen10P and Gen11 Controllers) | cp057488.zip     | Broadcom MR416i-p Cntrl for HPE Gen10+      | 2023.12.01      | 007.2613.000 0.0000-01  |
| 1965 | HPE MegaRAID Storage Administrator StorCLI for VMware7.0 (For Gen10P and Gen11 Controllers) | cp057488.zip     | Broadcom MR416i-a Cntrl for HPE Gen10+      | 2023.12.01      | 007.2613.000 0.0000-01  |
| 1966 | HPE MegaRAID Storage Administrator StorCLI for VMware7.0 (For Gen10P and Gen11 Controllers) | cp057488.zip     | Broadcom MR216i-p Cntrl for HPE Gen10+      | 2023.12.01      | 007.2613.000 0.0000-01  |
| 1967 | HPE MegaRAID Storage Administrator StorCLI for VMware7.0 (For Gen10P and Gen11 Controllers) | cp057488.zip     | Broadcom MR216i-a Cntrl for HPE Gen10+      | 2023.12.01      | 007.2613.000 0.0000-01  |
| 1968 | HPE MegaRAID Storage Administrator StorCLI for VMware8.0 (For Gen10P and Gen11 Controllers) | cp060804.zip     | Broadcom MR416i-p Cntrl for HPE Gen10+      | 2024.06.01      | 007.2613.000 0.0000-02  |
| 1969 | HPE MegaRAID Storage Administrator StorCLI for VMware8.0 (For Gen10P and Gen11 Controllers) | cp060804.zip     | Broadcom MR416i-a Cntrl for HPE Gen10+      | 2024.06.01      | 007.2613.000 0.0000-02  |
| 1970 | HPE MegaRAID Storage Administrator StorCLI for VMware8.0 (For Gen10P and Gen11 Controllers) | cp060804.zip     | Broadcom MR216i-p Cntrl for HPE Gen10+      | 2024.06.01      | 007.2613.000 0.0000-02  |
| 1971 | HPE MegaRAID Storage Administrator StorCLI for VMware8.0 (For Gen10P and Gen11 Controllers) | cp060804.zip     | Broadcom MR216i-a Cntrl for HPE Gen10+      | 2024.06.01      | 007.2613.000 0.0000-02  |
| 1972 | HPE Smart Array SR Event Notification Service for Windows Server 64-bit Editions            | cp062537.exe     | HPE Smart Array P408i-a SR Gen10 Controller | 1.2.1.69        | 1.2.1.69                |
| 1973 | HPE Smart Array SR Event Notification Service for Windows Server 64-bit Editions            | cp062537.exe     | HPE Smart Array P408i-p SR Gen10 Controller | 1.2.1.69        | 1.2.1.69                |
| 1974 | HPE Smart Array SR Event Notification Service for Windows Server 64-bit Editions            | cp062537.exe     | HPE Smart Array P816i-a SR Gen10 Controller | 1.2.1.69        | 1.2.1.69                |

|      |                                                                                  |              |                                             |          |          |
|------|----------------------------------------------------------------------------------|--------------|---------------------------------------------|----------|----------|
| 1975 | HPE Smart Array SR Event Notification Service for Windows Server 64-bit Editions | cp062537.exe | HPE Smart Array E208e-p SR Gen10 Controller | 1.2.1.69 | 1.2.1.69 |
| 1976 | HPE Smart Array SR Event Notification Service for Windows Server 64-bit Editions | cp062537.exe | HPE Smart Array E208i-p SR Gen10 Controller | 1.2.1.69 | 1.2.1.69 |
| 1977 | HPE Smart Array SR Event Notification Service for Windows Server 64-bit Editions | cp062537.exe | HPE Smart Array E208i-a SR Gen10 Controller | 1.2.1.69 | 1.2.1.69 |

### 6.2.21 Software – Storage Fibre Channel

| No.  | Description                                                                                            | Package filename                                               | Device                                                      | Package Version | Firmware/Driver version |
|------|--------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|-------------------------------------------------------------|-----------------|-------------------------|
| 1978 | Fibreutils for HPE Storage Fibre Channel Host Bus Adapters for Linux - Red Hat Enterprise Linux (RHEL) | fibreutils-4.2-1_rhel.x86_64.rpm                               | HPE SN1610E 32Gb 1-port Fibre Channel Host Bus Adapter      | 4.2-1 (i)       | 4.2-1_rhel              |
| 1979 | Fibreutils for HPE Storage Fibre Channel Host Bus Adapters for Linux - Red Hat Enterprise Linux (RHEL) | fibreutils-4.2-1_rhel.x86_64.rpm                               | HPE SN1610E 32Gb 2-port Fibre Channel Host Bus Adapter      | 4.2-1 (i)       | 4.2-1_rhel              |
| 1980 | Fibreutils for HPE Storage Fibre Channel Host Bus Adapters for Linux - Red Hat Enterprise Linux (RHEL) | fibreutils-4.2-1_rhel.x86_64.rpm                               | HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter | 4.2-1 (i)       | 4.2-1_rhel              |
| 1981 | Fibreutils for HPE Storage Fibre Channel Host Bus Adapters for Linux - Red Hat Enterprise Linux (RHEL) | fibreutils-4.2-1_rhel.x86_64.rpm                               | HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter | 4.2-1 (i)       | 4.2-1_rhel              |
| 1982 | Fibreutils for HPE Storage Fibre Channel Host Bus Adapters for Linux - Red Hat Enterprise Linux (RHEL) | fibreutils-4.2-1_rhel.x86_64.rpm                               | HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter   | 4.2-1 (i)       | 4.2-1_rhel              |
| 1983 | Fibreutils for HPE Storage Fibre Channel Host Bus Adapters for Linux - Red Hat Enterprise Linux (RHEL) | fibreutils-4.2-1_rhel.x86_64.rpm                               | HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter   | 4.2-1 (i)       | 4.2-1_rhel              |
| 1984 | Fibreutils for HPE Storage Fibre Channel Host Bus Adapters for Linux - Red Hat Enterprise Linux (RHEL) | fibreutils-4.2-1_rhel.x86_64.rpm                               | HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter | 4.2-1 (i)       | 4.2-1_rhel              |
| 1985 | Fibreutils for HPE Storage Fibre Channel Host Bus Adapters for Linux - Red Hat Enterprise Linux (RHEL) | fibreutils-4.2-1_rhel.x86_64.rpm                               | HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter   | 4.2-1 (i)       | 4.2-1_rhel              |
| 1986 | Fibreutils for HPE Storage Fibre Channel Host Bus Adapters for Linux - Red Hat Enterprise Linux (RHEL) | fibreutils-4.2-1_rhel.x86_64.rpm                               | HPE SN1100Q 16Gb Single Port Fibre Channel Host Bus Adapter | 4.2-1 (i)       | 4.2-1_rhel              |
| 1987 | Fibreutils for HPE Storage Fibre Channel Host Bus Adapters for Linux - Red Hat Enterprise Linux (RHEL) | fibreutils-4.2-1_rhel.x86_64.rpm                               | HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter   | 4.2-1 (i)       | 4.2-1_rhel              |
| 1988 | Fibreutils for HPE Storage Fibre Channel Host Bus Adapters for Linux - Red Hat Enterprise Linux (RHEL) | fibreutils-4.2-1_rhel.x86_64.rpm                               | HPE SN1610Q 32Gb 1-port Fibre Channel Host Bus Adapter      | 4.2-1 (i)       | 4.2-1_rhel              |
| 1989 | Fibreutils for HPE Storage Fibre Channel Host Bus Adapters for Linux - Red Hat Enterprise Linux (RHEL) | fibreutils-4.2-1_rhel.x86_64.rpm                               | HPE SN1610Q 32Gb 2-port Fibre Channel Host Bus Adapter      | 4.2-1 (i)       | 4.2-1_rhel              |
| 1990 | HPE Emulex Fibre Channel Enablement Kit for Host Bus Adapters for Red Hat Enterprise Linux 8 Server    | HPE-CNA-FC-Emulex-Enablement-Kit-14.4.329.3-1.rhel8.x86_64.rpm | HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter   | 14.4.329.3      | 14.4.329.3-1.rhel8      |



|      |                                                                                                                         |                                                                |                                                             |             |                    |
|------|-------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|-------------------------------------------------------------|-------------|--------------------|
| 1991 | HPE Emulex Fibre Channel Enablement Kit for Host Bus Adapters for Red Hat Enterprise Linux 8 Server                     | HPE-CNA-FC-Emulex-Enablement-Kit-14.4.329.3-1.rhel8.x86_64.rpm | HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter | 14.4.329.3  | 14.4.329.3-1.rhel8 |
| 1992 | HPE Emulex Fibre Channel Enablement Kit for Host Bus Adapters for Red Hat Enterprise Linux 8 Server                     | HPE-CNA-FC-Emulex-Enablement-Kit-14.4.329.3-1.rhel8.x86_64.rpm | HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter   | 14.4.329.3  | 14.4.329.3-1.rhel8 |
| 1993 | HPE Emulex Fibre Channel Enablement Kit for Host Bus Adapters for Red Hat Enterprise Linux 8 Server                     | HPE-CNA-FC-Emulex-Enablement-Kit-14.4.329.3-1.rhel8.x86_64.rpm | HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter | 14.4.329.3  | 14.4.329.3-1.rhel8 |
| 1994 | HPE Emulex Fibre Channel Enablement Kit for Host Bus Adapters for Red Hat Enterprise Linux 8 Server                     | HPE-CNA-FC-Emulex-Enablement-Kit-14.4.329.3-1.rhel8.x86_64.rpm | HPE SN1610E 32Gb 1-port Fibre Channel Host Bus Adapter      | 14.4.329.3  | 14.4.329.3-1.rhel8 |
| 1995 | HPE Emulex Fibre Channel Enablement Kit for Host Bus Adapters for Red Hat Enterprise Linux 8 Server                     | HPE-CNA-FC-Emulex-Enablement-Kit-14.4.329.3-1.rhel8.x86_64.rpm | HPE SN1610E 32Gb 2-port Fibre Channel Host Bus Adapter      | 14.4.329.3  | 14.4.329.3-1.rhel8 |
| 1996 | HPE Emulex Fibre Channel Smart SAN Enablement Kit for Host Bus Adapters for Microsoft Windows Server 2016/2019 (x86_64) | cp054534.exe                                                   | HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter   | 1.0.0.1 (p) | 1.0.0.1            |
| 1997 | HPE Emulex Fibre Channel Smart SAN Enablement Kit for Host Bus Adapters for Microsoft Windows Server 2016/2019 (x86_64) | cp054534.exe                                                   | HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter | 1.0.0.1 (p) | 1.0.0.1            |
| 1998 | HPE Emulex Fibre Channel Smart SAN Enablement Kit for Host Bus Adapters for Microsoft Windows Server 2016/2019 (x86_64) | cp054534.exe                                                   | HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter   | 1.0.0.1 (p) | 1.0.0.1            |
| 1999 | HPE Emulex Fibre Channel Smart SAN Enablement Kit for Host Bus Adapters for Microsoft Windows Server 2016/2019 (x86_64) | cp054534.exe                                                   | HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter | 1.0.0.1 (p) | 1.0.0.1            |
| 2000 | HPE Emulex Fibre Channel Smart SAN Enablement Kit for Host Bus Adapters for Microsoft Windows Server 2016/2019 (x86_64) | cp054534.exe                                                   | HPE SN1610E 32Gb 1-port Fibre Channel Host Bus Adapter      | 1.0.0.1 (p) | 1.0.0.1            |
| 2001 | HPE Emulex Fibre Channel Smart SAN Enablement Kit for Host Bus Adapters for Microsoft Windows Server 2016/2019 (x86_64) | cp054534.exe                                                   | HPE SN1610E 32Gb 2-port Fibre Channel Host Bus Adapter      | 1.0.0.1 (p) | 1.0.0.1            |
| 2002 | HPE Emulex Fibre Channel Smart SAN Enablement Kit for Host Bus Adapters for Microsoft Windows Server 2022 (x86_64)      | cp054533.exe                                                   | HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter   | 1.0.0.1 (f) | 1.0.0.1            |
| 2003 | HPE Emulex Fibre Channel Smart SAN Enablement Kit for Host Bus Adapters for Microsoft Windows Server 2022 (x86_64)      | cp054533.exe                                                   | HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter | 1.0.0.1 (f) | 1.0.0.1            |
| 2004 | HPE Emulex Fibre Channel Smart SAN Enablement Kit for Host Bus Adapters for Microsoft Windows Server 2022 (x86_64)      | cp054533.exe                                                   | HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter   | 1.0.0.1 (f) | 1.0.0.1            |
| 2005 | HPE Emulex Fibre Channel Smart SAN Enablement Kit for Host Bus Adapters for Microsoft Windows Server 2022 (x86_64)      | cp054533.exe                                                   | HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter | 1.0.0.1 (f) | 1.0.0.1            |
| 2006 | HPE Emulex Fibre Channel Smart SAN Enablement Kit for Host Bus Adapters for Microsoft Windows Server 2022 (x86_64)      | cp054533.exe                                                   | HPE SN1610E 32Gb 1-port Fibre Channel Host Bus Adapter      | 1.0.0.1 (f) | 1.0.0.1            |
| 2007 | HPE Emulex Fibre Channel Smart SAN Enablement Kit for Host Bus Adapters                                                 | cp054533.exe                                                   | HPE SN1610E 32Gb 2-port Fibre                               | 1.0.0.1 (f) | 1.0.0.1            |

|      |                                                                                                                    |                                                         |                                                             |               |           |
|------|--------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|-------------------------------------------------------------|---------------|-----------|
|      | for Microsoft Windows Server 2022 (x86_64)                                                                         |                                                         | Channel Host Bus Adapter                                    |               |           |
| 2008 | HPE Emulex Fibre Channel Smart SAN Enablement Kit for Host Bus Adapters for Microsoft Windows Server 2025 (x86_64) | cp062280.exe                                            | HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter   | 1.0.0.1       | 1.0.0.1   |
| 2009 | HPE Emulex Fibre Channel Smart SAN Enablement Kit for Host Bus Adapters for Microsoft Windows Server 2025 (x86_64) | cp062280.exe                                            | HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter | 1.0.0.1       | 1.0.0.1   |
| 2010 | HPE Emulex Fibre Channel Smart SAN Enablement Kit for Host Bus Adapters for Microsoft Windows Server 2025 (x86_64) | cp062280.exe                                            | HPE SN1610E 32Gb 1-port Fibre Channel Host Bus Adapter      | 1.0.0.1       | 1.0.0.1   |
| 2011 | HPE Emulex Fibre Channel Smart SAN Enablement Kit for Host Bus Adapters for Microsoft Windows Server 2025 (x86_64) | cp062280.exe                                            | HPE SN1610E 32Gb 2-port Fibre Channel Host Bus Adapter      | 1.0.0.1       | 1.0.0.1   |
| 2012 | HPE Emulex Smart SAN Enablement Kit for Linux                                                                      | hpe-emulex-smartsan-enablement-kit-1.0.0.0-4.x86_64.rpm | HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter   | 1.0.0.0-4 (p) | 1.0.0.0-4 |
| 2013 | HPE Emulex Smart SAN Enablement Kit for Linux                                                                      | hpe-emulex-smartsan-enablement-kit-1.0.0.0-4.x86_64.rpm | HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter | 1.0.0.0-4 (p) | 1.0.0.0-4 |
| 2014 | HPE Emulex Smart SAN Enablement Kit for Linux                                                                      | hpe-emulex-smartsan-enablement-kit-1.0.0.0-4.x86_64.rpm | HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter   | 1.0.0.0-4 (p) | 1.0.0.0-4 |
| 2015 | HPE Emulex Smart SAN Enablement Kit for Linux                                                                      | hpe-emulex-smartsan-enablement-kit-1.0.0.0-4.x86_64.rpm | HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter | 1.0.0.0-4 (p) | 1.0.0.0-4 |
| 2016 | HPE Emulex Smart SAN Enablement Kit for Linux                                                                      | hpe-emulex-smartsan-enablement-kit-1.0.0.0-4.x86_64.rpm | HPE SN1610E 32Gb 1-port Fibre Channel Host Bus Adapter      | 1.0.0.0-4 (p) | 1.0.0.0-4 |
| 2017 | HPE Emulex Smart SAN Enablement Kit for Linux                                                                      | hpe-emulex-smartsan-enablement-kit-1.0.0.0-4.x86_64.rpm | HPE SN1610E 32Gb 2-port Fibre Channel Host Bus Adapter      | 1.0.0.0-4 (p) | 1.0.0.0-4 |
| 2018 | HPE QLogic Fibre Channel Enablement Kit for Host Bus Adapter for Linux                                             | HPE-CNA-FC-hpeqlgc-Enablement-Kit-6.0.0.1-4.noarch.rpm  | HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter   | 6.0.0.1-4 (b) | 6.0.0.1-4 |
| 2019 | HPE QLogic Fibre Channel Enablement Kit for Host Bus Adapter for Linux                                             | HPE-CNA-FC-hpeqlgc-Enablement-Kit-6.0.0.1-4.noarch.rpm  | HPE SN1100Q 16Gb Single Port Fibre Channel Host Bus Adapter | 6.0.0.1-4 (b) | 6.0.0.1-4 |
| 2020 | HPE QLogic Fibre Channel Enablement Kit for Host Bus Adapter for Linux                                             | HPE-CNA-FC-hpeqlgc-Enablement-Kit-6.0.0.1-4.noarch.rpm  | HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter   | 6.0.0.1-4 (b) | 6.0.0.1-4 |
| 2021 | HPE QLogic Fibre Channel Enablement Kit for Host Bus Adapter for Linux                                             | HPE-CNA-FC-hpeqlgc-Enablement-Kit-6.0.0.1-4.noarch.rpm  | HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter | 6.0.0.1-4 (b) | 6.0.0.1-4 |
| 2022 | HPE QLogic Fibre Channel Enablement Kit for Host Bus Adapter for Linux                                             | HPE-CNA-FC-hpeqlgc-Enablement-Kit-6.0.0.1-4.noarch.rpm  | HPE SN1610Q 32Gb 1-port Fibre Channel Host Bus Adapter      | 6.0.0.1-4 (b) | 6.0.0.1-4 |
| 2023 | HPE QLogic Fibre Channel Enablement Kit for Host Bus Adapter for Linux                                             | HPE-CNA-FC-hpeqlgc-Enablement-Kit-6.0.0.1-4.noarch.rpm  | HPE SN1610Q 32Gb 2-port Fibre Channel Host Bus Adapter      | 6.0.0.1-4 (b) | 6.0.0.1-4 |

|      |                                                                  |              |                                                             |            |                                |
|------|------------------------------------------------------------------|--------------|-------------------------------------------------------------|------------|--------------------------------|
| 2024 | HPE QLogic Fibre Channel driver component for VMware vSphere 7.0 | cp059843.zip | HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 5.3.83.1-10EM.703.0.0.18644231 |
| 2025 | HPE QLogic Fibre Channel driver component for VMware vSphere 7.0 | cp059843.zip | HPE SN1100Q 16Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 5.3.83.1-10EM.703.0.0.18644231 |
| 2026 | HPE QLogic Fibre Channel driver component for VMware vSphere 7.0 | cp059843.zip | HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 5.3.83.1-10EM.703.0.0.18644231 |
| 2027 | HPE QLogic Fibre Channel driver component for VMware vSphere 7.0 | cp059843.zip | HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 5.3.83.1-10EM.703.0.0.18644231 |
| 2028 | HPE QLogic Fibre Channel driver component for VMware vSphere 7.0 | cp059843.zip | HPE SN1610Q 32Gb 1-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 5.3.83.1-10EM.703.0.0.18644231 |
| 2029 | HPE QLogic Fibre Channel driver component for VMware vSphere 7.0 | cp059843.zip | HPE SN1610Q 32Gb 2-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 5.3.83.1-10EM.703.0.0.18644231 |
| 2030 | HPE QLogic Fibre Channel driver component for VMware vSphere 8.0 | cp061880.zip | HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 5.4.83.1-10EM.803.0.0.23710970 |
| 2031 | HPE QLogic Fibre Channel driver component for VMware vSphere 8.0 | cp061880.zip | HPE SN1100Q 16Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 5.4.83.1-10EM.803.0.0.23710970 |
| 2032 | HPE QLogic Fibre Channel driver component for VMware vSphere 8.0 | cp061880.zip | HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 5.4.83.1-10EM.803.0.0.23710970 |
| 2033 | HPE QLogic Fibre Channel driver component for VMware vSphere 8.0 | cp061880.zip | HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 5.4.83.1-10EM.803.0.0.23710970 |
| 2034 | HPE QLogic Fibre Channel driver component for VMware vSphere 8.0 | cp061880.zip | HPE SN1610Q 32Gb 1-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 5.4.83.1-10EM.803.0.0.23710970 |
| 2035 | HPE QLogic Fibre Channel driver component for VMware vSphere 8.0 | cp061880.zip | HPE SN1610Q 32Gb 2-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 5.4.83.1-10EM.803.0.0.23710970 |
| 2036 | HPE QLogic Fibre Channel driver component for VMware vSphere 8.0 | cp062113.zip | HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 5.4.82.1-10EM.800.1.0.20613240 |
| 2037 | HPE QLogic Fibre Channel driver component for VMware vSphere 8.0 | cp062113.zip | HPE SN1100Q 16Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 5.4.82.1-10EM.800.1.0.20613240 |
| 2038 | HPE QLogic Fibre Channel driver component for VMware vSphere 8.0 | cp062113.zip | HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 5.4.82.1-10EM.800.1.0.20613240 |
| 2039 | HPE QLogic Fibre Channel driver component for VMware vSphere 8.0 | cp062113.zip | HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 5.4.82.1-10EM.800.1.0.20613240 |
| 2040 | HPE QLogic Fibre Channel driver component for VMware vSphere 8.0 | cp062113.zip | HPE SN1610Q 32Gb 1-port Fibre                               | 2024.09.01 | 5.4.82.1-10EM.800.1.0          |

|      |                                                                                                                        |              |                                                             |             |                                 |
|------|------------------------------------------------------------------------------------------------------------------------|--------------|-------------------------------------------------------------|-------------|---------------------------------|
|      |                                                                                                                        |              | Channel Host Bus Adapter                                    |             | .20613240                       |
| 2041 | HPE QLogic Fibre Channel driver component for VMware vSphere 8.0                                                       | cp062113.zip | HPE SN1610Q 32Gb 2-port Fibre Channel Host Bus Adapter      | 2024.09.01  | 5.4.82.1-10EM.800.1.0 .20613240 |
| 2042 | HPE QLogic Smart SAN Enablement Kit for Fibre Channel Host Bus Adapter for Microsoft Windows Server 2016/2019 (x86_64) | cp054435.exe | HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter   | 1.0.0.1 (n) | 1.0.0.1                         |
| 2043 | HPE QLogic Smart SAN Enablement Kit for Fibre Channel Host Bus Adapter for Microsoft Windows Server 2016/2019 (x86_64) | cp054435.exe | HPE SN1100Q 16Gb Single Port Fibre Channel Host Bus Adapter | 1.0.0.1 (n) | 1.0.0.1                         |
| 2044 | HPE QLogic Smart SAN Enablement Kit for Fibre Channel Host Bus Adapter for Microsoft Windows Server 2016/2019 (x86_64) | cp054435.exe | HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter   | 1.0.0.1 (n) | 1.0.0.1                         |
| 2045 | HPE QLogic Smart SAN Enablement Kit for Fibre Channel Host Bus Adapter for Microsoft Windows Server 2016/2019 (x86_64) | cp054435.exe | HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter | 1.0.0.1 (n) | 1.0.0.1                         |
| 2046 | HPE QLogic Smart SAN Enablement Kit for Fibre Channel Host Bus Adapter for Microsoft Windows Server 2016/2019 (x86_64) | cp054435.exe | HPE SN1610Q 32Gb 1-port Fibre Channel Host Bus Adapter      | 1.0.0.1 (n) | 1.0.0.1                         |
| 2047 | HPE QLogic Smart SAN Enablement Kit for Fibre Channel Host Bus Adapter for Microsoft Windows Server 2016/2019 (x86_64) | cp054435.exe | HPE SN1610Q 32Gb 2-port Fibre Channel Host Bus Adapter      | 1.0.0.1 (n) | 1.0.0.1                         |
| 2048 | HPE QLogic Smart SAN Enablement Kit for Fibre Channel Host Bus Adapter for Microsoft Windows Server 2022 (x86_64)      | cp054434.exe | HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter   | 1.0.0.1 (e) | 1.0.0.1                         |
| 2049 | HPE QLogic Smart SAN Enablement Kit for Fibre Channel Host Bus Adapter for Microsoft Windows Server 2022 (x86_64)      | cp054434.exe | HPE SN1100Q 16Gb Single Port Fibre Channel Host Bus Adapter | 1.0.0.1 (e) | 1.0.0.1                         |
| 2050 | HPE QLogic Smart SAN Enablement Kit for Fibre Channel Host Bus Adapter for Microsoft Windows Server 2022 (x86_64)      | cp054434.exe | HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter   | 1.0.0.1 (e) | 1.0.0.1                         |
| 2051 | HPE QLogic Smart SAN Enablement Kit for Fibre Channel Host Bus Adapter for Microsoft Windows Server 2022 (x86_64)      | cp054434.exe | HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter | 1.0.0.1 (e) | 1.0.0.1                         |
| 2052 | HPE QLogic Smart SAN Enablement Kit for Fibre Channel Host Bus Adapter for Microsoft Windows Server 2022 (x86_64)      | cp054434.exe | HPE SN1610Q 32Gb 1-port Fibre Channel Host Bus Adapter      | 1.0.0.1 (e) | 1.0.0.1                         |
| 2053 | HPE QLogic Smart SAN Enablement Kit for Fibre Channel Host Bus Adapter for Microsoft Windows Server 2022 (x86_64)      | cp054434.exe | HPE SN1610Q 32Gb 2-port Fibre Channel Host Bus Adapter      | 1.0.0.1 (e) | 1.0.0.1                         |
| 2054 | HPE QLogic Smart SAN Enablement Kit for Fibre Channel Host Bus Adapter for Microsoft Windows Server 2025 (x86_64)      | cp062279.exe | HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter   | 1.0.0.1     | 1.0.0.1                         |
| 2055 | HPE QLogic Smart SAN Enablement Kit for Fibre Channel Host Bus Adapter for Microsoft Windows Server 2025 (x86_64)      | cp062279.exe | HPE SN1100Q 16Gb Single Port Fibre Channel Host Bus Adapter | 1.0.0.1     | 1.0.0.1                         |
| 2056 | HPE QLogic Smart SAN Enablement Kit for Fibre Channel Host Bus Adapter for Microsoft Windows Server 2025 (x86_64)      | cp062279.exe | HPE SN1610Q 32Gb 1-port Fibre Channel Host Bus Adapter      | 1.0.0.1     | 1.0.0.1                         |

|      |                                                                                                                   |                                                     |                                                             |            |                                   |
|------|-------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|-------------------------------------------------------------|------------|-----------------------------------|
| 2057 | HPE QLogic Smart SAN Enablement Kit for Fibre Channel Host Bus Adapter for Microsoft Windows Server 2025 (x86_64) | cp062279.exe                                        | HPE SN1610Q 32Gb 2-port Fibre Channel Host Bus Adapter      | 1.0.0.1    | 1.0.0.1                           |
| 2058 | HPE QLogic Smart SAN enablement kit for Linux                                                                     | hpe-qlogic-smartsan-enablement-kit-3.3-3.x86_64.rpm | HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter   | 3.3-3 (p)  | 3.3-3                             |
| 2059 | HPE QLogic Smart SAN enablement kit for Linux                                                                     | hpe-qlogic-smartsan-enablement-kit-3.3-3.x86_64.rpm | HPE SN1100Q 16Gb Single Port Fibre Channel Host Bus Adapter | 3.3-3 (p)  | 3.3-3                             |
| 2060 | HPE QLogic Smart SAN enablement kit for Linux                                                                     | hpe-qlogic-smartsan-enablement-kit-3.3-3.x86_64.rpm | HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter   | 3.3-3 (p)  | 3.3-3                             |
| 2061 | HPE QLogic Smart SAN enablement kit for Linux                                                                     | hpe-qlogic-smartsan-enablement-kit-3.3-3.x86_64.rpm | HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter | 3.3-3 (p)  | 3.3-3                             |
| 2062 | HPE QLogic Smart SAN enablement kit for Linux                                                                     | hpe-qlogic-smartsan-enablement-kit-3.3-3.x86_64.rpm | HPE SN1610Q 32Gb 1-port Fibre Channel Host Bus Adapter      | 3.3-3 (p)  | 3.3-3                             |
| 2063 | HPE QLogic Smart SAN enablement kit for Linux                                                                     | hpe-qlogic-smartsan-enablement-kit-3.3-3.x86_64.rpm | HPE SN1610Q 32Gb 2-port Fibre Channel Host Bus Adapter      | 3.3-3 (p)  | 3.3-3                             |
| 2064 | HPE Storage Emulex Fibre Channel driver component for VMware vSphere 7.0                                          | cp059675.zip                                        | HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 14.2.673.36-10EM.700.1.0.15843807 |
| 2065 | HPE Storage Emulex Fibre Channel driver component for VMware vSphere 7.0                                          | cp059675.zip                                        | HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 14.2.673.36-10EM.700.1.0.15843807 |
| 2066 | HPE Storage Emulex Fibre Channel driver component for VMware vSphere 7.0                                          | cp059675.zip                                        | HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter   | 2024.09.01 | 14.2.673.36-10EM.700.1.0.15843807 |
| 2067 | HPE Storage Emulex Fibre Channel driver component for VMware vSphere 7.0                                          | cp059675.zip                                        | HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter | 2024.09.01 | 14.2.673.36-10EM.700.1.0.15843807 |
| 2068 | HPE Storage Emulex Fibre Channel driver component for VMware vSphere 7.0                                          | cp059675.zip                                        | HPE SN1610E 32Gb 1-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 14.2.673.36-10EM.700.1.0.15843807 |
| 2069 | HPE Storage Emulex Fibre Channel driver component for VMware vSphere 7.0                                          | cp059675.zip                                        | HPE SN1610E 32Gb 2-port Fibre Channel Host Bus Adapter      | 2024.09.01 | 14.2.673.36-10EM.700.1.0.15843807 |

## 6.2.22 Software - System Management

| No.  | Description                                                                                   | Package filename                        | Device                                 | Package Version        | Firmware/Driver version |
|------|-----------------------------------------------------------------------------------------------|-----------------------------------------|----------------------------------------|------------------------|-------------------------|
| 2070 | Agentless Management Service (iLO5, iLO 6) for Red Hat Enterprise Linux 8 Server              | amsd-3.6.0-1867.7.rhel8.x86_64.rpm      | -                                      | 3.6.0                  | 3.6.0-1867.7.rhel8      |
| 2071 | Agentless Management Service for Microsoft Windows x64                                        | cp062285.exe                            | -                                      | 2.60.0.0               | 2.60.0.0                |
| 2072 | HPE MegaRAID Storage Administrator StorCLI for Linux 64-bit (for Gen10 and Gen11 Controllers) | storcli-007.2613.0000.0000-1.noarch.rpm | Broadcom MR416i-p Cntrl for HPE Gen10+ | 007.2613.0000.0000 (B) | 007.2613.0000.0000-1    |
| 2073 | HPE MegaRAID Storage Administrator                                                            | storcli-                                | Broadcom MR416i-                       | 007.2613.000           | 007.2613.000            |

|      |                                                                                                       |                                                       |                                             |                         |                       |
|------|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------|---------------------------------------------|-------------------------|-----------------------|
|      | StorCLI for Linux 64-bit (for Gen10 and Gen11 Controllers)                                            | 007.2613.0000.0000-1.noarch.rpm                       | a Cntrl for HPE Gen10+                      | 0.0000 (B)              | 0.0000-1              |
| 2074 | HPE MegaRAID Storage Administrator StorCLI for Linux 64-bit (for Gen10 and Gen11 Controllers)         | storcli-007.2613.0000.0000-1.noarch.rpm               | Broadcom MR216i-p Cntrl for HPE Gen10+      | 007.2613.000 0.0000 (B) | 007.2613.000 0.0000-1 |
| 2075 | HPE MegaRAID Storage Administrator StorCLI for Linux 64-bit (for Gen10 and Gen11 Controllers)         | storcli-007.2613.0000.0000-1.noarch.rpm               | Broadcom MR216i-a Cntrl for HPE Gen10+      | 007.2613.000 0.0000 (B) | 007.2613.000 0.0000-1 |
| 2076 | HPE MegaRAID Storage Administrator StorCLI for Windows 64-bit (for Gen10P and Gen11 Controllers)      | cp062849.exe                                          | Broadcom MR416i-p Cntrl for HPE Gen10+      | 7.2613.0.0 (C)          | 7.2613.0.0            |
| 2077 | HPE MegaRAID Storage Administrator StorCLI for Windows 64-bit (for Gen10P and Gen11 Controllers)      | cp062849.exe                                          | Broadcom MR416i-a Cntrl for HPE Gen10+      | 7.2613.0.0 (C)          | 7.2613.0.0            |
| 2078 | HPE MegaRAID Storage Administrator StorCLI for Windows 64-bit (for Gen10P and Gen11 Controllers)      | cp062849.exe                                          | Broadcom MR216i-p Cntrl for HPE Gen10+      | 7.2613.0.0 (C)          | 7.2613.0.0            |
| 2079 | HPE MegaRAID Storage Administrator StorCLI for Windows 64-bit (for Gen10P and Gen11 Controllers)      | cp062849.exe                                          | Broadcom MR216i-a Cntrl for HPE Gen10+      | 7.2613.0.0 (C)          | 7.2613.0.0            |
| 2080 | HPE MegaRAID Storage Administrator for Linux 64-bit (HPE MRSA for Gen10P and Gen11 Controllers)       | MRStorageAdministrato r-008.006.018.000-00.x86_64.rpm | Broadcom MR416i-p Cntrl for HPE Gen10+      | 8.6.18.0 (B)            | 008.006.018.0 00-00   |
| 2081 | HPE MegaRAID Storage Administrator for Linux 64-bit (HPE MRSA for Gen10P and Gen11 Controllers)       | MRStorageAdministrato r-008.006.018.000-00.x86_64.rpm | Broadcom MR416i-a Cntrl for HPE Gen10+      | 8.6.18.0 (B)            | 008.006.018.0 00-00   |
| 2082 | HPE MegaRAID Storage Administrator for Linux 64-bit (HPE MRSA for Gen10P and Gen11 Controllers)       | MRStorageAdministrato r-008.006.018.000-00.x86_64.rpm | Broadcom MR216i-p Cntrl for HPE Gen10+      | 8.6.18.0 (B)            | 008.006.018.0 00-00   |
| 2083 | HPE MegaRAID Storage Administrator for Linux 64-bit (HPE MRSA for Gen10P and Gen11 Controllers)       | MRStorageAdministrato r-008.006.018.000-00.x86_64.rpm | Broadcom MR216i-a Cntrl for HPE Gen10+      | 8.6.18.0 (B)            | 008.006.018.0 00-00   |
| 2084 | HPE MegaRAID Storage Administrator for Windows 64-bit (HPE MRSA for Gen10 Plus and Gen11 Controllers) | cp062848.exe                                          | Broadcom MR416i-p Cntrl for HPE Gen10+      | 8.6.18.0 (D)            | 8.6.18.0              |
| 2085 | HPE MegaRAID Storage Administrator for Windows 64-bit (HPE MRSA for Gen10 Plus and Gen11 Controllers) | cp062848.exe                                          | Broadcom MR416i-a Cntrl for HPE Gen10+      | 8.6.18.0 (D)            | 8.6.18.0              |
| 2086 | HPE MegaRAID Storage Administrator for Windows 64-bit (HPE MRSA for Gen10 Plus and Gen11 Controllers) | cp062848.exe                                          | Broadcom MR216i-p Cntrl for HPE Gen10+      | 8.6.18.0 (D)            | 8.6.18.0              |
| 2087 | HPE MegaRAID Storage Administrator for Windows 64-bit (HPE MRSA for Gen10 Plus and Gen11 Controllers) | cp062848.exe                                          | Broadcom MR216i-a Cntrl for HPE Gen10+      | 8.6.18.0 (D)            | 8.6.18.0              |
| 2088 | NVMe Drive Eject NMI Fix for Intel Xeon Processor Scalable Family for Microsoft Windows 64-bit        | cp062134.exe                                          | -                                           | 1.1.0.0 (G)             | 1.1.0.0               |
| 2089 | Smart Storage Administrator (SSA) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers         | ssacli-6.40-6.0.x86_64.rpm                            | HPE Smart Array P408i-a SR Gen10 Controller | 6.40.6.0                | 6.40-6.0              |
| 2090 | Smart Storage Administrator (SSA) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers         | ssacli-6.40-6.0.x86_64.rpm                            | HPE Smart Array P408i-p SR Gen10 Controller | 6.40.6.0                | 6.40-6.0              |
| 2091 | Smart Storage Administrator (SSA) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers         | ssacli-6.40-6.0.x86_64.rpm                            | HPE Smart Array P816i-a SR Gen10 Controller | 6.40.6.0                | 6.40-6.0              |
| 2092 | Smart Storage Administrator (SSA) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers         | ssacli-6.40-6.0.x86_64.rpm                            | HPE Smart Array E208e-p SR Gen10 Controller | 6.40.6.0                | 6.40-6.0              |
| 2093 | Smart Storage Administrator (SSA) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers         | ssacli-6.40-6.0.x86_64.rpm                            | HPE Smart Array E208i-a SR Gen10 Controller | 6.40.6.0                | 6.40-6.0              |
| 2094 | Smart Storage Administrator (SSA) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers         | ssacli-6.40-6.0.x86_64.rpm                            | HPE Smart Array E208i-p SR Gen10 Controller | 6.40.6.0                | 6.40-6.0              |
| 2095 | Smart Storage Administrator (SSA) CLI                                                                 | ssacli-6.40-                                          | Smart Array S100i                           | 6.40.6.0                | 6.40-6.0              |

|      |                                                                                                 |                             |                                             |          |          |
|------|-------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------|----------|----------|
|      | for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                                         | 6.0.x86_64.rpm              | SR                                          |          |          |
| 2096 | Smart Storage Administrator (SSA) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers   | ssaccli-6.40-6.0.x86_64.rpm | Smart Array S100i SR                        | 6.40.6.0 | 6.40-6.0 |
| 2097 | Smart Storage Administrator (SSA) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers   | ssaccli-6.40-6.0.x86_64.rpm | Smart Array S100i SR                        | 6.40.6.0 | 6.40-6.0 |
| 2098 | Smart Storage Administrator (SSA) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers   | ssaccli-6.40-6.0.x86_64.rpm | Microchip SR416i-a Cntrl for HPE Gen10+     | 6.40.6.0 | 6.40-6.0 |
| 2099 | Smart Storage Administrator (SSA) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers   | ssaccli-6.40-6.0.x86_64.rpm | Microchip SR932i-p Cntrl for HPE Gen10+     | 6.40.6.0 | 6.40-6.0 |
| 2100 | Smart Storage Administrator (SSA) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers   | ssaccli-6.40-6.0.x86_64.rpm | HPE 12Gb SAS Expander Card                  | 6.40.6.0 | 6.40-6.0 |
| 2101 | Smart Storage Administrator (SSA) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059212.exe                | HPE Smart Array P408i-a SR Gen10 Controller | 6.40.6.0 | 6.40.6.0 |
| 2102 | Smart Storage Administrator (SSA) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059212.exe                | HPE Smart Array P408i-p SR Gen10 Controller | 6.40.6.0 | 6.40.6.0 |
| 2103 | Smart Storage Administrator (SSA) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059212.exe                | HPE Smart Array P816i-a SR Gen10 Controller | 6.40.6.0 | 6.40.6.0 |
| 2104 | Smart Storage Administrator (SSA) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059212.exe                | HPE Smart Array E208e-p SR Gen10 Controller | 6.40.6.0 | 6.40.6.0 |
| 2105 | Smart Storage Administrator (SSA) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059212.exe                | HPE Smart Array E208i-a SR Gen10 Controller | 6.40.6.0 | 6.40.6.0 |
| 2106 | Smart Storage Administrator (SSA) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059212.exe                | HPE Smart Array E208i-p SR Gen10 Controller | 6.40.6.0 | 6.40.6.0 |
| 2107 | Smart Storage Administrator (SSA) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059212.exe                | Microchip SR416i-a Cntrl for HPE Gen10+     | 6.40.6.0 | 6.40.6.0 |
| 2108 | Smart Storage Administrator (SSA) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059212.exe                | Microchip SR932i-p Cntrl for HPE Gen10+     | 6.40.6.0 | 6.40.6.0 |
| 2109 | Smart Storage Administrator (SSA) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059212.exe                | Smart Array S100i SR                        | 6.40.6.0 | 6.40.6.0 |
| 2110 | Smart Storage Administrator (SSA) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059212.exe                | Smart Array S100i SR                        | 6.40.6.0 | 6.40.6.0 |
| 2111 | Smart Storage Administrator (SSA) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059212.exe                | Smart Array S100i SR                        | 6.40.6.0 | 6.40.6.0 |
| 2112 | Smart Storage Administrator (SSA) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059212.exe                | HPE 12Gb SAS Expander Card                  | 6.40.6.0 | 6.40.6.0 |
| 2113 | Smart Storage Administrator (SSA) for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers       | ssa-6.40-6.0.x86_64.rpm     | HPE Smart Array P408i-a SR Gen10 Controller | 6.40.6.0 | 6.40-6.0 |
| 2114 | Smart Storage Administrator (SSA) for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers       | ssa-6.40-6.0.x86_64.rpm     | HPE Smart Array P408i-p SR Gen10 Controller | 6.40.6.0 | 6.40-6.0 |
| 2115 | Smart Storage Administrator (SSA) for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers       | ssa-6.40-6.0.x86_64.rpm     | HPE Smart Array P816i-a SR Gen10 Controller | 6.40.6.0 | 6.40-6.0 |
| 2116 | Smart Storage Administrator (SSA) for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers       | ssa-6.40-6.0.x86_64.rpm     | HPE Smart Array E208e-p SR Gen10 Controller | 6.40.6.0 | 6.40-6.0 |
| 2117 | Smart Storage Administrator (SSA) for                                                           | ssa-6.40-                   | HPE Smart Array                             | 6.40.6.0 | 6.40-6.0 |

|      |                                                                                                                    |                               |                                             |          |          |
|------|--------------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------|----------|----------|
|      | Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                                                                | 6.0.x86_64.rpm                | E208i-a SR Gen10 Controller                 |          |          |
| 2118 | Smart Storage Administrator (SSA) for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                          | ssa-6.40-6.0.x86_64.rpm       | HPE Smart Array E208i-p SR Gen10 Controller | 6.40.6.0 | 6.40-6.0 |
| 2119 | Smart Storage Administrator (SSA) for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                          | ssa-6.40-6.0.x86_64.rpm       | Smart Array S100i SR                        | 6.40.6.0 | 6.40-6.0 |
| 2120 | Smart Storage Administrator (SSA) for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                          | ssa-6.40-6.0.x86_64.rpm       | Smart Array S100i SR                        | 6.40.6.0 | 6.40-6.0 |
| 2121 | Smart Storage Administrator (SSA) for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                          | ssa-6.40-6.0.x86_64.rpm       | Smart Array S100i SR                        | 6.40.6.0 | 6.40-6.0 |
| 2122 | Smart Storage Administrator (SSA) for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                          | ssa-6.40-6.0.x86_64.rpm       | Microchip SR416i-a Cntrl for HPE Gen10+     | 6.40.6.0 | 6.40-6.0 |
| 2123 | Smart Storage Administrator (SSA) for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                          | ssa-6.40-6.0.x86_64.rpm       | Microchip SR932i-p Cntrl for HPE Gen10+     | 6.40.6.0 | 6.40-6.0 |
| 2124 | Smart Storage Administrator (SSA) for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                          | ssa-6.40-6.0.x86_64.rpm       | HPE 12Gb SAS Expander Card                  | 6.40.6.0 | 6.40-6.0 |
| 2125 | Smart Storage Administrator (SSA) for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                        | cp059211.exe                  | HPE Smart Array P408i-a SR Gen10 Controller | 6.40.6.0 | 6.40.6.0 |
| 2126 | Smart Storage Administrator (SSA) for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                        | cp059211.exe                  | HPE Smart Array P408i-p SR Gen10 Controller | 6.40.6.0 | 6.40.6.0 |
| 2127 | Smart Storage Administrator (SSA) for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                        | cp059211.exe                  | HPE Smart Array P816i-a SR Gen10 Controller | 6.40.6.0 | 6.40.6.0 |
| 2128 | Smart Storage Administrator (SSA) for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                        | cp059211.exe                  | HPE Smart Array E208e-p SR Gen10 Controller | 6.40.6.0 | 6.40.6.0 |
| 2129 | Smart Storage Administrator (SSA) for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                        | cp059211.exe                  | HPE Smart Array E208i-a SR Gen10 Controller | 6.40.6.0 | 6.40.6.0 |
| 2130 | Smart Storage Administrator (SSA) for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                        | cp059211.exe                  | HPE Smart Array E208i-p SR Gen10 Controller | 6.40.6.0 | 6.40.6.0 |
| 2131 | Smart Storage Administrator (SSA) for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                        | cp059211.exe                  | Microchip SR932i-p Cntrl for HPE Gen10+     | 6.40.6.0 | 6.40.6.0 |
| 2132 | Smart Storage Administrator (SSA) for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                        | cp059211.exe                  | Smart Array S100i SR                        | 6.40.6.0 | 6.40.6.0 |
| 2133 | Smart Storage Administrator (SSA) for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                        | cp059211.exe                  | Smart Array S100i SR                        | 6.40.6.0 | 6.40.6.0 |
| 2134 | Smart Storage Administrator (SSA) for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                        | cp059211.exe                  | Smart Array S100i SR                        | 6.40.6.0 | 6.40.6.0 |
| 2135 | Smart Storage Administrator (SSA) for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                        | cp059211.exe                  | Microchip SR416i-a Cntrl for HPE Gen10+     | 6.40.6.0 | 6.40.6.0 |
| 2136 | Smart Storage Administrator (SSA) for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                        | cp059211.exe                  | HPE 12Gb SAS Expander Card                  | 6.40.6.0 | 6.40.6.0 |
| 2137 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | ssaduccli-6.40-6.0.x86_64.rpm | HPE Smart Array P408i-a SR Gen10 Controller | 6.40.6.0 | 6.40-6.0 |
| 2138 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Linux 64-bit for Gen10/Gen10                        | ssaduccli-6.40-6.0.x86_64.rpm | HPE Smart Array P408i-p SR Gen10 Controller | 6.40.6.0 | 6.40-6.0 |



|      |                                                                                                                      |                               |                                             |          |          |
|------|----------------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------|----------|----------|
|      | Plus/Gen11 Controllers                                                                                               |                               |                                             |          |          |
| 2139 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers   | ssaduccli-6.40-6.0.x86_64.rpm | HPE Smart Array P816i-a SR Gen10 Controller | 6.40.6.0 | 6.40-6.0 |
| 2140 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers   | ssaduccli-6.40-6.0.x86_64.rpm | HPE Smart Array E208e-p SR Gen10 Controller | 6.40.6.0 | 6.40-6.0 |
| 2141 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers   | ssaduccli-6.40-6.0.x86_64.rpm | HPE Smart Array E208i-a SR Gen10 Controller | 6.40.6.0 | 6.40-6.0 |
| 2142 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers   | ssaduccli-6.40-6.0.x86_64.rpm | HPE Smart Array E208i-p SR Gen10 Controller | 6.40.6.0 | 6.40-6.0 |
| 2143 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers   | ssaduccli-6.40-6.0.x86_64.rpm | Smart Array S100i SR                        | 6.40.6.0 | 6.40-6.0 |
| 2144 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers   | ssaduccli-6.40-6.0.x86_64.rpm | Smart Array S100i SR                        | 6.40.6.0 | 6.40-6.0 |
| 2145 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers   | ssaduccli-6.40-6.0.x86_64.rpm | Smart Array S100i SR                        | 6.40.6.0 | 6.40-6.0 |
| 2146 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers   | ssaduccli-6.40-6.0.x86_64.rpm | Microchip SR416i-a Cntrl for HPE Gen10+     | 6.40.6.0 | 6.40-6.0 |
| 2147 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers   | ssaduccli-6.40-6.0.x86_64.rpm | Microchip SR932i-p Cntrl for HPE Gen10+     | 6.40.6.0 | 6.40-6.0 |
| 2148 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers   | ssaduccli-6.40-6.0.x86_64.rpm | HPE 12Gb SAS Expander Card                  | 6.40.6.0 | 6.40-6.0 |
| 2149 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059213.exe                  | HPE Smart Array P408i-a SR Gen10 Controller | 6.40.6.0 | 6.40.6.0 |
| 2150 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059213.exe                  | HPE Smart Array P408i-p SR Gen10 Controller | 6.40.6.0 | 6.40.6.0 |
| 2151 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059213.exe                  | HPE Smart Array P816i-a SR Gen10 Controller | 6.40.6.0 | 6.40.6.0 |
| 2152 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059213.exe                  | HPE Smart Array E208e-p SR Gen10 Controller | 6.40.6.0 | 6.40.6.0 |
| 2153 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059213.exe                  | HPE Smart Array E208i-a SR Gen10 Controller | 6.40.6.0 | 6.40.6.0 |
| 2154 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059213.exe                  | HPE Smart Array E208i-p SR Gen10 Controller | 6.40.6.0 | 6.40.6.0 |
| 2155 | Smart Storage Administrator                                                                                          | cp059213.exe                  | Smart Array S100i                           | 6.40.6.0 | 6.40.6.0 |

|      |                                                                                                                      |              |                                         |          |          |
|------|----------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------------------|----------|----------|
|      | Diagnostic Utility (SSADU) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers                             |              | SR                                      |          |          |
| 2156 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059213.exe | Smart Array S100i SR                    | 6.40.6.0 | 6.40.6.0 |
| 2157 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059213.exe | Smart Array S100i SR                    | 6.40.6.0 | 6.40.6.0 |
| 2158 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059213.exe | Microchip SR416i-a Cntrl for HPE Gen10+ | 6.40.6.0 | 6.40.6.0 |
| 2159 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059213.exe | Microchip SR932i-p Cntrl for HPE Gen10+ | 6.40.6.0 | 6.40.6.0 |
| 2160 | Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers | cp059213.exe | HPE 12Gb SAS Expander Card              | 6.40.6.0 | 6.40.6.0 |

## 6.3 パッケージの変更内容

---

### Online ROM Flash Component for Linux - System ROM U34

Version: 3.30\_07-31-2024

#### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2021-38578, CVE-2023-5678 and CVE-2024-0727. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 04.01.05.002.

#### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of an MR controller.
- Addressed an issue where the "Physical Drive missing" message appeared twice in POST when a drive was removed and rebooted with incorrect severity in IML.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options and navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.

#### **Enhancements:**

- Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property: /redfish/v1/systems/1/bios/MinProclIdlePower

---

### Online ROM Flash Component for Linux - System ROM U30

Version: 3.30\_07-31-2024

#### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2021-38578, CVE-2023-5678 and CVE-2024-0727. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 04.01.05.002.

### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of an MR controller.
- Addressed an issue where the "Physical Drive missing" message appeared twice in POST when a drive was removed and rebooted with incorrect severity in IML.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options and navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.

### **Enhancements:**

- Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property: `/redfish/v1/systems/1/bios/MinProcIdlePower`

---

## **Online ROM Flash Component for Linux - System ROM U32**

Version: 3.30\_07-31-2024

### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2021-38578, CVE-2023-5678 and CVE-2024-0727. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 04.01.05.002.

### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of an MR controller.
- Addressed an issue where the "Physical Drive missing" message appeared twice in POST when a drive was removed and rebooted with incorrect severity in IML.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options and navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.

### **Enhancements:**

- Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced

Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property: /redfish/v1/systems/1/bios/MinProcIdlePower

---

## Online ROM Flash Component for Linux - System ROM U41

Version: 3.30\_07-31-2024

### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2021-38578, CVE-2023-5678 and CVE-2024-0727. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 04.01.05.002.

### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of an MR controller.
- Addressed an issue where the "Physical Drive missing" message appeared twice in POST when a drive was removed and rebooted with incorrect severity in IML.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options and navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.

### **Enhancements:**

- Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property: /redfish/v1/systems/1/bios/MinProcIdlePower

---

## Online ROM Flash Component for Linux - System ROM U43

Version: 3.40\_08-01-2024

### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2023-45229,

CVE-2022-36763, CVE-2022-36764, CVE-2021-38578, CVE-2023-5678 and CVE-2024-0727. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.

- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 05.01.04.913.

#### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of an MR controller.
- Addressed an issue where WHLK HSTI test failed.
- Addressed an issue where the "Physical Drive missing" message appears twice in POST when a drive was removed and rebooted with incorrect severity in IML.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options and navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Addressed an issue where system may encounter an RSOD while updating the SAS drive FW.

#### **Enhancements/New Features:**

- Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property: /redfish/v1/systems/1/bios/MinProcIdlePower

---

### **Online ROM Flash Component for Linux - System ROM U44**

Version: 3.40\_08-01-2024

#### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2023-45229, CVE-2022-36763, CVE-2022-36764, CVE-2021-38578, CVE-2023-5678 and CVE-2024-0727. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 05.01.04.913.

#### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of an MR controller.
- Addressed an issue where WHLK HSTI test failed.
- Addressed an issue where the "Physical Drive missing" message appears twice in POST when a drive was removed and rebooted with incorrect severity in IML.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System

Configuration (RBSU) options and navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.

- Addressed an issue where system may encounter an RSOD while updating the SAS drive FW.

#### **Enhancements/New Features:**

- Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property: `/redfish/v1/systems/1/bios/MinProclIdlePower`

---

### **Online ROM Flash Component for Linux - System ROM U46**

Version: 2.20\_08-07-2024

#### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2023-5678, CVE-2021-38575 and CVE-2021-38578. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 04.04.04.603.

#### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of the MR controller.
- Addressed an issue where Redfish BIOS actions, ResetBIOS and ChangePassword may not work.
- Addressed an issue where Battery Failure IML message log may be incorrectly logged for the Smart Array controller with Smart Storage Battery.
- Addressed an issue where the driver Health Message was shown twice in POST when drive was removed and ran cold boot.
- Addressed an issue where the RBSU/Firmware update shows "Flash successfully" message when incorrect SATA firmware was loaded for upgrade.
- Addressed an issue where system failed to boot with selected NVMe HDD by setting One-Time Boot Option in ILO Web.
- Addressed an issue where system may hang up with fully installed NVMe drives.
- Addressed an issue where SMBIOS type 203 show incorrect information when Bifurcation/Dual-Bifurcation is enabled.
- Addressed an issue where the RBSU/Firmware update shows "Flash successfully" message when incorrect SATA firmware was loaded for upgrade.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System

Configuration (RBSU) options, navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.

- Addressed an issue where UMB firmware version showed incorrectly in Firmware information of System Configuration (RBSU).
- Removed the value of "Not Specified" in System Configuration (RBSU) option "Server Security/Trusted Platform Module Options/Current TPM 2.0 Active PCRs" and set the default value as "SHA1 and SHA256".
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.

#### **Enhancements:**

- Added the System Configuration (RBSU) options "PCIe Device Configuration/Advanced PCIe Configuration/PCIe Data Link Feature/PCIe Slot XX Data Link Feature Exchange" and set to "Enabled" by default. These options can be used to disable Data Link Feature Exchange when a legacy (Gen 3 or older) PCIe card is installed, which is not compatible with this feature. This setting has the following Redfish properties: `/redfish/v1/systems/1/bios/settings/SlotXXDataLinkFeatureExchange`
- Added new Microsoft secure boot keys, KEK2023, Microsoft UEFI CA 2023 and Windows UEFI CA 2023, since the original keys will expire in 2026.
- Added the System Configuration (RBSU) option "Boot Options/UEFI Boot Settings/Filter Non-bootable Drives" and set to "Auto" by default. This setting has the following Redfish property:  
`/redfish/v1/systems/1/bios/settings/FilterNonbootableDrive`

Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property:  
`/redfish/v1/systems/1/bios/MinProcIdlePower`

---

### **Online ROM Flash Component for Linux - System ROM U60**

Version: 2.20\_08-07-2024

#### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 06.00.03.604.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2023-45229, CVE-2023-5678, and CVE-2021-38578. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.

#### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving configuration page of an MR controller.
- Addressed an issue that Battery Failure IML message log may be incorrectly logged for MR Controller



with Smart Storage Battery.

- Addressed an issue where system failed to boot with selected NVMe HDD by setting One-Time Boot Option in ILO Web.
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options, navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Removed the value of "Not Specified" in System Configuration (RBSU) option "Server Security/Trusted Platform Module Options/Current TPM 2.0 Active PCRs" and set the default value as "SHA1 and SHA256".

---

## Online ROM Flash Component for Linux - System ROM U61

Version: 2.20\_08-07-2024

### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 06.00.03.604.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2023-45229, CVE-2023-5678, and CVE-2021-38578. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.

### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving configuration page of an MR controller.
- Addressed an issue that Battery Failure IML message log may be incorrectly logged for MR Controller with Smart Storage Battery.
- Addressed an issue where system failed to boot with selected NVMe HDD by setting One-Time Boot Option in ILO Web.
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options, navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Removed the value of "Not Specified" in System Configuration (RBSU) option "Server Security/Trusted Platform Module Options/Current TPM 2.0 Active PCRs" and set the default value as "SHA1 and SHA256".

---

## Online ROM Flash Component for Windows x64 - System ROM U34

Version: 3.30\_07-31-2024

### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2021-38578, CVE-2023-5678 and CVE-2024-0727. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 04.01.05.002.

### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of an MR controller.
- Addressed an issue where the "Physical Drive missing" message appeared twice in POST when a drive was removed and rebooted with incorrect severity in IML.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options and navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.

### **Enhancements:**

- Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property: /redfish/v1/systems/1/bios/MinProclIdlePower

---

## Online ROM Flash Component for Windows x64 - System ROM U30

Version: 3.30\_07-31-2024

### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2021-38578, CVE-2023-5678 and CVE-2024-0727. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 04.01.05.002.

### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of an MR controller.
- Addressed an issue where the "Physical Drive missing" message appeared twice in POST when a drive was removed and rebooted with incorrect severity in IML.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options and navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.

### **Enhancements:**

- Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property: /redfish/v1/systems/1/bios/MinProclIdlePower

---

## **Online ROM Flash Component for Windows x64 - System ROM U32**

Version: 3.30\_07-31-2024

### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2021-38578, CVE-2023-5678 and CVE-2024-0727. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 04.01.05.002.

### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of an MR controller.
- Addressed an issue where the "Physical Drive missing" message appeared twice in POST when a drive was removed and rebooted with incorrect severity in IML.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options and navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.

### **Enhancements:**

- Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced

Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property: /redfish/v1/systems/1/bios/MinProcIdlePower

---

## Online ROM Flash Component for Windows x64 - System ROM U41

Version: 3.30\_07-31-2024

### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2021-38578, CVE-2023-5678 and CVE-2024-0727. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 04.01.05.002.

### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of an MR controller.
- Addressed an issue where the "Physical Drive missing" message appeared twice in POST when a drive was removed and rebooted with incorrect severity in IML.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options and navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.

### **Enhancements:**

- Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property: /redfish/v1/systems/1/bios/MinProcIdlePower

---

## Online ROM Flash Component for Windows x64 - System ROM U43

Version: 3.40\_08-01-2024

### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2023-45229,

CVE-2022-36763, CVE-2022-36764, CVE-2021-38578, CVE-2023-5678 and CVE-2024-0727. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.

- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 05.01.04.913.

#### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of an MR controller.
- Addressed an issue where WHLK HSTI test failed.
- Addressed an issue where the "Physical Drive missing" message appears twice in POST when a drive was removed and rebooted with incorrect severity in IML.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options and navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Addressed an issue where system may encounter an RSOD while updating the SAS drive FW.

#### **Enhancements/New Features:**

- Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property: /redfish/v1/systems/1/bios/MinProcIdlePower

---

### **Online ROM Flash Component for Windows x64 - System ROM U44**

Version: 3.40\_08-01-2024

#### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2023-45229, CVE-2022-36763, CVE-2022-36764, CVE-2021-38578, CVE-2023-5678 and CVE-2024-0727. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 05.01.04.913.

#### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of an MR controller.
- Addressed an issue where WHLK HSTI test failed.
- Addressed an issue where the "Physical Drive missing" message appears twice in POST when a drive was removed and rebooted with incorrect severity in IML.

- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options and navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Addressed an issue where system may encounter an RSOD while updating the SAS drive FW.

#### **Enhancements/New Features:**

- Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property: /redfish/v1/systems/1/bios/MinProcIdlePower

---

### **Online ROM Flash Component for Windows x64 - System ROM U46**

Version: 2.20\_08-07-2024

#### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2023-5678, CVE-2021-38575 and CVE-2021-38578. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 04.04.04.603.

#### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of the MR controller.
- Addressed an issue where Redfish BIOS actions, ResetBIOS and ChangePassword may not work.
- Addressed an issue where Battery Failure IML message log may be incorrectly logged for the Smart Array controller with Smart Storage Battery.
- Addressed an issue where the driver Health Message was shown twice in POST when drive was removed and ran cold boot.
- Addressed an issue where the RBSU/Firmware update shows "Flash successfully" message when incorrect SATA firmware was loaded for upgrade.
- Addressed an issue where system failed to boot with selected NVMe HDD by setting One-Time Boot Option in ILO Web.
- Addressed an issue where system may hang up with fully installed NVMe drives.
- Addressed an issue where SMBIOS type 203 show incorrect information when Bifurcation/Dual-Bifurcation is enabled.
- Addressed an issue where the RBSU/Firmware update shows "Flash successfully" message when incorrect SATA firmware was loaded for upgrade.

- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options, navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Addressed an issue where UMB firmware version showed incorrectly in Firmware information of System Configuration (RBSU).
- Removed the value of "Not Specified" in System Configuration (RBSU) option "Server Security/Trusted Platform Module Options/Current TPM 2.0 Active PCRs" and set the default value as "SHA1 and SHA256".
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.

#### **Enhancements:**

- Added the System Configuration (RBSU) options "PCIe Device Configuration/Advanced PCIe Configuration/PCIe Data Link Feature/PCIe Slot XX Data Link Feature Exchange" and set to "Enabled" by default. These options can be used to disable Data Link Feature Exchange when a legacy (Gen 3 or older) PCIe card is installed, which is not compatible with this feature. This setting has the following Redfish properties: `/redfish/v1/systems/1/bios/settings/SlotXXDataLinkFeatureExchange`
- Added new Microsoft secure boot keys, KEK2023, Microsoft UEFI CA 2023 and Windows UEFI CA 2023, since the original keys will expire in 2026.
- Added the System Configuration (RBSU) option "Boot Options/UEFI Boot Settings/Filter Non-bootable Drives" and set to "Auto" by default. This setting has the following Redfish property: `/redfish/v1/systems/1/bios/settings/FilterNonbootableDrive`

Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property: `/redfish/v1/systems/1/bios/MinProcIdlePower`

---

### **Online ROM Flash Component for Windows x64 - System ROM U60**

Version: 2.20\_08-07-2024

#### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 06.00.03.604.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2023-45229, CVE-2023-5678, and CVE-2021-38578. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.

#### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving configuration page

of an MR controller.

- Addressed an issue that Battery Failure IML message log may be incorrectly logged for MR Controller with Smart Storage Battery.
- Addressed an issue where system failed to boot with selected NVMe HDD by setting One-Time Boot Option in ILO Web.
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options, navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Removed the value of "Not Specified" in System Configuration (RBSU) option "Server Security/Trusted Platform Module Options/Current TPM 2.0 Active PCRs" and set the default value as "SHA1 and SHA256".

---

## Online ROM Flash Component for Windows x64 - System ROM U61

Version: 2.20\_08-07-2024

### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 06.00.03.604.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2023-45229, CVE-2023-5678, and CVE-2021-38578. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.

### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving configuration page of an MR controller.
- Addressed an issue that Battery Failure IML message log may be incorrectly logged for MR Controller with Smart Storage Battery.
- Addressed an issue where system failed to boot with selected NVMe HDD by setting One-Time Boot Option in ILO Web.
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options, navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Removed the value of "Not Specified" in System Configuration (RBSU) option "Server Security/Trusted Platform Module Options/Current TPM 2.0 Active PCRs" and set the default value as "SHA1 and SHA256".



---

## ROM Flash Firmware Package - System ROM U34

Version: 3.30\_07-31-2024

### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2021-38578, CVE-2023-5678 and CVE-2024-0727. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 04.01.05.002.

### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of an MR controller.
- Addressed an issue where the "Physical Drive missing" message appeared twice in POST when a drive was removed and rebooted with incorrect severity in IML.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options and navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.

### **Enhancements:**

- Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property: /redfish/v1/systems/1/bios/MinProclIdlePower

---

## ROM Flash Firmware Package - System ROM U30

Version: 3.30\_07-31-2024

### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2021-38578, CVE-2023-5678 and CVE-2024-0727. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 04.01.05.002.

### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of an MR controller.
- Addressed an issue where the "Physical Drive missing" message appeared twice in POST when a drive was removed and rebooted with incorrect severity in IML.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options and navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.

### **Enhancements:**

- Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property: `/redfish/v1/systems/1/bios/MinProcIdlePower`

---

## **ROM Flash Firmware Package - System ROM U32**

Version: 3.30\_07-31-2024

### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2021-38578, CVE-2023-5678 and CVE-2024-0727. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 04.01.05.002.

### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of an MR controller.
- Addressed an issue where the "Physical Drive missing" message appeared twice in POST when a drive was removed and rebooted with incorrect severity in IML.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options and navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.

### **Enhancements:**

- Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced

Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property: /redfish/v1/systems/1/bios/MinProcIdlePower

---

## ROM Flash Firmware Package - System ROM U41

Version: 3.30\_07-31-2024

### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2021-38578, CVE-2023-5678 and CVE-2024-0727. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 04.01.05.002.

### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of an MR controller.
- Addressed an issue where the "Physical Drive missing" message appeared twice in POST when a drive was removed and rebooted with incorrect severity in IML.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options and navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.

### **Enhancements:**

- Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property: /redfish/v1/systems/1/bios/MinProcIdlePower

---

## ROM Flash Firmware Package - System ROM U43

Version: 3.40\_08-01-2024

### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2023-45229,

CVE-2022-36763, CVE-2022-36764, CVE-2021-38578, CVE-2023-5678 and CVE-2024-0727. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.

- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 05.01.04.913.

#### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of an MR controller.
- Addressed an issue where WHLK HSTI test failed.
- Addressed an issue where the "Physical Drive missing" message appears twice in POST when a drive was removed and rebooted with incorrect severity in IML.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options and navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Addressed an issue where system may encounter an RSOD while updating the SAS drive FW.

#### **Enhancements/New Features:**

- Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property: /redfish/v1/systems/1/bios/MinProcIdlePower

---

### **ROM Flash Firmware Package - System ROM U44**

Version: 3.40\_08-01-2024

#### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2023-45229, CVE-2022-36763, CVE-2022-36764, CVE-2021-38578, CVE-2023-5678 and CVE-2024-0727. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 05.01.04.913.

#### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of an MR controller.
- Addressed an issue where WHLK HSTI test failed.
- Addressed an issue where the "Physical Drive missing" message appears twice in POST when a drive was removed and rebooted with incorrect severity in IML.

- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options and navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Addressed an issue where system may encounter an RSOD while updating the SAS drive FW.

#### **Enhancements/New Features:**

- Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property: /redfish/v1/systems/1/bios/MinProcIdlePower

---

### **ROM Flash Firmware Package - System ROM U46**

Version: 2.20\_08-07-2024

#### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2023-5678, CVE-2021-38575 and CVE-2021-38578. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 04.04.04.603.

#### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving the configuration page of the MR controller.
- Addressed an issue where Redfish BIOS actions, ResetBIOS and ChangePassword may not work.
- Addressed an issue where Battery Failure IML message log may be incorrectly logged for the Smart Array controller with Smart Storage Battery.
- Addressed an issue where the driver Health Message was shown twice in POST when drive was removed and ran cold boot.
- Addressed an issue where the RBSU/Firmware update shows "Flash successfully" message when incorrect SATA firmware was loaded for upgrade.
- Addressed an issue where system failed to boot with selected NVMe HDD by setting One-Time Boot Option in ILO Web.
- Addressed an issue where system may hang up with fully installed NVMe drives.
- Addressed an issue where SMBIOS type 203 show incorrect information when Bifurcation/Dual-Bifurcation is enabled.
- Addressed an issue where the RBSU/Firmware update shows "Flash successfully" message when incorrect SATA firmware was loaded for upgrade.

- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options, navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Addressed an issue where UMB firmware version showed incorrectly in Firmware information of System Configuration (RBSU).
- Removed the value of "Not Specified" in System Configuration (RBSU) option "Server Security/Trusted Platform Module Options/Current TPM 2.0 Active PCRs" and set the default value as "SHA1 and SHA256".
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.

#### **Enhancements:**

- Added the System Configuration (RBSU) options "PCIe Device Configuration/Advanced PCIe Configuration/PCIe Data Link Feature/PCIe Slot XX Data Link Feature Exchange" and set to "Enabled" by default. These options can be used to disable Data Link Feature Exchange when a legacy (Gen 3 or older) PCIe card is installed, which is not compatible with this feature. This setting has the following Redfish properties: `/redfish/v1/systems/1/bios/settings/SlotXXDataLinkFeatureExchange`
- Added new Microsoft secure boot keys, KEK2023, Microsoft UEFI CA 2023 and Windows UEFI CA 2023, since the original keys will expire in 2026.
- Added the System Configuration (RBSU) option "Boot Options/UEFI Boot Settings/Filter Non-bootable Drives" and set to "Auto" by default. This setting has the following Redfish property: `/redfish/v1/systems/1/bios/settings/FilterNonbootableDrive`

Added value "C6 without C1E" in System Configuration (RBSU) option "Power Management/Advanced Power Options menu/Minimum Processor Idle Power Core C-State". When selected, the Minimum Processor Idle Power Core C-State is C6 with C1E disabled. This setting has the following Redfish property: `/redfish/v1/systems/1/bios/MinProcIdlePower`

---

### **ROM Flash Firmware Package - System ROM U60**

Version: 2.20\_08-07-2024

#### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 06.00.03.604.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2023-45229, CVE-2023-5678, and CVE-2021-38578. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.

#### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving configuration page

of an MR controller.

- Addressed an issue that Battery Failure IML message log may be incorrectly logged for MR Controller with Smart Storage Battery.
- Addressed an issue where system failed to boot with selected NVMe HDD by setting One-Time Boot Option in ILO Web.
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options, navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Removed the value of "Not Specified" in System Configuration (RBSU) option "Server Security/Trusted Platform Module Options/Current TPM 2.0 Active PCRs" and set the default value as "SHA1 and SHA256".

---

## ROM Flash Firmware Package - System ROM U61

Version: 2.20\_08-07-2024

### **Important Notes:**

- This version of the System ROM contains updates aligned with the Intel Product Update (IPU) version IPU.2024.3 guidance.
- This version of the System ROM should be paired with Server Platform Services (SPS) Firmware 06.00.03.604.
- This revision of the System ROM includes the mitigation for security vulnerabilities CVE-2023-45229, CVE-2023-5678, and CVE-2021-38578. The security vulnerabilities are documented in the CVE report site. They are not unique to Hitachi servers.

### **Problems Fixed:**

- Addressed an issue where NS204i may not be identified as an NVMe device.
- Addressed an issue where the Logical Drive name was cleared in RBSU after leaving configuration page of an MR controller.
- Addressed an issue that Battery Failure IML message log may be incorrectly logged for MR Controller with Smart Storage Battery.
- Addressed an issue where system failed to boot with selected NVMe HDD by setting One-Time Boot Option in ILO Web.
- Addressed an issue where system may encounter a RSOD while updating SAS drive FW.
- Addressed an issue where the boot order was cleared unexpectedly after configuring System Configuration (RBSU) options, navigating to Boot Options > UEFI Boot Settings > UEFI Boot Order, and then pressing F12 to Save and Exit.
- Removed the value of "Not Specified" in System Configuration (RBSU) option "Server Security/Trusted Platform Module Options/Current TPM 2.0 Active PCRs" and set the default value as "SHA1 and SHA256".

---

## Online ROM Flash Component for Linux - iLO 5

Version: 3.08

### **Problems Fixed:**

- Fixed an issue where an SNMP query on cpqHoMIBStatusArray status failed post upgrade to iLO 5 v3.00.
- Fixed an issue where the drives in the Embedded SATA controller were displayed in the label of Un-configured Drives instead of Drives.
- Fixed an issue where fetching the email ID for AD login users fails in a cross-domain setup, affecting the ability to send TFA tokens.
- Fixed an issue that involves a fallback mechanism to retrieve the email address from the parent domain if it cannot be fetched from the cross-domain.
- Fixed an issue where HPE iLO reports a false error Duplicate IP address after resetting HPE iLO.
- Fixed an issue where HPE iLO Shared Network Port is unable to communicate with external routable devices.
- Fixed an issue where HPE iLO may be unable to communicate with external routable devices after a power outage.
- Fixed an issue where DeviceDiscovery process failed to execute.
- Fixed the offline firmware update failure through SPH/SPR and missing the inventory of hard drives.
- Fixed iLO upgrade issue due to file upload failure.
- Fixed a potential random server restart, or Uncorrectable Machine Check Exception (UMCE), when an iLO reset is triggered.
- Fixed an issue with the iLO Firmware auto recovery process.
- Fixed an issue with the sensor index suffix in SNMP sensor name OIDs.
- Fixed an issue where, while updating the One Time Boot option to PXE boot device, the UEFI optimized boot mode was getting set to a disabled state.
- Fixed an issue with dynamic sensor number enumeration in IPMI response.
- Fixed an issue where LDAP mode used to get disabled due to version and size mismatch.
- Fixed an issue where HTTP calls to Rest server (through a web server) to create installset, initiate installset, and read installset was unstable leading to failure in BundleUpdate.
- Fixed an issue where data from Redfish when appended with available data, use to generate unexpected data.
- Fixed an issue query to memory URI response that got delayed or timed out.
- Fixed an issue where there was a communication loss between Ethernet 1Gb 4-port 331FLR adapter and iLO 5.
- Fixes for specific SNMP OIDs for RDE capable storage controllers for controller, physical drive, and logical drive properties.
- Fixed an issue where there was a communication loss between HPE Ethernet 1Gb 4-port 331FLR adapter and HPE iLO 5.
- Fixed an issue of invalid values for SNMP OIDs during SNMPWALK.
- Fixed an issue where SMBIOS data file present in NAND is removed and recreated every time a server reboots.



- Fixed an issue where physical drive status was reported incorrectly in SNMP.

#### **Enhancements:**

- Improved error messaging for HPE iLO Two Factor Authentication.
- Support for Fan speed in terms of percentage from SNMP OID Get and Walk.
- Added cypher #17 support for HPE iLO IPMI over LAN interface.
- Support for minimum 15 concurrent sessions per user for each interface.
- Support for InfiniBand NDR200/Ethernet 200Gb 1-port OSFP PCIe5 x16 MCX75310AAS-HEAT Adapter.
- Support for TLS v1.3.
- Support for consistent URIs (indexes) under Ethernet interfaces for systems in Gen 10 servers at all times.
- Ability to switch from DHCP6 to static IPv6 address for the same IP address.

---

### **Online ROM Flash Component for Windows x64 - iLO 5**

Version: 3.08

#### **Problems Fixed:**

- Fixed an issue where an SNMP query on cpqHoMIBStatusArray status failed post upgrade to iLO 5 v3.00.
- Fixed an issue where the drives in the Embedded SATA controller were displayed in the label of Un-configured Drives instead of Drives.
- Fixed an issue where fetching the email ID for AD login users fails in a cross-domain setup, affecting the ability to send TFA tokens.
- Fixed an issue that involves a fallback mechanism to retrieve the email address from the parent domain if it cannot be fetched from the cross-domain.
- Fixed an issue where HPE iLO reports a false error Duplicate IP address after resetting HPE iLO.
- Fixed an issue where HPE iLO Shared Network Port is unable to communicate with external routable devices.
- Fixed an issue where HPE iLO may be unable to communicate with external routable devices after a power outage.
- Fixed an issue where DeviceDiscovery process failed to execute.
- Fixed the offline firmware update failure through SPH/SPR and missing the inventory of hard drives.
- Fixed iLO upgrade issue due to file upload failure.
- Fixed a potential random server restart, or Uncorrectable Machine Check Exception (UMCE), when an iLO reset is triggered.
- Fixed an issue with the iLO Firmware auto recovery process.
- Fixed an issue with the sensor index suffix in SNMP sensor name OIDs.
- Fixed an issue where, while updating the One Time Boot option to PXE boot device, the UEFI optimized boot mode was getting set to a disabled state.
- Fixed an issue with dynamic sensor number enumeration in IPMI response.
- Fixed an issue where LDAP mode used to get disabled due to version and size mismatch.
- Fixed an issue where HTTP calls to Rest server (through a web server) to create installset, initiate installset, and read installset was unstable leading to failure in BundleUpdate.

- Fixed an issue where data from Redfish when appended with available data, use to generate unexpected data.
- Fixed an issue query to memory URI response that got delayed or timed out.
- Fixed an issue where there was a communication loss between Ethernet 1Gb 4-port 331FLR adapter and iLO 5.
- Fixes for specific SNMP OIDs for RDE capable storage controllers for controller, physical drive, and logical drive properties.
- Fixed an issue where there was a communication loss between HPE Ethernet 1Gb 4-port 331FLR adapter and HPE iLO 5.
- Fixed an issue of invalid values for SNMP OIDs during SNMPWALK.
- Fixed an issue where SMBIOS data file present in NAND is removed and recreated every time a server reboots.
- Fixed an issue where physical drive status was reported incorrectly in SNMP.

#### **Enhancements:**

- Improved error messaging for HPE iLO Two Factor Authentication.
- Support for Fan speed in terms of percentage from SNMP OID Get and Walk.
- Added cypher #17 support for HPE iLO IPMI over LAN interface.
- Support for minimum 15 concurrent sessions per user for each interface.
- Support for InfiniBand NDR200/Ethernet 200Gb 1-port OSFP PCIe5 x16 MCX75310AAS-HEAT Adapter.
- Support for TLS v1.3.
- Support for consistent URIs (indexes) under Ethernet interfaces for systems in Gen 10 servers at all times.
- Ability to switch from DHCP6 to static IPv6 address for the same IP address.

---

### **Online ROM Flash Firmware Package - iLO 5**

Version: 3.08

#### **Problems Fixed:**

- Fixed an issue where an SNMP query on cpqHoMIBStatusArray status failed post upgrade to iLO 5 v3.00.
- Fixed an issue where the drives in the Embedded SATA controller were displayed in the label of Un-configured Drives instead of Drives.
- Fixed an issue where fetching the email ID for AD login users fails in a cross-domain setup, affecting the ability to send TFA tokens.
- Fixed an issue that involves a fallback mechanism to retrieve the email address from the parent domain if it cannot be fetched from the cross-domain.
- Fixed an issue where HPE iLO reports a false error Duplicate IP address after resetting HPE iLO.
- Fixed an issue where HPE iLO Shared Network Port is unable to communicate with external routable devices.
- Fixed an issue where HPE iLO may be unable to communicate with external routable devices after a power outage.

- Fixed an issue where DeviceDiscovery process failed to execute.
- Fixed the offline firmware update failure through SPH/SPR and missing the inventory of hard drives.
- Fixed iLO upgrade issue due to file upload failure.
- Fixed a potential random server restart, or Uncorrectable Machine Check Exception (UMCE), when an iLO reset is triggered.
- Fixed an issue with the iLO Firmware auto recovery process.
- Fixed an issue with the sensor index suffix in SNMP sensor name OIDs.
- Fixed an issue where, while updating the One Time Boot option to PXE boot device, the UEFI optimized boot mode was getting set to a disabled state.
- Fixed an issue with dynamic sensor number enumeration in IPMI response.
- Fixed an issue where LDAP mode used to get disabled due to version and size mismatch.
- Fixed an issue where HTTP calls to Rest server (through a web server) to create installset, initiate installset, and read installset was unstable leading to failure in BundleUpdate.
- Fixed an issue where data from Redfish when appended with available data, use to generate unexpected data.
- Fixed an issue query to memory URI response that got delayed or timed out.
- Fixed an issue where there was a communication loss between Ethernet 1Gb 4-port 331FLR adapter and iLO 5.
- Fixes for specific SNMP OIDs for RDE capable storage controllers for controller, physical drive, and logical drive properties.
- Fixed an issue where there was a communication loss between HPE Ethernet 1Gb 4-port 331FLR adapter and HPE iLO 5.
- Fixed an issue of invalid values for SNMP OIDs during SNMPWALK.
- Fixed an issue where SMBIOS data file present in NAND is removed and recreated every time a server reboots.
- Fixed an issue where physical drive status was reported incorrectly in SNMP.

#### **Enhancements:**

- Improved error messaging for HPE iLO Two Factor Authentication.
- Support for Fan speed in terms of percentage from SNMP OID Get and Walk.
- Added cypher #17 support for HPE iLO IPMI over LAN interface.
- Support for minimum 15 concurrent sessions per user for each interface.
- Support for InfiniBand NDR200/Ethernet 200Gb 1-port OSFP PCIe5 x16 MCX75310AAS-HEAT Adapter.
- Support for TLS v1.3.
- Support for consistent URIs (indexes) under Ethernet interfaces for systems in Gen 10 servers at all times.
- Ability to switch from DHCP6 to static IPv6 address for the same IP address.

---

#### **Identifiers for Intel Xeon E-22xx Processor for Microsoft Windows**

Version: 10.1.19928.8615 (Optional)

### **Enhancements**

- Updated Supported Environments
- Updated Supported Platforms

---

### **Identifiers for Intel Xeon E-23xx Processor for Microsoft Windows**

Version: 10.1.19886.8592 (Optional)

### **Enhancements**

- Updated Supported Environments

---

### **Identifiers for Intel Xeon Scalable Processors (First and Second Generation) for Microsoft Windows**

Version: 10.1.19006.8299 (C) (Optional)

### **Enhancements**

- Updated Supported Environments

---

### **Identifiers for Intel Xeon Scalable Processors (Third Generation) for Microsoft Windows**

Version: 10.1.19879.8585 (Optional)

### **Enhancements**

- Updated support environments

---

### **Broadcom NetXtreme-E Driver for Microsoft Windows Server 2019**

Version: 230.0.162.0 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in Broadcom Firmware Package for BCM5741x and BCM5750x adapters, version 230.1.123.0 or later, for use with this driver.

### **Fixes**

- This product fixes the issue of standardized INF keyword failures in the driver's INF file.
- This product fixes the issue of static analysis warnings in WMI (Windows Management Instrumentation) string handling for OIDs (Object Identifiers).
- This product fixes the driver's queue pair suspension state-checking.

### **Enhancements**

- This product enhances the abortive cleanup mechanisms for NDSPI interfaces.
- This product enhances the cleanup of adapter instance structures during driver unloading.
- This product enhances the cleanup process for NDIS DMA resources when the driver is unloaded.
- This product enhances event log messaging.

### **Supported Devices and Features**

- HPE Ethernet 10Gb 2-port SFP+ BCM57412 OCP3 Adapter
- HPE Ethernet 10Gb 2-port SFP+ BCM57412 Adapter

- HPE Ethernet 10/25Gb 2-port SFP28 BCM57414 OCP3 Adapter
- HPE Ethernet 10/25Gb 2-port SFP28 BCM57414 Adapter
- Broadcom BCM57504 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE
- Broadcom BCM57504 Ethernet 10/25Gb 4-port SFP28 OCP3 Adapter for HPE

---

## **Broadcom NetXtreme-E Driver for Microsoft Windows Server 2022**

Version: 230.0.162.0 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in Broadcom Firmware Package for BCM5741x and BCM5750x adapters, version 230.1.123.0 or later, for use with this driver.

### **Fixes**

- This product fixes the issue of standardized INF keyword failures in the driver's INF file.
- This product fixes the issue of static analysis warnings in WMI (Windows Management Instrumentation) string handling for OIDs (Object Identifiers).
- This product fixes the driver's queue pair suspension state-checking.

### **Enhancements**

- This product enhances the abortive cleanup mechanisms for NDSPI interfaces.
- This product enhances the cleanup of adapter instance structures during driver unloading.
- This product enhances the cleanup process for NDIS DMA resources when the driver is unloaded.
- This product enhances event log messaging.

### **Supported Devices and Features**

- HPE Ethernet 10Gb 2-port SFP+ BCM57412 OCP3 Adapter
- HPE Ethernet 10Gb 2-port SFP+ BCM57412 Adapter
- HPE Ethernet 10/25Gb 2-port SFP28 BCM57414 OCP3 Adapter
- HPE Ethernet 10/25Gb 2-port SFP28 BCM57414 Adapter
- Broadcom BCM57504 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE
- Broadcom BCM57504 Ethernet 10/25Gb 4-port SFP28 OCP3 Adapter for HPE

---

## **Broadcom NX1 1Gb Driver for Windows Server x64 Editions**

Version: 221.0.6.0 (Recommended)

### **Important Note!**

- HPE recommends the firmware provided in HPE Broadcom NX1 Online Firmware Upgrade Utility for Windows Server x64 Editions, version 5.4.2.0 or later, for use with this driver.
- HPE recommends the firmware provided in HPE Broadcom NX1 Online Firmware Upgrade Utility for Windows Server x64 Editions, version 5.4.2.0 or later, for use with this driver.

### **Enhancements**

- This product enhances to update the install section for Device ID mapping to enable the missing

configuration.

- This product enhances to compile with WDK (Windows Driver Kit) 26080.
- This product enhances to update project makefile and INF file for compilation with the new toolchain.

#### **Supported Devices and Features**

- Broadcom BCM5719 Ethernet 1Gb 4-port Base-T Adapter for HPE
- Broadcom BCM5719 Ethernet 1Gb 4-port Base-T OCP3 Adapter for HPE
- Broadcom BCM5720 Ethernet 1Gb 2-port BASE-T LOM Adapter for HPE

---

### **HPE Broadcom NetXtreme-E Driver for Windows Server 2019**

Version: 230.0.162.0 (Recommended)

#### **Important Note!**

##### **Fixes**

- This product fixes the issue of standardized INF keyword failures in the driver's INF file.
- This product fixes the issue of static analysis warnings in WMI (Windows Management Instrumentation) string handling for OIDs (Object Identifiers).
- This product fixes the driver's queue pair suspension state-checking.

##### **Enhancements**

- This product enhances the abortive cleanup mechanisms for NDSPI interfaces.
- This product enhances the cleanup of adapter instance structures during driver unloading.
- This product enhances the cleanup process for NDIS DMA resources when the driver is unloaded.
- This product enhances event log messaging.

#### **Supported Devices and Features**

- HPE Ethernet 10Gb 2-port 535FLR-T Adapter
- HPE Ethernet 10Gb 2-port 535T Adapter
- HPE Ethernet 10/25Gb 2-port 631FLR-SFP28 Adapter
- HPE Ethernet 10/25Gb 2-port 631SFP28 Adapter
- HPE Ethernet 10Gb 2-port 537SFP+ Adapter
- HPE Ethernet 10Gb 2-port 537SFP+ FLR Adapter

---

### **HPE Broadcom NetXtreme-E Driver for Windows Server 2022**

Version: 230.0.162.0 (Recommended)

#### **Important Note!**

##### **Fixes**

- This product fixes the issue of standardized INF keyword failures in the driver's INF file.
- This product fixes the issue of static analysis warnings in WMI (Windows Management Instrumentation) string handling for OIDs (Object Identifiers).
- This product fixes the driver's queue pair suspension state-checking.

## **Enhancements**

- This product enhances the abortive cleanup mechanisms for NDSPI interfaces.
- This product enhances the cleanup of adapter instance structures during driver unloading.
- This product enhances the cleanup process for NDIS DMA resources when the driver is unloaded.
- This product enhances event log messaging.

## **Supported Devices and Features**

- HPE Ethernet 10Gb 2-port 535FLR-T Adapter
- HPE Ethernet 10Gb 2-port 535T Adapter
- HPE Ethernet 10/25Gb 2-port 631FLR-SFP28 Adapter
- HPE Ethernet 10/25Gb 2-port 631SFP28 Adapter
- HPE Ethernet 10Gb 2-port 537SFP+ Adapter
- HPE Ethernet 10Gb 2-port 537SFP+ FLR Adapter

---

## **HPE Broadcom NetXtreme-E Drivers for Red Hat Enterprise Linux 8**

Version: 1.10.3-230.0.132.0 (Recommended)

## **Important Note!**

HPE recommends the HPE Broadcom NetXtreme-E Firmware Version, 230.1.123000 or later, for use with this driver.

## **Prerequisites**

This product is required to unload inbox NIC driver before install OOB driver if user want OOB driver to take effect immediately. Otherwise, OOB driver will take effect after system reboot under inbox driver is loaded.

## **Fixes**

- This product addresses an issue when reattaching a slave device to a network bond with HWRM (Hardware Resource Manager).
- This product addresses the mutex deadlock issue when loading/unloading the bonding and bnxt\_re drivers.
- This product addresses the problem where the automated process for installing RoCE drivers.
- This product addresses the problem when allocating memory with the GFP flag.
- This product addresses an issue that causes the system to crash when a virtual machine (VM) with hardware Link Aggregation Group (LAG) enabled is removed.
- This product addresses an issue where the system would crash during the process of offloading network flows to hardware.
- This product addresses an issue where the system would experience a kernel panic when unloading a module while xdpsock is running.
- This product addresses the issue where fix bug in error handling code path of the probe.
- This product addresses an issue where kernel warnings on 6.5 and newer kernels.
- This product addresses an issue where an error occurs when attempting to reinitialize a Virtual Function (VF) after performing a firmware reset and reinitializing the Physical Function (PF).

- This product addresses an issue where fix RSS table size calculation.

### **Enhancements**

- This product enhances driver logging error messages.
- This product enhances a log message in case of failure.
- This product enhances the ethtool maximum pre-set value for the combined channels.
- This product enhances to prevent fortify memory copy warnings and errors.
- This product enhances ntuple, RSS contexts, and improved PTP timeout.

### **Supported Devices and Features**

- HPE Ethernet 10Gb 2-port 535FLR-T Adapter
- HPE Ethernet 10Gb 2-port 535T Adapter
- HPE Ethernet 10Gb 2-port 537SFP+ Adapter
- HPE Ethernet 10Gb 2-port 537SFP+ FLR Adapter
- HPE Ethernet 10/25Gb 2-port 631FLR-SFP28 Adapter
- HPE Ethernet 10/25Gb 2-port 631SFP28 Adapter
- HPE Ethernet 10Gb 2-port SFP+ BCM57412 OCP3 Adapter
- HPE Ethernet 10Gb 2-port SFP+ BCM57412 Adapter
- HPE Ethernet 10/25Gb 2-port SFP28 BCM57414 OCP3 Adapter
- HPE Ethernet 10/25Gb 2-port SFP28 BCM57414 Adapter
- Broadcom BCM57504 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE
- Broadcom BCM57504 Ethernet 10/25Gb 4-port SFP28 OCP3 Adapter for HPE

---

## **HPE Broadcom NetXtreme-E Drivers for VMware vSphere 7.0**

Version: 2024.09.00 (Recommended)

### **Important Note!**

- This component is intended to be used by HPE applications. It is a zip file that contains the same driver deliverable available from the vmware.com and the HPE vibsdepot.hpe.com webpages, plus an HPE specific CPOxxxxx.xml file.
- HPE recommends the HPE Broadcom NetXtreme-E Firmware Version, 230.1.123000 or later, for use with this driver.

### **Fixes**

This product addresses the problem to enabling NPAR+ SRIOV (more than supported VFs through Driver) causes system failure.

### **Enhancements**

- This product enhances RoCE command size trimming.
- This product enhances driver logging to capture non-supported dual-rate transceiver async errors.

### **Supported Devices and Features**

- HPE Ethernet 10Gb 2-port 535FLR-T Adapter
- HPE Ethernet 10Gb 2-port 535T Adapter



- HPE Ethernet 10Gb 2-port 537SFP+ Adapter
- HPE Ethernet 10Gb 2-port 537SFP+ FLR Adapter
- HPE Ethernet 10/25Gb 2-port 631FLR-SFP28 Adapter
- HPE Ethernet 10/25Gb 2-port 631SFP28 Adapter
- HPE Ethernet 10Gb 2-port SFP+ BCM57412 OCP3 Adapter
- HPE Ethernet 10Gb 2-port SFP+ BCM57412 Adapter
- HPE Ethernet 10/25Gb 2-port SFP28 BCM57414 OCP3 Adapter
- HPE Ethernet 10/25Gb 2-port SFP28 BCM57414 Adapter
- Broadcom BCM57504 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE
- Broadcom BCM57504 Ethernet 10/25Gb 4-port SFP28 OCP3 Adapter for HPE

---

## **HPE Broadcom NetXtreme-E Drivers for VMware vSphere 8.0**

Version: 2024.09.00 (Recommended)

### **Important Note!**

- This component is intended to be used by HPE applications. It is a zip file that contains the same driver deliverable available from the vmware.com and the HPE vibspot.hpe.com webpages, plus an HPE specific CPOxxxx.xml file.
- HPE recommends the HPE Broadcom NetXtreme-E Firmware Version, 230.1.123000 or later, for use with this driver.

### **Fixes**

This product addresses the problem to enabling NPAR+ SRIOV (more than supported VFs through Driver) causes system failure.

### **Enhancements**

- This product enhances RoCE command size trimming.
- This product enhances driver logging to capture non-supported dual-rate transceiver async errors.

### **Supported Devices and Features**

- HPE Ethernet 10Gb 2-port 535FLR-T Adapter
- HPE Ethernet 10Gb 2-port 535T Adapter
- HPE Ethernet 10Gb 2-port 537SFP+ Adapter
- HPE Ethernet 10Gb 2-port 537SFP+ FLR Adapter
- HPE Ethernet 10/25Gb 2-port 631FLR-SFP28 Adapter
- HPE Ethernet 10/25Gb 2-port 631SFP28 Adapter
- HPE Ethernet 10Gb 2-port SFP+ BCM57412 OCP3 Adapter
- HPE Ethernet 10Gb 2-port SFP+ BCM57412 Adapter
- HPE Ethernet 10/25Gb 2-port SFP28 BCM57414 OCP3 Adapter
- HPE Ethernet 10/25Gb 2-port SFP28 BCM57414 Adapter
- Broadcom BCM57504 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE
- Broadcom BCM57504 Ethernet 10/25Gb 4-port SFP28 OCP3 Adapter for HPE

---

## **HPE Broadcom NetXtreme-E RoCE Library for Red Hat Enterprise Linux 8 Update 9.**

Version: 230.0.132.0 (Recommended)

### **Prerequisites**

The libibverb and rdma-core package must be installed on the target system prior to the installation of the RoCE library. If not already present, the packages can be obtained from the operating system installation media.

### **Fixes**

- This product addresses an issue when reattaching a slave device to a network bond with HWRM (Hardware Resource Manager).
- This product addresses the mutex deadlock issue when loading/unloading the bonding and bnxt\_re drivers.
- This product addresses the problem where the automated process for installing RoCE drivers.
- This product addresses the problem when allocating memory with the GFP flag.
- This product addresses an issue that causes the system to crash when a virtual machine (VM) with hardware Link Aggregation Group (LAG) enabled is removed.
- This product addresses an issue where the system would crash during the process of offloading network flows to hardware.
- This product addresses an issue where the system would experience a kernel panic when unloading a module while xdpsock is running.
- This product addresses the issue where fix bug in error handling code path of the probe.
- This product addresses an issue where kernel warnings on 6.5 and newer kernels.
- This product addresses an issue where an error occurs when attempting to reinitialize a Virtual Function (VF) after performing a firmware reset and reinitializing the Physical Function (PF).
- This product addresses an issue where fix RSS table size calculation.

### **Enhancements**

- This product enhances driver logging error messages.
- This product enhances a log message in case of failure.
- This product enhances the ethtool maximum pre-set value for the combined channels.
- This product enhances to prevent fortify memory copy warnings and errors.
- This product enhances ntuple, RSS contexts, and improved PTP timeout.

### **Supported Devices and Features**

- HPE Ethernet 10Gb 2-port 535FLR-T Adapter
- HPE Ethernet 10Gb 2-port 535T Adapter
- HPE Ethernet 10Gb 2-port 537SFP+ Adapter
- HPE Ethernet 10Gb 2-port 537SFP+ FLR Adapter
- HPE Ethernet 10/25Gb 2-port 631FLR-SFP28 Adapter
- HPE Ethernet 10/25Gb 2-port 631SFP28 Adapter
- HPE Ethernet 10Gb 2-port SFP+ BCM57412 OCP3 Adapter
- HPE Ethernet 10Gb 2-port SFP+ BCM57412 Adapter

- HPE Ethernet 10/25Gb 2-port SFP28 BCM57414 OCP3 Adapter
- HPE Ethernet 10/25Gb 2-port SFP28 BCM57414 Adapter
- Broadcom BCM57504 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE
- Broadcom BCM57504 Ethernet 10/25Gb 4-port SFP28 OCP3 Adapter for HPE

---

## **HPE Broadcom NX1 1Gb Driver for Windows Server x64 Editions**

Version: 221.0.6.0 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE Broadcom NX1 Online Firmware Upgrade Utility for Windows Server x64 Editions, version 5.4.2.0 or later, for use with this driver.

### **Enhancements**

- This product enhances to update the install section for Device ID mapping to enable the missing configuration.
- This product enhances to compile with WDK (Windows Driver Kit) 26080.
- This product enhances to update project makefile and INF file for compilation with the new toolchain.

### **Supported Devices and Features**

- HPE Ethernet 1Gb 4-port 331i Adapter (22BE)
- HPE Ethernet 1Gb 4-port 331FLR Adapter
- HPE Ethernet 1Gb 4-port 331T Adapter
- HPE Ethernet 1Gb 2-port 332i Adapter (22E8)
- HPE Ethernet 1Gb 2-port 332T Adapter

---

## **HPE Broadcom tg3 Ethernet Drivers for Red Hat Enterprise Linux 8**

Version: 3.139m-1 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE NX1 Broadcom Online Firmware Upgrade Utility for Linux x86\_64, version 2.38.x or later, for use with these drivers.

### **Prerequisites**

This product is required to unload inbox NIC driver before install OOB driver if user want OOB driver to take effect immediately. Otherwise, OOB driver will take effect after system reboot under inbox driver is loaded.

### **Enhancements**

- This product enhances to support for more Linux distributions.
- This product enhances to implement compact code to handle the kernel DMA API for tg3.
- This product enhances to implement compact code to handle the kernel DMA API for tg3.

### **Supported Devices and Features**

- HPE Ethernet 1Gb 4-port 331i Adapter (22BE)

- HPE Ethernet 1Gb 4-port 331FLR Adapter
- HPE Ethernet 1Gb 4-port 331T Adapter
- HPE Ethernet 1Gb 2-port 332i Adapter (22E8)
- HPE Ethernet 1Gb 2-port 332T Adapter
- Broadcom BCM5719 Ethernet 1Gb 4-port Base-T Adapter for HPE
- Broadcom BCM5719 Ethernet 1Gb 4-port Base-T OCP3 Adapter for HPE
- Broadcom BCM5720 Ethernet 1Gb 2-port BASE-T LOM Adapter for HPE

---

## **HPE Intel E1R Driver for Windows Server 2019**

Version: 14.0.5.0 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE Intel Online Firmware Upgrade Utility for Windows Server x64 Editions, version 5.4.2.0 or later, for use with this driver.

### **Enhancements**

This product enhanced the compatibility with firmware of Fortville 9.5.

### **Supported Devices and Features**

- HP Ethernet 1Gb 2-port 361i Adapter
- HPE Ethernet 1Gb 2-port 361T Adapter
- HPE Ethernet 1Gb 4-port 366FLR Adapter
- HPE Ethernet 1Gb 4-port 366T Adapter

---

## **HPE Intel E1R Driver for Windows Server 2022**

Version: 14.0.5.0 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE Intel Online Firmware Upgrade Utility for Windows Server x64 Editions, version 5.4.2.0 or later, for use with this driver.

### **Enhancements**

This product enhanced the compatibility with firmware of Fortville 9.5.

### **Supported Devices and Features**

- HP Ethernet 1Gb 2-port 361i Adapter
- HPE Ethernet 1Gb 2-port 361T Adapter
- HPE Ethernet 1Gb 4-port 366FLR Adapter
- HPE Ethernet 1Gb 4-port 366T Adapter

---

## **HPE Intel i40e Drivers for Red Hat Enterprise Linux 8**

Version: 2.25.9-1 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE Intel Online Firmware Upgrade Utility for Linux x86\_64, version 1.31.0 or later, for use with these drivers.

### **Fixes**

- This product fixes an issue where the driver will honor user IRQ affinity settings.
- This product fixes an issue where the VF may be used uninitialized in the function warning.

### **Enhancements**

- This product now adds more trace events related to SFP module IOCTLS.
- This product now supports Red Hat Enterprise Linux 8 update 10.

### **Supported Devices and Features**

- HPE Ethernet 1Gb 4-port 369i Adapter
- HPE Ethernet 10Gb 2-port 562FLR-SFP+ Adapter
- HPE Ethernet 10Gb 2-port 562SFP+ Adapter
- HPE Ethernet 10Gb 2-port SFP+ OCP3 X710-DA2 Adapter
- HPE Ethernet 10Gb 2-port SFP+ X710-DA2 Adapter

---

## **HPE Intel i40ea Driver for Windows Server 2019**

Version: 1.19.164.0 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE Intel Online Firmware Upgrade Utility for Windows Server x64 Editions, version 5.4.2.0 or later, for use with this driver.

### **Enhancements**

This product enhanced the compatibility with firmware of Fortville 9.5.

### **Supported Devices and Features**

- HPE Ethernet 10Gb 2-port 562FLR-SFP+ Adapter
- HPE Ethernet 10Gb 2-port 562SFP+ Adapter

---

## **HPE Intel i40ea Driver for Windows Server 2022**

Version: 1.19.165.0 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE Intel Online Firmware Upgrade Utility for Windows Server x64 Editions, version 5.4.2.0 or later, for use with this driver.

### **Enhancements**

This product enhanced the compatibility with firmware of Fortville 9.5.

### **Supported Devices and Features**

- HPE Ethernet 10Gb 2-port 562FLR-SFP+ Adapter

- HPE Ethernet 10Gb 2-port 562SFP+ Adapter

---

## **HPE Intel i40eb Driver for Windows Server 2019**

Version: 1.19.164.0 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE Intel Online Firmware Upgrade Utility for Windows Server x64 Editions, version 5.4.2.0 or later, for use with this driver.

### **Enhancements**

This product enhanced the compatibility with firmware of Fortville 9.5.

### **Supported Devices and Features**

- HPE Ethernet 1Gb 4-port 369i Adapter

---

## **HPE Intel i40eb Driver for Windows Server 2022**

Version: 1.19.164.0 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE Intel Online Firmware Upgrade Utility for Windows Server x64 Editions, version 5.4.2.0 or later, for use with this driver.

### **Enhancements**

This product enhanced the compatibility with firmware of Fortville 9.5.

### **Supported Devices and Features**

- HPE Ethernet 1Gb 4-port 369i Adapter

---

## **HPE Intel i40en Driver for VMware vSphere 7.0**

Version: 2024.09.00 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE Intel Online Firmware Upgrade Utility for VMware, version 3.24.0 or later, for use with this driver.

### **Enhancements**

- This product enhanced to support log FW Failure Critical Data in Recovery Mode.
- This product enhanced to support add module parameters pause\_rx and pause\_tx for Link Flow Control and enable it by default.

### **Supported Devices and Features**

- HPE Ethernet 1Gb 4-port 369i Adapter
- HPE Ethernet 10Gb 2-port 562FLR-SFP+ Adapter
- HPE Ethernet 10Gb 2-port 562SFP+ Adapter
- HPE Ethernet 10Gb 2-port SFP+ OCP3 X710-DA2 Adapter

- HPE Ethernet 10Gb 2-port SFP+ X710-DA2 Adapter

---

## **HPE Intel i40en Driver for VMware vSphere 8.0**

Version: 2024.09.00 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE Intel Online Firmware Upgrade Utility for VMware, version 3.24.0 or later, for use with this driver.

### **Enhancements**

- This product enhanced to support log FW Failure Critical Data in Recovery Mode.
- This product enhanced to support add module parameters pause\_rx and pause\_tx for Link Flow Control and enable it by default.

### **Supported Devices and Features**

- HPE Ethernet 1Gb 4-port 369i Adapter
- HPE Ethernet 10Gb 2-port 562FLR-SFP+ Adapter
- HPE Ethernet 10Gb 2-port 562SFP+ Adapter
- HPE Ethernet 10Gb 2-port SFP+ OCP3 X710-DA2 Adapter
- HPE Ethernet 10Gb 2-port SFP+ X710-DA2 Adapter

---

## **HPE Intel iavf Drivers for Red Hat Enterprise Linux 8**

Version: 4.11.2-1 (Recommended)

### **Important Note!**

- HPE Intel Online Firmware Upgrade Utility for Linux x86\_64, version 1.31.0 or later, for use with these drivers.
- Intel Online Firmware Upgrade Utility for Linux x86\_64, version 1.31.0 or later, for use with these drivers.
- Intel Firmware Package For E810, version 4.50 or later for use with these drivers.

### **Fixes**

- This product fixes an issue where VLAN set operation may leads to deadlock.
- This product fixes an issue where a NULL pointer dereference in early reset.
- This product fixes an issue where users fail to change the number of queues (channels).
- This product fixes an issue where system hang when VFs are created and VLAN configured.

### **Enhancements**

This product now supports Red Hat Enterprise Linux 8 update 10.

### **Supported Devices and Features**

- HPE Ethernet 1Gb 4-port 369i Adapter
- HPE Ethernet 10Gb 2-port 562FLR-SFP+ Adapter
- HPE Ethernet 10Gb 2-port 562SFP+ Adapter
- HPE Ethernet 10Gb 2-port SFP+ OCP3 X710-DA2 Adapter

- HPE Ethernet 10Gb 2-port SFP+ X710-DA2 Adapter
- Intel E810-2CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE
- Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE
- Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 OCP3 Adapter for HPE
- Intel E810-XXVDA2 Ethernet 10/25Gb 2-port SFP28 Adapter for HPE
- Intel E810-XXVDA2 Ethernet 10/25Gb 2-port SFP28 OCP3 Adapter for HPE
- Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE
- Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 OCP3 Adapter for HPE

---

## **HPE Intel igb Drivers for Red Hat Enterprise Linux 8**

Version: 6.16.9-1 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE Intel Online Firmware Upgrade Utility for Linux x86\_64, version 1.31.0 or later, for use with these drivers.

### **Enhancements**

This product now supports Red Hat Enterprise Linux 8 update 10.

### **Supported Devices and Features**

- HPE Ethernet 1Gb 2-port 361T Adapter
- HPE Ethernet 1Gb 2-port 361i Adapter
- HPE Ethernet 1Gb 4-port 366FLR Adapter
- HPE Ethernet 1Gb 4-port 366T Adapter
- Intel I350-T4 Ethernet 1Gb 4-port BASE-T Adapter for HPE
- Intel I350-T4 Ethernet 1Gb 4-port BASE-T OCP3 Adapter for HPE

---

## **HPE Intel igbn Driver for VMware vSphere 7.0**

Version: 2024.09.00 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE Intel Online Firmware Upgrade Utility for VMware, version 3.24.0 or later, for use with this driver.

### **Enhancements**

This product added support to new Gen11 servers.

### **Supported Devices and Features**

- HPE Ethernet 1Gb 2-port 361T Adapter
- HPE Ethernet 1Gb 2-port 361i Adapter
- HPE Ethernet 1Gb 4-port 366FLR Adapter
- HPE Ethernet 1Gb 4-port 366T Adapter
- Intel I350-T4 Ethernet 1Gb 4-port BASE-T Adapter for HPE



- Intel I350-T4 Ethernet 1Gb 4-port BASE-T OCP3 Adapter for HPE

---

## **HPE Intel igbn Driver for VMware vSphere 8.0**

Version: 2024.09.00 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE Intel Online Firmware Upgrade Utility for VMware, version 3.24.0 or later, for use with this driver.

### **Enhancements**

This product added support to new Gen11 servers.

### **Supported Devices and Features**

- HPE Ethernet 1Gb 2-port 361T Adapter
- HPE Ethernet 1Gb 2-port 361i Adapter
- HPE Ethernet 1Gb 4-port 366FLR Adapter
- HPE Ethernet 1Gb 4-port 366T Adapter
- Intel I350-T4 Ethernet 1Gb 4-port BASE-T Adapter for HPE
- Intel I350-T4 Ethernet 1Gb 4-port BASE-T OCP3 Adapter for HPE

---

## **HPE Intel ixgbe Drivers for Red Hat Enterprise Linux 8**

Version: 5.20.9-1 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE Intel Online Firmware Upgrade Utility for Linux x86\_64, version 1.31.0 or later, for use with these drivers.

### **Fixes**

This product fixes an issue where the driver will honor user IRQ affinity settings.

### **Enhancements**

This product now supports Red Hat Enterprise Linux 8 update 10.

### **Supported Devices and Features**

- HPE Ethernet 10Gb 2-port 562T Adapter
- HPE Ethernet 10Gb 2-port 562FLR-T Adapter

---

## **HPE Intel ixgben Driver for VMware vSphere 7.0**

Version: 2024.03.00 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE Intel Online Firmware Upgrade Utility for VMware, version 3.23.0 or later, for use with this driver.

### **Enhancements**

This product enhanced the compatibility with firmware of Fortville 9.4.

### **Supported Devices and Features**

- HPE Ethernet 10Gb 2-port 562T Adapter
- HPE Ethernet 10Gb 2-port 562FLR-T Adapter

---

### **HPE Intel ixgben Driver for VMware vSphere 8.0**

Version: 2024.03.00 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE Intel Online Firmware Upgrade Utility for VMware, version 3.23.0 or later, for use with this driver.

### **Enhancements**

This product enhanced the compatibility with firmware of Fortville 9.4.

### **Supported Devices and Features**

- HPE Ethernet 10Gb 2-port 562T Adapter
- HPE Ethernet 10Gb 2-port 562FLR-T Adapter

---

### **HPE Intel ixgbev Drivers for Red Hat Enterprise Linux 8**

Version: 4.19.9-1 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE Intel Online Firmware Upgrade Utility for Linux x86\_64, version 1.31.0 or later, for use with these drivers.

### **Fixes**

This product fixes some minor compiling issues such as warning message.

### **Enhancements**

This product now supports Red Hat Enterprise Linux 8 update 10.

### **Supported Devices and Features**

- HPE Ethernet 10Gb 2-port 562T Adapter
- HPE Ethernet 10Gb 2-port 562FLR-T Adapter

---

### **HPE Intel ixs Driver for Windows Server 2019**

Version: 4.1.254.0 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE Intel Online Firmware Upgrade Utility for Windows Server x64 Editions, version 5.4.2.0 or later, for use with this driver.

### **Enhancements**

This product enhanced the compatibility with the new firmware.

### **Supported Devices and Features**

- HPE Ethernet 10Gb 2-port 562FLR-T Adapter
- HPE Ethernet 10Gb 2-port 562T Adapter

---

### **HPE Intel ixs Driver for Windows Server 2022**

Version: 4.1.254.0 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE Intel Online Firmware Upgrade Utility for Windows Server x64 Editions, version 5.4.2.0 or later, for use with this driver.

### **Enhancements**

This product enhanced the compatibility with the new firmware.

### **Supported Devices and Features**

- HPE Ethernet 10Gb 2-port 562FLR-T Adapter
- HPE Ethernet 10Gb 2-port 562T Adapter
- HPE Ethernet 10Gb 2-port 562T Adapter

---

### **HPE Mellanox CX4LX and CX5 Driver for Microsoft Windows Server 2019**

Version: 24.4.26429.0 (Recommended)

### **Fixes**

This product fixed BSOD event not being detected when collecting mstdump on BUGCHECK while the device was already down.

### **Supported Devices and Features**

- HPE Ethernet 25Gb 2-port 640SFP28 Adapter
- HPE Ethernet 25Gb 2-port 640 FLR-SFP28 Adapter

---

### **HPE Mellanox CX4LX and CX5 Driver for Microsoft Windows Server 2022**

Version: 24.4.26429.0 (Recommended)

### **Fixes**

This product fixed BSOD event not being detected when collecting mstdump on BUGCHECK while the device was already down.

### **Supported Devices and Features**

- HPE Ethernet 25Gb 2-port 640SFP28 Adapter
- HPE Ethernet 25Gb 2-port 640 FLR-SFP28 Adapter

---

## **HPE Mellanox MFT prerequisite RPMs for Mellanox adapter firmware update in Secure Boot mode for Red Hat Enterprise Linux 8 Update 9 (x86\_64)**

Version: 4.26.1-3 (Optional)

### **Fixes**

MFT prerequisite RPMs for Mellanox adapter firmware update in Secure Boot mode.

### **Enhancements**

MFT prerequisite RPMs for Mellanox adapter firmware update in Secure Boot mode.

### **Supported Devices and Features**

4.18.0-513.5.1.el8\_9 - (x86\_64) and future update kernels.

---

## **HPE Mellanox RoCE (RDMA over Converged Ethernet) ConnectX-4, ConnectX-5 and ConnectX-6 Driver for Red Hat Enterprise Linux 8 Update 9 (x86\_64)**

Version: 24.04-0.6.6.1 (Recommended)

### **Important Note!**

Mellanox Ethernet + RoCE Linux driver (mlnx-ofa\_kernel RPMs) supports only Ethernet mode of operation with RoCE (RDMA over Converged Ethernet) functionality for HPE Mellanox Ethernet-only adapters and HPE Mellanox VPI (Virtual Protocol Interconnect) adapters configured to operate in Ethernet mode. For customers requiring complete InfiniBand functionality or "InfiniBand + Ethernet" modes of operation on the same node, install HPE signed MLNX-OFED drivers from Linux Software Delivery Repository ([https://downloads.linux.hpe.com/SDR/project/mlnx\\_ofed\\_cx4plus/](https://downloads.linux.hpe.com/SDR/project/mlnx_ofed_cx4plus/)).

### **Fixes**

- An issue related to the comparison process between the SW steering and FW steering modes to avoid kernel crashes incidences.
- The tc\_wrap tool did not work properly when VLAN was configured as the tool incorrectly handled the library function return value.
- An IPSec issue that resulted in Crypto offload getting disabled.
- Memory corruption issue when running XDP traffic.
- IFA packets were sent from the incorrect port on VF LAG.
- An issue that caused a deadlock in the flow of disabling the LAG when changing eswitch mode from switchdev to legacy when a LAG bond existed on the machine.
- In systems with 64k page size, applications opening a substantial amount of RDMA resources such as UARs, QPs, and CQs might encounter errors during the creation of these resources due to limitations in PCI BAR size.
- PFC configuration was reset when updating the cable length via mlnx\_qos.

### **Enhancements**

- Added support for Live Migration. Live migration refers to the process of moving a guest virtual machine (VM) running on one physical host to another host without disrupting normal operations or causing any

downtime or other adverse effects for the end user.

- Added support for multicast control path packet snooping (IGMP/MLD) and offload of MDB notifications in order to replicate multicast traffic to multiple destinations in the hardware.
- Increased the netdev maximum channels from 128 to 256 for systems with a high number of cores.
- Enhanced performance by removing the internal Rx path from the internal page cache, thus allowing the driver to always use the kernel's page\_pool.
- Enhanced performance by adding the following modifications in XDP:
  - Added XDP multi-buffer support to the default RQ type (Striding RQ)
  - Added support for XDP multi-buffer redirect-in
  - Allowed non-linear single-segment frames in XDP TX MPWQE
- Increased the maximum outstanding DC atomic reads to 32 to enable the driver to handle reads larger than 8K. Now log\_max\_ra\_{res/req}\_dc is exposed in DV API, enabling the user to see both RC and DC values.
- Added support for Linux kernel DPLL subsystem as a mechanism for working with clock signals in NVIDIA's proprietary synchronous ethernet protocol daemon. This new mechanism enables the use of both VFs and SFs, and is supported starting from korg6.8.
- Limited the number of MADs received on the wire that are queued in the kernel as they are waiting for the user-space application to 200k per umad file. By that, preventing malicious or faulty behavior of flooding a node with MADs and exhausting its memory.
- Added the option to expose offloaded FDB state (flags, counters, etc.) via debugfs for debugging purposes.
- Added the option to expose offloaded FDB state (flags, counters, etc.) via debugfs for debugging purposes.  
\$ cat mlx5/00000000000000000000000000000000/esw/bridge/bridge1/fdb DEV MAC VLAN PACKETS BYTES LASTUSE  
FLAGS enp8s0f0\_1 e4:0a:05:08:00:06 2 2 204 4295567112 0x0enp8s0f0\_0 e4:0a:05:08:00:03 2 3 278  
4295567112 0x0
- Added support for over KORG 6.7 read frequency\_diff.

### **Supported Devices and Features**

SUPPORTED KERNELS: The kernels of Red Hat Enterprise Linux 8 update 9 (x86\_64) supported by this binary rpm are:

- 4.18.0-513.5.1.el8\_9 (x86\_64) and future update kernels.

---

## **HPE QLogic FastLinQ 10/25/50 GbE Drivers for Red Hat Enterprise Linux 8**

Version: 8.74.4.0-8 (Recommended)

### **Important Note!**

Linux Driver Version ----- Linux qed 8.74.4.0 Linux qede 8.74.4.0 Linux qedr 8.74.4.0  
Linux qedi 8.74.4.0 Linux qedf 8.74.4.0 HPE recommends the firmware provided as below for use with these drivers,

- Firmware component (HPE QLogic FastLinQ Firmware Package for Arrowhead adapters, ql\_hp\_ah\_mbi\_8.65.14\_pldm.fwpkg) version 8.65.14 or later is recommended for use with this driver set.

### **Prerequisites**

This product is required to unload inbox NIC driver before install OOB driver if user want OOB driver to take effect immediately. Otherwise, OOB driver will take effect after system reboot under inbox driver is loaded.

### **Enhancements**

This product now supports Red Hat Enterprise Linux 8 update 10.

---

## **HPE QLogic FastLinQ 10/25/50 GbE Drivers for Windows Server x64 Editions**

Version: 8.72.15.0 (Recommended)

### **Important Note!**

- HPE QLogic FastLinQ Online Firmware Upgrade Utility for Windows Server x64 Editions, version 5.3.6.0 or later.

### **Fixes**

This product corrects an issue which Windows Server 2022 crashes when system has high number of logical processors.

### **Supported Devices and Features**

- HPE Ethernet 10/25Gb 2-port 622FLR-SFP28 Converged Network Adapter

---

## **HPE QLogic FastLinQ 10/25/50 GbE Multifunction Driver for VMware vSphere 7.0**

Version: 2024.09.00 (Recommended)

### **Important Note!**

This component is intended to be used by HPE applications. It is a zip file that contains the same driver deliverable available from the vmware.com and the HPE vibsdepot.hpe.com webpages, plus an HPE specific CP0xxxxx.xml file. HPE recommends the firmware provided as below for use with these drivers,

- HPE QLogic FastLinQ Online Firmware Upgrade Utility for VMware, version 4.19.0 or later.

### **Fixes**

This product corrects an issue which system crashed due to hardware error.

---

## **HPE QLogic FastLinQ 10/25/50 GbE Multifunction Driver for VMware vSphere 8.0**

Version: 2024.09.00 (Recommended)

### **Important Note!**

This component is intended to be used by HPE applications. It is a zip file that contains the same driver deliverable available from the vmware.com and the HPE vibsdepot.hpe.com webpages, plus an HPE specific CP0xxxxx.xml file. HPE recommends the firmware provided as below for use with these drivers,

- HPE QLogic FastLinQ Online Firmware Upgrade Utility for VMware, version 4.19.0 or later.

**Fixes**

This product corrects an issue which system crashed due to hardware error.

**Supported Devices and Features**

- HPE Ethernet 10Gb 2-port BaseT QL41132HLRJ Adapter

---

**HPE QLogic NX2 10/20 GbE Multifunction Driver for VMware vSphere 7.0**

Version: 2024.09.00 (Recommended)

**Important Note!**

HPE recommends the firmware provided in HPE QLogic NX2 Online Firmware Upgrade Utility for VMware, version 1.35.0 or later, for use with this driver.

**Fixes**

- This product corrects an issue which fix TSO (TCP Segmentation Offload) issue when single segment is larger than pkt length.
- This product corrects an issue which PSOD while freeing DMA during 'esxcli qlfastlinq qcc' command execution.

---

**HPE QLogic NX2 10/20 GbE Multifunction Driver for VMware vSphere 8.0**

Version: 2024.09.00 (Recommended)

**Important Note!**

HPE recommends the firmware provided in HPE QLogic NX2 Online Firmware Upgrade Utility for VMware, version 1.35.0 or later, for use with this driver.

**Fixes**

- This product corrects an issue which fix TSO (TCP Segmentation Offload) issue when single segment is larger than pkt length.
- This product corrects an issue which PSOD while freeing DMA during 'esxcli qlfastlinq qcc' command execution.

---

**HPE QLogic NX2 10/20 GbE Multifunction Drivers for Red Hat Enterprise Linux 8**

Version: 7.15.23-2 (Recommended)

**Important Note!**

| Driver | Version   |
|--------|-----------|
| -----  |           |
| cnic   | 2.5.21l   |
| bnx2   | 2.2.6i    |
| bnx2x  | 1.715.24  |
| bnx2i  | 2.11.30.3 |
| bnx2fc | 2.12.25   |

HPE recommends the firmware provided in HPE QLogic NX2 Online Firmware Upgrade Utility for Linux x86\_64, version 2.35.0 or later, for use with these drivers.

### **Prerequisites**

This product is required to unload inbox NIC driver before install OOB driver if user want OOB driver to take effect immediately. Otherwise, OOB driver will take effect after system reboot under inbox driver is loaded.

### **Enhancements**

This product now supports Red Hat Enterprise Linux 8 update 10.

---

## **HPE QLogic NX2 10/20 GbE Multifunction Drivers for Windows Server x64 Editions**

Version: 7.13.206.0 (C) (Recommended)

### **Important Note!**

HPE recommends the firmware provided in HPE QLogic NX2 Online Firmware Upgrade Utility for Windows Server x64 Editions, version 5.3.6.0 or later, for use with these drivers.

### **Enhancements**

This product enhanced the compatibility with Windows firmware component 5.3.6.0.

---

## **Intel i350 Driver for Windows Server 2019**

Version: 14.0.5.0 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in Intel Online Firmware Upgrade Utility for Windows Server x64 Editions, version 5.4.2.0 or later, for use with this driver.

### **Enhancements**

This product enhanced the compatibility with firmware of Fortville 9.5.

### **Supported Devices and Features**

- HPE Ethernet 1Gb 4-port BaseT I350-T4 Adapter
- HPE Ethernet 1Gb 4-port BaseT I350-T4 OCP3 Adapter

---

## **Intel i350 Driver for Windows Server 2022**

Version: 14.0.5.0 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in Intel Online Firmware Upgrade Utility for Windows Server x64 Editions, version 5.4.2.0 or later, for use with this driver.

### **Enhancements**

This product enhanced the compatibility with firmware of Fortville 9.5.



### **Supported Devices and Features**

- HPE Ethernet 1Gb 4-port BaseT I350-T4 Adapter
- HPE Ethernet 1Gb 4-port BaseT I350-T4 OCP3 Adapter

---

### **Intel i40ea Driver for Windows Server 2019**

Version: 1.19.164.0 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in Intel Online Firmware Upgrade Utility for Windows Server x64 Editions, version 5.4.2.0 or later, for use with this driver.

### **Enhancements**

This product enhanced the compatibility with firmware of Fortville 9.5.

### **Supported Devices and Features**

- Intel X710-DA2 Ethernet 10Gb 2-port SFP+ OCP3 Adapter for HPE
- Intel X710-DA2 Ethernet 10Gb 2-port SFP+ Adapter for HPE
- Intel X710-DA2 Ethernet 10Gb 2-port SFP+ Adapter for HPE

---

### **Intel i40ea Driver for Windows Server 2022**

Version: 1.19.165.0 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in Intel Online Firmware Upgrade Utility for Windows Server x64 Editions, version 5.4.2.0 or later, for use with this driver.

### **Enhancements**

This product enhanced the compatibility with firmware of Fortville 9.5.

### **Supported Devices and Features**

- Intel X710-DA2 Ethernet 10Gb 2-port SFP+ OCP3 Adapter for HPE
- Intel X710-DA2 Ethernet 10Gb 2-port SFP+ Adapter for HPE
- Intel X710-DA2 Ethernet 10Gb 2-port SFP+ Adapter for HPE

---

### **Intel ice Drivers for Red Hat Enterprise Linux 8**

Version: 1.14.11-1 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in Intel Firmware Package For E810, version 4.50 or later for use with these drivers.

### **Fixes**

This product fixes an issue where the unexpected FW logs appears during some special environments, such as tx\_timeout or NVM update.

### **Enhancements**

- This product now supports the Link Layer Discovery Protocol (LLDP) on the VF.
- This product now supports firmware logging via the debugfs.
- This product now supports Red Hat Enterprise Linux 8 update 10.
- This product now supports Red Hat Enterprise Linux 8 update 10.

### **Supported Devices and Features**

- Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE
- Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 OCP3 Adapter for HPE
- Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE
- Intel E810-XXVDA2 Ethernet 10/25Gb 2-port SFP28 Adapter for HPE
- Intel E810-XXVDA2 Ethernet 10/25Gb 2-port SFP28 OCP3 Adapter for HPE
- Intel E810-2CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE
- Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 OCP3 Adapter for HPE

---

### **Intel icea Driver for Microsoft Windows Server 2022**

Version: 1.15.121.0 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in Intel Firmware Package for Columbiaville (FWPKG), version 4.50 or later, for use with this driver.

### **Fixes**

- This product correct an issue which seeing warning message Event ID : 101 with ICEA module.
- This product correct an issue which E810 physical adapter does not display RDMA counters.

### **Enhancements**

This product enhanced the compatibility with firmware of Columbiaville 4.5.

### **Supported Devices and Features**

- Intel E810-2CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE
- Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE
- Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 OCP3 Adapter for HPE
- Intel E810-XXVDA2 Ethernet 10/25Gb 2-port SFP28 Adapter for HPE
- Intel E810-XXVDA2 Ethernet 10/25Gb 2-port SFP28 OCP3 Adapter for HPE
- Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE
- Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 OCP3 Adapter for HPE

---

### **Intel icea Driver for Windows Server 2019**

Version: 1.15.121.0 (Recommended)

### **Important Note!**

HPE recommends the firmware provided in Intel Firmware Package for Columbiaville (FWPKG), version

4.50 or later, for use with this driver.

### **Fixes**

This product correct an issue which E810 physical adapter does not display RDMA counters.

### **Enhancements**

This product enhanced the compatibility with firmware of Columbiaville 4.5.

### **Supported Devices and Features**

- Intel E810-2CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE
- Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE
- Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 OCP3 Adapter for HPE
- Intel E810-XXVDA2 Ethernet 10/25Gb 2-port SFP28 Adapter for HPE
- Intel E810-XXVDA2 Ethernet 10/25Gb 2-port SFP28 OCP3 Adapter for HPE
- Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE
- Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 OCP3 Adapter for HPE

---

## **Intel icen Driver for VMware vSphere 7.0**

Version: 2024.09.00 (Recommended)

### **Important Note!**

- This component is intended to be used by HPE applications. It is a zip file that contains the same driver deliverable available from the vmware.com and the HPE vibspot.hpe.com webpages, plus an HPE specific CP0xxxx.xml file.
- HPE recommends the firmware provided in Intel Firmware Package For E810 Ethernet Adapter, version 4.50 or later, for use with these drivers.

### **Fixes**

This product fixed an issue which NIC port was in autonegotiation mode, many DOWN/UP sequences was applied by the link partner, and NIC port remained in DOWN state randomly.

### **Enhancements**

This product added a warning message when RDMA critical error occurs.

### **Supported Devices and Features**

- Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE
- Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 OCP3 Adapter for HPE
- Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE
- Intel E810-XXVDA2 Ethernet 10/25Gb 2-port SFP28 Adapter for HPE
- Intel E810-XXVDA2 Ethernet 10/25Gb 2-port SFP28 OCP3 Adapter for HPE
- Intel E810-2CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE
- Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 OCP3 Adapter for HPE

---

## Intel icen Driver for VMware vSphere 8.0

Version: 2024.09.00 (Recommended)

### **Important Note!**

- This component is intended to be used by HPE applications. It is a zip file that contains the same driver deliverable available from the vmware.com and the HPE vibspot.hpe.com webpages, plus an HPE specific CP0xxxx.xml file.
- HPE recommends the firmware provided in Intel Firmware Package For E810 Ethernet Adapter, version 4.50 or later, for use with these drivers.

### **Fixes**

This product fixed an issue which NIC port was in autonegotiation mode, many DOWN/UP sequences was applied by the link partner, and NIC port remained in DOWN state randomly.

### **Enhancements**

This product added a warning message when RDMA critical error occurs.

### **Supported Devices and Features**

- Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE
- Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 OCP3 Adapter for HPE
- Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE
- Intel E810-XXVDA2 Ethernet 10/25Gb 2-port SFP28 Adapter for HPE
- Intel E810-XXVDA2 Ethernet 10/25Gb 2-port SFP28 OCP3 Adapter for HPE
- Intel E810-2CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE
- Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 OCP3 Adapter for HPE

---

## Mellanox CX5 and CX6DX Driver for Microsoft Windows Server 2019

Version: 24.4.26429.0 (Recommended)

### **Fixes**

This product fixed BSOD event not being detected when collecting mstdump on BUGCHECK while the device was already down.

### **Supported Devices and Features**

- Mellanox MCX631102AS-ADAT Ethernet 10/25Gb 2-port SFP28 Adapter for HPE

---

## Mellanox CX5 and CX6DX Driver for Microsoft Windows Server 2022

Version: 24.4.26429.0 (Recommended)

### **Fixes**

This product fixed BSOD event not being detected when collecting mstdump on BUGCHECK while the device was already down.

### **Supported Devices and Features**

- Mellanox MCX631102AS-ADAT Ethernet 10/25Gb 2-port SFP28 Adapter for HPE

---

### **net-mst kernel module driver component for VMware ESXi 7.0 Update 3**

Version: 2023.09.20 (Recommended)

#### **Important Note!**

This component is intended to be used by HPE applications. It is a zip that contains the same driver deliverable available from the HPE vibsddepot.hpe.com webpage, plus an HPE specific CPXXXX.xml file.

#### **Prerequisites**

NA

#### **Enhancements**

NMST version 4.25.0.703 This version is supported on VMware ESXi 7.0 Update 3 only.

### **Supported Devices and Features**

| HPE Part Number | Device Name                                                                    | PSID          |
|-----------------|--------------------------------------------------------------------------------|---------------|
| 817749-B21      | HPE Ethernet 25Gb 2-port 640FLR-SFP28 Adapter                                  | HP_2690110034 |
| 817753-B21      | HPE Ethernet 25Gb 2-port 640SFP28 Adapter                                      | HP_2420110034 |
| 872726-B21      | HPE InfiniBand EDR/Ethernet 100Gb 2-port 841QSFP28 Adapter                     | HPE0000000009 |
| P06251-B21      | HPE InfiniBand HDR100/Ethernet 100Gb 2-port 940QSFP56 x16 Adapter              | HPE0000000036 |
| P23666-B21      | HPE InfiniBand HDR100/Ethernet 100Gb 2-port MCX653106A-ECAT QSFP56 x16 Adapter | MT_0000000453 |
| P25960-B21      | HPE Ethernet 100Gb 2-Port QSFP56 MCX623106AS-CDAT Adapter                      | MT_0000000437 |
| P31246-B21      | HPE Ethernet 100Gb 1-port QSFP28 PCIe3 x16 MCX515A-CCAT Adapter                | MT_0000000591 |
| P42041-B21      | Mellanox MCX631432AS-ADAI Ethernet 10/25Gb 2-port SFP28 OCP3 Adapter for HPE   | MT_0000000551 |
| P42044-B21      | Mellanox MCX631102AS-ADAT Ethernet 10/25Gb 2-port SFP28 Adapter for HPE        | MT_0000000575 |

---

### **Nvidia ConnectX-4, ConnectX-5, ConnectX-6 and ConnectX-7 "nmlx5\_en" Driver Component for VMware ESXi 7.0 Update 3**

Version: 2024.05.28 (Recommended)

#### **Important Note!**

Important: Version 4.22.73.1006 supports VMware ESXi 7.0 Update 3 only. Known Issues with driver version 4.22.73.1006:

- Out-of-buffer packets are not being counted as Rx drops.
- Due to hardware limitations, Model 1 Level 2 and Model 2 for Enhanced Network Stack (ENS) mode in vSphere 8.0 is not supported in ConnectX-5 and ConnectX-6 adapter cards.
- The driver version in iDRAC is not displayed correctly.
- Geneve options length support is limited to 56B. Received packets with options length bigger than 56B are dropped.
- A mismatch between the uplink and the VF MTU values may result in CQE with error.
- Enabling `sriov_mc_isolation` module parameter may result in vmknics and emulated NICs multicast and IPv6 traffic loss.
- RDMA is not supported in the Hypervisor with ENS (Enhanced Network Stack) model 2.
- Setting the "Allow Guest MTU Change" option in vSphere Client is currently not functional. Although guest MTU changes in SR-IOV are allowed, they do not affect the port's MTU and the guest's MTU remains the same as the PF MTU.
- ECN ( Explicit congestion notification) statistic counters `accumulatorsPeriod` and `ecnMarkedRocePackets` display wrong values and cannot be cleared.
- ECN tunable parameter `initialAlphaValue` for the Reaction Point protocol cannot be modified.
- Card's speed remains zero after port goes down and reboot is performed.
- RoCE traffic may fail after vMotion when using namespace.
- Legacy SR-IOV is not supported with Model 1.
- When in ENS mode, changing the scheduler to HCLK, may cause traffic loss.
- The `'esxcli mellanox uplink link info -u <vmnic_name>'` command reports the 'Auto negotiation' capability always as 'true'.
- SMP MADs (`ibnetdiscover`, `sminfo`, `iblinkinfo`, `smpdump`, `ibqueryerr`, `ibdiagnet` and `smpquery`) are not supported on the VFs.
- Although the `max_vfs` module parameter range is "0-128", due to firmware limitations, the following are the supported VFs per single port devices:
  - ConnectX-4 / ConnectX-5: up to 127

## **Fixes**

- Performance issues were observed due to context switches over the hardware priority buffers that caused slower packet being sent when sending traffic with many different VLAN (CoS PCP/801.2p) priorities. To fix the issue, the driver provides a new module parameter `trust_dscp_same_priority` to map all DSCP priorities to the same traffic class to avoid such behavior.
- A specific steering rule creation issue when the teaming mode is on.
- Packets were dropped by ENS that were not set as MARK. Now MARK actions are available in both LAG and no LAG modes.

## **Enhancements**

## **Supported Devices and Features**

| HPE Part Number | Device Name                                                                    | PSID          |
|-----------------|--------------------------------------------------------------------------------|---------------|
| 817749-B21      | HPE Ethernet 25Gb 2-port 640FLR-SFP28 Adapter                                  | HP_2690110034 |
| 817753-B21      | HPE Ethernet 25Gb 2-port 640SFP28 Adapter                                      | HP_2420110034 |
| 872726-B21      | HPE InfiniBand EDR/Ethernet 100Gb 2-port 841QSFP28 Adapter                     | HPE0000000009 |
| P06251-B21      | HPE InfiniBand HDR100/Ethernet 100Gb 2-port 940QSFP56 x16 Adapter              | HPE0000000036 |
| P23666-B21      | HPE InfiniBand HDR100/Ethernet 100Gb 2-port MCX653106A-ECAT QSFP56 x16 Adapter | MT_0000000453 |
| P25960-B21      | HPE Ethernet 100Gb 2-Port QSFP56 MCX623106AS-CDAT Adapter                      | MT_0000000437 |
| P31246-B21      | HPE Ethernet 100Gb 1-port QSFP28 PCIe3 x16 MCX515A-CCAT Adapter                | MT_0000000591 |
| P42041-B21      | Mellanox MCX631432AS-ADAI Ethernet 10/25Gb 2-port SFP28 OCP3 Adapter for HPE   | MT_0000000551 |
| P42044-B21      | Mellanox MCX631102AS-ADAT Ethernet 10/25Gb 2-port SFP28 Adapter for HPE        | MT_0000000575 |

---

### **HPE MR416i-p, MR216i-p, MR416i-a, MR216i-a Gen10 plus and MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen11 controller Driver for 64-bit Red Hat Enterprise Linux 8**

Version: 07.726.04.00 (Recommended)

#### **Fixes**

Fix an issue that kernel WARNING with call trace may be logged when server shut down/rebooted

#### **Enhancements**

- New OS support for RHEL8u9.

---

### **HPE MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen10P and Gen11 controller (64-bit) Driver for vSphere 7.0**

Version: 2023.12.01 (Recommended)

#### **Important Note!**

- This component is intended to be used by HPE applications. It is a zip that contains the same driver deliverable available from the vmware.com and the HPE vibsdepot.hpe.com webpages, plus an HPE specific CPXXXX.xml file.

#### **Enhancements**

- New release for version 7.726.02.00.

---

## **HPE MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen10P and Gen11 controller (64-bit) Driver for vSphere 8.0**

Version: 2023.12.01 (Recommended)

### **Important Note!**

- This component is intended to be used by HPE applications. It is a zip that contains the same driver deliverable available from the vmware.com and the HPE vibspot.hpe.com webpages, plus an HPE specific CPXXXX.xml file.

### **Enhancements**

- New release for version 7.726.02.00.
- This new 7.26 release have not completed vSAN certification, please don't update for vSAN environment for now. Target to complete vSAN certification by end of February 2024.

---

## **HPE MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen10P and Gen11 controller Driver for Microsoft Windows 2019 edition**

Version: 7.726.1.0 (Recommended)

### **Enhancements**

- New release for version 7.726.1.0.

---

## **HPE MR416i-p, MR416i-o, MR216i-o, MR408i-o, MR216i-p Gen10P and Gen11 controller driver for Microsoft Windows 2022 edition**

Version: 7.726.1.0 (Recommended)

### **Enhancements**

- New release for version 7.726.1.0.

---

## **HPE ProLiant Gen10 Smart Array and Gen10 Plus and Gen11 Smart RAID Controller Driver for VMware vSphere 7.0 (Driver Component).**

Version: 2024.10.01 (Recommended)

### **Important Note!**

- This component is intended to be used by HPE applications. It is a zip that contains the same driver deliverable available from the vmware.com, plus an HPE specific CPXXXX.xml file.
- Actual ESXi Version is 7.0.4672.0.104

### **Fixes**

- Fixed an issue where a PSOD occurred during array delete operations.
- Fixed an issue where failed logical volumes take too long to be removed at the OS level.
- Fixed an issue where NVMe drives were not discovered after hot-plug operation.
- Fixed a potential data loss risk for SmartCache Logical Drives configured in WriteBack mode during shutdown.



---

## **HPE ProLiant Gen10 Smart Array and Gen10 Plus and Gen11 Smart RAID Controller Driver for VMware vSphere 8.0 (Driver Component).**

Version: 2024.10.01 (Recommended)

### **Important Note!**

- This component is intended to be used by HPE applications. It is a zip that contains the same driver deliverable available from the vmware.com, plus an HPE specific CPXXXX.xml file.
- Actual ESXi Version is 80.4672.0.104

### **Fixes**

- Fixed an issue where a PSOD occurred during array delete operations.
- Fixed an issue where failed logical volumes take too long to be removed at the OS level.
- Fixed an issue where NVMe drives were not discovered after hot-plug operation.
- Fixed a potential data loss risk for SmartCache Logical Drives configured in WriteBack mode during shutdown.

---

## **HPE ProLiant Gen10, Gen10Plus and Gen11 Smart Array Controller (64-bit) Driver for Red Hat Enterprise Linux 8 (64-bit)**

Version: 2.1.30-031 (Recommended)

### **Fixes**

- Fixed an issue where the driver incorrectly handled multi-path failover.
- Fixed an issue where the driver could hang under heavy I/O load.

### **Supported Devices and Features**

-default- Red Hat Enterprise Linux 8 Update 0 (64-bit).

---

## **HPE Smart Array Gen10, Gen10Plus and Gen11 Controller Driver for Windows Server 2019 and Windows Server 2022**

Version: 1010.108.0.1015 (Recommended)

### **Important Note!**

- No Windows 2016 driver updates are available. Windows 2016 driver development has ended with version 1010.84.0.1012.
- Windows 2025 support is not yet available in this driver version. It will be included in the next release.

### **Fixes**

- Fixed an issue with controllers having encrypted boot logical drives using Remote Key Management Mode.
- Fixed an issue with controllers having encrypted boot logical drives using Remote Key Management Mode.

---

## HPE Storage Fibre Channel Adapter Kit for the x64 Emulex Storport Driver for Microsoft Windows Server 2019

Version: 14.4.313.0 (Recommended)

### **Important Note!**

Release notes:Broadcom Release notes

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link:<http://www.hpe.com/storage/spock/>

### **Enhancements**

The raw driver files can be obtained by extracting the Smart Component and then extracting the Emulex installer. Use this command:The extracted files are located:

C:\Users\Administrator\Documents\Emulex\Drivers\FC-version Each kit folder has subsequent architecture folders with subsequent OS folders. For example,  
C:\Users\Administrator\Documents\Emulex\Drivers\FC-version\x64\win2019

### **Supported Devices and Features**

- HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Dual port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Single port Fibre Channel Host Bus Adapter

---

## HPE Storage Fibre Channel Adapter Kit for the x64 Emulex Storport Driver for Microsoft Windows Server 2022

Version: 14.4.313.0 (Recommended)

### **Important Note!**

Release notes:Broadcom Release notes

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link:<http://www.hpe.com/storage/spock/>

### **Enhancements**

The raw driver files can be obtained by extracting the Smart Component and then extracting the Emulex installer. Use this command:The extracted files are located:

C:\Users\Administrator\Documents\Emulex\Drivers\FC-version Each kit folder has subsequent architecture folders with subsequent OS folders. For example,  
C:\Users\Administrator\Documents\Emulex\Drivers\FC-version\x64\win2022

### **Supported Devices and Features**

- HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Dual port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Single port Fibre Channel Host Bus Adapter

---

### **HPE Storage Fibre Channel Adapter Kit for the x64 QLogic Storport Driver for Microsoft Windows Server 2019**

Version: 9.4.10.20 (Recommended)

### **Important Note!**

Release Notes:HPE QLogic Adapters Release Notes

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link:<http://www.hpe.com/storage/spock/>

### **Enhancements**

Updated to version 9.4.10.20

### **Supported Devices and Features**

- HPE SN1100Q 16GB Dual Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1100Q 16GB Single Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter

---

### **HPE Storage Fibre Channel Adapter Kit for the x64 QLogic Storport Driver for Microsoft Windows Server 2022**

Version: 9.4.10.20 (Recommended)

### **Important Note!**

Release Notes:HPE QLogic Adapters Release Notes

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link:<http://www.hpe.com/storage/spock/>

### **Enhancements**

Updated to version 9.4.10.20

### **Supported Devices and Features**

- HPE SN1100Q 16GB Dual Port PCIe Fibre Channel Host Bus Adapter

- HPE SN1100Q 16GB Single Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter

---

## **Red Hat Enterprise Linux 8 Update 9 Server Fibre Channel Driver Kit for HPE Emulex Host Bus Adapters**

Version: 14.4.329.9 (Recommended)

### **Important Note!**

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link:<http://www.hpe.com/storage/spock/>

### **Enhancements**

Updated to version 14.4.329.9

### **Supported Devices and Features**

- HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Dual port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Single port Fibre Channel Host Bus Adapter

---

## **Red Hat Enterprise Linux 8 Update 9 Server Fibre Channel Driver Kit for HPE QLogic Host Bus Adapters**

Version: 10.02.12.01-k1 (Recommended)

### **Important Note!**

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link:<http://www.hpe.com/storage/spock/>

### **Enhancements**

### **Supported Devices and Features**

- HPE SN1100Q 16GB Dual Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1100Q 16GB Single Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter

---

**iLO 5 Automatic Server Recovery Driver for Microsoft Windows Server 2016 and 2019**

Version: 4.7.1.0 (E) (Optional)

**Important Note!**

Installing the iLO 5 Channel Interface Driver, version 4.1.0.0 or earlier, will overwrite this driver. To avoid the overwrite, use version 4.1.0.0(B) or later of the iLO 5 Channel Interface Driver.

**Enhancements**

- Updated SBOM requirement

---

**iLO 5 Automatic Server Recovery Driver for Microsoft Windows Server 2022**

Version: 4.7.1.0 (F) (Optional)

**Important Note!**

Installing the iLO 5 Channel Interface Driver, version 4.1.0.0 or earlier, will overwrite this driver. To avoid the overwrite, use version 4.1.0.0(B) or later of the iLO 5 Channel Interface Driver.

**Enhancements**

- Updated supported environments

---

**iLO 5 Channel Interface Driver for Microsoft Windows Server 2016 and 2019**

Version: 4.7.1.0 (E) (Optional)

**Enhancements**

- Updated SBOM requirement

---

**iLO 5 Channel Interface Driver for Microsoft Windows Server 2022**

Version: 4.7.1.0 (F) (Optional)

**Enhancements**

- Updated supported environments

---

**Matrox G200eH3 Video Controller Driver for Microsoft Windows 64-bit**

Version: 9.15.1.248 (F) (Optional)

**Enhancements**

- Updated supported environments

---

**Matrox G200eH3 Video Controller Driver for Microsoft Windows 64-bit**

Version: 9.15.1.268 (Optional)

**Enhancements**

- Added Supported Environments
- Added Supported Platforms

---

## Broadcom Firmware Package for BCM5741x adapters

Version: 230.1.123.0 (Recommended)

### **Important Note!**

For Firmware installation, there is no OS and drivers dependency. For Firmware compatibility during production, HPE recommends the drivers for use with the firmware Package product as below,

- Broadcom NetXtreme-E Driver for Microsoft Windows Server, version 230.0.162.0 or later
- HPE Broadcom NetXtreme-E Drivers for Linux, version 1.10.3-230.0.132.0 or later
- HPE Broadcom NetXtreme-E Drivers for VMware, version 2024.09.00 or later

### **Fixes**

- This product addresses an issue where getting Transceiver Temperature erroneous unit value.
- This product addresses an issue when NC-SI Query Pending NC PLDM Response is wrong when NIC does not have a pending PLDM request.
- The product addresses an issue where temperature error messages exceed critical values as seen in the Redfish Device Enablement (RDE) Ports schema when the LinkState is set to Disabled.

### **Enhancements**

- This product enhances the Get Package Status command support.
- This product enhances to add a warning message when a non-supported dual-rate transceiver is used.
- This product enhances the Addition of SFF 8472 Transceiver Power Details to RDE Port Metrics.

### **Supported Devices and Features**

---

## Broadcom Firmware Package for BCM5750x adapters

Version: 230.1.123.0 (Recommended)

### **Important Note!**

For Firmware installation, there is no OS and drivers dependency. For Firmware compatibility during production, HPE recommends the drivers for use with the firmware Package product as below,

- Broadcom NetXtreme-E Driver for Microsoft Windows Server, version 230.0.162.0 or later
- HPE Broadcom NetXtreme-E Drivers for Linux, version 1.10.3-230.0.132.0 or later
- HPE Broadcom NetXtreme-E Drivers for VMware, version 2024.09.00 or later

### **Fixes**

- This product addresses an issue where RDE Port LLDPReceive ManagementAddressMAC returned empty string when it's not present.
- This product addresses an issue where Ethtool shows wrong module type when a port is in a certain breakout mode.
- This product addresses an issue where in low temperature test, BMC reading module temperature result is 0xff.
- This product addresses an issue where failure to set default values for firmware speed capabilities.
- This product enhances support for loopback port statistics via HWRM (Hardware Resource Manager).

- This product addresses an issue where flow control status in dmesg shows wrong TX and RX negotiated status.
- This product addresses an issue where fixed bnxtnvm to verify the VPD data before writing to the NVM.
- This product addresses an issue where ping failures between allmulticast enabled VFs.
- This product addresses where the RoCE protocol's read\_context function in the HWRM (Hardware Resource Manager) component was failing when dealing with the Completion Queue.

### **Enhancements**

- This product enhances the core-dump missing a few entries.
- This product enhances the Hardware CoS queue re-configuration between ifdown/ifup.
- This product enhances to add support for enable/disable RDMA to NCSI command NcsiCmd\_Set\_Partition\_Cfg\_cmd function.
- This product enhances to add support store PLDM Monitoring and Control events before BMC's SetEventReceiver command.
- This product addresses an issue where Tx timeout detected in dmesg while running L2 traffic with 9600 MTU.

### **Supported Devices and Features**

- Broadcom BCM57504 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE
- Broadcom BCM57504 Ethernet 10/25Gb 4-port SFP28 OCP3 Adapter for HPE
- Broadcom BCM57504 Ethernet 10/25Gb 4-port SFP28 OCP3 Adapter for HPE

---

## **Broadcom NX1 Online Firmware Upgrade Utility for Linux x86\_64**

Version: 2.38.0 (Recommended)

### **Important Note!**

HPE recommends HPE Broadcom tg3 Ethernet Drivers, versions 3.139m or later, for use with this firmware.

### **Prerequisites**

- Follow the command line to bring up ethernet device:
- Follow the command line to bring up ethernet device:# ifup ethX or ifconfig ethX up or wicked ifup ethXIf local system doesn't configure any network interface for the adapter that are necessary then to create the network config file to bring up interface.
- For example in sles15sp1, To create ifcfg-ethX files under /etc/sysconfig/network/
- For example in sles15sp1, To create ifcfg-ethX files under /etc/sysconfig/network/

### **Fixes**

- This product addresses a problem that might cause a BSOD when trying to reboot the system from operating Windows systems due to NIC internal software mutex problem.
- This product addresses an issue where a random missing DHCP IP address occurs when the iLO shared NIC port is used, due to NIC internal software mutex problem.
- This product addresses an issue that might cause the POST to get stuck due to NIC internal software mutex problem.

### **Supported Devices and Features**

- Broadcom BCM5719 Ethernet 1Gb 4-port Base-T Adapter for HPE
- Broadcom BCM5719 Ethernet 1Gb 4-port Base-T OCP3 Adapter for HPE
- Broadcom BCM5720 Ethernet 1Gb 2-port BASE-T LOM Adapter for HPE

---

### **Broadcom NX1 Online Firmware Upgrade Utility for VMware**

Version: 1.39.0 (Recommended)

### **Important Note!**

This software package contains combo image v20.30.41 with the following firmware versions:

| NIC                                | Boot Code Version | PXE Version | NCSI Version | UEFI Version |
|------------------------------------|-------------------|-------------|--------------|--------------|
| BCM 5719 1GbE 4p BASE-T Adptr      | 1.55              | 21.6.4      | 1.5.55       | 21.6.74      |
| BCM 5719 1GbE 4p BASE-T OCP3 Adptr | 1.55              | 21.6.4      | 1.5.55       | 21.6.74      |
| BCM 5720 1GbE 2p BASE-T LOM Adptr  | 1.43              | 21.6.4      | 1.5.55       | 21.6.74      |

### **Prerequisites**

This product requires the appropriate driver for your device and operating system to be installed before the firmware is updated.

### **Fixes**

- This product addresses a problem that might cause a BSOD when trying to reboot the system from operating Windows systems due to NIC internal software mutex problem.
- This product addresses an issue where a random missing DHCP IP address occurs when the iLO shared NIC port is used, due to NIC internal software mutex problem.
- This product addresses an issue that might cause the POST to get stuck due to NIC internal software mutex problem.

### **Supported Devices and Features**

- Broadcom BCM5720 Ethernet 1Gb 2-port BASE-T LOM Adapter for HPE
- Broadcom BCM5719 Ethernet 1Gb 4-port Base-T Adapter for HPE
- Broadcom BCM5719 Ethernet 1Gb 4-port Base-T OCP3 Adapter for HPE

---

### **Broadcom NX1 Online Firmware Upgrade Utility for Windows Server x64 Editions**

Version: 5.4.2.0 (Recommended)

### **Important Note!**

This software package contains combo image v20.30.41 with the following firmware versions:

| NIC                                | Boot Code Version | PXE Version | NCSI Version | UEFI Version |
|------------------------------------|-------------------|-------------|--------------|--------------|
| BCM 5719 1GbE 4p BASE-T Adptr      | 1.55              | 21.6.4      | 1.5.55       | 21.6.74      |
| BCM 5719 1GbE 4p BASE-T OCP3 Adptr | 1.55              | 21.6.4      | 1.5.55       | 21.6.74      |
| BCM 5720 1GbE 2p BASE-T LOM Adptr  | 1.43              | 21.6.4      | 1.5.55       | 21.6.74      |



### **Prerequisites**

This product requires the appropriate driver for your device and operating system to be installed before the firmware is updated.

### **Fixes**

- This product addresses a problem that might cause a BSOD when trying to reboot the system from operating Windows systems due to NIC internal software mutex problem.
- This product addresses an issue where a random missing DHCP IP address occurs when the iLO shared NIC port is used, due to NIC internal software mutex problem.
- This product addresses an issue that might cause the POST to get stuck due to NIC internal software mutex problem.

### **Supported Devices and Features**

- Broadcom BCM5719 Ethernet 1Gb 4-port Base-T Adapter for HPE
- Broadcom BCM5719 Ethernet 1Gb 4-port Base-T OCP3 Adapter for HPE
- Broadcom BCM5720 Ethernet 1Gb 2-port BASE-T LOM Adapter for HPE

---

### **HPE Broadcom NetXtreme-E Firmware Package for BCM5741x adapters**

Version: 230.1.123000 (Recommended)

### **Important Note!**

For Firmware installation, there is no OS and drivers dependency. For Firmware compatibility during production, HPE recommends the drivers for use with the firmware Package product as below,

- Broadcom NetXtreme-E Driver for Microsoft Windows Server, version 230.0.162.0 or later
- HPE Broadcom NetXtreme-E Drivers for Linux, version 1.10.3-230.0.132.0 or later
- HPE Broadcom NetXtreme-E Drivers for VMware, version 2024.09.00 or later
- HPE Broadcom NetXtreme-E Drivers for VMware, version 2024.09.00 or later

### **Fixes**

- This product addresses an issue where getting Transceiver Temperature erroneous unit value.
- This product addresses an issue when NC-SI Query Pending NC PLDM Response is wrong when NIC does not have a pending PLDM request.
- This product addresses an issue when NC-SI Query Pending NC PLDM Response is wrong when NIC does not have a pending PLDM request.

### **Enhancements**

- This product enhances the Get Package Status command support.
- This product enhances to add a warning message when a non-supported dual-rate transceiver is used.
- This product enhances the Addition of SFF 8472 Transceiver Power Details to RDE Port Metrics.
- This product enhances the Addition of SFF 8472 Transceiver Power Details to RDE Port Metrics.

---

### **HPE Broadcom NX1 Online Firmware Upgrade Utility Linux x86\_64 for HPE ProLiant Gen10 server series Only.**

Version: 2.38.0 (Recommended)

### **Important Note!**

- This component ONLY support HPE ProLiant Gen10 server series.
- HPE recommends HPE Broadcom tg3 Ethernet Drivers, versions 3.139m or later, for use with this firmware.

### **Prerequisites**

- Follow the command line to bring up ethernet device:
- Follow the command line to bring up ethernet device: If local system doesn't configure any network interface for the adapter that are necessary then to create the network config file to bring up interface.
- For example in sles15sp1, To create ifcfg-ethX files under /etc/sysconfig/network/
- For example in sles15sp1, To create ifcfg-ethX files under /etc/sysconfig/network/

### **Enhancements**

This product enhances NVRAM configuration during the firmware upgrade.

---

## **HPE Broadcom NX1 Online Firmware Upgrade Utility VMware for HPE ProLiant Gen10 server series Only.**

Version: 1.39.0 (Recommended)

### **Important Note!**

- This component ONLY support HPE ProLiant Gen10 server series.
- This software package contains combo image v20.30.41 with the following firmware versions:

| NIC                                                                                                                           | Boot Code<br>Version | PXE<br>Version | NCSI<br>Version | UEFI<br>Version |
|-------------------------------------------------------------------------------------------------------------------------------|----------------------|----------------|-----------------|-----------------|
| HPE Ethernet 1Gb 4-port 331i Adapter (22BE)<br>HPE Ethernet 1Gb 4-port 331FLR Adapter<br>HPE Ethernet 1Gb 4-port 331T Adapter | 1.55                 | 21.6.4         | 1.5.55          | 21.6.74         |
| HPE Ethernet 1Gb 2-port 332i Adapter (22E8)<br>HPE Ethernet 1Gb 2-port 332T Adapter                                           | 1.43                 | 21.6.4         | 1.5.55          | 21.6.74         |

- For previous firmware versions prior to v20.19.51, please refer to the link :  
<https://www.hpe.com/global/swpublishing/MTX-4f19da2bceff4b73a31531d71e>

### **Prerequisites**

This product requires the appropriate driver for your device and operating system be installed before firmware is updated.

### **Enhancements**

This product enhances NVRAM configuration during the firmware upgrade.

---

## **HPE Broadcom NX1 Online Firmware Upgrade Utility Windows Server x64 Editions for HPE ProLiant Gen10 server series Only**

Version: 5.4.2.0 (Recommended)

### **Important Note!**

- This component ONLY support HPE ProLiant Gen10 server series.

This software package contains combo image v20.30.41 with the following firmware versions:

| NIC                                                                                                                           | Boot Code Version | PXE Version | NCSI Version | UEFI Version |
|-------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------|--------------|--------------|
| HPE Ethernet 1Gb 4-port 331i Adapter (22BE)<br>HPE Ethernet 1Gb 4-port 331FLR Adapter<br>HPE Ethernet 1Gb 4-port 331T Adapter | 1.55              | 21.6.4      | 1.5.55       | 21.6.74      |
| HPE Ethernet 1Gb 2-port 332i Adapter (22E8)<br>HPE Ethernet 1Gb 2-port 332T Adapter                                           | 1.43              | 21.6.4      | 1.5.55       | 21.6.74      |

For previous firmware versions prior to v20.19.51, please refer to the link :

<https://www.hpe.com/global/swpublishing/MTX-edfaebf19e1b4179bb5e792e73>

### **Prerequisites**

This product requires the appropriate driver for your device and operating system be installed before firmware is updated.

### **Enhancements**

- This product enhances to add an optional param for CRC (Cyclic Redundancy Check) command to skip the auto fix.
- This product enhances NVRAM configuration during the firmware upgrade.

---

## **HPE Intel Online Firmware Upgrade Utility for Windows Server x64 Editions for HPE ProLiant Gen9 and Gen10 server series Only.**

Version: 5.4.2.0 (Recommended)

### **Important Note!**

- This software package contains the following firmware versions for the below listed supported network adapters:
- This software package contains the following firmware versions for the below listed supported network adapters:

| NIC                                            | EEPROM/NV M Version | OROM Version | Single NVM Version |
|------------------------------------------------|---------------------|--------------|--------------------|
| HPE Ethernet 1Gb 2-port 361i Adapter           | 8000119A            | 1.3612.0     | N/A                |
| HPE Ethernet 1Gb 2-port 361T Adapter           | 80001147            | 1.3612.0     | N/A                |
| HPE Ethernet 1Gb 4-port 366FLR Adapter         | 800011A1            | 1.3612.0     | N/A                |
| HPE Ethernet 1Gb 4-port 366T Adapter           | 800011F1            | 1.3612.0     | N/A                |
| HPE Ethernet 1Gb 2-port 368i Adapter           | 80003AC5            | 1.3612.0     | N/A                |
| HPE Ethernet 1Gb 2-port 368FLR-MMT Adapter     | 80003AC2            | 1.3612.0     | N/A                |
| HPE Ethernet 1Gb 4-port 369i Adapter           | 80003AC3            | 1.3612.0     | N/A                |
| HPE Ethernet 10Gb 2-port 568i Adapter          | 80003AC4            | 1.3612.0     | N/A                |
| HPE Ethernet 10Gb 2-port 568FLR-MMSFP+ Adapter | 80003AC2            | 1.3612.0     | N/A                |

|                                              |          |          |         |
|----------------------------------------------|----------|----------|---------|
| HPE Ethernet 10Gb 2-port 568FLR-MMT Adapter  | 80003AC2 | 1.3612.0 | N/A     |
| HPE Ethernet 10Gb 2-port 563i Adapter        | 800035C0 | 1.1375.0 | N/A     |
| HPE Ethernet 10Gb 2-port 562FLR-SFP+ Adapter | 8000F231 | 1.3612.0 | 11.1.7  |
| HPE Ethernet 10Gb 2-port 562FLR-T Adapter    | 800016F1 | 1.3612.0 | 10.55.3 |
| HPE Ethernet 10Gb 2-port 562SFP+ Adapter     | 8000F232 | 1.3612.0 | 11.1.7  |
| HPE Ethernet 10Gb 2-port 562T Adapter        | 800016EF | 1.3612.0 | 10.55.3 |

- The combo image v1.3612.0 includes: Boot Agent: 1GbE - v1.5.90, 10GbE - v2.4.54, 40GbE - v1.1.45 & UEFI Drivers: 1GbE - v9.8.52, 10GbE - v8.2.46, 40GbE - v5.0.04
- Single NVM Version is new firmware format which represent an unified version in place of the previously used EEPROM/NVM Version or OROM version.
- This software package no longer contains Firmware for the below listed supported network adapters:
- The latest firmware version of above adapters, please refer to the link :  
[https://support.hpe.com/connect/s/softwareDetails?language=en\\_US&softwareId=MTX\\_d7826493bb5a4aa69b4aa9a1d5&tab=releaseNotes](https://support.hpe.com/connect/s/softwareDetails?language=en_US&softwareId=MTX_d7826493bb5a4aa69b4aa9a1d5&tab=releaseNotes)

### **Prerequisites**

This product requires the appropriate driver for your device and operating system be installed before firmware is updated.

### **Enhancements**

This product enhanced the compatibility with the latest drivers.

---

## **HPE Intel Online Firmware Upgrade Utility Linux x86\_64 for HPE ProLiant Gen9 and Gen10 server series Only.**

Version: 1.31.0 (Recommended)

### **Important Note!**

- This component ONLY support HPE ProLiant Gen9 and Gen10 server series.
- HPE Intel igb Drivers for Linux, versions 6.16.9-1 or later
- HPE Intel ixgbe Drivers for Linux , versions 5.20.9-1 or later
- HPE Intel i40e Drivers for Linux, versions 2.25.9-1 or later

### **Prerequisites**

- Follow the command line to bring up ethernet device:
- Follow the command line to bring up ethernet device: If local system doesn't configure any network interface for the adapter that are necessary then to create the network config file to bring up interface.
- For example in sles15sp1, To create ifcfg-ethX files under /etc/sysconfig/network/

### **Enhancements**

This product enhanced the compatibility with the latest drivers.

---

## **HPE Intel Online Firmware Upgrade Utility VMware for HPE ProLiant Gen9 and Gen10 server series Only.**

Version: 3.24.0 (Recommended)

### **Important Note!**

- This software package contains the following firmware versions for the below listed supported network adapters:
- This software package contains the following firmware versions for the below listed supported network adapters:

| NIC                                            | EEPROM/NV<br>M Version | OROM<br>Version | Single NVM<br>Version |
|------------------------------------------------|------------------------|-----------------|-----------------------|
| HPE Ethernet 1Gb 2-port 361i Adapter           | 8000119A               | 1.3612.0        | N/A                   |
| HPE Ethernet 1Gb 2-port 361T Adapter           | 80001147               | 1.3612.0        | N/A                   |
| HPE Ethernet 1Gb 4-port 366FLR Adapter         | 800011A1               | 1.3612.0        | N/A                   |
| HPE Ethernet 1Gb 4-port 366T Adapter           | 800011F1               | 1.3612.0        | N/A                   |
| HPE Ethernet 1Gb 2-port 368i Adapter           | 80003AC5               | 1.3612.0        | N/A                   |
| HPE Ethernet 1Gb 2-port 368FLR-MMT Adapter     | 80003AC2               | 1.3612.0        | N/A                   |
| HPE Ethernet 1Gb 4-port 369i Adapter           | 80003AC3               | 1.3612.0        | N/A                   |
| HPE Ethernet 10Gb 2-port 568i Adapter          | 80003AC4               | 1.3612.0        | N/A                   |
| HPE Ethernet 10Gb 2-port 568FLR-MMSFP+ Adapter | 80003AC2               | 1.3612.0        | N/A                   |
| HPE Ethernet 10Gb 2-port 568FLR-MMT Adapter    | 80003AC2               | 1.3612.0        | N/A                   |
| HPE Ethernet 10Gb 2-port 563i Adapter          | 800035C0               | 1.1375.0        | N/A                   |
| HPE Ethernet 10Gb 2-port 562FLR-SFP+ Adapter   | 8000F231               | 1.3612.0        | 11.1.7                |
| HPE Ethernet 10Gb 2-port 562FLR-T Adapter      | 800016F1               | 1.3612.0        | 10.55.3               |
| HPE Ethernet 10Gb 2-port 562SFP+ Adapter       | 8000F232               | 1.3612.0        | 11.1.7                |
| HPE Ethernet 10Gb 2-port 562T Adapter          | 800016EF               | 1.3612.0        | 10.55.3               |

- The combo image v1.3612.0 includes: Boot Agent: 1GbE - v1.5.90, 10GbE - v2.4.54, 40GbE - v1.1.45 & UEFI Drivers: 1GbE - v9.8.52, 10GbE - v8.2.46, 40GbE - v5.0.04
- Single NVM Version is new firmware format which represent an unified version in place of the previously used EEPROM/NVM Version or OROM version.
- 
- This software package no longer contains Firmware for the below listed supported network adapters:
- The latest firmware version of above adapters, please refer to the link :  
[https://support.hpe.com/connect/s/softwaredetails?language=en\\_US&softwareId=MTX\\_d7826493bb5a4aa69b4aa9a1d5&tab=releaseNotes](https://support.hpe.com/connect/s/softwaredetails?language=en_US&softwareId=MTX_d7826493bb5a4aa69b4aa9a1d5&tab=releaseNotes)
- The latest firmware version of above adapters, please refer to the link :  
[https://support.hpe.com/connect/s/softwaredetails?language=en\\_US&softwareId=MTX\\_d7826493bb5a4aa69b4aa9a1d5&tab=releaseNotes](https://support.hpe.com/connect/s/softwaredetails?language=en_US&softwareId=MTX_d7826493bb5a4aa69b4aa9a1d5&tab=releaseNotes)

### **Prerequisites**

This product requires the appropriate driver for your device and operating system be installed before firmware is updated.

**Enhancements**

This product enhanced the compatibility with the latest drivers.

---

**HPE QLogic FastLinQ Firmware Package for Arrowhead adapters**

Version: 8.65.14 (Recommended)

**Important Note!**

For Firmware installation, there is no OS and drivers dependency. For Firmware compatibility during production, HPE recommends the drivers for use with the firmware Package product as below,

- HPE QLogic FastLinQ 10/25/50 GbE Drivers for Linux, version 8.74.4.0-8 or later
- HPE QLogic FastLinQ 10/25/50 GbE Drivers for Microsoft Windows Server x64 Editions, version 8.72.15.0 or later
- HPE QLogic FastLinQ 10/25/50 GbE Multifunction Drivers for VMware, version 2024.09.00 or later

This software package contains combo image v8.65.14. This combo image includes: Boot Code (MFW): 8.65.5.0, PXE:2.0.19, and UEFI: 4.1.13.1.

**Enhancements**

This product enhanced the compatibility with drivers.

---

**HPE QLogic NX2 Online Firmware Upgrade Utility for Linux x86\_64**

Version: 2.35.0 (Recommended)

**Important Note!**

HPE recommends HPE QLogic NX2 10/20GbE Multifunction Drivers for Linux, versions 7.15.23-2 or later, for use with the firmware in this package.

**Prerequisites**

- For example in sles15sp1, To create ifcfg-ethX files under /etc/sysconfig/network/.

**Enhancements**

This product enhanced the compatibility with drivers.

---

**HPE QLogic NX2 Online Firmware Upgrade Utility for VMware**

Version: 1.35.0 (Recommended)

**Important Note!**

This software package contains combo image v7.19.27 with the following firmware versions:

| NIC                                                                          | Boot<br>Code<br>Version | PXE<br>Version | UEFI<br>Version | iSCSI<br>Version | FCoE<br>Version | CCM<br>Version | L2<br>Version |
|------------------------------------------------------------------------------|-------------------------|----------------|-----------------|------------------|-----------------|----------------|---------------|
| HPE Ethernet 10Gb 2-port<br>530SFP+ Adapter<br>HPE Ethernet 10Gb 2-port 530T | 7.16.15                 | 7.14.13        | 8.9.3           | n/a              | n/a             | 7.14.4         | 7.12.25       |

| Adapter                                   |         |         |       |        |        |        |         |
|-------------------------------------------|---------|---------|-------|--------|--------|--------|---------|
| HPE Ethernet 10Gb 2-port 533FLR-T Adapter | 7.16.15 | 7.14.13 | 8.9.3 | 7.14.0 | 7.14.3 | 7.14.4 | 7.12.25 |

#### **Prerequisites**

This product requires the appropriate driver for your device and operating system be installed before firmware is updated.

#### **Enhancements**

This product enhanced the compatibility with drivers.

---

### **HPE QLogic NX2 Online Firmware Upgrade Utility for Windows Server x64 Editions**

Version: 5.3.7.0 (Recommended)

#### **Important Note!**

- HPE QLogic NX2 10/20GbE Multifunction Drivers for Windows Server x64 Editions, version 7.13.206.0 or later

This software package contains combo image v7.19.27 with the following firmware versions:

| NIC                                       | Boot Code Version | PXE Version | UEFI Version | iSCSI Version | FCoE Version | CCM Version | L2 Version |
|-------------------------------------------|-------------------|-------------|--------------|---------------|--------------|-------------|------------|
| HPE Ethernet 10Gb 2-port 530SFP+ Adapter  | 7.16.15           | 7.14.13     | 8.9.3        | n/a           | n/a          | 7.14.4      | 7.12.25    |
| HPE Ethernet 10Gb 2-port 530T Adapter     |                   |             |              |               |              |             |            |
| HPE Ethernet 10Gb 2-port 533FLR-T Adapter | 7.16.15           | 7.14.13     | 8.9.3        | 7.14.0        | 7.14.3       | 7.14.4      | 7.12.25    |

The users will only see the combo image versions in the interactive mode firmware update or while using HPESUM/SPP to update the firmware on the supported adapters."

#### **Prerequisites**

This product requires the appropriate driver for your device and operating system be installed before firmware is updated.

#### **Enhancements**

This product enhanced the compatibility with drivers.

---

### **Intel Firmware Package For E810-CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter**

Version: 4.50 (Recommended)

#### **Important Note!**

For Firmware installation, there is no OS and drivers dependency. For Firmware compatibility during production, HPE recommends the drivers for use with the firmware Package product as below,

- Intel icea Driver for Microsoft Windows Server, version 1.15.121.0 or later
- Intel ice Drivers for Linux, version 1.14.11-1 or later
- Intel icen Driver for VMware, version 2024.09.00 or later
- Intel icen Driver for VMware, version 2024.09.00 or later This FW version does not support Port.Reset RDE metrics. This product will be enhance to improve the functions in the future release

### **Fixes**

- This product addressed an issue where Network Interface initialization failure under OS or Firmware rollback may be seen with LLDP enabled.
- This product addressed an issue where RDE PermanentMACAddress changes simultaneously when send PATCH request for MACAddress property with Firmware 4.30.

### **Enhancements**

This product introduced power restrictions of 4.5 watts per port.

### **Supported Devices and Features**

- Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE

---

## **Intel Firmware Package For E810-CQDA2 Ethernet 100Gb 2-port QSFP28 OCP3 Adapter**

Version: 4.50 (Recommended)

### **Important Note!**

For Firmware installation, there is no OS and drivers dependency. For Firmware compatibility during production, HPE recommends the drivers for use with the firmware Package product as below,

- Intel icea Driver for Microsoft Windows Server, version 1.15.121.0 or later
- Intel ice Drivers for Linux, version 1.14.11-1 or later
- Intel icen Driver for VMware, version 2024.09.00 or later
- This FW version does not support Port.Reset RDE metrics. This product will be enhance to improve the functions in the future release

### **Fixes**

- This product addressed an issue where Network Interface initialization failure under OS or Firmware rollback may be seen with LLDP enabled.
- This product addressed an issue where RDE PermanentMACAddress changes simultaneously when send PATCH request for MACAddress property with Firmware 4.30.

### **Enhancements**

This product introduced power restrictions of 4.5 watts per port.

### **Supported Devices and Features**

- Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 OCP3 Adapter for HPE

---

## **Intel Firmware Package For E810-XXVDA2 Ethernet 10/25Gb 2-port SFP28 Adapter**

Version: 4.50 (Recommended)



### **Important Note!**

For Firmware installation, there is no OS and drivers dependency. For Firmware compatibility during production, HPE recommends the drivers for use with the firmware Package product as below,

- Intel icea Driver for Microsoft Windows Server, version 1.15.121.0 or later
- Intel ice Drivers for Linux, version 1.14.11-1 or later
- Intel icen Driver for VMware, version 2024.09.00 or later
- Intel icen Driver for VMware, version 2024.09.00 or later This FW version does not support Port.Reset RDE metrics. This product will be enhance to improve the functions in the future release

### **Fixes**

- This product addressed an issue where Network Interface initialization failure under OS or Firmware rollback may be seen with LLDP enabled.
- This product addressed an issue where RDE PermanentMACAddress changes simultaneously when send PATCH request for MACAddress property with Firmware 4.30.

### **Enhancements**

This product introduced power restrictions of 4.5 watts per port.

### **Supported Devices and Features**

- Intel E810-XXVDA2 Ethernet 10/25Gb 2-port SFP28 Adapter for HPE

---

## **Intel Firmware Package For E810-XXVDA2 Ethernet 10/25Gb 2-port SFP28 OCP3 Adapter**

Version: 4.50 (Recommended)

### **Important Note!**

For Firmware installation, there is no OS and drivers dependency. For Firmware compatibility during production, HPE recommends the drivers for use with the firmware Package product as below,

- Intel icea Driver for Microsoft Windows Server, version 1.15.121.0 or later
- Intel ice Drivers for Linux, version 1.14.11-1 or later
- Intel icen Driver for VMware, version 2024.09.00 or later
- Intel icen Driver for VMware, version 2024.09.00 or later This FW version does not support Port.Reset RDE metrics. This product will be enhance to improve the functions in the future release

### **Fixes**

- This product addressed an issue where Network Interface initialization failure under OS or Firmware rollback may be seen with LLDP enabled.
- This product addressed an issue where RDE PermanentMACAddress changes simultaneously when send PATCH request for MACAddress property with Firmware 4.30.

### **Enhancements**

This product introduced power restrictions of 4.5 watts per port.

### **Supported Devices and Features**

- Intel E810-XXVDA2 Ethernet 10/25Gb 2-port SFP28 OCP3 Adapter for HPE

---

## Intel Firmware Package For E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 Adapter

Version: 4.50 (Recommended)

### **Important Note!**

For Firmware installation, there is no OS and drivers dependency. For Firmware compatibility during production, HPE recommends the drivers for use with the firmware Package product as below,

- Intel icea Driver for Microsoft Windows Server, version 1.15.121.0 or later
- Intel ice Drivers for Linux, version 1.14.11-1 or later
- Intel icen Driver for VMware, version 2024.09.00 or later
- Intel icen Driver for VMware, version 2024.09.00 or later This FW version does not support Port.Reset RDE metrics. This product will be enhance to improve the functions in the future release

### **Fixes**

- This product addressed an issue where Network Interface initialization failure under OS or Firmware rollback may be seen with LLDP enabled.
- This product addressed an issue where RDE PermanentMACAddress changes simultaneously when send PATCH request for MACAddress property with Firmware 4.30.
- This product addressed an issue where data is interchanged of Port 1 and Port 4 when running a Redfish GET Operation under the NetworkAdapter, NetworkDeviceFunctions and Port Schema with "Metrics" properties.

### **Enhancements**

This product introduced power restrictions of 4.5 watts per port.

### **Supported Devices and Features**

- Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE

---

## Intel Online Firmware Upgrade Utility for Linux x86\_64

Version: 1.31.0 (Recommended)

### **Prerequisites**

This product requires the appropriate driver for your device and operating system be installed before firmware is updated.

### **Enhancements**

This product enhanced the compatibility with the latest drivers.

### **Supported Devices and Features**

- HPE Ethernet 1Gb 4-port BaseT I350-T4 Adapter
- HPE Ethernet 1Gb 4-port BaseT I350-T4 OCP3 Adapter
- HPE Ethernet 10Gb 2-port SFP+ X710-DA2 Adapter
- HPE Ethernet 10Gb 2-port SFP+ X710-DA2 OCP3 Adapter

---

## Intel Online Firmware Upgrade Utility for VMware

Version: 3.24.0 (Recommended)

### **Important Note!**

This software package contains the following firmware versions for the below listed supported network adapters:

| NIC                                                   | EEPROM/N<br>VM Version | OROM<br>Version | NVM<br>Version |
|-------------------------------------------------------|------------------------|-----------------|----------------|
| HPE Ethernet 10Gb 2-port SFP+ OCP3 X710-DA2 Adapter   | 8000F134               | 1.3602.0        | 9.5            |
| HPE Ethernet 10Gb 2-port SFP+ X710-DA2 Adapter        | 8000F13D               | 1.3602.0        | 9.5            |
| Intel I350-T4 Ethernet 1Gb 4-port BASE-T Adapter      | 800011F8               | 1.3602.0        | N/A            |
| Intel I350-T4 Ethernet 1Gb 4-port BASE-T OCP3 Adapter | 80001234               | 1.3602.0        | N/A            |

Single NVM Version is new firmware format which represent an unified version in place of the previously used EEPROM/NVM Version or OROM version.

### **Prerequisites**

This product requires the appropriate driver for your device and operating system be installed before firmware is updated.

### **Enhancements**

This product enhanced the compatibility with the latest drivers.

### **Supported Devices and Features**

- HPE Ethernet 1Gb 4-port BaseT I350-T4 Adapter
- HPE Ethernet 1Gb 4-port BaseT I350-T4 OCP3 Adapter
- HPE Ethernet 10Gb 2-port SFP+ X710-DA2 Adapter
- HPE Ethernet 10Gb 2-port SFP+ X710-DA2 OCP3 Adapter

---

## Intel Online Firmware Upgrade Utility for Windows Server x64 Editions

Version: 5.4.2.0 (Recommended)

### **Important Note!**

This software package contains the following firmware versions for the below listed supported network adapters:

| NIC                                                 | EEPROM/N<br>VM Version | OROM<br>Version | NVM<br>Version |
|-----------------------------------------------------|------------------------|-----------------|----------------|
| HPE Ethernet 10Gb 2-port SFP+ OCP3 X710-DA2 Adapter | 8000F134               | 1.3602.0        | 9.5            |
| HPE Ethernet 10Gb 2-port SFP+ X710-DA2 Adapter      | 8000F13D               | 1.3602.0        | 9.5            |
| Intel I350-T4 Ethernet 1Gb 4-port BASE-T Adapter    | 800011F8               | 1.3602.0        | N/A            |
| Intel I350-T4 Ethernet 1Gb 4-port BASE-T            | 80001234               | 1.3602.0        | N/A            |

|              |  |  |  |
|--------------|--|--|--|
| OCP3 Adapter |  |  |  |
|--------------|--|--|--|

Single NVM Version is new firmware format which represent an unified version in place of the previously used EEPROM/NVM Version or OROM version.

### **Prerequisites**

This product requires the appropriate driver for your device and operating system be installed before firmware is updated.

### **Enhancements**

This product enhanced the compatibility with the latest drivers.

### **Supported Devices and Features**

- HPE Ethernet 1Gb 4-port BaseT I350-T4 Adapter
- HPE Ethernet 1Gb 4-port BaseT I350-T4 OCP3 Adapter
- HPE Ethernet 10Gb 2-port SFP+ X710-DA2 Adapter
- HPE Ethernet 10Gb 2-port SFP+ X710-DA2 OCP3 Adapter

---

## **Mellanox Firmware Package (FWPKG) - Mellanox MCX631102AS-ADAT Ethernet 10/25Gb 2-port SFP28 Adapter for HPE**

Version: 26.41.1000 (Recommended)

### **Important Note!**

Disclaimer: Certain software including drivers and documents may be available from NVIDIA. If you select a URL that directs you to <http://www.nvidia.com/>, you are then leaving HPE.com. Please follow the instructions on <http://www.nvidia.com/> to download NVIDIA software or documentation. When downloading the NVIDIA software or documentation, you may be subject to NVIDIA terms and conditions, including licensing terms, if any, provided on its website or otherwise. HPE is not responsible for your use of any software or documents that you download from <http://www.nvidia.com/>, except that HPE may provide a limited warranty for NVIDIA software in accordance with the terms and conditions of your purchase of the HPE product or solution. A list of known issues with this release is available at: <https://docs.nvidia.com/networking/display/connectx6lxfirmwarev26411000/known+issues>

### **Prerequisites**

FWPKG will work only if the firmware version flashed on the adapter is 20.27.1016 or later and iLO5 firmware version must be 2.30 or higher.

### **Fixes**

- Traffic failure occurred when modifying the VIRTIO\_NET\_F\_MRG\_RXBUF bit for the VDPA device during traffic.
- The second mkey index returned even if it was not set in the creation of the virtio q when querying virtio q object.
- Traffic loss occurred after performing Live Migration with virtio vq "frozen-ready" feature.

Note: When the traffic load is high, and the vq frozen-ready cap is on, traffic loss might still be experienced after modifying the vq from suspend to ready mode.

## **Enhancements**

### Security Hardening Enhancements:

This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device's firmware to this release to improve the firmware security and reliability of your device.

### Security Hardening Enhancements:

This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device's firmware to this release to improve the firmware security and reliability of your device. New features and changes included in version 26.41.1000:

- Implemented Deterministic Random Bit Generator (DRBG) algorithm on top of firmware TRNG (the source for raw data input) in accordance with NIST SP800-90A.
- Added support for vDPA virtual queue state change from suspend to ready, and discrete mkey for descriptor. vDPA Live Migration uses these two new capabilities to reduce downtime since vq can go back to ready state for traffic and descriptor-only-mkey can help reduce mkey mapping time.
- Added a new NVConfig option to copy AR bit from the BTH header to the DHCP header.
- Added the option to provide field's offset and length in Steering add\_action option.
- Added support for steering match on packet l4\_type through FTG/FTE.
- Extended Flex Parser merge mechanism to support hardware capabilities.
- Enabled the option to disable the native parser when the parse graph node is configured with the same conditions.
- Added support for father/son headers parsing.
- Added support for tunnel\_offload in LRO.

## **Supported Devices and Features**

| HPE Part Number | Mellanox Ethernet Only Adapters                                         | PSID          |
|-----------------|-------------------------------------------------------------------------|---------------|
| P42044-B21      | Mellanox MCX631102AS-ADAT Ethernet 10/25Gb 2-port SFP28 Adapter for HPE | MT_0000000575 |

---

## **Mellanox Firmware Package (FWPKG) - Mellanox MCX631432AS-ADAI Ethernet 10/25Gb 2-port SFP28 OCP3 Adapter for HPE**

Version: 26.41.1000 (Recommended)

## **Important Note!**

Disclaimer: Certain software including drivers and documents may be available from NVIDIA. If you select a URL that directs you to <http://www.nvidia.com/>, you are then leaving HPE.com. Please follow the instructions on <http://www.nvidia.com/> to download NVIDIA software or documentation. When downloading the NVIDIA software or documentation, you may be subject to NVIDIA terms and conditions, including licensing terms, if any, provided on its website or otherwise. HPE is not responsible for your use of any software or documents that you download from <http://www.nvidia.com/>, except that HPE may provide a limited warranty for NVIDIA software in accordance with the terms and conditions of your purchase of the HPE product or solution. A list of known issues with this release is available at:

## **Prerequisites**

FWPKG will work only if the firmware version flashed on the adapter is 20.27.1016 or later and iLO5 firmware version must be 2.30 or higher.

## **Fixes**

- Traffic failure occurred when modifying the VIRTIO\_NET\_F\_MRG\_RXBUF bit for the VDPA device during traffic.
- The second mkey index returned even if it was not set in the creation of the virtio q when querying virtio q object.
- Traffic loss occurred after performing Live Migration with virtio vq "frozen-ready" feature.

Note: When the traffic load is high, and the vq frozen-ready cap is on, traffic loss might still be experienced after modifying the vq from suspend to ready mode.

## **Enhancements**

Security Hardening Enhancements:

This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device's firmware to this release to improve the firmware security and reliability of your device.

Security Hardening Enhancements:

This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device's firmware to this release to improve the firmware security and reliability of your device. New features and changes included in version 26.41.1000:

- Implemented Deterministic Random Bit Generator (DRBG) algorithm on top of firmware TRNG (the source for raw data input) in accordance with NIST SP800-90A.
- Added support for vDPA virtual queue state change from suspend to ready, and discrete mkey for descriptor. vDPA Live Migration uses these two new capabilities to reduce downtime since vq can go back to ready state for traffic and descriptor-only-mkey can help reduce mkey mapping time.
- Added a new NVConfig option to copy AR bit from the BTH header to the DHCP header.
- Added the option to provide field's offset and length in Steering add\_action option.
- Added support for steering match on packet l4\_type through FTG/FTE.
- Extended Flex Parser merge mechanism to support hardware capabilities.
- Enabled the option to disable the native parser when the parse graph node is configured with the same conditions.
- Added support for father/son headers parsing.
- Added support for tunnel\_offload in LRO.

## **Supported Devices and Features**

| HPE Part Number | Mellanox Ethernet Only Adapters                                              | PSID          |
|-----------------|------------------------------------------------------------------------------|---------------|
| P42041-B21      | Mellanox MCX631432AS-ADAI Ethernet 10/25Gb 2-port SFP28 OCP3 Adapter for HPE | MT_0000000551 |

---

## Mellanox Firmware Package (FWPKG) for Mellanox MCX562A-ACAI Ethernet 10/25Gb 2-port SFP28 OCP3 Adapter for HPE

Version: 16.35.3502 (Recommended)

### **Important Note!**

Disclaimer: Certain software including drivers and documents may be available from NVIDIA. If you select a URL that directs you to <http://www.nvidia.com/>, you are then leaving HPE.com. Please follow the instructions on <http://www.nvidia.com/> to download NVIDIA software or documentation. When downloading the NVIDIA software or documentation, you may be subject to NVIDIA terms and conditions, including licensing terms, if any, provided on its website or otherwise. HPE is not responsible for your use of any software or documents that you download from <http://www.nvidia.com/>, except that HPE may provide a limited warranty for NVIDIA software in accordance with the terms and conditions of your purchase of the HPE product or solution. A list of known issues with this release is available at: <https://docs.nvidia.com/networking/display/connectx5firmwarev16353502/known+issues>

### **Prerequisites**

FWPKG will work only if the firmware version flashed on the adapter is 16.27.1016 or later and iLO5 firmware version must be 2.30 or higher.

### **Fixes**

No fixes are included in version 16.35.3502.

### **Enhancements**

Important:

Security Hardening Enhancements - This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device firmware to this version to improve the firmware security and reliability of your device.

Important:

Security Hardening Enhancements - This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device firmware to this version to improve the firmware security and reliability of your device.

New features and changes included in version 16.35.3502:

- Modified the TCP IPv4 flows so that the steering TIR rx\_hash\_symmetric field is now valid only when both the SRC and DST fields are not set to zero.

### **Supported Devices and Features**

| HPE Part Number | Mellanox Ethernet Only Adapters                                         | PSID          |
|-----------------|-------------------------------------------------------------------------|---------------|
| P42044-B21      | Mellanox MCX631102AS-ADAT Ethernet 10/25Gb 2-port SFP28 Adapter for HPE | MT_0000000575 |

---

## Mellanox Firmware Package (FWPKG) for HPE Ethernet 100Gb 1-port QSFP28 PCIe3 x16 MCX515A-CCAT Adapter : HPE part numbers P31246-B21 and P31246-H21

Version: 16.35.4030 (Recommended)

### **Important Note!**

Choose the appropriate firmware file format based on your preference and what suits your environment. Disclaimer: Certain software including drivers and documents may be available from NVIDIA. If you select a URL that directs you to <http://www.nvidia.com/>, you are then leaving HPE.com. Please follow the instructions on <http://www.nvidia.com/> to download NVIDIA software or documentation. When downloading the NVIDIA software or documentation, you may be subject to NVIDIA terms and conditions, including licensing terms, if any, provided on its website or otherwise. HPE is not responsible for your use of any software or documents that you download from <http://www.nvidia.com/>, except that HPE may provide a limited warranty for NVIDIA software in accordance with the terms and conditions of your purchase of the HPE product or solution. A list of known issues with this release is available at: <https://docs.nvidia.com/networking/display/connectx5firmwarev16354030/known+issues>

### **Prerequisites**

FWPKG will work only if the firmware version flashed on the adapter is 16.27.1016 or later and iLO5 firmware version must be 2.30 or higher.

### **Fixes**

- VF FLR would get stuck when its PF triggered the FLR as well.
- Unexpected source UDP port appeared in RoCE packets when the firmware ignored a non-PF driver configuration for RoCE source UDP port control (as set in SET\_HCA\_CAP.sw\_r\_roce\_src\_udp\_port).
- Unexpected source UDP port appeared in RoCE packets when the firmware ignored a non-PF driver configuration for RoCE source UDP port control (as set in SET\_HCA\_CAP.sw\_r\_roce\_src\_udp\_port).

### **Enhancements**

Important:

Security Hardening Enhancements - This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device firmware to this version to improve the firmware security and reliability of your device.

Important:

Security Hardening Enhancements - This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device firmware to this version to improve the firmware security and reliability of your device. New features and changes included in version 16.35.4030:

- Added support for postponing QP timeout "retry exceeded" errors for traffic directed at specific destinations. This new capability prevents broken connections for destinations in downtime because of live migration.

### **Supported Devices and Features**

This software package contains the following firmware versions:

| Mellanox Ethernet Only Adapters                         | Firmware Version | PSID          |
|---------------------------------------------------------|------------------|---------------|
| HPE Ethernet 100Gb 1-port QSFP28 PCIe3 x16 MCX515A-CCAT | 16.35.4030       | MT_0000000591 |



|                                    |  |  |
|------------------------------------|--|--|
| Adapter(P31246-B21 and P31246-H21) |  |  |
|------------------------------------|--|--|

## Mellanox Firmware Package (FWPKG) for HPE InfiniBand HDR100/Ethernet 100Gb 2-port QSFP56 PCIe4 x16 MCX653106A-ECAT Adapter : HPE part numbers P23666-B21 and P23666-H21

Version: 20.41.1000 (Recommended)

### **Important Note!**

Choose the appropriate firmware file format based on your preference and what suits your environment. ConnectX-6 VPI supports having one port as InfiniBand and the other port as Ethernet according to the following matrix of combinations.

| Port #2 - InfiniBand |            |               |               |           |
|----------------------|------------|---------------|---------------|-----------|
| Port #1 - Ethernet   | HDR/HDR100 | EDR           | FDR           | QDR       |
| 200GbE/50GbE         | supported  | not supported | not supported | supported |
| 100GbE/25GbE         | supported  | not supported | not supported | supported |
| 40GbE/10GbE          | supported  | not supported | not supported | supported |
| 1GbE                 | supported  | not supported | not supported | supported |

| Port #2 - Ethernet   |               |               |               |               |
|----------------------|---------------|---------------|---------------|---------------|
| Port #1 - InfiniBand | 200GbE/50GbE  | 100GbE/25GbE  | 40GbE/10GbE   | 1GbE          |
| HDR / HDR100         | supported     | supported     | not supported | supported     |
| EDR                  | supported     | supported     | not supported | supported     |
| FDR                  | not supported | not supported | not supported | not supported |
| QDR/SDR              | supported     | supported     | not supported | supported     |

Disclaimer: Certain software including drivers and documents may be available from NVIDIA. If you select a URL that directs you to <http://www.nvidia.com/>, you are then leaving HPE.com. Please follow the instructions on <http://www.nvidia.com/> to download NVIDIA software or documentation. When downloading the NVIDIA software or documentation, you may be subject to NVIDIA terms and conditions, including licensing terms, if any, provided on its website or otherwise. HPE is not responsible for your use of any software or documents that you download from <http://www.nvidia.com/>, except that HPE may provide a limited warranty for NVIDIA software in accordance with the terms and conditions of your purchase of the HPE product or solution. A list of known issues with this release is available at: <https://docs.nvidia.com/networking/display/connectx6firmwarev20411000/known+issues>"

### **Prerequisites**

FWPKG will work only if the firmware version flashed on the adapter is 20.27.1016 or later and iLO5 firmware version must be 2.30 or higher.

### **Fixes**

No fixes are included in version 20.41.1000.

### **Enhancements**

Security Hardening Enhancements:

This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device's firmware to this release to improve the firmware security and reliability of your device.

#### Security Hardening Enhancements:

This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device's firmware to this release to improve the firmware security and reliability of your device. New features and changes included in version 20.41.1000:

- Added support for steering match on packet l4\_type through FTG/FTE.

### **Supported Devices and Features**

This software package contains the following firmware versions:

| Mellanox InfiniBand Adapter                                                                                     | Firmware Version | PSID          |
|-----------------------------------------------------------------------------------------------------------------|------------------|---------------|
| HPE InfiniBand HDR/Ethernet 200Gb 2-port QSFP56 PCIe4 x16<br>MCX653106A-HDAT Adapter(P31324-B21 and P31324-H21) | 20.41.1000       | MT_0000000594 |

---

### **Mellanox Firmware Package (FWPKG) for Mellanox MCX623106AS-CDAT Ethernet 100Gb 2-port QSFP56 Adapter for HPE**

Version: 22.41.1000 (Recommended)

### **Important Note!**

Disclaimer: Certain software including drivers and documents may be available from NVIDIA. If you select a URL that directs you to <http://www.nvidia.com/>, you are then leaving HPE.com. Please follow the instructions on <http://www.nvidia.com/> to download NVIDIA software or documentation. When downloading the NVIDIA software or documentation, you may be subject to NVIDIA terms and conditions, including licensing terms, if any, provided on its website or otherwise. HPE is not responsible for your use of any software or documents that you download from <http://www.nvidia.com/>, except that HPE may provide a limited warranty for NVIDIA software in accordance with the terms and conditions of your purchase of the HPE product or solution. A list of known issues with this release is available at: <https://docs.nvidia.com/networking/display/connectx6dxfirmwarev22411000/known+issues>

### **Prerequisites**

FWPKG will work only if the firmware version flashed on the adapter is 22.27.1016 or later and iLOS firmware version must be 2.30 or higher.

### **Fixes**

- GTP length field was automatically modified at the TX side when an incorrect or invalid length was detected.
- Switch port would go down due to MC packets mirrored back to the switch when in promiscuous mode.
- Traffic failure occurred when modifying the VIRTIO\_NET\_F\_MRG\_RXBUF bit for the VDPA device during traffic.
- The second mkey index returned even if it was not set in the creation of the virtio q when querying virtio q object.

- Traffic loss occurred after performing Live Migration with virtio vq "frozen-ready" feature.

Note: When the traffic load is high, and the vq frozen-ready cap is on, traffic loss might still be experienced after modifying the vq from suspend to ready mode.

## **Enhancements**

Security Hardening Enhancements:

This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device's firmware to this release to improve the firmware security and reliability of your device.

Security Hardening Enhancements:

This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device's firmware to this release to improve the firmware security and reliability of your device. New features and changes included in version 22.41.1000:

- The new unified\_fdb subdomain simplifies the FDB model by eliminating the need to duplicate rules for RX and TX tables. This domain is directionless, meaning no RX/TX specific actions are allowed. Firmware now handles packet transitions IN and OUT of the unified domain, allowing for a more streamlined packet flow management. Software can now transition between unified\_fdb and FDB\_RX/FDB\_TX domains as long as the packet maintains the same direction, without the risk of dropping the packet when crossing between RX and TX.
- Implemented Deterministic Random Bit Generator (DRBG) algorithm on top of firmware TRNG (the source for raw data input) in accordance with NIST SP800-90A.
- Added support for vDPA virtual queue state change from suspend to ready, and discrete mkey for descriptor. vDPA Live Migration uses these two new capabilities to reduce downtime since vq can go back to ready state for traffic and descriptor-only-mkey can help reduce mkey mapping time.
- Added the ability to generate up to 2<sup>30</sup> STE objects through the general object creation command.
- Added a new NVConfig option to copy AR bit from the BTH header to the DHCP header.
- Added the option to provide field's offset and length in Steering add\_action option.
- Added support for steering match on packet I4\_type through FTG/FTE.
- Extended Flex Parser merge mechanism to support hardware capabilities.
- Enabled the option to disable the native parser when the parse graph node is configured with the same conditions.
- Added support for father/son headers parsing.
- Added support for tunnel\_offload in LRO.

## **Supported Devices and Features**

| HPE Part Number | Mellanox Ethernet Only Adapters                                        | PSID          |
|-----------------|------------------------------------------------------------------------|---------------|
| P25960-B21      | Mellanox MCX623106AS-CDAT Ethernet 100Gb 2-port QSFP56 Adapter for HPE | MT_0000000437 |

---

## **Mellanox Firmware Package(FWPKG) for HPE Ethernet 10/25Gb 2-port SFP28 MCX512F-ACHT Adapter**

Version: 16.35.3502 (Recommended)

### **Important Note!**

Disclaimer: Certain software including drivers and documents may be available from NVIDIA. If you select a URL that directs you to <https://www.nvidia.com/>, you are then leaving HPE.com. Please follow the instructions on <https://www.nvidia.com/> to download NVIDIA software or documentation. When downloading the NVIDIA software or documentation, you may be subject to NVIDIA terms and conditions, including licensing terms, if any, provided on its website or otherwise. HPE is not responsible for your use of any software or documents that you download from <https://www.nvidia.com/>, except that HPE may provide a limited warranty for NVIDIA software in accordance with the terms and conditions of your purchase of the HPE product or solution. A list of known issues with this release is available at: <https://docs.nvidia.com/networking/display/connectx5firmwarev16353502/known+issues>

### **Prerequisites**

FWPKG will work only if the firmware version flashed on the adapter is 16.27.1016 or later and iLO5 firmware version must be 2.30 or higher.

### **Fixes**

No fixes are included in version 16.35.3502.

### **Enhancements**

Important :

Security Hardening Enhancements - This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device firmware to this version to improve the firmware security and reliability of your device.

- Modified the TCP IPv4 flows so that the steering TIR rx\_hash\_symmetric field is now valid only when both the SRC and DST fields are not set to zero.

### **Supported Devices and Features**

| HPE Part Number | Mellanox Ethernet Only Adapters                        | PSID          |
|-----------------|--------------------------------------------------------|---------------|
| P13188-B21      | HPE Ethernet 10/25Gb 2-port SFP28 MCX512F-ACHT Adapter | MT_0000000416 |

---

### **Online Firmware Upgrade Utility (ESXi 7.0) for HPE Mellanox Ethernet only adapters**

Version: 1.0.8 (Recommended)

### **Important Note!**

The Firmware Upgrade Utility has been split into 2 packages for Mellanox Ethernet Only NIC adapters, one supporting Synergy platforms and the other supporting ProLiant and Apollo platforms. This package supports Mellanox Ethernet Only NIC adapters on ProLiant and Apollo servers.

### **Prerequisites**

Use iLO5 firmware version 2.30 or higher with ConnectX4-Lx/ConnectX5 firmware version 14.32.1010/16.32.1010 (or later) respectively. Thermal sensor reporting on the adapter will not be functional with older versions of iLO5 firmware.

## **Fixes**

- Firmware got into an unresponsive state and caused unexpected behavior when connecting an optical transceiver that support RxLOS and the remote side port was down.
  - The system could not create more than 128K QPs.
  - On rare occasions, the system got into an unresponsive state when a peer port went down while using an Optical module.
  - Packet Pacing rate was used if asymmetric VFs was enabled.
  - Incorrect RNR timeout when trying to set it during the rts2rts\_qp transition.
  - Issue with RSS on IPSec flows in ConnectX-4 Lx led to performance degradation. In this scenario, the SPI optimization caused packets from a given host to hash to the same CPU core. The fix was to ignore SPI optimization according to l4\_type in ConnectX-4 Lx adapter cards.
  - The GetInventory NC-SI command reported leading 0xf in firmware version when it started with 0.
- No fixes are included in firmware version 16.35.3502.

## **Enhancements**

- 817749-B21 (HPE Ethernet 25Gb 2-port 640FLR-SFP28 Adapter)
- 817753-B21 (HPE Ethernet 25Gb 2-port 640SFP28 Adapter)
- Added 3 new assert filters (Health buffer, NVlog, FW trace). The assert will be exposed now if its severity level is equal to or above the new filter.
- Enabled Rate Limit per VM instead of VM-TC. This capability is implemented by adding support to a new Scheduling element type: rate limit elements that will connect to the rate\_limit and will share its rate limit.
- Added support for asymmetrical VFs per PF. To enable it:PF\_NUM\_OF\_VF\_VALID must be true, and PF\_NUM\_OF\_VF to a non-zero value.
- Limited the external loopback speed to the used module's capabilities.
- Improved linkup time when using the fast linkup capability.
- Added support for the slow\_restart and slow\_restart\_idle parameters to enable Zero Touch RoCE capability.
- Modified the TCP IPv4 flows so that the steering TIR rx\_hash\_symmetric field is now valid only when both the SRC and DST fields are not set to zero.

## **Supported Devices and Features**

| HPE Part Number | Mellanox Ethernet Only Adapters               | PSID          |
|-----------------|-----------------------------------------------|---------------|
| 817749-B21      | HPE Ethernet 25Gb 2-port 640FLR-SFP28 Adapter | HP_2690110034 |
| 817753-B21      | HPE Ethernet 25Gb 2-port 640SFP28 Adapter     | HP_2420110034 |

---

## **Online Firmware Upgrade Utility (ESXi 7.0) for HPE Mellanox VPI (Ethernet and Infiniband mode) ConnectX4 and ConnectX5 devices on VMware ESXi 7.0**

Version: 1.0.7 (Recommended)

## **Fixes**

Fixes an issue that caused the DCR to be destroyed before the retry option managed to work when the retry timeout is too big. In this case the DCR' time-to-live was increased, and the maximum retry timeout was decreased.

- Increased PHY power consumption limit to 1.5w.
- Fixed an issue that caused PortCounters.PortRcvErr / PPCNT.infiniband\_counters.PortRcvErr not to report port icrc errors.
- VF FLR would get stuck when its PF triggered the FLR as well.
- Unexpected source UDP port appeared in RoCE packets when the firmware ignored a non-PF driver configuration for RoCE source UDP port control (as set in SET\_HCA\_CAP.sw\_r\_roce\_src\_udp\_port).
- Unexpected source UDP port appeared in RoCE packets when the firmware ignored a non-PF driver configuration for RoCE source UDP port control (as set in SET\_HCA\_CAP.sw\_r\_roce\_src\_udp\_port).

## **Enhancements**

- 872726-B21 (HPE InfiniBand EDR/Ethernet 100Gb 2-port 841QSFP28 Adapter)

Important :

Security Hardening Enhancements - This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device firmware to this version to improve the firmware security and reliability of your device.

- Increased the maximum XRQ number to 512.
- Added support for postponing QP timeout "retry exceeded" errors for traffic directed at specific destinations. This new capability prevents broken connections for destinations in downtime because of live migration.

## **Supported Devices and Features**

| HPE Part Number | Device Name                                                | PSID          |
|-----------------|------------------------------------------------------------|---------------|
| 872726-B21      | HPE InfiniBand EDR/Ethernet 100Gb 2-port 841QSFP28 Adapter | HPE0000000009 |

---

## **Online Firmware Upgrade Utility (ESXi 7.0) for HPE Mellanox VPI (Ethernet and Infiniband mode) ConnectX6 devices on VMware ESXi 7.0**

Version: 1.0.8 (Recommended)

### **Important Note!**

ConnectX-6 VPI supports having one port as InfiniBand and the other port as Ethernet according to the following matrix of combinations.

| Port #2 - InfiniBand |            |               |               |           |
|----------------------|------------|---------------|---------------|-----------|
| Port #1 – Ethernet   | HDR/HDR100 | EDR           | FDR           | QDR       |
| 200GbE/50GbE         | supported  | not supported | not supported | supported |
| 100GbE/25GbE         | supported  | not supported | not supported | supported |
| 40GbE/10GbE          | supported  | not supported | not supported | supported |
| 1GbE                 | supported  | not supported | not supported | supported |

| Port #2 - Ethernet   |               |               |               |               |
|----------------------|---------------|---------------|---------------|---------------|
| Port #1 - InfiniBand | 200GbE/50GbE  | 100GbE/25GbE  | 40GbE/10GbE   | 1GbE          |
| HDR / HDR100         | supported     | supported     | not supported | supported     |
| EDR                  | supported     | supported     | not supported | supported     |
| FDR                  | not supported | not supported | not supported | not supported |
| QDR/SDR              | supported     | supported     | not supported | supported     |

### **Prerequisites**

Use iLO5 firmware version 2.30 or higher with ConnectX6 firmware version 20.32.1010. Thermal sensor reporting on the adapter will not be functional with older versions of iLO5 firmware.

### **Fixes**

No fixes are included in version 20.41.1000.

### **Enhancements**

Security Hardening Enhancements:

This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device's firmware to this release to improve the firmware security and reliability of your device.

Security Hardening Enhancements:

This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device's firmware to this release to improve the firmware security and reliability of your device. New features and changes included in version 20.41.1000:

- Added support for steering match on packet l4\_type through FTG/FTE.

### **Supported Devices and Features**

| HPE Part Number | Device Name                                                                          | PSID          |
|-----------------|--------------------------------------------------------------------------------------|---------------|
| P06251-B21      | HPE InfiniBand HDR100/Ethernet 100Gb 2-port QSFP56 PCIe3 x16 MCX653106A-ECAT Adapter | HPE0000000036 |

---

### **Online Firmware Upgrade Utility (ESXi 8.0) for HPE Mellanox Ethernet only adapters**

Version: 1.0.4 (Recommended)

### **Important Note!**

The Firmware Upgrade Utility has been split into 2 packages for Mellanox Ethernet Only NIC adapters, one supporting Synergy platforms and the other supporting ProLiant and Apollo platforms. This package supports Mellanox Ethernet Only NIC adapters on ProLiant and Apollo servers.

### **Prerequisites**

Use iLO5 firmware version 2.30 or higher with ConnectX4-Lx/ConnectX5 firmware version 14.32.1010/16.32.1010 (or later) respectively. Thermal sensor reporting on the adapter will not be

functional with older versions of iLO5 firmware.

### **Fixes**

- Firmware got into an unresponsive state and caused unexpected behavior when connecting an optical transceiver that support RxLOS and the remote side port was down.
  - The system could not create more than 128K QPs.
  - On rare occasions, the system got into an unresponsive state when a peer port went down while using an Optical module.
  - Packet Pacing rate was used if asymmetric VFs was enabled.
  - Incorrect RNR timeout when trying to set it during the rts2rts\_qp transition.
  - Issue with RSS on IPSec flows in ConnectX-4 Lx led to performance degradation. In this scenario, the SPI optimization caused packets from a given host to hash to the same CPU core. The fix was to ignore SPI optimization according to l4\_type in ConnectX-4 Lx adapter cards.
  - The GetInventory NC-SI command reported leading 0xf in firmware version when it started with 0.
- No fixes are included in firmware version 16.35.3502.

### **Enhancements**

- 817749-B21 (HPE Ethernet 25Gb 2-port 640FLR-SFP28 Adapter)
- 817753-B21 (HPE Ethernet 25Gb 2-port 640SFP28 Adapter)
- Added 3 new assert filters (Health buffer, NVlog, FW trace). The assert will be exposed now if its severity level is equal to or above the new filter.
- Enabled Rate Limit per VM instead of VM-TC. This capability is implemented by adding support to a new Scheduling element type: rate limit elements that will connect to the rate\_limit and will share its rate limit.
- Added support for asymmetrical VFs per PF. To enable it:PF\_NUM\_OF\_VF\_VALID must be true, and PF\_NUM\_OF\_VF to a non-zero value.
- Limited the external loopback speed to the used module's capabilities.
- Improved linkup time when using the fast linkup capability.
- Added support for the slow\_restart and slow\_restart\_idle parameters to enable Zero Touch RoCE capability.
- Modified the TCP IPv4 flows so that the steering TIR rx\_hash\_symmetric field is now valid only when both the SRC and DST fields are not set to zero.

### **Supported Devices and Features**

| HPE Part Number | Mellanox Ethernet Only Adapters               | PSID          |
|-----------------|-----------------------------------------------|---------------|
| 817749-B21      | HPE Ethernet 25Gb 2-port 640FLR-SFP28 Adapter | HP_2690110034 |
| 817753-B21      | HPE Ethernet 25Gb 2-port 640SFP28 Adapter     | HP_2420110034 |

---

## **Online Firmware Upgrade Utility (ESXi 8.0) for HPE Mellanox VPI (Ethernet and Infiniband mode) ConnectX4 and ConnectX5 devices on VMware ESXi 8.0**

Version: 1.0.3 (Recommended)



## **Fixes**

Fixes an issue that caused the DCR to be destroyed before the retry option managed to work when the retry timeout is too big. In this case the DCR' time-to-live was increased, and the maximum retry timeout was decreased.

- Increased PHY power consumption limit to 1.5w.
- Fixed an issue that caused PortCounters.PortRcvErr / PPCNT.infiniband\_counters.PortRcvErr not to report port icrc errors.
- VF FLR would get stuck when its PF triggered the FLR as well.
- Unexpected source UDP port appeared in RoCE packets when the firmware ignored a non-PF driver configuration for RoCE source UDP port control (as set in SET\_HCA\_CAP.sw\_r\_roce\_src\_udp\_port).
- Unexpected source UDP port appeared in RoCE packets when the firmware ignored a non-PF driver configuration for RoCE source UDP port control (as set in SET\_HCA\_CAP.sw\_r\_roce\_src\_udp\_port).

## **Enhancements**

- 872726-B21 (HPE InfiniBand EDR/Ethernet 100Gb 2-port 841QSFP28 Adapter)

Important :

Security Hardening Enhancements - This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device firmware to this version to improve the firmware security and reliability of your device.

- Increased the maximum XRQ number to 512.
- Added support for postponing QP timeout "retry exceeded" errors for traffic directed at specific destinations. This new capability prevents broken connections for destinations in downtime because of live migration.

## **Supported Devices and Features**

| HPE Part Number | Device Name                                                | PSID          |
|-----------------|------------------------------------------------------------|---------------|
| 872726-B21      | HPE InfiniBand EDR/Ethernet 100Gb 2-port 841QSFP28 Adapter | HPE0000000009 |

---

## **Online Firmware Upgrade Utility (ESXi 8.0) for HPE Mellanox VPI (Ethernet and Infiniband mode) ConnectX6 devices on VMware ESXi 8.0**

Version: 1.0.4 (Recommended)

### **Important Note!**

ConnectX-6 VPI supports having one port as InfiniBand and the other port as Ethernet according to the following matrix of combinations.

| Port #2 - InfiniBand |            |               |               |           |
|----------------------|------------|---------------|---------------|-----------|
| Port #1 – Ethernet   | HDR/HDR100 | EDR           | FDR           | QDR       |
| 200GbE/50GbE         | supported  | not supported | not supported | supported |
| 100GbE/25GbE         | supported  | not supported | not supported | supported |
| 40GbE/10GbE          | supported  | not supported | not supported | supported |
| 1GbE                 | supported  | not supported | not supported | supported |

| Port #2 - Ethernet   |               |               |               |               |
|----------------------|---------------|---------------|---------------|---------------|
| Port #1 - InfiniBand | 200GbE/50GbE  | 100GbE/25GbE  | 40GbE/10GbE   | 1GbE          |
| HDR / HDR100         | supported     | supported     | not supported | supported     |
| EDR                  | supported     | supported     | not supported | supported     |
| FDR                  | not supported | not supported | not supported | not supported |
| QDR/SDR              | supported     | supported     | not supported | supported     |

### **Prerequisites**

Use iLO5 firmware version 2.30 or higher with ConnectX6 firmware version 20.32.1010. Thermal sensor reporting on the adapter will not be functional with older versions of iLO5 firmware.

### **Fixes**

No fixes are included in version 20.41.1000.

### **Enhancements**

Security Hardening Enhancements:

This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device's firmware to this release to improve the firmware security and reliability of your device.

Security Hardening Enhancements:

This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device's firmware to this release to improve the firmware security and reliability of your device. New features and changes included in version 20.41.1000:

- Added support for steering match on packet l4\_type through FTG/FTE.

### **Supported Devices and Features**

| HPE Part Number | Device Name                                                                          | PSID          |
|-----------------|--------------------------------------------------------------------------------------|---------------|
| P06251-B21      | HPE InfiniBand HDR100/Ethernet 100Gb 2-port QSFP56 PCIe3 x16 MCX653106A-ECAT Adapter | HPE0000000036 |

---

### **Online Firmware Upgrade Utility (Linux x86\_64) for HPE Mellanox Ethernet only adapters**

Version: 1.0.21 (Recommended)

### **Important Note!**

The Firmware Upgrade Utility has been split into 2 packages for Mellanox Ethernet Only NIC adapters, one supporting Synergy platforms and the other supporting ProLiant and Apollo platforms. This package supports Mellanox Ethernet Only NIC adapters on ProLiant and Apollo servers.

### **Prerequisites**

Use iLO5 firmware version 2.30 or higher with ConnectX4-Lx/ConnectX5 firmware version 14.32.1010/16.32.1010 (or later) respectively. Thermal sensor reporting on the adapter will not be functional with older versions of iLO5 firmware.

## **Fixes**

- Firmware got into an unresponsive state and caused unexpected behavior when connecting an optical transceiver that support RxLOS and the remote side port was down.
- The system could not create more than 128K QPs.
- On rare occasions, the system got into an unresponsive state when a peer port went down while using an Optical module.
- Packet Pacing rate was used if asymmetric VFs was enabled.
- Incorrect RNR timeout when trying to set it during the rts2rts\_qp transition.
- Issue with RSS on IPSec flows in ConnectX-4 Lx led to performance degradation. In this scenario, the SPI optimization caused packets from a given host to hash to the same CPU core. The fix was to ignore SPI optimization according to l4\_type in ConnectX-4 Lx adapter cards.
- The GetInventory NC-SI command reported leading 0xf in firmware version when it started with 0.

No fixes are included in firmware version 16.35.3502.

## **Enhancements**

- 817749-B21 (HPE Ethernet 25Gb 2-port 640FLR-SFP28 Adapter)
- 817753-B21 (HPE Ethernet 25Gb 2-port 640SFP28 Adapter)
- Added 3 new assert filters (Health buffer, NVlog, FW trace). The assert will be exposed now if its severity level is equal to or above the new filter.
- Enabled Rate Limit per VM instead of VM-TC. This capability is implemented by adding support to a new Scheduling element type: rate limit elements that will connect to the rate\_limit and will share its rate limit.
- Added support for asymmetrical VFs per PF. To enable it: PF\_NUM\_OF\_VF\_VALID must be true, and PF\_NUM\_OF\_VF to a non-zero value.
- Limited the external loopback speed to the used module's capabilities.
- Improved linkup time when using the fast linkup capability.
- Added support for the slow\_restart and slow\_restart\_idle parameters to enable Zero Touch RoCE capability.
- Modified the TCP IPv4 flows so that the steering TIR rx\_hash\_symmetric field is now valid only when both the SRC and DST fields are not set to zero.

## **Supported Devices and Features**

| HPE Part Number | Mellanox Ethernet Only Adapters               | PSID          |
|-----------------|-----------------------------------------------|---------------|
| 817749-B21      | HPE Ethernet 25Gb 2-port 640FLR-SFP28 Adapter | HP_2690110034 |
| 817753-B21      | HPE Ethernet 25Gb 2-port 640SFP28 Adapter     | HP_2420110034 |

---

## **Online Firmware Upgrade Utility (Linux x86\_64) for HPE Mellanox VPI (Ethernet and Infiniband mode)**

### **ConnectX4 and ConnectX5 devices on Linux x86\_64 platform**

Version: 1.0.16 (Recommended)

## **Fixes**

Fixes an issue that caused the DCR to be destroyed before the retry option managed to work when the

retry timeout is too big. In this case the DCR' time-to-live was increased, and the maximum retry timeout was decreased.

- Increased PHY power consumption limit to 1.5w.
- Fixed an issue that caused PortCounters.PortRcvErr / PPCNT.infiniband\_counters.PortRcvErr not to report port icrc errors.
- VF FLR would get stuck when its PF triggered the FLR as well.
- Unexpected source UDP port appeared in RoCE packets when the firmware ignored a non-PF driver configuration for RoCE source UDP port control (as set in SET\_HCA\_CAP.sw\_r\_roce\_src\_udp\_port).
- Unexpected source UDP port appeared in RoCE packets when the firmware ignored a non-PF driver configuration for RoCE source UDP port control (as set in SET\_HCA\_CAP.sw\_r\_roce\_src\_udp\_port).

### **Enhancements**

- 872726-B21 (HPE InfiniBand EDR/Ethernet 100Gb 2-port 841QSFP28 Adapter)

Important :

Security Hardening Enhancements - This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device firmware to this version to improve the firmware security and reliability of your device.

- Increased the maximum XRQ number to 512.
- Added support for postponing QP timeout "retry exceeded" errors for traffic directed at specific destinations. This new capability prevents broken connections for destinations in downtime because of live migration.

### **Supported Devices and Features**

| HPE Part Number | Device Name                                                | PSID          |
|-----------------|------------------------------------------------------------|---------------|
| 872726-B21      | HPE InfiniBand EDR/Ethernet 100Gb 2-port 841QSFP28 Adapter | HPE0000000009 |

---

### **Online Firmware Upgrade Utility (Linux x86\_64) for HPE Mellanox VPI (Ethernet and Infiniband mode)**

#### **ConnectX6 devices on Linux x86\_64 platform**

Version: 1.0.14 (Recommended)

#### **Important Note!**

ConnectX-6 VPI supports having one port as InfiniBand and the other port as Ethernet according to the following matrix of combinations.

| Port #2 - InfiniBand |            |               |               |           |
|----------------------|------------|---------------|---------------|-----------|
| Port #1 – Ethernet   | HDR/HDR100 | EDR           | FDR           | QDR       |
| 200GbE/50GbE         | supported  | not supported | not supported | supported |
| 100GbE/25GbE         | supported  | not supported | not supported | supported |
| 40GbE/10GbE          | supported  | not supported | not supported | supported |
| 1GbE                 | supported  | not supported | not supported | supported |

|                    |
|--------------------|
| Port #2 - Ethernet |
|--------------------|

| Port #1 - InfiniBand | 200GbE/50GbE  | 100GbE/25GbE  | 40GbE/10GbE   | 1GbE          |
|----------------------|---------------|---------------|---------------|---------------|
| HDR / HDR100         | supported     | supported     | not supported | supported     |
| EDR                  | supported     | supported     | not supported | supported     |
| FDR                  | not supported | not supported | not supported | not supported |
| QDR/SDR              | supported     | supported     | not supported | supported     |

### **Prerequisites**

Use iLO5 firmware version 2.30 or higher with ConnectX6 firmware version 20.32.1010. Thermal sensor reporting on the adapter will not be functional with older versions of iLO5 firmware.

### **Fixes**

No fixes are included in version 20.41.1000.

### **Enhancements**

Security Hardening Enhancements:

This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device's firmware to this release to improve the firmware security and reliability of your device.

Security Hardening Enhancements:

This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device's firmware to this release to improve the firmware security and reliability of your device. New features and changes included in version 20.41.1000:

- Added support for steering match on packet l4\_type through FTG/FTE.

### **Supported Devices and Features**

| HPE Part Number | Device Name                                                                          | PSID          |
|-----------------|--------------------------------------------------------------------------------------|---------------|
| P06251-B21      | HPE InfiniBand HDR100/Ethernet 100Gb 2-port QSFP56 PCIe3 x16 MCX653106A-ECAT Adapter | HPE0000000036 |

---

### **Online Firmware Upgrade Utility (Windows x64) for HPE Mellanox Ethernet only adapters**

Version: 1.0.0.21 (A) (Recommended)

### **Important Note!**

The Firmware Upgrade Utility has been split into 2 packages for Mellanox Ethernet Only NIC adapters, one supporting Synergy platforms and the other supporting ProLiant and Apollo platforms. This package supports Mellanox Ethernet Only NIC adapters on ProLiant and Apollo servers.

### **Prerequisites**

Use iLO5 firmware version 2.30 or higher with ConnectX4-Lx/ConnectX5 firmware version 14.32.1010/16.32.1010 (or later) respectively. Thermal sensor reporting on the adapter will not be functional with older versions of iLO5 firmware.

### **Fixes**

- Firmware got into an unresponsive state and caused unexpected behavior when connecting an optical

transceiver that support RxLOS and the remote side port was down.

- The system could not create more than 128K QPs.
  - On rare occasions, the system got into an unresponsive state when a peer port went down while using an Optical module.
  - Packet Pacing rate was used if asymmetric VFs was enabled.
  - Incorrect RNR timeout when trying to set it during the rts2rts\_qp transition.
  - Issue with RSS on IPSec flows in ConnectX-4 Lx led to performance degradation. In this scenario, the SPI optimization caused packets from a given host to hash to the same CPU core. The fix was to ignore SPI optimization according to l4\_type in ConnectX-4 Lx adapter cards.
  - The GetInventory NC-SI command reported leading 0xf in firmware version when it started with 0.
- No fixes are included in firmware version 16.35.3502.

### **Enhancements**

- 817749-B21 (HPE Ethernet 25Gb 2-port 640FLR-SFP28 Adapter)
- 817753-B21 (HPE Ethernet 25Gb 2-port 640SFP28 Adapter)
- Added 3 new assert filters (Health buffer, NVlog, FW trace). The assert will be exposed now if its severity level is equal to or above the new filter.
- Enabled Rate Limit per VM instead of VM-TC. This capability is implemented by adding support to a new Scheduling element type: rate limit elements that will connect to the rate\_limit and will share its rate limit.
- Added support for asymmetrical VFs per PF. To enable it: PF\_NUM\_OF\_VF\_VALID must be true, and PF\_NUM\_OF\_VF to a non-zero value.
- Limited the external loopback speed to the used module's capabilities.
- Improved linkup time when using the fast linkup capability.
- Added support for the slow\_restart and slow\_restart\_idle parameters to enable Zero Touch RoCE capability.
- Modified the TCP IPv4 flows so that the steering TIR rx\_hash\_symmetric field is now valid only when both the SRC and DST fields are not set to zero.

### **Supported Devices and Features**

| HPE Part Number | Mellanox Ethernet Only Adapters               | PSID          |
|-----------------|-----------------------------------------------|---------------|
| 817749-B21      | HPE Ethernet 25Gb 2-port 640FLR-SFP28 Adapter | HP_2690110034 |
| 817753-B21      | HPE Ethernet 25Gb 2-port 640SFP28 Adapter     | HP_2420110034 |

---

### **Online Firmware Upgrade Utility (Windows x64) for HPE Mellanox VPI (Ethernet and Infiniband mode) ConnectX4 and ConnectX5 devices on Windows x86\_64 platform**

Version: 1.0.0.15 (Recommended)

### **Fixes**

Fixes an issue that caused the DCR to be destroyed before the retry option managed to work when the retry timeout is too big. In this case the DCR' time-to-live was increased, and the maximum retry timeout was decreased.

- Increased PHY power consumption limit to 1.5w.
- Fixed an issue that caused PortCounters.PortRcvErr / PPCNT.infiniband\_counters.PortRcvErr not to report port icrc errors.
- VF FLR would get stuck when its PF triggered the FLR as well.
- Unexpected source UDP port appeared in RoCE packets when the firmware ignored a non-PF driver configuration for RoCE source UDP port control (as set in SET\_HCA\_CAP.sw\_r\_roce\_src\_udp\_port).
- Unexpected source UDP port appeared in RoCE packets when the firmware ignored a non-PF driver configuration for RoCE source UDP port control (as set in SET\_HCA\_CAP.sw\_r\_roce\_src\_udp\_port).

## **Enhancements**

- 872726-B21 (HPE InfiniBand EDR/Ethernet 100Gb 2-port 841QSFP28 Adapter)

Important :

Security Hardening Enhancements - This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device firmware to this version to improve the firmware security and reliability of your device.

Important :

Security Hardening Enhancements - This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device firmware to this version to improve the firmware security and reliability of your device. New features and changes included in version 1.0.0.15:

- Added firmware flash support on Microsoft Windows Server 2025.
- Increased the maximum XRQ number to 512.
- Added support for postponing QP timeout "retry exceeded" errors for traffic directed at specific destinations. This new capability prevents broken connections for destinations in downtime because of live migration.

## **Supported Devices and Features**

| HPE Part Number | Device Name                                                | PSID          |
|-----------------|------------------------------------------------------------|---------------|
| 872726-B21      | HPE InfiniBand EDR/Ethernet 100Gb 2-port 841QSFP28 Adapter | HPE0000000009 |

## **Online Firmware Upgrade Utility (Windows x64) for HPE Mellanox VPI (Ethernet and Infiniband mode)**

### **ConnectX6 devices on Windows x86\_64 platform**

Version: 1.0.0.10 (Recommended)

## **Important Note!**

ConnectX-6 VPI supports having one port as InfiniBand and the other port as Ethernet according to the following matrix of combinations.

| Port #2 - InfiniBand |            |               |               |           |
|----------------------|------------|---------------|---------------|-----------|
| Port #1 – Ethernet   | HDR/HDR100 | EDR           | FDR           | QDR       |
| 200GbE/50GbE         | supported  | not supported | not supported | supported |
| 100GbE/25GbE         | supported  | not supported | not supported | supported |
| 40GbE/10GbE          | supported  | not supported | not supported | supported |

|      |           |               |               |           |
|------|-----------|---------------|---------------|-----------|
| 1GbE | supported | not supported | not supported | supported |
|------|-----------|---------------|---------------|-----------|

| Port #2 - Ethernet   |               |               |               |               |
|----------------------|---------------|---------------|---------------|---------------|
| Port #1 - InfiniBand | 200GbE/50GbE  | 100GbE/25GbE  | 40GbE/10GbE   | 1GbE          |
| HDR / HDR100         | supported     | supported     | not supported | supported     |
| EDR                  | supported     | supported     | not supported | supported     |
| FDR                  | not supported | not supported | not supported | not supported |
| QDR/SDR              | supported     | supported     | not supported | supported     |

### **Prerequisites**

Use iLO5 firmware version 2.30 or higher with ConnectX6 firmware version 20.32.1010. Thermal sensor reporting on the adapter will not be functional with older versions of iLO5 firmware.

### **Fixes**

No fixes are included in version 20.41.1000.

### **Enhancements**

Security Hardening Enhancements:

This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device's firmware to this release to improve the firmware security and reliability of your device.

Security Hardening Enhancements:

This release contains important reliability improvements and security hardening enhancements. HPE recommends upgrading your device's firmware to this release to improve the firmware security and reliability of your device. New features and changes included in version 20.41.1000:

- Added support for steering match on packet I4\_type through FTG/FTE.

### **Supported Devices and Features**

| HPE Part Number | Device Name                                                                          | PSID          |
|-----------------|--------------------------------------------------------------------------------------|---------------|
| P06251-B21      | HPE InfiniBand HDR100/Ethernet 100Gb 2-port QSFP56 PCIe3 x16 MCX653106A-ECAT Adapter | HPE0000000036 |

---

### **Online NVMe SSD Flash Component for Linux (x64) - EO000400KYDKV and EO000800KYDLA Drives**

Version: HPK4 (D) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc..
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc..

### **Fixes**

- Fixed flashing issue through SDR method



- Fixed flashing issue through SDR method

---

### **Online NVMe SSD Flash Component for Linux (x64) - ET000750KWJTF, EO000750KWTXC and EO000375KWJUC Drives**

Version: 4ICSHPK4 (J) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online NVMe SSD Flash Component for Linux (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives**

Version: GPK7 (D) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online NVMe SSD Flash Component for Linux (x64) - KCM6FRUL1T92, KCM6FRUL3T84, KCM6FVUL1T60 and KCM6FVUL3T20 Drives**

Version: GPK5 (D) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method

- Fixed flashing issue through SDR method

---

**Online NVMe SSD Flash Component for Linux (x64) - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives**

Version: GPK7 (D) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

**Online NVMe SSD Flash Component for Linux (x64) - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP and VK007680KWWFQ Drives**

Version: HPK3 (L) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

**Online NVMe SSD Flash Component for Linux (x64) - MO001600KWVNB, MO003200KWVNC, MO006400KWVND, MT001600KWSTB, MT003200KWSTC and MT006400KWSTD Drives**

Version: HPK3 (H) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fixed flashing issue through SDR method

- Fixed flashing issue through SDR method

---

### **Online NVMe SSD Flash Component for Linux (x64) - MZPLJ1T6HBJR-000H3, MZPLJ3T2HBJR-000H3 and MZPLJ6T4HALA-000H3 Drives**

Version: EPK76H3Q (E) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online NVMe SSD Flash Component for Linux (x64) - VO000960KWUEA, VO001920KWUEB, VO003840KWUEC, VO007680KWUED, VO015360KWUEE, MO000800KWUDR, MO001600KWUDT, MO003200KWUDU and MO006400KWUDV Drives**

Version: HPK3 (Recommended)

#### **Fixes**

- Maintenance firmware release to introduce fixes from previous firmware.
- Maintenance firmware release to introduce fixes from previous firmware.

---

### **Online NVMe SSD Flash Component for Linux (x64) - VO000960KWVBR, VO001920KWVBT and VO003840KWVBU Drives**

Version: HPK3 (Recommended)

#### **Fixes**

- Maintenance firmware release to introduce fixes from previous firmware.
- Maintenance firmware release to introduce fixes from previous firmware.

---

### **Online NVMe SSD Flash Component for Linux (x64) - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives**

Version: HPK5 (F) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online NVMe SSD Flash Component for Linux (x64) - VO001920KWVMT, VO003840KWVMU, and VO007680KWVMV Drives**

Version: HPK3 (H) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online NVMe SSD Flash Component for Linux (x64) - VO001920KWZQR, VO003840KWZQT, MO001600KWZQP and MO003200KWZQQ Drives**

Version: HPK7 (D) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online NVMe SSD Flash Component for Linux (x64) - VO001920KYDMT, VO003840KYDMV, MO001600KYDMU, MO003200KYDNC, MO006400KYDND, VO007680KYDNA and VO015360KYDNB Drives**

Version: HPK5 (C) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online NVMe SSD Flash Component for Linux (x64) - VO002000KWVVC, VO004000KWVUR, MO001600KWVUU, MO003200KWVUV and MO006400KWVVA Drives**

Version: 4ICRHPK3 (J) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online NVMe SSD Flash Component for Linux (x64) - VS000480KXALB, VS003840KWXFQ, VS001920KWXFP and VS000960KWXFN Drives**

Version: 85032G00 (G) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online NVMe SSD Flash Component for VMware ESXi - VO001920KYDMT, VO003840KYDMV, MO001600KYDMU, MO003200KYDNC, MO006400KYDND, VO007680KYDNA and VO015360KYDNB Drives**

Version: HPK5 (B) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix known FW bug PI/CI indexing issue
- Fix known FW bug PI/CI indexing issue

---

### **Online NVMe SSD Flash Component for VMware ESXi - VO000960KWUEA, VO001920KWUEB, VO003840KWUEC, VO007680KWUED, VO015360KWUEE, MO000800KWUDR, MO001600KWUDT, MO003200KWUDU and MO006400KWUDV Drives**

Version: HPK3 (Recommended)

### **Fixes**

- Maintenance firmware release to introduce fixes from previous firmware.
- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online NVMe SSD Flash Component for VMware ESXi - VO000960KWVBR, VO001920KWVBT and VO003840KWVBU Drives**

Version: HPK3 (Recommended)

### **Fixes**

- Maintenance firmware release to introduce fixes from previous firmware.
- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online NVMe SSD Flash Component for VMware ESXi - VO001920KWVMT, VO003840KWVMU, and VO007680KWVMV Drives**

Version: HPK3 (F) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online NVMe SSD Flash Component for VMware ESXi - VO001920KWZQR, VO003840KWZQT, MO001600KWZQP and MO003200KWZQQ Drives**

Version: HPK7 (C) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C)

(D) etc.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online NVMe SSD Flash Component for VMware ESXi - EO000400KYDKV and EO000800KYDLA Drives**

Version: HPK4 (C) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online NVMe SSD Flash Component for VMware ESXi - ET000750KWJTF, EO000750KWTXC and EO000375KWJUC Drives**

Version: 4ICSHPK4 (G) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online NVMe SSD Flash Component for VMware ESXi - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives**

Version: GPK7 (B) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online NVMe SSD Flash Component for VMware ESXi - KCM6FRUL1T92, KCM6FRUL3T84, KCM6FVUL1T60 and KCM6FVUL3T20 Drives**

Version: GPK5 (B) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online NVMe SSD Flash Component for VMware ESXi - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives**

Version: GPK7 (B) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online NVMe SSD Flash Component for VMware ESXi - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP and VK007680KWWFQ Drives**

Version: HPK3 (G) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.



- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online NVMe SSD Flash Component for VMware ESXi - MO001600KWVNB, MO003200KVVNC, MO006400KVVND, MT001600KWSTB, MT003200KWSTC and MT006400KWSTD Drives**

Version: HPK3 (F) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online NVMe SSD Flash Component for VMware ESXi - MZPLJ1T6HBJR-000H3, MZPLJ3T2HBJR-000H3 and MZPLJ6T4HALA-000H3 Drives**

Version: EPK76H3Q (F) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online NVMe SSD Flash Component for VMware ESXi - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives**

Version: HPK5 (D) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc..

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc..

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online NVMe SSD Flash Component for VMware ESXi - VO002000KWVVC, VO004000KWVUR, MO001600KWVUU, MO003200KWVUV and MO006400KWVVA Drives**

Version: 4ICRHPK3 (G) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online NVMe SSD Flash Component for VMware ESXi - VS000480KXALB, VS000960KWXFN, VS001920KWXFP and VS003840KWXFQ Drives**

Version: 85032G00 (D) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online NVMe SSD Flash Component for Windows (x64) - EO000400KYDKV and EO000800KYDLA Drives**

Version: HPK4 (C) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## **Online NVMe SSD Flash Component for Windows (x64) - ET000750KWJTF, EO000750KWTXC and EO000375KWJUC Drives**

Version: 4ICSHPK4 (G) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

## **Online NVMe SSD Flash Component for Windows (x64) - KCD6XVUL800G, KCD6XVUL1T60, KCD6XVUL3T20, KCD6XVUL6T40, KCD6XVUL12T8, KCD6XLUL960G, KCD6XLUL1T92, KCD6XLUL3T84, KCD6XLUL7T68 and KCD6XLUL15T3 Drives**

Version: GPK7 (B) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

## Online NVMe SSD Flash Component for Windows (x64) - KCM6FRUL1T92, KCM6FRUL3T84, KCM6FVUL1T60 and KCM6FVUL3T20 Drives

Version: GPK5 (B) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

## Online NVMe SSD Flash Component for Windows (x64) - KCM6XVUL800G, KCM6XVUL1T60, KCM6XVUL3T20, KCM6XVUL6T40, KCM6XRUL960G, KCM6XRUL1T92, KCM6XRUL3T84 and KCM6XRUL7T68 Drives

Version: GPK7 (B) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

## Online NVMe SSD Flash Component for Windows (x64) - MK000800KWWFE, MK001600KWWFF, MK003200KWWFH, MK006400KWWFK, VK000960KWWFL, VK001920KWWFN, VK003840KWWFP and VK007680KWWFQ Drives

Version: HPK3 (G) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

#### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online NVMe SSD Flash Component for Windows (x64) - MO001600KWVNB, MO003200KWVNC, MO006400KWVND, MT001600KWSTB, MT003200KWSTC and MT006400KWSTD Drives**

Version: HPK3 (F) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

#### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online NVMe SSD Flash Component for Windows (x64) - MZPLJ1T6HBJR-000H3, MZPLJ3T2HBJR-000H3 and MZPLJ6T4HALA-000H3 Drives**

Version: EPK76H3Q (E) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online NVMe SSD Flash Component for Windows (x64) - VO000960KWUEA, VO001920KWUEB, VO003840KWUEC, VO007680KWUED, VO015360KWUEE, MO000800KWUDR, MO001600KWUDT, MO003200KWUDU and MO006400KWUDV Drives**

Version: HPK3 (Recommended)

### **Fixes**

- Maintenance firmware release to introduce fixes from previous firmware.
- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online NVMe SSD Flash Component for Windows (x64) - VO000960KWVBR, VO001920KWVBT and VO003840KWVBU Drives**

Version: HPK3 (Recommended)

### **Fixes**

- Maintenance firmware release to introduce fixes from previous firmware.
- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online NVMe SSD Flash Component for Windows (x64) - VO000960KXAVL, VO001920KXAVP, VO003840KXAVQ, VO007680KXAVR, MO000800KXAVN, MO001600KXAVT, MO003200KXAVU and MO006400KXAVV Drives**

Version: HPK5 (E) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

## **Online NVMe SSD Flash Component for Windows (x64) - VO001920KWVMT, VO003840KWVMU, and VO007680KWVMV Drives**

Version: HPK3 (F) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

## **Online NVMe SSD Flash Component for Windows (x64) - VO001920KWZQR, VO003840KWZQT, MO001600KWZQP and MO003200KWZQQ Drives**

Version: HPK7 (C) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

**Online NVMe SSD Flash Component for Windows (x64) - VO001920KYDMT, VO003840KYDMV, MO001600KYDMU, MO003200KYDNC, MO006400KYDND, VO007680KYDNA and VO015360KYDNB Drives**

Version: HPK5 (B) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online NVMe SSD Flash Component for Windows (x64) - VO002000KWVVC, VO004000KWVUR, MO001600KWVUU, MO003200KWVUV and MO006400KWVVA Drives**

Version: 4ICRHPK3 (G) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

**Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

**Online NVMe SSD Flash Component for Windows (x64) - VS000480KXALB, VS003840KWXFQ, VS001920KWXFP and VS000960KWXFN drives**

Version: 85032G00 (E) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.



- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Universal Firmware Package for Drives - MO000800KYDZK, MO001600KYDZR, MO003200KYDZT, MO006400KYDZU, VO000960KYDZH, VO001920KYDZL, VO003840KYDZN, VO001536KYDZQ and VO007680KYDZP**

Version: HPK1 (Recommended)

### **Fixes**

- Changes and improvements made in HPK1 are to enhance receiver signals by changing the drive's internal PHY register values on Gen11 x2 direct attached system.
- Changes and improvements made in HPK1 are to enhance receiver signals by changing the drive's internal PHY register values on Gen11 x2 direct attached system.

---

### **Universal Firmware Package for Drives - MO001600KZYWU, MO003200KZYXB, MO006400KZYXC, VO001920KZYWT, VO003840KZYWV and VO007680KZYXA**

Version: HPK5 (Recommended)

### **Fixes**

- This firmware provides bug fixes for the P5620/P5520.
- This firmware provides bug fixes for the P5620/P5520.

---

### **Universal Firmware Package for Drives - VK000960KYDPT, VK001920KYDPU, VK003840KYDPV and VK007680KYDQA**

Version: HPK4 (Recommended)

### **Important Note!**

If drive FW needs to downgrade from HPK4 to HPK3, a reset/POR is required.

### **Fixes**

- Firmware maintenance release on HPK4.
- Please note this version of FW has applied UUID change from little endian to big endian per Datacenter NVMe SSD Spec. System application should be updated accordingly per this UUID change.
- If drive FW needs to downgrade from HPK4 to HPK3, a reset/POR is required.
- If drive FW needs to downgrade from HPK4 to HPK3, a reset/POR is required.

---

### **Universal Firmware Package for Drives - VR000480KXLXF**

Version: HPK3 (Recommended)

### **Fixes**

- Please note this version of FW has applied UUID change from little endian to big endian per Datacenter NVMe SSD Spec. System application should be updated accordingly per this UUID change.
- If drive FW needs to downgrade from HPK3 to HPK2, a reset/POR is required.
- SSID will change from a801 to 03b5 after FW update to HPK3.
- SSID will change from a801 to 03b5 after FW update to HPK3.

---

### **Universal Firmware Package for Drives - MO000800KXPRV, MO001600KXPTR, MO003200KXPTT, MO006400KXPTU, VO000960KXPRU, VO001920KXPTN, VO003840KXPTP and VO007680KXPTQ**

Version: HPK2 (Recommended)

### **Fixes**

- This is a maintenance release that contains code improvements for CAP.TO and LED behavior.
- This is a maintenance release that contains code improvements for CAP.TO and LED behavior.

---

### **Universal Firmware Package for Drives - MO000800KXUJT, MO001600KXUJU, MO003200KXUJV, MO006400KXUKA, VO000960KXUJN, VO001920KXUJP, VO003840KXUJQ, VO007680KXUJR and VO015360KYGZQ**

Version: HPK2 (Recommended)

### **Important Note!**

HPK2 FW adding 15.36T HPE model number and not allowing user to flash back (flash downgrade) to prevent the issue on 15.36T drive.

### **Fixes**

- This version of FW now supports the 15.36TB model and FW fixes of drive time-out/failures.
- This version of FW now supports the 15.36TB model and FW fixes of drive time-out/failures.

---

### **Universal Firmware Package for Drives - VO000960KXNXD, VO001920KXNZQ, VO003840KXNZR, VO007680KXNZT, MO000800KXNXH, MO001600KXNZV, MO003200KXPAA and MO006400KXPAB**

Version: HPS3 (Recommended)

### **Fixes**

- Improvements to our out-of-band message handling to ensure robust device management capabilities
- Changes to improve our PCIe link compatibility as well as device reliability
- This firmware update is recommended as it improves our system interoperability and prevents specific scenarios that could cause the drive to become unresponsive.
- This firmware update is recommended as it improves our system interoperability and prevents specific scenarios that could cause the drive to become unresponsive.

---

**Online Flash for Windows x64 - Innovation Engine Firmware for servers using Intel Xeon Scalable 3100/3200/4100/4200/5100/5200/6100/6200/8100/8200 series Processors**

Version: 0.2.3.0 (C) (Recommended)

**Prerequisites**

System ROM V1.26 or later The "iLO 5 Channel Interface Driver" (CHIF) for Windows

**Enhancements**

Version 0.2.3.0 firmware

---

**Online ROM Flash for Linux - Advanced Power Capping Microcontroller Firmware for servers using Intel Xeon Scalable 3100/4100/5100/6100/8100 series Processors**

Version: 1.1.4 (B) (Recommended)

**Enhancements**

Version 1.1.4 firmware

---

**Online ROM Flash for Windows x64 - Advanced Power Capping Microcontroller Firmware for servers using Intel Xeon Scalable 3100/4100/5100/6100/8100 series Processors**

Version: 1.1.4 (B) (Recommended)

**Enhancements**

Version 1.1.4 firmware

---

**Online ROM Flash for Windows x64 - Innovation Engine Firmware for servers using Intel Xeon Scalable 4300/5300/6300/8300 series Processors**

Version: 1.0.0.22 (B) (Recommended)

**Prerequisites**

System ROM V1.26 or later The "iLO 5 Channel Interface Driver" (CHIF) for Windows

**Enhancements**

Version 1.0.0.22 firmware

---

**ROM Flash Firmware Package - Advanced Power Capping Microcontroller Firmware for servers using Intel Xeon Scalable 3100/4100/5100/6100/8100 series Processors**

Version: 1.1.4 (Recommended)

**Enhancements**

Version 1.1.4 firmware

---

**\*REMOVED\* Online HDD/SSD Flash Component for Linux (x64) - EH000600JWCPF and EH000900JWCPH Drives**

Version: HPDB (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.

### **Fixes**

\*REMOVED\* - Version HPDB is NO LONGER AVAILABLE for download. Customers who have issue with Upgrading the FW from previous version to HPDB need to wait for later FW HPDB(B).

---

### **\*REMOVED\* Online HDD/SSD Flash Component for VMware ESXi - EH000600JWCPF and EH000900JWCPH Drives**

Version: HPDB (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.

### **Fixes**

\*REMOVED\* - Version HPDB is NO LONGER AVAILABLE for download. Customers who have issue with Upgrading the FW from previous version to HPDB need to wait for later FW HPDB(B).

---

### **\*REMOVED\* Online HDD/SSD Flash Component for Windows (x64) - EH000600JWCPF and EH000900JWCPH Drives**

Version: HPDB (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.

- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.

### **Fixes**

\*REMOVED\* - Version HPDB is NO LONGER AVAILABLE for download. Customers who have issue with Upgrading the FW from previous version to HPDB need to wait for later FW HPDB(B).

---

### **Online HDD/SSD Flash Component for Linux (x64) - EG000300JWBHR Drive**

Version: HPD5 (G) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - EG000300JWFVB Drive**

Version: HPD3 (G) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - EG000600JWFUV and EG001200JWFVA Drives**

Version: HPD4 (G) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - EG000600JWJNP, EG001200JWJNQ, EG000600JXLVV, EG001200JXLWA and EG001200MXJQU Drives**

Version: HPD8 (C) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - EG001800JWJNR, EG002400JWJNT, EG001800JXLWB, EG002400JXLWC and EG002400MXJQT Drives**

Version: HPDA (D) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - EG0600JETKA, EG0900JETKB and EG1200JETKC Drives**

Version: HPD8 (G) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR, MO000400JWDKU, MO000800JWDKV, MO001600JWDLA and MO003200JWDLB Drives**

Version: HPD2 (K) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB002000JWFVN and MB004000JWFVP Drives**

Version: HPD4 (H) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB004000JWFKV and MB006000JWFLV Drives**

Version: HPD4 (G) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## Online HDD/SSD Flash Component for Linux (x64) - MB018000JXMTH and MB020000JXMTP Drives

Version: HPD2 (B) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## Online HDD/SSD Flash Component for Linux (x64) - MM1000JEFRB and MM2000JEFRC Drives

Version: HPDA (D) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## Online HDD/SSD Flash Component for Linux (x64) - VO000960JWTBK, VO001920JWTL, VO003840JWTLN, VO007680JWTLBP, MO000400JWTLBQ, MO000800JWTLBR, MO001600JWTLBT, MO003200JWTLBU, MO006400JWTLCD, EO000400JWTLBV, EO000800JWLTCA and EO001600JWLTCB Drives

Version: HPDB (B) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method



---

## Online HDD/SSD Flash Component for Linux (x64) - EK0800JVYPN, EO1600JVYPP, MK0800JVYPQ and MO1600JVYPR Drives

Version: HPD7 (H) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## Online HDD/SSD Flash Component for Linux (x64) - EG000300JWSJP, EG000600JWJNH and EG001200JWJNK Drives

Version: HPD5 (F) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## Online HDD/SSD Flash Component for Linux (x64) - EG001800JWFVC Drive

Version: HPD4 (G) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## Online HDD/SSD Flash Component for Linux (x64) - EG001800JWJNL and EG002400JWJNN Drives

Version: HPD5 (F) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

**Online HDD/SSD Flash Component for Linux (x64) - EG1800JFHH Drive**

Version: HPD8 (G) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

**Online HDD/SSD Flash Component for Linux (x64) - EH000900JWHPPK and EH000600JWHPPH Drives**

Version: HPD8 (D) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

**Online HDD/SSD Flash Component for Linux (x64) - EH000900JWHPP, EH000600JWHPPN and EH000300JWHPL Drives**

Version: HPD8 (D) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

#### **Online HDD/SSD Flash Component for Linux (x64) - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCD, MO006400PXDCE, VO000960PXDBN, VO001920PXDBR, VO003840PXDBT, VO007680PXDBU and VO015300PXDBV Drives**

Version: HPD4 (Recommended)

#### **Fixes**

- Maintenance firmware release to introduce fixes from previous firmware.
- Maintenance firmware release to introduce fixes from previous firmware.

---

#### **Online HDD/SSD Flash Component for Linux (x64) - MB002000JYDNE and MB004000JYDPB Drives**

Version: HPD2 (E) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

#### **Online HDD/SSD Flash Component for Linux (x64) - MB004000JWKGU Drive**

Version: HPD2 (G) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## Online HDD/SSD Flash Component for Linux (x64) - MB004000JWWQB and MB002000JWWQA Drives

Version: HPD8 (E) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## Online HDD/SSD Flash Component for Linux (x64) - MB006000JWKGN Drive

Version: HPD2 (G) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## Online HDD/SSD Flash Component for Linux (x64) - MB006000JYDNF and MB008000JYDPC Drives

Version: HPD2 (E) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## Online HDD/SSD Flash Component for Linux (x64) - MB008000JWJRQ and MB006000JWJRP Drives

Version: HPD9 (G) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C)

(D) etc.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB008000JWRTD Drive**

Version: HPD2 (H) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB008000JWWQP and MB006000JWWQN Drives**

Version: HPD8 (E) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB010000JWAYK and MB008000JWAYH Drives**

Version: HPD6 (G) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB010000JWZHA, MB012000JWZHB, MB014000JWZHC and MB016000JWZHE Drives**

Version: HPD4 (D) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB010000JYDKK, MB012000JYCJF, MB014000JYCJV, MB016000JYDKL and MB018000JYDKN Drives**

Version: HPD3 (B) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB012000JWDFD Drive**

Version: HPD4 (B) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method.

- Fixed flashing issue through SDR method.

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB012000JZYVN, MB014000JZYVP, MB016000JZVQ and MB018000JYCLK Drives**

Version: HPD4 (B) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB014000JWRTH, MB012000JWRTE and MB010000JWRTE Drives**

Version: HPD2 (L) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB014000JWTFD and MB012000JWTFD Drives**

Version: HPD8 (G) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## Online HDD/SSD Flash Component for Linux (x64) - MB014000JWUDB Drive

Version: HPD4 (B) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## Online HDD/SSD Flash Component for Linux (x64) - MB014000JXUCC Drive

Version: HPD4 (C) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## Online HDD/SSD Flash Component for Linux (x64) - MB016000JWXKH Drive

Version: HPDA (C) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## Online HDD/SSD Flash Component for Linux (x64) - MB016000JXLBA and MB018000JXLAU Drives

Version: HPD3 (C) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C)



(D) etc.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB2000JFDSL and MB4000JFDSN Drives**

Version: HPD4 (M) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MM1000JFJTH Drive**

Version: HPD5 (D) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MO000400JWFWN, MO000800JWFWP, MO001600JWFWQ, MO003200JWFWR, MO000960JWFWT, MO001920JWFWU and MO003840JWFWV Drives**

Version: HPD5 (J) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

(D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

**Online HDD/SSD Flash Component for Linux (x64) - MO000800JXBEV, MO001600JXBFP, MO003200JXBFQ, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives**

Version: HPD1 (G) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

**Online HDD/SSD Flash Component for Linux (x64) - VK000960JWSSQ, VK001920JWSSR, VK003840JWSST, VK007680JWSSU and VO015300JWSSV Drives**

Version: HPD8 (I) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

**Online HDD/SSD Flash Component for Linux (x64) - VO000800JWZJP, VO001600JWZJQ, VO003200JWZJR and VO006400JWZJT Drives**

Version: HPD5 (C) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

(D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - VO000960JWZJF, VO001920JWZJH, VO003840JWZJK, VO007680JWZJL and VO015360JWZJN Drives**

Version: HPD5 (C) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - VO000960RWUEV, VO001920RWUFA, VO003840RWUFB, VO007680RWUFC, VO000960RWUFD, VO001920RWUFE and VO003840RWUFF Drives**

Version: HPD8 (B) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - VO003840XZCLT, VO007680XZCMB, MO000800XZCLQ and MO001600XZCLV Drives**

Version: HPD3 (Recommended)

#### **Fixes**

- Maintenance firmware release to introduce fixes from previous firmware.
- Maintenance firmware release to introduce fixes from previous firmware.

---

## Online HDD/SSD Flash Component for VMware ESXi - EG000300JWBHR Drive

Version: HPD5 (E) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## Online HDD/SSD Flash Component for VMware ESXi - EG000300JWFVB Drive

Version: HPD3 (E) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## Online HDD/SSD Flash Component for VMware ESXi - EG000600JWFUV and EG001200JWFVA Drives

Version: HPD4 (E) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## Online HDD/SSD Flash Component for VMware ESXi - EG000600JWJNP, EG001200JWJNQ, EG000600JXLVV, EG001200JXLWA and EG001200MXJQU Drives

Version: HPD8 (B) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - EG001800JWJNR, EG002400JWJNT, EG001800JXLWB, EG002400JXLWC and EG002400MXJQT Drives**

Version: HPDA (C) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - EG0600JETKA, EG0900JETKB and EG1200JETKC Drives**

Version: HPD8 (E) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - EH000900JWHPK and EH000600JWHPH Drives**

Version: HPD8 (B) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - EH000900JWHPP, EH000600JWHPN and EH000300JWHPL Drives**

Version: HPD8 (B) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR, MO000400JWDKU, MO000800JWDKV, MO001600JWDLA and MO003200JWDLB Drives**

Version: HPD2 (I) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - EO000400PXDBQ, EO000800PXDCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCD, MO006400PXDCE, VO000960PXDBN, VO001920PXDBR, VO003840PXDBT, VO007680PXDBU and VO015300PXDBV Drives**

Version: HPD4 (Recommended)

#### **Fixes**

- Maintenance firmware release to introduce fixes from previous firmware.
- Fix the controller library compatible issue.

- Fix the controller library compatible issue.

---

### Online HDD/SSD Flash Component for VMware ESXi - MB002000JWFVN and MB004000JWFVP Drives

Version: HPD4 (F) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### Online HDD/SSD Flash Component for VMware ESXi - MB002000JYDNE and MB004000JYDPB Drives

Version: HPD2 (E) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### Online HDD/SSD Flash Component for VMware ESXi - MB004000JWFBK and MB006000JWFBV Drives

Version: HPD4 (E) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### Online HDD/SSD Flash Component for VMware ESXi - MB006000JYDNF and MB008000JYDPC Drives

Version: HPD2 (E) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - MB010000JWZHA, MB012000JWZHB, MB014000JWZHC and MB016000JWZHE Drives**

Version: HPD4 (B) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - MB010000JYDKK, MB012000JYCJF, MB014000JYCJV, MB016000JYDKL and MB018000JYDKN Drives**

Version: HPD3 (B) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - MB012000JWDFD Drive**

Version: HPD4 (B) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C)



(D) etc.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - MB018000JXMTH and MB020000JXMTP Drives**

Version: HPD2 (B) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - MM1000JEFRB and MM2000JEFRB Drives**

Version: HPDA (D) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc..
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc..

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - MM1000JFJTH Drive**

Version: HPD5 (D) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - VO000960JWBK, VO001920JWTL, VO003840JWBN, VO007680JWBP, MO000400JWBQ, MO000800JWBR, MO001600JWBT, MO003200JWBU, MO006400JWTC, EO000400JWBV, EO000800JWTC, EO001600JWTCB Drives**

Version: HPDB (B) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - VO003840XZCLT, VO007680XZCMB, MO000800XZCLQ and MO001600XZCLV Drives**

Version: HPD3 (Recommended)

### **Fixes**

- Maintenance firmware release to introduce fixes from previous firmware.
- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - EG000300JWSJP, EG000600JWJNH and EG001200JWJNK Drives**

Version: HPD5 (D) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## Online HDD/SSD Flash Component for VMware ESXi - EG001800JWFVC Drive

Version: HPD4 (E) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## Online HDD/SSD Flash Component for VMware ESXi - EG001800JWJNL and EG002400JWJNN Drives

Version: HPD5 (D) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## Online HDD/SSD Flash Component for VMware ESXi - EG1800JFHH Drive

Version: HPD8 (E) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## Online HDD/SSD Flash Component for VMware ESXi - EK0800JVYPN, EO1600JVYPP, MK0800JVYPQ and MO1600JVYPR Drives

Version: HPD7 (H) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - MB004000JWKGU Drive**

Version: HPD2 (E) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - MB004000JWWQB and MB002000JWWQA Drives**

Version: HPD8 (B) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - MB006000JWKGN Drive**

Version: HPD2 (E) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C)

(D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - MB008000JWJRQ and MB006000JWJRP Drives**

Version: HPD9 (F) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - MB008000JWRTD Drive**

Version: HPD2 (F) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - MB008000JWWQP and MB006000JWWQN Drives**

Version: HPD8 (B) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## Online HDD/SSD Flash Component for VMware ESXi - MB010000JWAYK and MB008000JWAYH Drives

Version: HPD6 (E) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## Online HDD/SSD Flash Component for VMware ESXi - MB012000JZYVN, MB014000JZYVP, MB016000JZYVQ and MB018000JYCLK Drives

Version: HPD4 (B) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## Online HDD/SSD Flash Component for VMware ESXi - MB014000JWTFD and MB012000JWTFB Drives

Version: HPD8 (F) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## Online HDD/SSD Flash Component for VMware ESXi - MB014000JWUDB Drive

Version: HPD4 (B) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - MB014000JXUCC Drive**

Version: HPD4 (B) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - MB016000JWXKH Drive**

Version: HPDA (B) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - MB016000JXLBA and MB018000JXLAU Drives**

Version: HPD3 (B) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

(D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for VMware ESXi - MB2000JFDSL and MB4000JFDSN Drives**

Version: HPD4 (L) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for VMware ESXi - MO000400JWFWN, MO000800JWFWP, MO001600JWFWQ, MO003200JWFWR, MO000960JWFWT, MO001920JWFWU and MO003840JWFWV Drives**

Version: HPD5 (I) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for VMware ESXi - MO000800JXBEV, MO001600JXBFP, MO003200JXBFQ, MO006400JXBFR, MO000960JXBFA, MO001920JXBFT, MO003840JXBFU, MO007680JXBGA, MO015360JXBFV, EO000400JXBEU, EO000800JXBFL and EO001600JXBFN Drives**

Version: HPD1 (E) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.



(D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - VK000960JWSSQ, VK001920JWSSR, VK003840JWSST, VK007680JWSSU and VO015300JWSSV Drives**

Version: HPD8 (I) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - VO000800JWZJP, VO001600JWZJQ, VO003200JWZJR and VO006400JWZJT Drives**

Version: HPD5 (B) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - VO000960JWZJF, VO001920JWZJH, VO003840JWZJK, VO007680JWZJL and VO015360JWZJN Drives**

Version: HPD5 (B) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - VO000960RWUEV, VO001920RWUFA, VO003840RWUFB, VO007680RWUFC, VO000960RWUFD, VO001920RWUFE and VO003840RWUFF Drives**

Version: HPD8 (B) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi -MB014000JWRTH, MB012000JWRTE and MB010000JWRTE Drives**

Version: HPD2 (I) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for Windows (x64) - EG000300JWBHR Drive**

Version: HPD5 (E) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.

- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

## **Online HDD/SSD Flash Component for Windows (x64) - EG000300JWFVB Drive**

Version: HPD3 (E) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

## **Online HDD/SSD Flash Component for Windows (x64) - EG000300JWSJP, EG000600JWJNH and EG001200JWJNK Drives**

Version: HPD5 (D) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Sever 2025.
- Added support for Microsoft Windows Sever 2025.

---

## **Online HDD/SSD Flash Component for Windows (x64) - EG000600JWFUV and EG001200JWFVA Drives**

Version: HPD4 (E) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

## **Online HDD/SSD Flash Component for Windows (x64) - EG000600JWJNP, EG001200JWJNQ, EG000600JXLVV, EG001200JXLWA and EG001200MXJQU Drives**

Version: HPD8 (B) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## **Online HDD/SSD Flash Component for Windows (x64) - EG001800JWFVC Drive**

Version: HPD4 (E) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

## Online HDD/SSD Flash Component for Windows (x64) - EG001800JWJNL and EG002400JWJNN Drives

Version: HPD5 (D) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Sever 2025.
- Added support for Microsoft Windows Sever 2025.

---

## Online HDD/SSD Flash Component for Windows (x64) - EG001800JWJNR, EG002400JWJNT, EG001800JXLWB, EG002400JXLWC and EG002400MXJQT Drives

Version: HPDA (C) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## Online HDD/SSD Flash Component for Windows (x64) - EG0600JETKA, EG0900JETKB and EG1200JETKC Drives

Version: HPD8 (E) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - EG1800JFHMH Drive**

Version: HPD8 (E) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - EH000900JWHPK and EH000600JWHPH Drives**

Version: HPD8 (C) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - EH000900JWHPP, EH000600JWHPN and EH000300JWHPL Drives**

Version: HPD8 (C) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like

(B) (C) (D) etc.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

#### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - EK0800JVYPN, EO1600JVYPP, MK0800JVYPQ and MO1600JVYPR Drives**

Version: HPD7 (G) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

#### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - EO000400JWDKP, EO000800JWDKQ, EO001600JWDKR, MO000400JWDKU, MO000800JWDKV, MO001600JWDLA and MO003200JWDLB Drives**

Version: HPD2 (H) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

## **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - EO000400PXDBQ, EO000800PXDCCK, EO001600PXDCH, MO000800PXDBP, MO001600PXDCC, MO003200PXDCD, MO006400PXDCE, VO000960PXDBN, VO001920PXDBR, VO003840PXDBT, VO007680PXDBU and VO015300PXDBV Drives**

Version: HPD4 (Recommended)

## **Fixes**

- Maintenance firmware release to introduce fixes from previous firmware.
- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB002000JWFVN and MB004000JWFVP Drives**

Version: HPD4 (F) (Recommended)

## **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

## **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB002000JYDNE and MB004000JYDPB Drives**

Version: HPD2 (E) (Recommended)

## **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

## **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB004000JWFVK and MB006000JWFVL Drives**

Version: HPD4 (E) (Recommended)



### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

## **Online HDD/SSD Flash Component for Windows (x64) - MB004000JWKGU Drive**

Version: HPD2 (E) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

## **Online HDD/SSD Flash Component for Windows (x64) - MB004000JWWQB and MB002000JWWQA Drives**

Version: HPD8 (C) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## Online HDD/SSD Flash Component for Windows (x64) - MB006000JWKGN Drive

Version: HPD2 (E) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

## Online HDD/SSD Flash Component for Windows (x64) - MB006000JYDNF and MB008000JYDPC Drives

Version: HPD2 (E) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## Online HDD/SSD Flash Component for Windows (x64) - MB008000JWJRQ and MB006000JWJRP Drives

Version: HPD9 (F) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB008000JWRTD Drive**

Version: HPD2 (F) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB008000JWWQP and MB006000JWWQN Drives**

Version: HPD8 (C) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB010000GWZGT, MB012000GWZGU, MB014000GWZGV and MB016000GWZHD Drives**

Version: HPG1 (D) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running

supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

#### **Enhancements**

- Added support for Microsoft Windows Server 2025
- Added support for Microsoft Windows Server 2025

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB010000JWAYK and MB008000JWAYH Drives**

Version: HPD6 (E) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

#### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB010000JWZHA, MB012000JWZHB, MB014000JWZHC and MB016000JWZHE Drives**

Version: HPD4 (C) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.

- Fix the controller library compatible issue.

---

## **Online HDD/SSD Flash Component for Windows (x64) - MB010000JYDKK, MB012000JYCJF, MB014000JYCJV, MB016000JYDKL and MB018000JYDKN Drives**

Version: HPD3 (B) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## **Online HDD/SSD Flash Component for Windows (x64) - MB012000JWDFD Drive**

Version: HPD4 (B) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

## **Online HDD/SSD Flash Component for Windows (x64) - MB012000JZYVN, MB014000JZYVP, MB016000JZYVQ and MB018000JYCLK Drives**

Version: HPD4 (B) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## **Online HDD/SSD Flash Component for Windows (x64) - MB014000JWRTH, MB012000JWRTF and MB010000JWRTE Drives**

Version: HPD2 (H) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

## **Online HDD/SSD Flash Component for Windows (x64) - MB014000JWTFD and MB012000JWTFD Drives**

Version: HPD8 (F) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

## **Online HDD/SSD Flash Component for Windows (x64) - MB014000JWUDB Drive**

Version: HPD4 (B) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C)

(D) etc.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

#### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB014000JXUCC Drive**

Version: HPD4 (B) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB016000JWXKH Drive**

Version: HPDA (B) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB016000JXLBA and MB018000JXLAU Drives**

Version: HPD3 (B) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for Windows (x64) - MB018000JXMTH and MB020000JXMTP Drives**

Version: HPD2 (B) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for Windows (x64) - MB2000JFDSL and MB4000JFDSN Drives**

Version: HPD4 (J) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

#### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

#### **Online HDD/SSD Flash Component for Windows (x64) - MM1000JEFRB and MM2000JEFRC Drives**

Version: HPDA (D) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.



(D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for Windows (x64) - MM1000JFJTH Drive**

Version: HPD5 (D) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for Windows (x64) - MO000400JWFWN, MO000800JWFWP, MO001600JWFWQ, MO003200JWFWR, MO000960JWFWT, MO001920JWFWU and MO003840JWFWV Drives**

Version: HPD5 (H) (Recommended)

#### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

#### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

#### **Online HDD/SSD Flash Component for Windows (x64) - MO000800JXBEB, MO001600JXBEP, MO003200JXBEP, MO006400JXBEP, MO000960JXBEP, MO001920JXBEP, MO003840JXBEP, MO007680JXBEP, MO015360JXBEP, EO000400JXBEP, EO000800JXBEP and EO001600JXBEP Drives**

Version: HPD1 (E) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

**Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

**Online HDD/SSD Flash Component for Windows (x64) - VK000960JWSSQ, VK001920JWSSR, VK003840JWSST, VK007680JWSSU and VO015300JWSSV Drives**

Version: HPD8 (G) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

**Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

**Online HDD/SSD Flash Component for Windows (x64) - VO000800JWZJP, VO001600JWZJQ, VO003200JWZJR and VO006400JWZJT Drives**

Version: HPD5 (B) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.

- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

**Online HDD/SSD Flash Component for Windows (x64) - VO000960JWTBK, VO001920JWTL, VO003840JWBN, VO007680JWBP, MO000400JWBTQ, MO000800JWBR, MO001600JWBT, MO003200JWBU, MO006400JWTC, EO000400JWTV, EO000800JWTC and EO001600JWTCB Drives**

Version: HPDB (B) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

**Online HDD/SSD Flash Component for Windows (x64) - VO000960JWZJF, VO001920JWZJH, VO003840JWZJK, VO007680JWZJL and VO015360JWZJN Drives**

Version: HPD5 (B) (Recommended)

### **Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

**Online HDD/SSD Flash Component for Windows (x64) - VO000960RWUEV, VO001920RWUFA, VO003840RWUFB, VO007680RWUFC, VO000960RWUFD, VO001920RWUFE and VO003840RWUFF Drives**

Version: HPD8 (B) (Recommended)

**Important Note!**

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for Windows (x64) - VO003840XZCLT, VO007680XZCMB, MO000800XZCLQ and MO001600XZCLV Drives**

Version: HPD3 (Recommended)

**Fixes**

- Maintenance firmware release to introduce fixes from previous firmware.
- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

**Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

**Universal Firmware Package for Drives - MB020000JXMVU**

Version: HPD1 (Recommended)

**Fixes**

- An error was found in the queue fullhandling process that results in the FUA bit not getting properly set, which could lead to the drive self-initiated reset
- The FW fix is to resolve the handling of FUA bit during the queue full handling process has been implemented
- The FW was confirmed to resolve the issue of drives resetting under queue full handling situations.
- The FW was confirmed to resolve the issue of drives resetting under queue full handling situations.

---

**Universal Firmware Package for Drives - MB12000JYESN, MB16000JYEVC, MB20000JYEVD**

Version: HPD1 (Recommended)

**Fixes**

- Improve random read/write performance.

- Improve random read/write performance.

---

**Universal Firmware Package for Drives - MB24000JYEVE**

Version: HPD1 (Recommended)

**Fixes**

- Improve random read/write performance.
- Improve random read/write performance.

---

**Universal Firmware Package for Drives - MO000960RXKRC, MO001920RXKRH, MO003840RXKRK, VO000960RXKRB, VO001920RXKRD and VO003840RXKRE**

Version: HPD5 (Recommended)

**Fixes**

- This firmware version fixes a bug with the unmap command that may cause a drive hang
- This firmware version fixes a bug with the unmap command that may cause a drive hang

---

**Universal Firmware Package for Drives - MO000960RXRQK, MO001920RXRRH, MO003840RXRRK, VO000960RXRQL, VO001920RXRRL, VO003840RXRRN and VO007680RYEWD**

Version: HPD4 (Critical)

**Fixes**

- To fix - Frequent insertion of low priority commands during IO execution may lead to drive offline randomly.
- To fix - Frequent insertion of low priority commands during IO execution may lead to drive offline randomly. For more information, refer to HPE Customer Advisory at the following URL:  
[https://support.hpe.com/hpesc/public/docDisplay?docId=a00141941en\\_us](https://support.hpe.com/hpesc/public/docDisplay?docId=a00141941en_us)

---

**Universal Firmware Package for Drives - MO001600PXMTN, MO003200PXMTV, MO006400PXMUA, VO001920PXMTL, VO003840PXMTT, VO007680PXMTT and VO015360PXMTU**

Version: HPD2 (Recommended)

**Fixes**

- For commands that have reported errors to the host, FW has been changed so that new commands are registered after FW performs Abort process for the corresponding command in the command management table.

---

**Universal Firmware Package for Drives - MO001600PZWSH, MO003200PZWSK, MO000800PZWSE and MO006400PZXFA**

Version: HPD3 (Critical)

**Fixes**

- It has fix code for V6 read disturb and other issues.

- For more information, refer to HPE Customer Bulletin at the following URL:  
[https://support.hpe.com/hpesc/public/docDisplay?docId=a00136659en\\_us](https://support.hpe.com/hpesc/public/docDisplay?docId=a00136659en_us)
- For more information, refer to HPE Customer Bulletin at the following URL:  
[https://support.hpe.com/hpesc/public/docDisplay?docId=a00136659en\\_us](https://support.hpe.com/hpesc/public/docDisplay?docId=a00136659en_us)

---

**Universal Firmware Package for Drives - VO000960PZWSL, VO001920PZWSN, VO003840PZWSP, VO007680PZXFB and VO015360PZXEU**

Version: HPD3 (Critical)

**Fixes**

- It has fix code for V6 Read disturb issue and other issue.
- For more information, refer to HPE Customer Bulletin at the following URL:  
[https://support.hpe.com/hpesc/public/docDisplay?docId=a00136659en\\_us](https://support.hpe.com/hpesc/public/docDisplay?docId=a00136659en_us)
- For more information, refer to HPE Customer Bulletin at the following URL:  
[https://support.hpe.com/hpesc/public/docDisplay?docId=a00136659en\\_us](https://support.hpe.com/hpesc/public/docDisplay?docId=a00136659en_us)

---

**Universal Firmware Package for Drives - VO000960RZWUP, VO000960RZWUQ, VO001920RZWUR, VO001920RZWUV, VO003840RZWUT, VO003840RZWVA and VO007680RZWUU**

Version: HPD1 (Recommended)

**Fixes**

- This fix is for unrecovered errors may occur on the targeted Blocks of Wear-leveling process when host issues Read command.
- This fix is for unrecovered errors may occur on the targeted Blocks of Wear-leveling process when host issues Read command.

---

**Online HDD/SSD Flash Component for Linux (x64) - MB018000GXMTK and MB020000GXMTQ Drives**

Version: HPG2 (B) (Recommended)

**Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fixed flashing issue through SDR method

- Fixed flashing issue through SDR method

---

## **Online HDD/SSD Flash Component for Linux (x64) - MB001000GWCBC and MB002000GWCBD Drives**

Version: HPG6 (K) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## **Online HDD/SSD Flash Component for Linux (x64) - MB001000GFWFK and MB002000GFWFL Drives**

Version: HPG6 (K) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## **Online HDD/SSD Flash Component for Linux (x64) - MB001000GWJAN, MB002000GFWFA and MB004000GFWFB Drives**

Version: HPG1 (L) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB004000GWKGV Drive**

Version: HPG1 (K) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB004000GWWQH, MB002000GWWQF and MB001000GWWQE Drives**

Version: HPG6 (C) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an



offline update using the Service Pack for ProLiant and Smart Update Manager.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB006000GWBXQ and MB008000GWBYL Drives**

Version: HPG8 (K) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB006000GWJRR and MB008000GWJRT Drives**

Version: HPG6 (D) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB006000GWKGR Drive**

Version: HPG1 (K) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB008000GWRTC Drive**

Version: HPG1 (K) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## Online HDD/SSD Flash Component for Linux (x64) - MB008000GWWQU and MB006000GWWQT Drives

Version: HPG8 (C) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## Online HDD/SSD Flash Component for Linux (x64) - MB010000GWAYN and MB008000GWAYL Drives

Version: HPG5 (K) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## Online HDD/SSD Flash Component for Linux (x64) - MB010000GWZGT, MB012000GWZGU, MB014000GWZGV and MB016000GWZHD Drives

Version: HPG1 (E) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM)

mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.

- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

#### **Online HDD/SSD Flash Component for Linux (x64) - MB010000GYDKP, MB012000GYCJL, MB014000GYCJT, MB016000GYDKQ and MB018000GYDKR Drives**

Version: HPG2 (B) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

#### **Online HDD/SSD Flash Component for Linux (x64) - MB012000GWDFE Drive**

Version: HPG5 (B) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an

offline update using the Service Pack for ProLiant and Smart Update Manager.

- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB012000GWTFE and MB014000GWTFE Drives**

Version: HPG8 (D) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB012000GZYVT, MB014000GZYVU, MB016000GZYVV and MB018000GYCLL Drives**

Version: HPG4 (B) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc..
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc..

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB014000GWRTN, MB012000GWRTL and MB010000GWRTK Drives**

Version: HPG2 (K) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MB014000GWUDA Drive**

Version: HPG3 (B) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## Online HDD/SSD Flash Component for Linux (x64) - MB016000GWXKK Drive

Version: HPG4 (C) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## Online HDD/SSD Flash Component for Linux (x64) - MK000480GWSSC, MK000960GWSSD, MK001920GWSSE and MK003840GWSSF Drives

Version: HPG3 (I) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## Online HDD/SSD Flash Component for Linux (x64) - MK000480GWXFF, MK000960GWXFH, MK001920GWXFK and MK003840GWXFL Drives

Version: HPG3 (C) (Recommended)

**Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

**Online HDD/SSD Flash Component for Linux (x64) - MK000480GZXRA, MK000960GZXRB, MK001920GZXRC and MK003840GZXRV Drives**

Version: HPG1 (C) (Recommended)

**Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

**Online HDD/SSD Flash Component for Linux (x64) - MM1000GFJTE Drive**

Version: HPG6 (D) (Recommended)

**Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running



supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - MM2000GEFRA Drive**

Version: HPG9 (D) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives**

Version: HPG5 (J) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - VK000240GWSRQ, VK000480GWSRR, VK000960GWSRT, VK001920GWSRU and VK003840GWSRV Drives**

Version: HPG4 (I) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GWTTTC, VK003840GWTTD, MK000480GWTTTH, MK000960GWTTK, MK001920GWTTTL and MK003840GWTTN Drives**

Version: HPG7 (C) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

**Online HDD/SSD Flash Component for Linux (x64) - VK000240GXAW, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives**

Version: HPG1 (H) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

**Online HDD/SSD Flash Component for Linux (x64) - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives**

Version: HPG1 (C) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

**Online HDD/SSD Flash Component for Linux (x64) - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives**

Version: HPG3 (G) (Recommended)

**Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

**Online HDD/SSD Flash Component for Linux (x64) - VK000480GWTHA, VK000960GWTHB, VK001920GWTHC and VK003840GWTHD Drives**

Version: HPG5 (Recommended)

**Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.

**Fixes**

- Fix contains code improvements for SMART reporting.
- Fix contains code improvements for SMART reporting.

---

**Online HDD/SSD Flash Component for Linux (x64) - VK000480GZCNE, VK000960GZCNF, VK001920GZCNH and VK003840GZCNK Drives**

Version: HPG3 (C) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## **Online HDD/SSD Flash Component for Linux (x64) - VK000960GXCLD, VK001920GXCGP, VK003840GXCGQ and VK007680GXCGR Drives**

Version: HPG3 (E) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

## **Online HDD/SSD Flash Component for Linux (x64) - VK003840GWSXL Drive**

Version: HPG3 (G) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.

- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for Linux (x64) - VK007680GWSXN Drive**

Version: HPG3 (G) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fixed flashing issue through SDR method
- Fixed flashing issue through SDR method

---

### **Online HDD/SSD Flash Component for VMware ESXi - MB010000GWZGT, MB012000GWZGU, MB014000GWZGV and MB016000GWZHD Drives**

Version: HPG1 (D) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - MB010000GYDKP, MB012000GYCJL, MB014000GYCJT, MB016000GYDKQ and MB018000GYDKR Drives**

Version: HPG2 (B) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - MB018000GXMTK and MB020000GXMTQ Drives**

Version: HPG2 (B) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C)

(D) etc.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - MB001000GWCBC and MB002000GWCBD Drives**

Version: HPG6 (I) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - MB001000GFWFK and MB002000GFWFL Drives**

Version: HPG6 (J) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.



(D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - MB001000GWJAN, MB002000GWFWA and MB004000GWFWB Drives**

Version: HPG1 (J) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - MB004000GWKGV Drive**

Version: HPG1 (J) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - MB004000GWWQH, MB002000GWWQF and MB001000GWWQE Drives**

Version: HPG6 (B) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - MB006000GWBXQ and MB008000GWBYL Drives**

Version: HPG8 (I) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

## **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## **Online HDD/SSD Flash Component for VMware ESXi - MB006000GWJRR and MB008000GWJRT Drives**

Version: HPG6 (B) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

## **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## **Online HDD/SSD Flash Component for VMware ESXi - MB006000GWKGR Drive**

Version: HPG1 (J) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

## **Fixes**

- Fix the controller library compatible issue.

- Fix the controller library compatible issue.

---

## Online HDD/SSD Flash Component for VMware ESXi - MB008000GWRTC Drive

Version: HPG1 (J) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## Online HDD/SSD Flash Component for VMware ESXi - MB008000GWWQU and MB006000GWWQT Drives

Version: HPG8 (B) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## Online HDD/SSD Flash Component for VMware ESXi - MB010000GWAYN and MB008000GWAYL Drives

Version: HPG5 (J) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## Online HDD/SSD Flash Component for VMware ESXi - MB012000GWDFE Drive

Version: HPG5 (B) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## Online HDD/SSD Flash Component for VMware ESXi - MB012000GWTFE and MB014000GWTFE Drives

Version: HPG8 (B) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - MB012000GZVT, MB014000GZVU, MB016000GZVV and MB018000GYCLL Drives**

Version: HPG4 (B) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - MB014000GWRTN, MB012000GWRTL and MB010000GWRTK Drives**

Version: HPG2 (I) (Recommended)

**Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - MB014000GWUDA Drive**

Version: HPG3 (B) (Recommended)

**Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - MB016000GWXKK Drive**

Version: HPG4 (B) (Recommended)

**Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM)

mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.

- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for VMware ESXi - MK000480GWSSC, MK000960GWSSD, MK001920GWSSE and MK003840GWSSF Drives**

Version: HPG3 (G) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for VMware ESXi - MK000480GWXFF, MK000960GWXFH, MK001920GWXFK and MK003840GWXFL Drives**

Version: HPG3 (B) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM)



mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.

- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for VMware ESXi - MK000480GZXRA, MK000960GZXRB, MK001920GZXRC and MK003840GZXRV Drives.**

Version: HPG1 (B) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for VMware ESXi - MM1000GFJTE Drive**

Version: HPG6 (D) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported

for these configurations.

- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for VMware ESXi - MM2000GEFRA Drive**

Version: HPG9 (D) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for VMware ESXi - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPPQ Drives**

Version: HPG5 (I) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported

for these configurations.

- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for VMware ESXi - VK000240GWSRQ, VK000480GWSRR, VK000960GWSRT, VK001920GWSRU, VK003840GWSRV Drives**

Version: HPG4 (G) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for VMware ESXi - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GW TTC, VK003840GWTTD, MK000480GW TTH, MK000960GW TTK, MK001920GW TTL and MK003840GW TTN Drives**

Version: HPG7 (C) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM)

mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.

- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - VK000240GXAWF, VK000480GXAWK, VK000960GXAWL, VK001920GXAWN, VK003840GXAWP, VK007680GXAWQ, MK000480GXAWF, MK000960GXAXB, MK001920GXAWR, MK003840GXAWT, VR000240GXBBL, MR000480GXBGH and MR000960GXBGK Drives**

Version: HPG1 (F) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives.**

Version: HPG1 (B) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives**

Version: HPG3 (E) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for VMware ESXi - VK000480GWTHA, VK000960GWTHB, VK001920GWTHC and VK003840GWTHD Drives**

Version: HPG5 (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.

### **Fixes**

- Fix contains code improvements for SMART reporting.
- Fix contains code improvements for SMART reporting.

---

## **Online HDD/SSD Flash Component for VMware ESXi - VK000480GZCNE, VK000960GZCNF, VK001920GZCNH and VK003840GZCNK Drives**

Version: HPG3 (B) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

## **Online HDD/SSD Flash Component for VMware ESXi - VK000960GXCLD, VK001920GXCGP, VK003840GXCGQ and VK007680GXCGR Drives**

Version: HPG3 (D) (Recommended)

**Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - VK003840GWSXL Drive**

Version: HPG3 (E) (Recommended)

**Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for VMware ESXi - VK007680GWSXN Drive**

Version: HPG3 (E) (Recommended)

**Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM)

mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.

- In AHCI configuration only offline flashing is supported.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB001000GWCBC and MB002000GWCBD Drives**

Version: HPG6 (H) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

#### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB001000GWFWK and MB002000GWFWL Drives**

Version: HPG6 (I) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory



(ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.

- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for Windows (x64) - MB001000GWJAN, MB002000GWFWA and MB004000GWFWB Drives**

Version: HPG1 (I) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for Windows (x64) - MB004000GWKGV Drive**

Version: HPG1 (I) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running

supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB004000GWWQH, MB002000GWWQF and MB001000GWWQE Drives**

Version: HPG6 (B) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

#### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB006000GWBXQ and MB008000GWBXL Drives**

Version: HPG8 (H) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running

supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

#### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB006000GWJRR and MB008000GWJRT Drives**

Version: HPG6 (C) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

#### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB006000GWKGR Drive**

Version: HPG1 (I) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory

(ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.

- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB008000GWRTC Drive**

Version: HPG1 (I) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

#### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB008000GWWQU and MB006000GWWQT Drives**

Version: HPG8 (B) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is

supported for these configurations.

- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

#### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB010000GWAYN and MB008000GWAYL Drives**

Version: HPG5 (H) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

#### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB010000GYDKP, MB012000GYCJL, MB014000GYCJT, MB016000GYDKQ and MB018000GYDKR Drives**

Version: HPG2 (B) (Recommended)

**Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for Windows (x64) - MB012000GWDFE Drive**

Version: HPG5 (B) (Recommended)

**Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

**Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

**Online HDD/SSD Flash Component for Windows (x64) - MB012000GWTFE and MB014000GWTFE Drives**

Version: HPG8 (C) (Recommended)

**Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.

- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB012000GZYVT, MB014000GZVU, MB016000GZVW and MB018000GYCLL Drives**

Version: HPG4 (B) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB014000GWRTN, MB012000GWRTL and MB010000GWRTK Drives**

Version: HPG2 (H) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an

offline update using the Service Pack for ProLiant and Smart Update Manager.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

#### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB014000GWUDA Drive**

Version: HPG3 (B) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

#### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MB016000GWXKK Drive**

Version: HPG4 (B) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is



supported for these configurations.

- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for Windows (x64) - MB018000GXMTK and MB020000GXMTQ Drives**

Version: HPG2 (B) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for Windows (x64) - MK000480GWSSC, MK000960GWSSD, MK001920GWSSE and MK003840GWSSF Drives**

Version: HPG3 (G) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an

offline update using the Service Pack for ProLiant and Smart Update Manager.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MK000480GWXFF, MK000960GWXFH, MK001920GWXFK and MK003840GWXFL Drives**

Version: HPG3 (B) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MK000480GZXRA, MK000960GZXRB, MK001920GZXRC and MK003840GZXRV Drives**

Version: HPG1 (B) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like

(B) (C) (D) etc.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MM1000GFJTE Drive**

Version: HPG6 (C) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for Windows (x64) - MM2000GEFRA Drive**

Version: HPG9 (C) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for Windows (x64) - VK000240GWJPD, VK000480GWJPE, VK000960GWJPF, VK001920GWJPH, VK003840GWJPK, MK000240GWKVK, MK000480GWJPN, MK000960GWJPP and MK001920GWJPQ Drives**

Version: HPG5 (G) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - VK000240GWSRQ, VK000480GWSRR, VK000960GWSRT, VK001920GWSRU and VK003840GWSRV Drives**

Version: HPG4 (G) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for Windows (x64) - VK000240GWTSV, VK000480GWTTA, VK000960GWTTB, VK001920GWTTTC, VK003840GWTTD, MK000480GWTTTH, MK000960GWTTK, MK001920GWTTTL and MK003840GWTTN Drives**

Version: HPG7 (C) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

#### **Online HDD/SSD Flash Component for Windows (x64) - VK000240GZXRU, VK000480GZXRF, VK000960GZXQU, VK001920GZXQV, VK003840GZXRH and VK007680GZXRT Drives**

Version: HPG1 (B) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like

(B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for Windows (x64) - VK000480GWSXF, VK000960GWSXH, VK001920GWSXK, MK000480GWUGF, MK000960GWUGH and MK001920GWUGK Drives**

Version: HPG3 (E) (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

#### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

#### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

### **Online HDD/SSD Flash Component for Windows (x64) - VK000480GWTHA, VK000960GWTHB, VK001920GWTHC and VK003840GWTHD Drives**

Version: HPG5 (Recommended)

#### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.

### **Fixes**

- Fix contains code improvements for SMART reporting.
- Fix contains code improvements for SMART reporting.

---

### **Online HDD/SSD Flash Component for Windows (x64) - VK000480GZCNE, VK000960GZCNF, VK001920GZCNH and VK003840GZCNK Drives**

Version: HPG3 (B) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

---

### **Online HDD/SSD Flash Component for Windows (x64) - VK000960GXCLD, VK001920GXCGP, VK003840GXCGQ and VK007680GXCGR Drives**

Version: HPG3 (C) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.

- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

## **Online HDD/SSD Flash Component for Windows (x64) - VK003840GWSXL Drive**

Version: HPG3 (E) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.

### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

## **Online HDD/SSD Flash Component for Windows (x64) - VK007680GWSXN Drive**

Version: HPG3 (E) (Recommended)

### **Important Note!**

- Online firmware flashing of drives attached to a Smart Array controller running in Zero Memory (ZM) mode or Host Bus Adapter (HBA) is NOT supported. Only offline firmware flashing of drives is supported for these configurations.
- Online drive firmware update available for Smart Array Controllers configured in systems running supported Linux, Microsoft Windows, and VMware environments. All other OSes would require an offline update using the Service Pack for ProLiant and Smart Update Manager.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.
- Customers who already installed latest firmware version do not need to update to sub version like (B) (C) (D) etc.



### **Fixes**

- Fix the controller library compatible issue.
- Fix the controller library compatible issue.

### **Enhancements**

- Added support for Microsoft Windows Server 2025.
- Added support for Microsoft Windows Server 2025.

---

## **Universal Firmware Package for Drives - MB002000GYDNK and MB004000GYDPD**

Version: HPG1 (Recommended)

### **Fixes**

Optimize thermal maximum continuous operation temperature values.

---

## **Universal Firmware Package for Drives - MB006000GWZVL and MB008000GWZVN**

Version: HPG1 (Critical)

### **Fixes**

- This maintenance revision improves data integrity. The risk of not upgrading to this firmware is the increased possibility of data corruption in certain error and timing conditions.
- For more information, refer to HPE Customer Advisory at the following URL:  
[https://support.hpe.com/hpesc/public/docDisplay?docId=a00138902en\\_us](https://support.hpe.com/hpesc/public/docDisplay?docId=a00138902en_us) which will be active on 24-April-2024.
- For more information, refer to HPE Customer Advisory at the following URL:  
[https://support.hpe.com/hpesc/public/docDisplay?docId=a00138902en\\_us](https://support.hpe.com/hpesc/public/docDisplay?docId=a00138902en_us) which will be active on 24-April-2024.

---

## **Universal Firmware Package for Drives - MB006000GYDNL, MB008000GYDPE and MB010000GYDNN**

Version: HPG1 (Recommended)

### **Fixes**

Update maximum continuous operation temperature values for host thermal management and reporting.

---

## **Universal Firmware Package for Drives -**

**MK000480GYCNT ,MK000960GYCNP ,MK001920GYCNF ,MK003840GYCNQ ,VK000240GYCNU ,VK000480GYC  
NH ,VK000960GYCNK ,VK001920GYCNL ,VK003840GYCNN ,VK007680GYCNE ,VR000240GXPQT and  
VR000480GXPQU**

Version: HPG3 (Recommended)

### **Fixes**

- HPG3 is a planned maintenance release covering bug fixes for 2.5" and M.2. There are no critical functional updates, and risk is low for customers who do not upgrade, especially if drives are not stored without power for a long period of time (~2 years).

- HPG3 is a planned maintenance release covering bug fixes for 2.5" and M.2. There are no critical functional updates, and risk is low for customers who do not upgrade, especially if drives are not stored without power for a long period of time (~2 years).

---

### **Controller Firmware Flash for ESXi7.0 and 8.0 - HPE MR216i-a Gen10 Plus Tri Mode Controller**

Version: 52.26.3.5487 (Recommended)

#### **Fixes**

- Fix an issue that PLDM firmware update may fail. The issue may happen on controller, backplane and drive attached to controller.
- Fix an issue that PLDM firmware update may fail. The issue may happen on controller, backplane and drive attached to controller.

---

### **Controller Firmware Flash for ESXi7.0 and 8.0 - HPE MR216i-p Gen10 Plus Tri Mode Controller**

Version: 52.26.3.5487 (Recommended)

#### **Fixes**

- Fix an issue that PLDM firmware update may fail. The issue may happen on controller, backplane and drive attached to controller.
- Fix an issue that PLDM firmware update may fail. The issue may happen on controller, backplane and drive attached to controller.

---

### **Controller Firmware Flash for ESXi7.0 and 8.0 - HPE MR416i-a Gen10 Plus Tri Mode Controller**

Version: 52.26.3.5487 (Recommended)

#### **Fixes**

- Fix an issue that PLDM firmware update may fail. The issue may happen on controller, backplane and drive attached to controller.
- Fix an issue that PLDM firmware update may fail. The issue may happen on controller, backplane and drive attached to controller.

---

### **Controller Firmware Flash for ESXi7.0 and 8.0 - HPE MR416i-p Gen10 Plus Tri Mode Controller**

Version: 52.26.3.5487 (Recommended)

#### **Fixes**

- Fix an issue that PLDM firmware update may fail. The issue may happen on controller, backplane and drive attached to controller.
- Fix an issue that PLDM firmware update may fail. The issue may happen on controller, backplane and drive attached to controller.

---

**Firmware Package - HPE Smart Array P408i-p, P408e-p, P408i-a, P408i-c, E208i-p, E208e-p, E208i-c, E208i-a, P204i-c, P416ie-m and P816i-a SR Gen10 and SR308i-o,SR308i-p Gen11 controllers**

Version: 7.11 (Recommended)

**Fixes**

- Fixed an issue where the host experienced BSOD while clearing the controller configuration.
- Fixed controller lockups caused by incorrect address reads and partial RAM initialization for PCIe functions, leading to ECC errors.
- Fixed issues with external storage.
- Fixed issues with the SATA drive.
- Fixed issues with the SED drive.
- Fixed issues with the spare drive.
- Corrected MCTP-related issues.
- Fixed surface scan issues on the RAID 50.
- Fixed issues encountered during heavy I/O operations.
- Fixed volume issues on the failed drive.
- Fixed issues for incorrect Severity reported in Redfish events.
- Fixed issues for incorrect Status reported in Redfish resources.
- Fixed an issue with improper capacity information in Redfish drive Name.
- Fixed an issue where Redfish long running task status is not reported.
- Fixed an issue where DurableNameFormat for RAID volumes are reported as UUID in RDE READ operations, but should be NAA.
- Fixed an issue where failed to take ownership of, or to revert, a SED through Redfish.
- Fixed an issue when a drive hosting a RAID 0 Volume is removed and reinserted, a VolumeOK event is not generated.
- Fixed an issue where ILORest return "AccelerationMethod" as "ControllerCache" instead of "none" when controller cache is not enable or preset."
- Fixed an issue where ILORest return "AccelerationMethod" as "ControllerCache" instead of "none" when controller cache is not enable or preset."

**Enhancements**

- Added support for saving Managed SED master key and reset key in cipher text in controller NVRAM instead of clear text.
- Changed temperature polling period from 1 minute to 5 minutes for HBA mode drives that are in low power state.
- Added support for clearing UREs in unmapped LBA range of fault tolerant logical drives.
- Improved random write and mixed read-write performance.
- Added support for SED encryption configuration through Redfish interface.
- Added support of Redfish Chassis implementation for UBM Backplanes.
- Added Redfish ACTION:
  - Storage.SetEncryptionKey
- Added support for Redfish property PATCH:

- Storage.EncryptionMode
- Storage.HotspareActivationPolicy
- Drive.HostspareReplacementMode
- Drive.HotspareType
- Volume.Encrypted
- Added support for Redfish Status.Conditions property to resources:
- Drive
- Port
- StorageController
- StorageController.CacheSummary
- Volume
- Added support for Redfish properties:
- Drive.DriveFormFactor
- Drive.FirmwareVersion
- Drive.Manufacture (SAS only)
- Drive.SlotCapableProtocols
- StorageController.AssetId
- StorageController.Links.PCIeFunction
- Volume.BlockSizeBytes
- Volume.LogicalUnitNumber
- Added support for PLDM Type5 UBM PIC firmware flashing behind expander.
- Added support for PLDM Type5 UBM PIC firmware flashing behind expander.

---

## **Firmware Package - HPE Gen11 Boot Controller NS204i-u, NS204i-d and HPE Gen10 Plus Boot Controller NS204i-p, NS204i-d, NS204i-t, NS204i-r**

Version: 1.2.14.1013 (Recommended)

### **Important Note!**

- Windows: <https://www.hpe.com/global/swpublishing/MTX-be195b2891724ec8bb72c8bb2>
- Linux: <https://www.hpe.com/global/swpublishing/MTX-269e14d0e2524277bf699f433>
- Vmware: <https://www.hpe.com/global/swpublishing/MTX-1ffaca997cf248cd9f832a04c6>
- Vmware: <https://www.hpe.com/global/swpublishing/MTX-1ffaca997cf248cd9f832a04c6>

### **Prerequisites**

- iLO 6 version 1.10 or later is required for Gen11 servers.
- iLO 5 version 2.81 or later is required for Gen10/Gen10 Plus servers
- iLO 5 version 2.81 or later is required for Gen10/Gen10 Plus servers

### **Fixes**

- Fixed an issue that iLO reports NS204i PLDM firmware update failure, but the firmware update is actually successful and will be activated in next reboot
- Fixed an issue that the M.2 attached are listed in iLO Device Inventory

- Corrected the drive state of performing Storage.ResetToDefaults with ResetAll type
- Allowed empty JSON payload for SecureErase and corrected the returned status when the previous one is either in process or completed.
- Allowed empty JSON payload for SecureErase and corrected the returned status when the previous one is either in process or completed.

### **Enhancements**

- Add @Redfish.AllowableValues, @Redfish.AllowablePattern, @Redfish.AllowableNumbers and @Redfish.WritableProperties for Redfish Annotations
- Add StorageController.Links, Drive.SlotCapableProtocols and Storage.AutoVolumeCreate for Redfish GET
- Add StorageController.ControllerRates and Volume.DisplayName for Redfish PATCH
- Add StorageController.ControllerRates and Volume.DisplayName for Redfish PATCH

---

## **Firmware Package - HPE MR216i-a Gen10 Plus Tri Mode Controller**

Version: 52.26.3-5487 (Recommended)

### **Important Note!**

- This firmware version to be used on HPE MR216i-a Gen10 Plus Controller.
- This firmware version to be used on HPE MR216i-a Gen10 Plus Controller.

### **Prerequisites**

iLO5 version should be at least 2.98 is required for chassis&Fabric support.

### **Fixes**

- Fix an issue that PLDM firmware update may fail. The issue may happen on controller, backplane and drive attached to controller.
- Fix an issue that PLDM firmware update may fail. The issue may happen on controller, backplane and drive attached to controller.

---

## **Firmware Package - HPE MR216i-p Gen10 Plus Tri Mode Controller**

Version: 52.26.3-5487 (Recommended)

### **Important Note!**

- This firmware version to be used on HPE MR216i-p Gen10 Plus Controller.
- This firmware version to be used on HPE MR216i-p Gen10 Plus Controller.

### **Prerequisites**

iLO5 version should be at least 2.98 is required for chassis&Fabric support.

### **Fixes**

- Fix an issue that PLDM firmware update may fail. The issue may happen on controller, backplane and drive attached to controller.
- Fix an issue that PLDM firmware update may fail. The issue may happen on controller, backplane and drive attached to controller.

---

## Firmware Package - HPE MR416i-a Gen10 Plus Tri Mode Controller

Version: 52.26.3-5487 (Recommended)

### **Important Note!**

- This firmware version to be used on HPE MR416i-a Gen10 Plus Controller.
- This firmware version to be used on HPE MR416i-a Gen10 Plus Controller.

### **Prerequisites**

iLO5 version should be at least 2.98 is required for chassis&Fabric support.

### **Fixes**

- Fix an issue that PLDM firmware update may fail. The issue may happen on controller, backplane and drive attached to controller.
- Fix an issue that PLDM firmware update may fail. The issue may happen on controller, backplane and drive attached to controller.

---

## Firmware Package - HPE MR416i-p Gen10 Plus Tri Mode Controller

Version: 52.26.3-5487 (Recommended)

### **Important Note!**

- This firmware version to be used on HPE MR416i-p Gen10 Plus Controller.
- This firmware version to be used on HPE MR416i-p Gen10 Plus Controller.

### **Prerequisites**

iLO5 version should be at least 2.98 is required for chassis&Fabric support.

### **Fixes**

- Fix an issue that PLDM firmware update may fail. The issue may happen on controller, backplane and drive attached to controller.
- Fix an issue that PLDM firmware update may fail. The issue may happen on controller, backplane and drive attached to controller.

---

## Firmware Package - HPE SR932i-p Gen10 Plus /SR416i-a Gen10 Plus/SR932i-p Gen11/SR416ie-m Gen11 Controllers

Version: 03.01.30.106 (Recommended)

### **Fixes**

- Fixed an issue where the host experienced BSOD while clearing the controller configuration.
- Fixed controller lockups caused by incorrect address reads and partial RAM initialization for PCIe functions, leading to ECC errors.
- Fixed an issue where a possible controller lockup was observed after a factory reset.
- Fixed issues with external storage.
- Fixed issues with the SATA drive.
- Fixed issues with the SED drive.

- Fixed issues with the spare drive.
- Corrected MCTP-related issues.
- Fixed SPDM-related issues.
- Fixed issues related to volume creation and rebuilding.
- Fixed volume issues on the failed drive.
- Fixed surface scan issues on the RAID 50.
- Fixed issues encountered during heavy I/O operations.
- Fixed issues for incorrect Severity reported in Redfish events.
- Fixed issues for incorrect Status reported in Redfish resources.
- Fixed an issue with improper capacity information in Redfish drive Name.
- Fixed an issue where Redfish long running task status is not reported.
- Fixed an issue where DurableNameFormat for RAID volumes are reported as UUID in RDE READ operations, but should be NAA.
- Fixed an issue where failed to take ownership of, or to revert, a SED through Redfish.
- Fixed an issue when a drive hosting a RAID 0 Volume is removed and reinserted, a VolumeOK event is not generated.
- Fixed an issue when a drive hosting a RAID 0 Volume is removed and reinserted, a VolumeOK event is not generated.

## **Enhancements**

- Added support for saving Managed SED master key and reset key in cipher text in controller NVRAM instead of clear text.
- Changed temperature polling period from 1 minute to 5 minutes for HBA mode drives that are in low power state.
- Added support for clearing UREs in unmapped LBA range of fault tolerant logical drives.
- Improved RAID 1/10 write sequential performance.
- Added support for SED encryption configuration through Redfish interface.
- Added support of Redfish Chassis implementation for UBM Backplanes.
- Added Redfish ACTION:
  - Storage.SetEncryptionKey
- Added support for Redfish property PATCH:
  - Storage.EncryptionMode
  - Storage.HotspareActivationPolicy
  - Drive.HostspareReplacementMode
  - Drive.HotspareType
  - Volume.Encrypted
- Added support for Redfish Status.Conditions property to resources:
  - Drive
  - Port
  - StorageController
  - StorageController.CacheSummary

- Volume
- Added support for Redfish properties:
- Drive.DriveFormFactor
- Drive.FirmwareVersion
- Drive.Manufacture (SAS only)
- Drive.SlotCapableProtocols
- StorageController.AssetId
- StorageController.Links.PCIeFunction
- Volume.BlockSizeBytes
- Volume.LogicalUnitNumber
- Added support for PLDM Type5 UBM PIC firmware flashing behind expander.
- Added support for PLDM Type5 UBM PIC firmware flashing behind expander.

---

## **Online ROM Flash Component for VMware ESXi - HPE 12Gb/s SAS Expander Firmware for HPE Smart Array Controllers and HPE HBA Controllers**

Version: 5.15 (B) (Recommended)

### **Important Note!**

- Do NOT downgrade FW to previous version if your current expander is 5.10; please upgrade to 5.15 immediately.
- Do NOT downgrade FW to previous version if your current expander is 5.10; please upgrade to 5.15 immediately.

### **Enhancements**

- Support HPE ProLiant DL180 Gen10 Server
- Support HPE ProLiant DL180 Gen10 Server

---

## **Online ROM Flash Component for Windows (x64) - HPE 12Gb/s SAS Expander Firmware for HPE Smart Array Controllers and HPE HBA Controllers**

Version: 5.15 (C) (Recommended)

### **Important Note!**

- Do NOT downgrade FW to previous version if your current expander is 5.10; please upgrade to 5.15 immediately.
- Do NOT downgrade FW to previous version if your current expander is 5.10; please upgrade to 5.15 immediately.

### **Enhancements**

Support Microsoft Windows Server 2025.

---

## **HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for Linux (x64)**

Version: 2024.09.01 (Recommended)



**Important Note!**

This Firmware package contains following firmware versions:

| Adapter                                                           | Speed | Universal<br>Boot Image | Firmware    | UEFI       | Boot Bios  |
|-------------------------------------------------------------------|-------|-------------------------|-------------|------------|------------|
| HPE SN1200E 16Gb Dual<br>Port Fibre Channel Host<br>Bus Adapter   | 16Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1200E 16Gb<br>Single Port Fibre Channel<br>Host Bus Adapter | 16Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1600E 32Gb Dual<br>Port Fibre Channel Host<br>Bus Adapter   | 32Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1600E 32Gb<br>Single Port Fibre Channel<br>Host Bus Adapter | 32Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1610E 32Gb<br>Single Port Fibre Channel<br>Host Bus Adapter | 32Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1610E 32Gb Dual<br>Port Fibre Channel Host<br>Bus Adapter   | 32Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |

**Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link:<http://www.hpe.com/storage/spock/> Additional requirements: Environment must be running the syslog daemon for the flash engine to run Environment must have 32-bit netlink library (libnl.so) installed for component to be able to discover Emulex Host Bus Adapters(HBAs)

**Enhancements**

This Firmware package contains following firmware versions:

| Adapter                                                           | Speed | Universal<br>Boot Image | Firmware    | UEFI       | Boot Bios  |
|-------------------------------------------------------------------|-------|-------------------------|-------------|------------|------------|
| HPE SN1200E 16Gb Dual<br>Port Fibre Channel Host<br>Bus Adapter   | 16Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1200E 16Gb<br>Single Port Fibre Channel<br>Host Bus Adapter | 16Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1600E 32Gb Dual<br>Port Fibre Channel Host                  | 32Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |

|                                                                   |      |             |             |            |            |
|-------------------------------------------------------------------|------|-------------|-------------|------------|------------|
| Bus Adapter                                                       |      |             |             |            |            |
| HPE SN1600E 32Gb<br>Single Port Fibre Channel<br>Host Bus Adapter | 32Gb | 14.4.329.10 | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1610E 32Gb<br>Single Port Fibre Channel<br>Host Bus Adapter | 32Gb | 14.4.329.10 | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1610E 32Gb Dual<br>Port Fibre Channel Host<br>Bus Adapter   | 32Gb | 14.4.329.10 | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |

### **Supported Devices and Features**

- HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Dual port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Single port Fibre Channel Host Bus Adapter

---

### **HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for Microsoft Windows Server 2019/2022 x64**

Version: 2024.09.01 (Recommended)

### **Important Note!**

This Firmware package contains following firmware versions:

| Adapter                                                           | Speed | Universal<br>Boot Image | Firmware    | UEFI       | Boot Bios  |
|-------------------------------------------------------------------|-------|-------------------------|-------------|------------|------------|
| HPE SN1200E 16Gb Dual<br>Port Fibre Channel Host<br>Bus Adapter   | 16Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1200E 16Gb<br>Single Port Fibre Channel<br>Host Bus Adapter | 16Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1600E 32Gb Dual<br>Port Fibre Channel Host<br>Bus Adapter   | 32Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1600E 32Gb<br>Single Port Fibre Channel<br>Host Bus Adapter | 32Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1610E 32Gb<br>Single Port Fibre Channel                     | 32Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |

|                                                           |      |             |             |            |            |
|-----------------------------------------------------------|------|-------------|-------------|------------|------------|
| Host Bus Adapter                                          |      |             |             |            |            |
| HPE SN1610E 32Gb Dual Port Fibre Channel Host Bus Adapter | 32Gb | 14.4.329.10 | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |

Please consult SPOCK for a list of supported configurations available at the following link:<http://www.hpe.com/storage/spock/>

### **Enhancements**

This Firmware package contains following firmware versions:

| Adapter                                                     | Speed | Universal Boot Image | Firmware    | UEFI       | Boot Bios  |
|-------------------------------------------------------------|-------|----------------------|-------------|------------|------------|
| HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter   | 16Gb  | 14.4.329.10          | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter | 16Gb  | 14.4.329.10          | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter   | 32Gb  | 14.4.329.10          | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter | 32Gb  | 14.4.329.10          | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1610E 32Gb Single Port Fibre Channel Host Bus Adapter | 32Gb  | 14.4.329.10          | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1610E 32Gb Dual Port Fibre Channel Host Bus Adapter   | 32Gb  | 14.4.329.10          | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |

### **Supported Devices and Features**

- HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Dual port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Single port Fibre Channel Host Bus Adapter

---

### **HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for VMware vSphere 7.0**

Version: 2024.09.01 (Recommended)

**Important Note!**

This Firmware package contains following firmware versions:

| Adapter                                                           | Speed | Universal<br>Boot Image | Firmware    | UEFI       | Boot Bios  |
|-------------------------------------------------------------------|-------|-------------------------|-------------|------------|------------|
| HPE SN1200E 16Gb Dual<br>Port Fibre Channel Host<br>Bus Adapter   | 16Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1200E 16Gb<br>Single Port Fibre Channel<br>Host Bus Adapter | 16Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1600E 32Gb Dual<br>Port Fibre Channel Host<br>Bus Adapter   | 32Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1600E 32Gb<br>Single Port Fibre Channel<br>Host Bus Adapter | 32Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1610E 32Gb<br>Single Port Fibre Channel<br>Host Bus Adapter | 32Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1610E 32Gb Dual<br>Port Fibre Channel Host<br>Bus Adapter   | 32Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |

**Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following  
link:<http://www.hpe.com/storage/spock/>

**Enhancements**

This Firmware package contains following firmware versions:

| Adapter                                                           | Speed | Universal<br>Boot Image | Firmware    | UEFI       | Boot Bios  |
|-------------------------------------------------------------------|-------|-------------------------|-------------|------------|------------|
| HPE SN1200E 16Gb Dual<br>Port Fibre Channel Host<br>Bus Adapter   | 16Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1200E 16Gb<br>Single Port Fibre Channel<br>Host Bus Adapter | 16Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1600E 32Gb Dual<br>Port Fibre Channel Host<br>Bus Adapter   | 32Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1600E 32Gb                                                  | 32Gb  | 14.4.329.10             | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |

|                                                             |      |             |             |            |            |
|-------------------------------------------------------------|------|-------------|-------------|------------|------------|
| Single Port Fibre Channel Host Bus Adapter                  |      |             |             |            |            |
| HPE SN1610E 32Gb Single Port Fibre Channel Host Bus Adapter | 32Gb | 14.4.329.10 | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1610E 32Gb Dual Port Fibre Channel Host Bus Adapter   | 32Gb | 14.4.329.10 | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |

### **Supported Devices and Features**

- HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Dual port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Single port Fibre Channel Host Bus Adapter

---

### **HPE Firmware Flash for Emulex Fibre Channel Host Bus Adapters for VMware vSphere 8.0**

Version: 2024.09.01 (Recommended)

### **Important Note!**

This Firmware package contains following firmware versions:

| Adapter                                                     | Speed | Universal Boot Image | Firmware    | UEFI       | Boot Bios  |
|-------------------------------------------------------------|-------|----------------------|-------------|------------|------------|
| HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter   | 16Gb  | 14.4.329.10          | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter | 16Gb  | 14.4.329.10          | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter   | 32Gb  | 14.4.329.10          | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter | 32Gb  | 14.4.329.10          | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1610E 32Gb Single Port Fibre Channel Host Bus Adapter | 32Gb  | 14.4.329.10          | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1610E 32Gb Dual Port Fibre Channel Host               | 32Gb  | 14.4.329.10          | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |

|             |  |  |  |  |  |
|-------------|--|--|--|--|--|
| Bus Adapter |  |  |  |  |  |
|-------------|--|--|--|--|--|

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link:<http://www.hpe.com/storage/spock/>

### **Enhancements**

This Firmware package contains following firmware versions:

| Adapter                                                     | Speed | Universal Boot Image | Firmware    | UEFI       | Boot Bios  |
|-------------------------------------------------------------|-------|----------------------|-------------|------------|------------|
| HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter   | 16Gb  | 14.4.329.10          | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter | 16Gb  | 14.4.329.10          | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter   | 32Gb  | 14.4.329.10          | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter | 32Gb  | 14.4.329.10          | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1610E 32Gb Single Port Fibre Channel Host Bus Adapter | 32Gb  | 14.4.329.10          | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |
| HPE SN1610E 32Gb Dual Port Fibre Channel Host Bus Adapter   | 32Gb  | 14.4.329.10          | 14.4.329.10 | 14.4.329.9 | 14.4.290.0 |

### **Supported Devices and Features**

- HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Dual port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Single port Fibre Channel Host Bus Adapter

---

### **HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters - Linux (x86\_64)**

Version: 2024.09.01 (Recommended)

### **Important Note!**

Release Notes: This Firmware package contains following firmware versions:

| Adapter                                                          | Speed | MBI      | Firmware | UEFI | Boot Bios |
|------------------------------------------------------------------|-------|----------|----------|------|-----------|
| HPE SN1100Q 16GB Dual Port PCIe Fibre Channel Host Bus Adapter   | 16Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1100Q 16GB Single Port PCIe Fibre Channel Host Bus Adapter | 16Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter      | 32Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter        | 32Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter        | 32Gb  | 02.10.00 | 09.15.00 | 7.36 | 0         |
| HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter      | 32Gb  | 02.10.00 | 09.15.00 | 7.36 | 0         |

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link:<http://www.hpe.com/storage/spock/>The HPE supplied enablement kit must be installed prior to this firmware component being identified by SUM for deployment.

- It is advised to provide read-write permissions on /var/tmp folder. Firmware deployment via Service Pack for ProLiant(SPP) might be unsuccessful in some cases , if read-write(rw) permissions are not enable on /tmp or /var/tmp directories.
- It is advised to provide read-write permissions on /var/tmp folder. Firmware deployment via Service Pack for ProLiant(SPP) might be unsuccessful in some cases , if read-write(rw) permissions are not enable on /tmp or /var/tmp directories.

### **Enhancements**

Release Notes:This Firmware package contains following firmware versions:

| Adapter                                                        | Speed | MBI      | Firmware | UEFI | Boot Bios |
|----------------------------------------------------------------|-------|----------|----------|------|-----------|
| HPE SN1100Q 16GB Dual Port PCIe Fibre Channel Host Bus Adapter | 16Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1100Q 16GB Single Port PCIe Fibre Channel Host Bus       | 16Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |

| Adapter                                                           |      |          |          |      |      |
|-------------------------------------------------------------------|------|----------|----------|------|------|
| HPE SN1600Q 32Gb<br>Single Port Fibre Channel<br>Host Bus Adapter | 32Gb | 02.04.01 | 9.15.00  | 7.25 | 3.68 |
| HPE SN1600Q 32Gb Dual<br>Port Fibre Channel Host<br>Bus Adapter   | 32Gb | 02.04.01 | 9.15.00  | 7.25 | 3.68 |
| HPE SN1610Q 32Gb Dual<br>Port Fibre Channel Host<br>Bus Adapter   | 32Gb | 02.10.00 | 09.15.00 | 7.36 | 0    |
| HPE SN1610Q 32Gb<br>Single Port Fibre Channel<br>Host Bus Adapter | 32Gb | 02.10.00 | 09.15.00 | 7.36 | 0    |

### **Supported Devices and Features**

- HPE SN1100Q 16GB Dual Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1100Q 16GB Single Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter

---

### **HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters - Microsoft Windows Server 2019/2022 (x86\_64)**

Version: 2024.09.01 (Recommended)

### **Important Note!**

Release Notes: This Firmware package contains following firmware versions:

| Adapter                                                                   | Speed | MBI      | Firmware | UEFI | Boot Bios |
|---------------------------------------------------------------------------|-------|----------|----------|------|-----------|
| HPE SN1100Q 16GB Dual<br>Port PCIe Fibre Channel<br>Host Bus Adapter      | 16Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1100Q 16GB<br>Single Port PCIe Fibre<br>Channel Host Bus<br>Adapter | 16Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1600Q 32Gb<br>Single Port Fibre Channel<br>Host Bus Adapter         | 32Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1600Q 32Gb Dual<br>Port Fibre Channel Host                          | 32Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |



|                                                             |      |          |          |      |   |
|-------------------------------------------------------------|------|----------|----------|------|---|
| Bus Adapter                                                 |      |          |          |      |   |
| HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter   | 32Gb | 02.10.00 | 09.15.00 | 7.36 | 0 |
| HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter | 32Gb | 02.10.00 | 09.15.00 | 7.36 | 0 |

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link:<http://www.hpe.com/storage/spock/>

### **Fixes**

Fixed the following behavior:Temperature Misreading: the adapter was reading incorrect reading of the temperature on the HPE SN1610Q 32Gb Fibre Channel Host Bus adapter's Small Form-factor Pluggable. The symptom would result in a temperature spike and potentially reset the system

### **Enhancements**

Release Notes:This Firmware package contains following firmware versions:

| Adapter                                                          | Speed | MBI      | Firmware | UEFI | Boot Bios |
|------------------------------------------------------------------|-------|----------|----------|------|-----------|
| HPE SN1100Q 16GB Dual Port PCIe Fibre Channel Host Bus Adapter   | 16Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1100Q 16GB Single Port PCIe Fibre Channel Host Bus Adapter | 16Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter      | 32Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter        | 32Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter        | 32Gb  | 02.10.00 | 09.15.00 | 7.36 | 0         |
| HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter      | 32Gb  | 02.10.00 | 09.15.00 | 7.36 | 0         |

### **Supported Devices and Features**

- HPE SN1100Q 16GB Dual Port PCIe Fibre Channel Host Bus Adapter

- HPE SN1100Q 16GB Single Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter

**HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters for VMware vSphere 7.0**

Version: 2024.09.01 (Recommended)

**Important Note!**

Release Notes:This Firmware package contains following firmware versions:

| Adapter                                                          | Speed | MBI      | Firmware | UEFI | Boot Bios |
|------------------------------------------------------------------|-------|----------|----------|------|-----------|
| HPE SN1100Q 16GB Dual Port PCIe Fibre Channel Host Bus Adapter   | 16Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1100Q 16GB Single Port PCIe Fibre Channel Host Bus Adapter | 16Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter      | 32Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter        | 32Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter        | 32Gb  | 02.10.00 | 09.15.00 | 7.36 | 0         |
| HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter      | 32Gb  | 02.10.00 | 09.15.00 | 7.36 | 0         |

**Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link:<http://www.hpe.com/storage/spock/>

**Enhancements**

Release Notes:This Firmware package contains following firmware versions:

| Adapter                                                        | Speed | MBI      | Firmware | UEFI | Boot Bios |
|----------------------------------------------------------------|-------|----------|----------|------|-----------|
| HPE SN1100Q 16GB Dual Port PCIe Fibre Channel Host Bus Adapter | 16Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |

|                                                                           |      |          |          |      |      |
|---------------------------------------------------------------------------|------|----------|----------|------|------|
| HPE SN1100Q 16GB<br>Single Port PCIe Fibre<br>Channel Host Bus<br>Adapter | 16Gb | 02.04.01 | 9.15.00  | 7.25 | 3.68 |
| HPE SN1600Q 32Gb<br>Single Port Fibre Channel<br>Host Bus Adapter         | 32Gb | 02.04.01 | 9.15.00  | 7.25 | 3.68 |
| HPE SN1600Q 32Gb Dual<br>Port Fibre Channel Host<br>Bus Adapter           | 32Gb | 02.04.01 | 9.15.00  | 7.25 | 3.68 |
| HPE SN1610Q 32Gb Dual<br>Port Fibre Channel Host<br>Bus Adapter           | 32Gb | 02.10.00 | 09.15.00 | 7.36 | 0    |
| HPE SN1610Q 32Gb<br>Single Port Fibre Channel<br>Host Bus Adapter         | 32Gb | 02.10.00 | 09.15.00 | 7.36 | 0    |

### **Supported Devices and Features**

- HPE SN1100Q 16GB Dual Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1100Q 16GB Single Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter

---

### **HPE Firmware Flash for QLogic Fibre Channel Host Bus Adapters for VMware vSphere 8.0**

Version: 2024.09.01 (Recommended)

### **Important Note!**

Release Notes: This Firmware package contains following firmware versions:

| Adapter                                                                   | Speed | MBI      | Firmware | UEFI | Boot Bios |
|---------------------------------------------------------------------------|-------|----------|----------|------|-----------|
| HPE SN1100Q 16GB Dual<br>Port PCIe Fibre Channel<br>Host Bus Adapter      | 16Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1100Q 16GB<br>Single Port PCIe Fibre<br>Channel Host Bus<br>Adapter | 16Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1600Q 32Gb<br>Single Port Fibre Channel<br>Host Bus Adapter         | 32Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |

|                                                             |      |          |          |      |      |
|-------------------------------------------------------------|------|----------|----------|------|------|
| HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter   | 32Gb | 02.04.01 | 9.15.00  | 7.25 | 3.68 |
| HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter   | 32Gb | 02.10.00 | 09.15.00 | 7.36 | 0    |
| HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter | 32Gb | 02.10.00 | 09.15.00 | 7.36 | 0    |

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link:<http://www.hpe.com/storage/spock/>

### **Enhancements**

Release Notes: This Firmware package contains following firmware versions:

| Adapter                                                          | Speed | MBI      | Firmware | UEFI | Boot Bios |
|------------------------------------------------------------------|-------|----------|----------|------|-----------|
| HPE SN1100Q 16GB Dual Port PCIe Fibre Channel Host Bus Adapter   | 16Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1100Q 16GB Single Port PCIe Fibre Channel Host Bus Adapter | 16Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter      | 32Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter        | 32Gb  | 02.04.01 | 9.15.00  | 7.25 | 3.68      |
| HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter        | 32Gb  | 02.10.00 | 09.15.00 | 7.36 | 0         |
| HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter      | 32Gb  | 02.10.00 | 09.15.00 | 7.36 | 0         |

### **Supported Devices and Features**

- HPE SN1100Q 16GB Dual Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1100Q 16GB Single Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter

- HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter

---

### **Firmware Package - Gen10 NVMe Backplane PIC Firmware**

Version: 1.24 (F) (Recommended)

#### **Prerequisites**

iLO 5 version 1.10 or later is required.

#### **Enhancements**

Support ESXi8.0

---

### **Firmware Package - UBM1 Backplane PIC PLDM Firmware**

Version: 1.46 (B) (Recommended)

#### **Important Note!**

- PLDM FWPKG component only supports installation of UBM1 firmware when attached to HPE Smart Array P408i-p, P408e-p, P408i-a, P408i-c, E208i-p, E208e-p, E208i-c, E208i-a, P204i-c, P816i-a and P416ie-m SR Gen10 controllers(Firmware version 5.32 or later is need)
- PLDM FWPKG component can be supported installation of UBM1 firmware when direct attached the the server
- PLDM FWPKG component can be supported installation of UBM1 firmware when direct attached the the server

#### **Prerequisites**

- iLO 5 version 2.72 or later is required.
- iLO 5 version 2.72 or later is required.

#### **Enhancements**

- Initial version for UBM FWPKG.
- Support RHEL9 and ESXi8.0
- Support RHEL9 and ESXi8.0

---

### **Firmware Package - UBM2 Backplane PIC PLDM Firmware for Gen10/Gen10P/Gen11 Servers**

Version: 1.20 (E) (Recommended)

#### **Important Note!**

- PLDM FWPKG component only supports installation of UBM2 firmware when attached to HPE SR416/SR932(Firmware version 3.01.14.062 or later is need) or HPE smart array controllers(Firmware version 5.32 or later is need) or HPE MR216/416/408 controllers(Firmware version 52.22.3-4650 or later is need)
- PLDM FWPKG component can be supported installation of UBM2 firmware when direct attached the the server

- PLDM FWPKG component can be supported installation of UBM2 firmware when direct attached the the server

### **Prerequisites**

- For Gen11 servers, iLO 6 version 1.10 or later is required.
- For Gen10/Gen10P servers, iLO5 version 2.72 or later is required
- For Gen10/Gen10P servers, iLO5 version 2.72 or later is required

### **Enhancements**

- Support both Gen10P and Gen11 servers
- Support both Gen10P and Gen11 servers

---

## **Firmware Package - UBM3 Backplane PIC PLDM Firmware for Gen10/Gen10P/Gen11 servers usage**

Version: 1.24 (E) (Recommended)

### **Important Note!**

Flash FWPKG Component on Web Standalone mode

- PLDM FWPKG component only supports installation of UBM3 firmware when attached to HPE SR416/SR932(Firmware version 3.01.14.062 or later is need) or HPE smart array controllers(Firmware version 5.32 or later is need) or HPE MR216/416/408 controllers(Firmware version 52.22.3-4650 or later is need)
- PLDM FWPKG component can be supported installation of UBM3 firmware when direct attached the the server
- PLDM FWPKG component can be supported installation of UBM3 firmware when direct attached the the server

### **Prerequisites**

- iLO 6 version 1.10 or later is required for Gen11 servers.
- iLO 5 version 2.72 or later is required for Gen10/Gen10P servers
- iLO 5 version 2.72 or later is required for Gen10/Gen10P servers

### **Enhancements**

- Support new ML110 and DL560 Gen11 servers
- Support new ML110 and DL560 Gen11 servers

---

## **Firmware Package - UBM4 Backplane PIC PLDM Firmware for Gen10/Gen10P/Gen11 servers usage**

Version: 1.24 (F) (Recommended)

### **Important Note!**

Flash FWPKG Component on Web Standalone mode

- PLDM FWPKG component only supports installation of UBM4 firmware when attached to HPE SR416/SR932(Firmware version 3.01.14.062 or later is need) or HPE MR216/416/408 controllers(Firmware version 52.22.3-4650 or later is need)

- PLDM FWPKG component can be supported installation of UBM4 firmware when direct attached the the server
- PLDM FWPKG component can be supported installation of UBM4 firmware when direct attached the the server

### **Prerequisites**

- iLO 6 version 1.10 or later is required for Gen11 servers.
- iLO 5 version 2.72 or later is required for Gen10/Gen10P servers
- iLO 5 version 2.72 or later is required for Gen10/Gen10P servers

### **Enhancements**

- Support both Gen10P and Gen11 servers
- Support both Gen10P and Gen11 servers

---

## **Firmware Package - UBM6 Backplane PIC PLDM Firmware for Gen10/Gen10P/Gen11 servers usage**

Version: 1.04 (Recommended)

### **Important Note!**

- PLDM FWPKG component only supports installation of UBM6 firmware when attached to HPE SR416i/SR932 controllers(Firmware version 3.01.09.056 or later is need) or HPE Smart Array controllers (Firmware version 5.32 or later is need) or HPE MR216/416/408 controllers(Firmware version 52.22.3-4650 or later is need)
- PLDM FWPKG component can be supported installation of UBM6 firmware when direct attached the the server
- PLDM FWPKG component can be supported installation of UBM6 firmware when direct attached the the server

### **Prerequisites**

- For Gen11 servers, iLO 6 version 1.10 or later is required.
- For Gen10/Gen10P servers, iLO5 version 2.72 or later is required
- For Gen10/Gen10P servers, iLO5 version 2.72 or later is required

### **Enhancements**

- Support both Gen10P and Gen11 servers
- Support both Gen10P and Gen11 servers

---

## **Online Flash for Linux - Innovation Engine Firmware for servers using Intel Xeon Scalable**

### **3100/3200/4100/4200/5100/5200/6100/6200/8100/8200 series Processors**

Version: 0.2.3.0 (B) (Recommended)

### **Prerequisites**

The "iLO 5 Channel Interface Driver" (CHIF) for Linux which is integrated into the standard Linux kernel.

### **Enhancements**

Version 0.2.3.0 firmware

---

### **Online Flash for Linux - Server Platform Services (SPS) Firmware for servers using Intel Xeon Scalable 3100/3200/4100/4200/5100/5200/6100/6200/8100/8200 series Processors**

Version: 04.01.05.002 (B) (Recommended)

### **Enhancements**

Version 04.01.05.002 firmware

---

### **Online Flash for Linux - Server Platform Services (SPS) Firmware for servers using Intel Xeon Scalable 4300/5300/6300/8300 series Processors**

Version: 04.04.04.603 (B) (Recommended)

### **Enhancements**

Version 04.04.04.603 firmware

---

### **Online Flash for Windows x64 - Server Platform Services (SPS) Firmware for servers using Intel Xeon Scalable 3100/3200/4100/4200/5100/5200/6100/6200/8100/8200 series Processors**

Version: 04.01.05.002 (C) (Recommended)

### **Enhancements**

Version 04.01.05.002 firmware

---

### **Online Flash for Windows x64 - Server Platform Services (SPS) Firmware for servers using Intel Xeon Scalable 4300/5300/6300/8300 series Processors**

Version: 04.04.04.603 (B) (Recommended)

### **Enhancements**

Version 04.04.04.603 firmware

---

### **Online ROM Flash Component for Windows x64 - Server Platform Services Manageability Engine Firmware for the Intel C242 and C246 PCH based systems**

Version: 05.01.04.913 (Recommended)

### **Enhancements**

Version 05.01.04.913 firmware

---

### **Online ROM Flash Component for Windows x64 - Server Platform Services Manageability Engine Firmware for the Intel C242 and C246 PCH based systems**

Version: 06.00.03.604 (B) (Recommended)



### **Prerequisites**

The "iLO 5 Channel Interface Driver" (CHIF) for Windows which is available from Service Pack for ProLiant (SPP).

### **Enhancements**

Version 06.00.03.604 firmware

---

### **Online ROM Flash Component for Windows x64 - Server Platform Services Manageability Engine Firmware for the Intel C256 PCH based systems**

Version: 06.00.03.604 (B) (Recommended)

### **Enhancements**

Version 06.00.03.604 firmware

---

### **Online ROM Flash for Linux - Innovation Engine Firmware for servers using Intel Xeon Scalable 4300/5300/6300/8300 series Processors**

Version: 1.0.0.22 (B) (Recommended)

### **Prerequisites**

The "iLO 5 Channel Interface Driver" (CHIF) for Linux which is integrated into the standard Linux kernel.

### **Enhancements**

Version 1.0.0.22 firmware

---

### **Online ROM Flash for Linux - Server Platform Services Manageability Engine Firmware for the Intel C242 and C246 PCH based systems**

Version: 06.00.03.604 (B) (Recommended)

### **Enhancements**

Version 06.00.03.604 firmware

---

### **Online ROM Flash for Linux - Server Platform Services Manageability Engine Firmware for the Intel C242 and C246 PCH based systems**

Version: 05.01.04.913 (B) (Recommended)

### **Enhancements**

Version 05.01.04.913 firmware

---

### **Online ROM Flash for Linux - Server Platform Services Manageability Engine Firmware for the Intel C256 PCH based systems**

Version: 06.00.03.604 (B) (Recommended)

### **Enhancements**

Version 06.00.03.604 firmware

---

**ROM Flash Firmware Package - Innovation Engine Firmware for servers using Intel Xeon Scalable  
3100/3200/4100/4200/5100/5200/6100/6200/8100/8200 series Processors**

Version: 0.2.3.0 (B) (Recommended)

**Prerequisites**

System ROM V1.26 or later iLO 5 v1.20 or later

**Enhancements**

Version 0.2.3.0 firmware

---

**ROM Flash Firmware Package - Innovation Engine Firmware for servers using Intel Xeon Scalable  
4300/5300/6300/8300 series Processors**

Version: 1.0.0.22 (B) (Recommended)

**Prerequisites**

System ROM V1.26 or later iLO 5 v1.20 or later

**Enhancements**

Version 1.0.0.22 firmware

---

**ROM Flash Firmware Package - Server Platform Services (SPS) Firmware for servers using Intel Xeon Scalable  
3100/3200/4100/4200/5100/5200/6100/6200/8100/8200 series Processors**

Version: 04.01.05.002 (Recommended)

**Enhancements**

Version 04.01.05.002 firmware

---

**ROM Flash Firmware Package - Server Platform Services (SPS) Firmware for servers using Intel Xeon Scalable  
4300/5300/6300/8300 series Processors**

Version: 04.04.04.603 (Recommended)

**Enhancements**

Version 04.04.04.603 firmware

---

**ROM Flash Firmware Package - Server Platform Services Manageability Engine Firmware for the Intel C242  
and C246 PCH based systems**

Version: 05.01.04.913 (Recommended)

**Enhancements**

Version 05.01.04.913 firmware

---

**ROM Flash Firmware Package - Server Platform Services Manageability Engine Firmware for the Intel C242  
and C246 PCH based systems**

Version: 06.00.03.604 (Recommended)

### **Fixes**

See the release document in Download Product Binaries page from Product Summary of the firmware product.

### **Enhancements**

Version 06.00.03.604 firmware

---

## **ROM Flash Firmware Package - Server Platform Services Manageability Engine Firmware for the Intel C256 PCH based systems**

Version: 06.00.03.604 (Recommended)

### **Fixes**

See the release document in Download Product Binaries page from Product Summary of the firmware product.

### **Enhancements**

Version 06.00.03.604 firmware

---

## **HPE Lights-Out Online Configuration Utility for Linux (AMD64/EM64T)**

Version: 6.0.0-0 (A) (Optional)

### **Prerequisites**

Customers who manually compile and install openssl or intentionally relocate /usr/bin/openssl, need to set PATH environment variable to direct HPONCFG to the right/intended openssl.

### **Fixes**

Enabling rpm installation when OS is in FIPS mode

### **Enhancements**

none

---

## **HPE Lights-Out Online Configuration Utility for Windows x64 Editions**

Version: 6.0.0.0 (Optional)

### **Important Note!**

RIBCL and the scripting tools including HPQLOCFG, HPE Lights-Out XML PERL Scripting Sample for Linux (includes LOCFG.PL), HPE Lights-Out XML Scripting Sample for Windows, HPONCFG for Windows, HPONCFG for Linux, and HPLOMIG have entered the sustenance stage. HPE will now provide only critical bugs and security fixes for RIBCL and the scripting tools. Hewlett Packard Enterprise recommends using the iLOREST Tool (Download Pages and User Guide) or iLO RESTful API

### **Prerequisites**

- Integrated Lights-Out 5 firmware v1.30 or later
- Integrated Lights-Out 6 firmware v1.10 or later

Microsoft .Net Framework 2.0 or later is required to launch HPONCFG GUI.

### **Enhancements**

Introduced support for iLO 6.

---

## **HPE Agentless Management Bundle Smart Component on ESXi for Gen10 and Gen10 Plus Servers**

Version: 2024.03.01 (Recommended)

### **Fixes**

- Fixed OID name hrSystemUptime is reported incorrectly
- Fixed OID name hrSystemUptime is reported incorrectly

---

## **HPE Fiber Channel and Storage Enablement Bundle Smart Component for ESXi 7.0**

Version: 2024.09.01 (Recommended)

### **Enhancements**

This product carries SBOM signatures.

---

## **HPE Fiber Channel and Storage Enablement Bundle Smart Component for ESXi 8.0**

Version: 2024.09.01 (Recommended)

### **Enhancements**

This product carries SBOM signatures.

---

## **HPE iLO Driver Bundle Smart Component for ESXi 7.0 and ESXi 8.0**

Version: 2024.09.00 (Recommended)

### **Enhancements**

Revise the product name to support ESXi 8.0.

---

## **Smart Storage Administrator (SSA) CLI Smart Component for ESXi 7.0 for Gen10/Gen10 Plus/Gen11**

### **Controllers**

Version: 2024.10.01 (Recommended)

### **Important Note!**

Actual ESXi Version is 6.40.6.0

### **Fixes**

- Fixed an issue where failed drive details were displayed multiple times in the 'show config' output.
- Fixed incorrect error messages displayed in SSACLI when the modify command threw an error if the 'drive' and 'drivetype' parameters coexisted.
- Fixed an issue where the array creation command failed when executed with the drives=all and drivetype=sata\_hdd parameters.
- Fixed an issue where the drives behind the enclosures were missing in the SSACLI output.

- Fixed an issue where users encountered a failure when launching the SSASCRIPING tool to restore a RAID configuration with an unsupported parameter for PrebootHealthReporting.
- Fixed an issue where users encountered a failure when launching the SSASCRIPING tool to restore a RAID configuration with an unsupported parameter for PrebootHealthReporting.

### **Enhancements**

- To improve the output format of the NVMe drive health log for the show command.
- To improve the output format of the NVMe drive health log for the show command.

---

## **Smart Storage Administrator (SSA) CLI Smart Component for ESXi 8.0 for Gen10/Gen10 Plus/Gen11**

### **Controllers**

Version: 2024.10.01 (Recommended)

### **Important Note!**

Actual ESXi Version is 6.40.6.0

### **Fixes**

- Fixed an issue on VMware ESXi 8.0 U2 where not all controllers were shown via esxcli.
- Fixed an issue on VMware ESXi 8.0 U2 where the create and delete config, as well as other modify operations, were not working.
- Fixed an issue where failed drive details were displayed multiple times in the 'show config' output.
- Fixed incorrect error messages displayed in SSACLI when the modify command threw an error if the 'drive' and 'drivetype' parameters coexisted.
- Fixed an issue where the array creation command failed when executed with the drives=all and drivetype=sata\_hdd parameters.
- Fixed an issue where the drives behind the enclosures were missing in the SSACLI output.
- Fixed an issue where users encountered a failure when launching the SSASCRIPING tool to restore a RAID configuration with an unsupported parameter for PrebootHealthReporting.
- Fixed an issue where users encountered a failure when launching the SSASCRIPING tool to restore a RAID configuration with an unsupported parameter for PrebootHealthReporting.

### **Enhancements**

- To improve the output format of the NVMe drive health log for the show command.
- To improve the output format of the NVMe drive health log for the show command.

---

## **HPE MegaRAID Storage Administrator StorCLI for VMware7.0 (For Gen10P and Gen11 Controllers)**

Version: 2023.12.01 (Recommended)

### **Enhancements**

- Support autoconfig command.
- Support autoconfig command. storcli /cx set autoconfig = < none | JBOD >
- Added a new option [ReuseTargetId] to add vd command. If "ReuseTargetId" is mentioned in the add vd command, the FW will allow reusing of TargetIDs without 120 seconds delay.

- Added support for UBM7 backplanes.
- Support new HPE ProLiant DL145 Gen11 server.
- Support new HPE ProLiant DL145 Gen11 server.

---

## **HPE MegaRAID Storage Administrator StorCLI for VMware8.0 (For Gen10P and Gen11 Controllers)**

Version: 2024.06.01 (Recommended)

### **Fixes**

Fix an issue that VMware 8.0 command throws storcli pluggin error.

### **Enhancements**

- Support new HPE ProLiant DL145 Gen11 server.
- Support new HPE ProLiant DL145 Gen11 server.

---

## **HPE Smart Array SR Event Notification Service for Windows Server 64-bit Editions**

Version: 1.2.1.69 (Recommended)

### **Enhancements**

Support Microsoft Windows Server 2025.

---

## **HPE QLogic Fibre Channel driver component for VMware vSphere 7.0**

Version: 2024.09.01 (Recommended)

### **Important Note!**

Release Notes: This component is intended to be used by HPE applications. It is a zip that contains the same driver deliverable available from the vmware.com and the HPE vibsdepot.hpe.com webpages, plus an HPE specific CPXXXX.xml file.

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link: <http://www.hpe.com/storage/spock/>

### **Enhancements**

Driver version 5.3.83.1

### **Supported Devices and Features**

- HPE SN1100Q 16GB Dual Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1100Q 16GB Single Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter

---

## HPE QLogic Fibre Channel driver component for VMware vSphere 8.0

Version: 2024.09.01 (Recommended)

### **Important Note!**

Release Notes: This component is intended to be used by HPE applications. It is a zip that contains the same driver deliverable available from the vmware.com and the HPE vibsddepot.hpe.com webpages, plus an HPE specific CPXXXX.xml file. This driver is only supported on VMware ESXi 8.0u3

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link: <http://www.hpe.com/storage/spock/>

### **Enhancements**

Driver version 5.4.83.1 This driver is only supported on VMware ESXi 8.0u3

### **Supported Devices and Features**

- HPE SN1100Q 16GB Dual Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1100Q 16GB Single Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter

---

## HPE QLogic Fibre Channel driver component for VMware vSphere 8.0

Version: 2024.09.01 (Recommended)

### **Important Note!**

Release Notes: This component is intended to be used by HPE applications. It is a zip that contains the same driver deliverable available from the vmware.com and the HPE vibsddepot.hpe.com webpages, plus an HPE specific CPXXXX.xml file.

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link: <http://www.hpe.com/storage/spock/>

### **Enhancements**

Driver version 5.4.82.1

### **Supported Devices and Features**

- HPE SN1100Q 16GB Dual Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1100Q 16GB Single Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter

- HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter

---

## **HPE Storage Emulex Fibre Channel driver component for VMware vSphere 7.0**

Version: 2024.09.01 (Recommended)

### **Important Note!**

This component is intended to be used by HPE applications. It is a zip that contains the same driver deliverable available from the vmware.com and the HPE vibsdepot.hpe.com webpages, plus an HPE specific CPXXXX.xml file.

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link:<http://www.hpe.com/storage/spock/>

### **Enhancements**

Updated to Driver version 14.2.673.36

### **Supported Devices and Features**

- HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Dual port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Single port Fibre Channel Host Bus Adapter

---

## **Fibreutils for HPE Storage Fibre Channel Host Bus Adapters for Linux -Red Hat Enterprise Linux (RHEL)**

Version: 4.2-1 (i) (Optional)

### **Important Note!**

Release notes:Broadcom Release notes

### **Prerequisites**

Requires the following packages to be installed: glibc libgcc libstdc++ bash perl

### **Fixes**

This Component is FIPs enabled.

### **Enhancements**

This Component is FIPs enabled.

### **Supported Devices and Features**

- HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1100Q 16GB Dual Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1100Q 16GB Single Port PCIe Fibre Channel Host Bus Adapter



- HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Dual port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Single port Fibre Channel Host Bus Adapter

---

## **HPE Emulex Fibre Channel Enablement Kit for Host Bus Adapters for Red Hat Enterprise Linux 8 Server**

Version: 14.4.329.3 (Recommended)

### **Important Note!**

Release notes:Broadcom Release notes

The target environment must have the libHBAAPI Package installed prior to the installation of the enablement kit. (If not already present, the libHBAAPI Package can be obtained from the operating system installation media.) Updated to version 14.4.329.3

### **Prerequisites**

The target environment must have the libHBAAPI Package installed prior to the installation of the enablement kit. (If not already present, the libHBAAPI Package can be obtained from the operating system installation media.)

### **Enhancements**

Updated to version 14.4.329.3

### **Supported Devices and Features**

- HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Dual port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Single port Fibre Channel Host Bus Adapter

---

## **HPE Emulex Fibre Channel Smart SAN Enablement Kit for Host Bus Adapters for Microsoft Windows Server 2016/2019 (x86\_64)**

Version: 1.0.0.1 (p) (Optional)

### **Important Note!**

The Smart SAN enablement kit will not execute when an operating system has only the inbox fibre channel driver installed. Obtain Smart SAN User Guide for 3PAR at following link: [HPE Smart SAN for 3PAR 2.0 User Guide](#)

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link:<http://www.hpe.com/storage/spock/> The HPE supplied fibre channel driver must be installed prior to this enablement kit component if you want to enable Smart SAN functionality. The latest Emulex FC driver 14.0.534.0 is available on the Service Pack for ProLiant (SPP) which is available at <http://www.hpe.com/servers/spp/download/> However, if a Smart SAN enabled driver is not installed at execution time, the component will land the enablement kit files for future use after the driver has been installed.

### **Enhancements**

Updated to version 1.0.0.1

### **Supported Devices and Features**

- HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Dual port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Single port Fibre Channel Host Bus Adapter

---

## **HPE Emulex Fibre Channel Smart SAN Enablement Kit for Host Bus Adapters for Microsoft Windows Server 2022 (x86\_64)**

Version: 1.0.0.1 (f) (Optional)

### **Important Note!**

The Smart SAN enablement kit will not execute when an operating system has only the inbox fibre channel driver installed. Obtain Smart SAN User Guide for 3PAR at following link: [HPE Smart SAN for 3PAR 2.0 User Guide](#)

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link:[The HPE supplied fibre channel driver must be installed prior to this enablement kit component if you want to enable Smart SAN functionality. The driver is available on the HPE.com website at \[www.hpe.com\]\(http://www.hpe.com\). HPE Storage Fibre Channel Adapter Kit for the x64 Emulex Storport Driver v14.0.534.0 cp054531.exe](#) However, if a Smart SAN enabled driver is not installed at execution time, the component will land the enablement kit files for future use after the driver has been installed.

### **Enhancements**

Updated to version 1.0.0.1

### **Supported Devices and Features**

- HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter

- HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Dual port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Single port Fibre Channel Host Bus Adapter

---

## **HPE Emulex Smart SAN Enablement Kit for Linux**

Version: 1.0.0.0-4 (p) (Optional)

### **Important Note!**

To obtain the 3PAR Smart SAN User Guide to go the Storage Information Library at the following link:Storage Information Library By default, HP 3PAR Storage is selected under Products and Solutions.

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link:The HPE supplied fibre channel driver must be installed prior to this enablement kit component if you want to enable Smart SAN functionality. The driver is available on the HPE.com website at [www.hpe.com](http://www.hpe.com).However, if a Smart SAN enabled driver is not installed at execution time, the component will land the enablement kit files for future use after the driver has been installed.

### **Fixes**

This Component is FIPs enabled.

### **Enhancements**

This Component is FIPs enabled.

### **Supported Devices and Features**

- HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1200E 16Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1600E 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Dual port Fibre Channel Host Bus Adapter
- HPE SN1610E 32Gb Single port Fibre Channel Host Bus Adapter

---

## **HPE QLogic Fibre Channel Enablement Kit for Host Bus Adapter for Linux**

Version: 6.0.0.1-4 (b) (Recommended)

### **Important Note!**

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link:The Enablement Kit requires that the target environment have the libHBAAPI package installed from your OS installation media.

### **Enhancements**

Updated the kit to version 6.0.0.1-4

### **Supported Devices and Features**

- HPE SN1100Q 16GB Dual Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1100Q 16GB Single Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter

---

### **HPE QLogic Smart SAN Enablement Kit for Fibre Channel Host Bus Adapter for Microsoft Windows Server 2016/2019 (x86\_64)**

Version: 1.0.0.1 (n) (Optional)

### **Important Note!**

The Smart SAN enablement kit will not execute when an operating system has only the inbox fibre channel driver installed. An out of box (OOB) fibre channel driver is needed to utilize Smart SAN functionality. If any OOB driver is installed, the enablement kit will pre-enable/disable Smart SAN functionality for future use. It can then be activated once a Smart SAN enabled OOB driver is installed (see Prerequisite Notes) and after a reboot has occurred. Obtain Smart SAN User Guide for 3PAR at following link: HPE Smart SAN for 3PAR 2.0 User Guide

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link:<http://www.hpe.com/storage/spock/>The HPE supplied fibre channel driver must be installed prior to this enablement kit component if you want to enable Smart SAN functionality. The driver is available on the HPE.com website at [www.hpe.com](http://www.hpe.com).

- HPE Storage Fibre Channel Adapter Kit for the QLogic Storport Driver for Windows Server 2016 version 9.4.6.20, cp054431.exe.
- HPE Storage Fibre Channel Adapter Kit for the QLogic Storport Driver for Windows Server 2019 version 9.4.6.20, cp054432.exe.

However, if a Smart SAN enabled driver is not installed at execution time, the component will land the enablement kit files for future use after the driver has been installed.

### **Enhancements**

Updated to version 1.0.0.1

### **Supported Devices and Features**

- HPE SN1100Q 16Gb Dual Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1100Q 16Gb Single Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter

---

## HPE QLogic Smart SAN Enablement Kit for Fibre Channel Host Bus Adapter for Microsoft Windows Server 2022 (x86\_64)

Version: 1.0.0.1 (e) (Optional)

### **Important Note!**

The Smart SAN enablement kit will not execute when an operating system has only the inbox fibre channel driver installed. An out of box (OOB) fibre channel driver is needed to utilize Smart SAN functionality. If any OOB driver is installed, the enablement kit will pre-enable/disable Smart SAN functionality for future use. It can then be activated once a Smart SAN enabled OOB driver is installed (see Prerequisite Notes) and after a reboot has occurred. Obtain Smart SAN User Guide for 3PAR at following link: HPE Smart SAN for 3PAR 2.0 User Guide

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link:<http://www.hpe.com/storage/spock/>The HPE supplied fibre channel driver must be installed prior to this enablement kit component if you want to enable Smart SAN functionality. The driver is available on the HPE.com website at [www.hpe.com](http://www.hpe.com).

- HPE Storage Fibre Channel Adapter Kit for the QLogic Storport Driver for Windows Server 2022 version 9.4.6.20, cp054433.exe

However, if a Smart SAN enabled driver is not installed at execution time, the component will land the enablement kit files for future use after the driver has been installed.

### **Enhancements**

Updated to version 1.0.0.1

### **Supported Devices and Features**

- HPE SN1100Q 16Gb Dual Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1100Q 16Gb Single Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter

---

## HPE QLogic Smart SAN enablement kit for Linux

Version: 3.3-3 (p) (Optional)

### **Important Note!**

Obtain Smart SAN User Guide for 3PAR at following link: HPE Smart SAN for 3PAR 2.0 User Guide

### **Prerequisites**

Please consult SPOCK for a list of supported configurations available at the following link:<http://www.hpe.com/storage/spock/>The HPE supplied fibre channel driver must be installed prior to this enablement kit component if you want to enable Smart SAN functionality. The driver is available on

the HPE.com website at [www.hpe.com](http://www.hpe.com).

- Red Hat Enterprise Linux 8 Server FC Driver Kit for HPE QLogic HBAs , version 10.02.07.01-k1.
- Red Hat Enterprise Linux 9 Server FC Driver Kit for HPE QLogic HBAs , version 10.02.07.01-k1.

However, if a Smart SAN enabled driver is not installed at execution time, the component will land the enablement kit files for future use after the driver has been installed.

### **Fixes**

This Component is FIPs enabled.

### **Enhancements**

This Component is FIPs enabled.

### **Supported Devices and Features**

- HPE SN1100Q 16GB Dual Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1100Q 16GB Single Port PCIe Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Single Port Fibre Channel Host Bus Adapter
- HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Dual Port Fibre Channel Host Bus Adapter
- HPE SN1610Q 32Gb Single Port Fibre Channel Host Bus Adapter

---

## **Agentless Management Service (iLO 5, iLO 6) for Red Hat Enterprise Linux 9 Server**

Version: 3.6.0 (Optional)

### **Prerequisites**

- amsd only supported on HPE Gen10/Gen10 Plus and later Server Generations.
- amsd provides information to the iLO 5 and iLO 6 service providing SNMP support
- amsd provides information to the iLO 5 and iLO 6 service providing SNMP support

### **Fixes**

See the AMS Release Notes for information about the issues resolved in this release.

### **Enhancements**

See the AMS Release Notes for information about the enhancements in this release.

---

## **Agentless Management Service (iLO5, iLO 6) for Red Hat Enterprise Linux 8 Server**

Version: 3.6.0 (Optional)

### **Prerequisites**

- amsd only supported on HPE Gen10/Gen10 Plus Servers and later Server Generations.
- amsd provides information to the iLO 5 and iLO 6 service providing SNMP support.
- amsd provides information to the iLO 5 and iLO 6 service providing SNMP support.

### **Fixes**

See the AMS Release Notes for information about the issues resolved in this release.

## **Enhancements**

See the AMS Release Notes for information about the enhancements in this release.

---

## **Agentless Management Service for Microsoft Windows x64**

Version: 2.60.0.0 (Recommended)

### **Important Note!**

- During AMS installation in interactive mode, there is pop up message to selectively install SMA.
  - If Yes is selected, SMA service will be installed and set to running state.
  - If No is selected, SMA service will be installed but the service is not enabled.
- During AMS installation in silent mode, SMA is installed but the service is not enabled.
- To enable SMA service at a later time, go to the following folder: %ProgramFiles%\OEM\AMS\Service\ (Typically c:\Program Files\OEM\AMS\Service) and execute "EnableSma.bat /f"
- IMPORTANT: The SNMP service community name and permission must also be setup. This is not done by "EnableSma.bat".
- To disable SMA after it has been enabled, go to the following folder: %ProgramFiles%\OEM\AMS\Service\ (Typically c:\Program Files\OEM\AMS\Service) and execute "DisableSma.bat /f"
- After installing Windows operating system, make sure all the latest Microsoft Updates are downloaded and installed (wuapp.exe can be launched to start the update process). If this is not done, a critical error may be reported in Windows Event Log, "The Agentless Management Service terminated unexpectedly."
- After installing Windows operating system, make sure all the latest Microsoft Updates are downloaded and installed (wuapp.exe can be launched to start the update process). If this is not done, a critical error may be reported in Windows Event Log, "The Agentless Management Service terminated unexpectedly.".AMS Control Panel Applet:
- The AMS control panel applet UI is best displayed on the system when screen resolution is 1280 x 1024 pixels or higher and text size 100%.
- Test trap generated from AMS Control Panel Applet requires iLO5 firmware version 2.10 and newer.
- When in iLO5 high security mode (e.g. FIPS mode), MD5 authentication protocol will not be shown.
- When in iLO5 high security mode (e.g. FIPS mode), MD5 authentication protocol will not be shown.

### **Prerequisites**

Microsoft SNMP Service must be enabled, if SMA (System Management Assistant) is enabled.

### **Fixes**

See the AMS Release Notes for information about the issues resolved in this release.

## **Enhancements**

See the AMS Release Notes for information about the enhancements in this release.

---

## **HPE MegaRAID Storage Administrator for Linux 64-bit (HPE MRSA for Gen10P and Gen11 Controllers)**

Version: 8.6.18.0 (B) (Recommended)

### **Prerequisites**

- For SLES15 and above platforms, one of the dependent rpms - 'insserv-compat' is required during installation/uninstallation. This is needed because MRSA startup script is based on SysV/init script and insserv adds as a bridge between SysV/init script and systemctl.
- From RHEL 8+ the Desktop ICON Launching property is disabled by default. Please use either yum or DNF to install gnome-tweak-tool and Enable the Desktop Shortcut feature to launch MRSA. The chkconfig package is not present in RHEL 9 by default. This package is required to auto start MRSA service on system boot. Please install chkconfig package before installing the MRSA.
- From RHEL 8+ the Desktop ICON Launching property is disabled by default. Please use either yum or DNF to install gnome-tweak-tool and Enable the Desktop Shortcut feature to launch MRSA. The chkconfig package is not present in RHEL 9 by default. This package is required to auto start MRSA service on system boot. Please install chkconfig package before installing the MRSA.

### **Enhancements**

Support HPE ProLiant DL145 Gen11 server.

---

## **HPE MegaRAID Storage Administrator for Windows 64-bit (HPE MRSA for Gen10 Plus and Gen11 Controllers)**

Version: 8.6.18.0 (D) (Recommended)

### **Enhancements**

Support Microsoft Windows Server 2025

---

## **HPE MegaRAID Storage Administrator StorCLI for Linux 64-bit (for Gen10 and Gen11 Controllers)**

Version: 007.2613.0000.0000 (B) (Optional)

### **Enhancements**

Support HPE ProLiant DL145 Gen11 server.

---

## **HPE MegaRAID Storage Administrator StorCLI for Windows 64-bit (for Gen10P and Gen11 Controllers)**

Version: 7.2613.0.0 (C) (Recommended)

### **Enhancements**

Support Microsoft Windows Server 2025

---

## **NVMe Drive Eject NMI Fix for Intel Xeon Processor Scalable Family for Microsoft Windows 64-bit**

Version: 1.1.0.0 (G) (Optional)

### **Enhancements**

- Updated supported environments
- Updated supported environments



---

## Smart Storage Administrator (SSA) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers

Version: 6.40.6.0 (Recommended)

### Fixes

- Fixed an issue where failed drive details were displayed multiple times in the 'show config' output.
- Fixed incorrect error messages displayed in SSACLI when the modify command threw an error if the 'drive' and 'drivetype' parameters coexisted.
- Fixed an issue where the array creation command failed when executed with the drives=all and drivetype=sata\_hdd parameters.
- Fixed an issue where the drives behind the enclosures were missing in the SSACLI output.
- Fixed an issue where users encountered a failure when launching the SSASCRIPING tool to restore a RAID configuration with an unsupported parameter for PrebootHealthReporting.
- Fixed an issue causing a digest mismatch or missing digest error when installing SSA tools on Linux systems with FIPS enabled.
- Fixed an issue causing a digest mismatch or missing digest error when installing SSA tools on Linux systems with FIPS enabled.

### Enhancements

- To improve the output format of the NVMe drive health log for the show command.
- To improve the output format of the NVMe drive health log for the show command.

---

## Smart Storage Administrator (SSA) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers

Version: 6.40.6.0 (Recommended)

### Fixes

- Fixed an issue where failed drive details were displayed multiple times in the 'show config' output.
- Fixed incorrect error messages displayed in SSACLI when the modify command threw an error if the 'drive' and 'drivetype' parameters coexisted.
- Fixed an issue where the array creation command failed when executed with the drives=all and drivetype=sata\_hdd parameters.
- Fixed an issue where the drives behind the enclosures were missing in the SSACLI output.
- Fixed an issue where users encountered a failure when launching the SSASCRIPING tool to restore a RAID configuration with an unsupported parameter for PrebootHealthReporting.
- Fixed an issue where users encountered a failure when launching the SSASCRIPING tool to restore a RAID configuration with an unsupported parameter for PrebootHealthReporting.

### Enhancements

- To improve the output format of the NVMe drive health log for the show command.
- To improve the output format of the NVMe drive health log for the show command.

---

## Smart Storage Administrator (SSA) for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers

Version: 6.40.6.0 (Recommended)

## **Prerequisites**

To invoke, enter the following at the command prompt: `ssa -local` The command will start SSA in a new Firefox browser window. When the browser window is closed, SSA will automatically stop. This is only valid for the loopback interface, and not visible to external network connections.

## **Fixes**

- Fixed an issue causing a digest mismatch or missing digest error when installing SSA tools on Linux systems with FIPS enabled.
- Fixed an issue causing a digest mismatch or missing digest error when installing SSA tools on Linux systems with FIPS enabled.

---

## **Smart Storage Administrator (SSA) for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers**

Version: 6.40.6.0 (Recommended)

## **Fixes**

- Fixed an issue causing a digest mismatch or missing digest error when installing SSA tools on Linux systems with FIPS enabled.
- Fixed an issue causing a digest mismatch or missing digest error when installing SSA tools on Linux systems with FIPS enabled.

---

## **Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Linux 64-bit for Gen10/Gen10 Plus/Gen11 Controllers**

Version: 6.40.6.0 (Recommended)

## **Fixes**

- Fixed an issue where failed drive details were displayed multiple times in the 'show config' output.
- Fixed incorrect error messages displayed in SSACLI when the modify command threw an error if the 'drive' and 'drivetype' parameters coexisted.
- Fixed an issue where the array creation command failed when executed with the `drives=all` and `drivetype=sata_hdd` parameters.
- Fixed an issue where the drives behind the enclosures were missing in the SSACLI output.
- Fixed an issue where users encountered a failure when launching the SSASCRIPING tool to restore a RAID configuration with an unsupported parameter for PrebootHealthReporting.
- Fixed an issue causing a digest mismatch or missing digest error when installing SSA tools on Linux systems with FIPS enabled.
- Fixed an issue causing a digest mismatch or missing digest error when installing SSA tools on Linux systems with FIPS enabled.

## **Enhancements**

- To improve the output format of the NVMe drive health log for the show command.
- To improve the output format of the NVMe drive health log for the show command.

---

## Smart Storage Administrator Diagnostic Utility (SSADU) CLI for Windows 64-bit for Gen10/Gen10 Plus/Gen11 Controllers

Version: 6.40.6.0 (Recommended)

### **Important Note!**

This stand alone version of the Smart Storage Administrator's Diagnostic feature is available only in CLI form. For the GUI version of Diagnostic reports, please use Smart Storage Administrator (SSA).

### **Fixes**

- Fixed an issue where failed drive details were displayed multiple times in the 'show config' output.
- Fixed incorrect error messages displayed in SSACLI when the modify command threw an error if the 'drive' and 'drivetype' parameters coexisted.
- Fixed an issue where the array creation command failed when executed with the drives=all and drivetype=sata\_hdd parameters.
- Fixed an issue where the drives behind the enclosures were missing in the SSACLI output.
- Fixed an issue where users encountered a failure when launching the SSASCRIPING tool to restore a RAID configuration with an unsupported parameter for PrebootHealthReporting.
- Fixed an issue where users encountered a failure when launching the SSASCRIPING tool to restore a RAID configuration with an unsupported parameter for PrebootHealthReporting.

### **Enhancements**

- To improve the output format of the NVMe drive health log for the show command.
- To improve the output format of the NVMe drive health log for the show command.